



Annual Report of the Registrar-General for Scotland

1955

No. 101

EDINBURGH: HER MAJESTY'S STATIONERY OFFICE

1956

TABLE OF CONTENTS

	PAGE
INTRODUCTORY LETTER	6
TEXT	
INTRODUCTION	7
BIRTHS	
Sex Ratio	14
Monthly Rates	15
Fertility Rates	15
Multiple Births	16
Illegitimate Births	16
International Rates	17
MARRIAGES	
Civil Marriages... ..	17
International Rates	18
Divorces	18
DEATHS	
Standardised Rates	19
Monthly Rates	20
International Rates	20
Age and Sex	21
Infant Mortality	21
International Rates	23
Mortality among Legitimate and Illegitimate Children	23
Neo-natal Mortality	25
Centenarians	25
LIFE TABLES	26
CAUSES OF DEATH	
Certification	27
Principal Epidemic Diseases	28
Tuberculosis	29
Malignant Diseases	32
Diabetes	34
Anæmias	34
Other General Diseases	34
Diseases of the Nervous System	34
Diseases of the Circulatory System	34
Coronary Thrombosis	34
Diseases of the Respiratory System	35
Diseases of the Digestive System	35
Diseases of the Genito-Urinary System	35
Diseases of Pregnancy and Childbirth	35
Diseases of Skin and Cellular Tissue	36
Diseases of the Organs of Locomotion... ..	36
Malformations	37
Diseases of Early Infancy	38
Senility	38
Violence	38
Accidents at Home and elsewhere	39
Suicide	42
Relative Frequency of Cause of Death	42
Infant Deaths	42
Death-rates standardised to Population of Great Britain	44
Central Clydeside Conurbation. Statistical Summary	45
APPENDICES	
I. FERTILITY OF WOMEN	
Report on information obtained under the Population (Statistics) Act, 1938, for the year 1955	48

APPENDICES—continued

II. STILLBIRTHS	PAGE
Registration of Stillbirths	52
III. SOCIAL CLASS	
Births, Stillbirths and Infant Deaths according to the social class of father, 1955	59
IV. MARRIAGES	
Additional Statistics regarding Marriages registered during the year 1954	63
V. PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS, 1955	70
VI. ALTERATION OF BOUNDARIES	
Burghs, Landward Areas, Parishes and Registration Districts... ..	71
VII. RE-REGISTRATION OF BIRTHS	
Adopted Children Register—Searches and Extracts	73
VIII. INHABITED HOUSES	
Inhabited houses in each area in Scotland for the year 1939 and for each year from 1951 to 1955	74
IX. OCCUPATIONAL MORTALITY	75
X. DIVORCE STATISTICS	
Divorce Statistics of Persons married in Scotland 1948-1955	134
XI. WEATHER	
Report on the weather in Scotland for the year ended 31st December, 1955	143

TABLES

BIRTHS, DEATHS AND MARRIAGES

1. Population, Births, Stillbirths, Deaths and Marriages in Scotland, 1855 to 1955, with Quinquennial averages	146
2. Birth, Stillbirth, Death and Marriage rates, Scotland, 1855 to 1955, with Quinquennial averages	148
3. Births, Stillbirths, Deaths and Marriages by Quarters, Scotland, 1945 to 1955	150
4. Birth, Stillbirth, Death and Marriage rates, Scotland, Counties of Cities, Large Burghs and Counties, 1955... ..	151
5. Birth, Stillbirth, Death and Marriage rates, Small Burghs, 1955	154
6. Birth, Stillbirth, Death and Marriage rates, Landward Areas, 1955	157

GENERAL REGISTRATION SUMMARY

7. Births, Stillbirths, Deaths and Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1955	158
--	-----

BIRTHS

8. Birth-rate among married and unmarried women, Scotland, Counties of Cities, Large Burghs and Counties, 1955... ..	159
See also Tables 7 and 63	

FERTILITY OF WOMEN

9. Births by sex and legitimacy and by year of age of mother, Scotland, 1955	161
10. Births by age of mother and duration of marriage, Scotland, 1955	162
11. Fertility by age of mother, Scotland, 1955	163
12. Interval between marriage and birth of first child, Scotland, 1955	164
13. Number of previous children by age of mother, Scotland, 1955	165
14. Births by duration of marriage and number of previous children, Scotland, 1955	166
15. Deaths of married women who died childless—age-groups, Scotland, 1955	167
16. Deaths of women by duration of marriage, and number who died childless, Scotland, 1955	168
17. Deaths from selected causes and age groups of women who had been married, Scotland, 1955	169

STILLBIRTHS

PAGE

18. Number and rates of stillbirths and neo-natal deaths, Scotland, Counties of Cities, Large Burghs and Counties, 1955	170
19. Stillbirths by age of mother and number of previous children, Scotland, 1955	172
20. Multiple confinements (all births live and still) by age of mother, 1955	173
21. Stillbirths by cause and age of mother, Scotland, 1955	174
22. Stillbirths by cause and order of birth, Scotland, 1955	177
23. Stillbirths by cause and month of registration, Scotland, 1955	179
23A. Stillbirths by cause and place of occurrence, Scotland, 1955	181
24. Stillbirths by cause in Public Health Districts of Scotland (Persons), 1955	182

BIRTHS, STILLBIRTHS AND INFANT DEATHS BY SOCIAL CLASS.

25. Legitimate stillbirths by cause and social classification, Scotland, 1955	186
26. Deaths of legitimate children under one year from selected causes by social classification, Scotland, 1955	188
27. Stillbirths by social classification, age of mother and number of previous children, Scotland, 1955	189
28. Live births by social classification, age of mother, and number of previous children, Scotland, 1955	190

DEATHS

29. Children under one year, deaths from selected causes, Scotland, 1955	191
30. Children under one year, deaths from selected causes, by month of registration, Scotland, 1955	192
31. Children under one year, births, deaths and death-rates by age periods, Scotland, Counties of Cities, Large Burghs and Counties, 1955	194
32. Children under one year, deaths by selected age-groups, Scotland, 1955	196
33. Ages at death, Scotland, and aggregate of Counties of Cities, Large Burghs, Counties ex Large Burghs, Small Burghs and Landward Areas, 1955	197
34. Deaths, male and female, by year of age and conjugal condition, Scotland, 1955	198
35. Deaths and death-rates from selected causes by age-groups, Scotland, 1955	200
36. Deaths and death-rates from selected causes, Scotland and aggregate of Counties of Cities, Large Burghs, Small Burghs and Landward Areas, 1955	203
37. Deaths from selected causes and in age-groups, Scotland, 1945-1955	206
38. Death-rates from selected causes and in age-groups, Scotland, 1945-1955	208
39. Deaths from principal epidemic and certain other diseases, Scotland, 1855-1955	210
40. Death-rates from principal epidemic and certain other diseases, Scotland, 1855-1955	211
41. Deaths from poison and under anæsthetics, Scotland, 1955	212
Detailed International List	
42. Causes of death by age-groups (males and females), Scotland, 1955	214
Intermediate International List	
43. Causes of death by months (Persons), Scotland, 1955	274
44A. Deaths in Scotland by sex and age-groups, 1955	278
44B. Deaths in Cities over 100,000 population (Glasgow, Edinburgh, Aberdeen, and Dundee) by sex and age-groups, 1955	286
44C. Deaths in aggregate of Large Burghs in Scotland by sex and age-groups, 1955	294
44D. Deaths in aggregate of Small Burghs in Scotland by sex and age-groups, 1955	302
44E. Deaths in aggregate of Landward Areas in Scotland by sex and age-groups, 1955	310
44F. Deaths in Central Clydeside Conurbation in Scotland by sex and age-groups, 1955	318
45. Causes of deaths in Public Health Districts of Scotland (Persons), 1955	326
Abbreviated International List	
46. Causes of death by age-groups in Public Health Districts of Scotland (males and females) 1955 (including separate particulars for the insular portions of Inverness and Ross and Cromarty Counties)	338
47. Statistical Abstract Population, Births, Stillbirths, Marriages, Deaths, Causes of Death, Ages at Death, Scotland, Counties, Counties of Cities, Burghs and Landward Areas, 1955	398

DEATHS—continued

	PAGE		PAGE
County of Aberdeen	398	County of Lanark	422
Do. Angus	402	Do. Midlothian	424
Do. Argyll	402	Do. Moray	426
Do. Ayr	404	Do. Nairn	426
Do. Banff	406	Do. Orkney	426
Do. Berwick	408	Do. Peebles	428
Do. Bute	410	Do. Perth	428
Do. Caithness	410	Do. Renfrew	430
Do. Clackmannan	410	Do. Ross and Cromarty	432
Do. Dumfries	412	Do. Roxburgh	432
Do. Dunbarton	412	Do. Selkirk	434
Do. East Lothian	414	Do. Stirling	434
Do. Fife	416	Do. Sutherland	436
Do. Inverness	420	Do. West Lothian	436
Do. Kincardine	420	Do. Wigtown	438
Do. Kinross	420	Do. Zetland... ..	438
Do. Kirkcudbright	422		

STANDARDISED RATES

48. Death-rates standardised to population of Great Britain: Scotland: England and Wales for comparison	440
---	-----

MARRIAGES

49. Method of celebration, etc., of marriages, 1855 to 1954	441
50. Ecclesiastical, Civil and Irregular Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1954	442
51. Marriages according to Church of Celebration, Scotland, Counties of Cities, Large Burghs and Counties, 1954	443
52. Conjugal Condition of Persons marrying, Scotland, Counties of Cities, Large Burghs and Counties, 1954	444
53. Ages of Men at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1954	446
54. Ages of Women at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1954	448
54A. Age and conjugal condition of men marrying in Scotland, 1954	450
54B. Age and conjugal condition of women marrying in Scotland, 1954	452
55. Ages in combination of men and women at marriage, Scotland, 1954	454
56. Ages in combination of bachelors and spinsters at marriage, Scotland, 1954	455
57. Ages in combination of bachelors and widows at marriage, Scotland, 1954	456
58. Ages in combination of widowers and spinsters at marriage, Scotland, 1954	457
59. Ages in combination of widowers and widows at marriage, Scotland, 1954	458
59A. Ages in combination of divorced men and of women (all conjugal conditions) at marriage, Scotland, 1954	459
59B. Ages in combination of men (all conjugal conditions) and of divorced women at marriage, Scotland, 1954	460
See also Tables 7 and 63	

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

60. Parliamentary Electors on the February, 1955, Register	461
61. Local Government Electors and analysis of local elections on the February, 1955, Register	464

INHABITED HOUSES

62. Return of Inhabited Houses in Scotland, 1939 and 1951-1955	475
---	-----

METEOROLOGY

63. Meteorology of Scotland for 1955; also number of births, stillbirths, deaths, deaths under one year and marriages by months, with rates	481
64. Deaths, temperature and rainfall for each week of 1955—seventeen Large Burghs	482
See also Tables I to IV, pages 483 to 487	

METEOROLOGICAL TABLES FOR APPENDIX XI

I. District Values of air temperature, rainfall and sunshine, 1955	483
II. Summary table of mean values of air temperature at the principal towns, Monthly values, 1955, also generalised figures for rain for the United Kingdom	484
III. Number of hours bright sunshine, Monthly values, 1955	485
IV. Rainfall, Monthly values, 1955	486

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1955

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,

NEW REGISTER HOUSE,

EDINBURGH, 14th December, 1956.

SIR,

In compliance with the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, I beg to submit, for transmission to the Secretary of State, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1955.

The Report includes in Appendix IX an analysis of mortality in Scotland according to occupation. It is based on mortality in 1949-1953 and the occupations ascertained at the 1951 Census.

I am, Sir,

Your obedient Servant,

E. A. HOGAN,

Registrar-General

THE SECRETARY,

DEPARTMENT OF HEALTH FOR SCOTLAND

ATTENTION IS DRAWN TO THE EXAMINATION OF MORTALITY BY OCCUPATIONS IN APPENDIX IX OF THIS REPORT. IT IS BASED ON THE 1951 CENSUS.

INTRODUCTION

The vital statistics of 1955 were, on the whole, much in line with those of 1954. The birth-rate continues at a slightly higher level than in the years immediately before the war.

The marriage-rate again shows an increase and is noticeably higher than it was in the 1930's.

The year was one of severe weather in its early and closing months, but the death-rate was only fractionally higher than in 1954. Although the proportion of older persons in the population is continually growing, the death-rate, with minor fluctuations, has been decreasing for many years. Maternal and infant mortality in 1955 were the lowest recorded in Scotland, as also were deaths from tuberculosis.

Births.—There were 92,539 births registered in Scotland in 1955, an increase of 224 over the previous year. The birth-rate per thousand of the population was 18·0, which is the same as in 1954. After the sharp increase in the birth-rate due to the large temporary increase in births after the last war, the rate fell in the years 1951-3 to levels rather lower than those in the three pre-war years 1936-8, but the rate of 18 to which it recovered in 1954 and held in 1955 is perceptibly higher than the pre-war rates. From 1935 until 1938 it was always below 18.

The number of births per thousand married women of child-bearing age, which fell from 316 in 1860-62 to 131 in 1952, increased to 132 in 1953 and 134 in 1954. The figure of 134 has been maintained in 1955. For the time being, at any rate, it seems that the long, steep fall has been arrested. And it seems that a main reason for this is the continuing trend towards marriage at earlier ages to which reference is made later.

Taken in isolation as a separate factor, the growing age of the population must tell against the birth-rate. In 1901, for example, 19·5 per cent. of the population were over 45. In 1951 the proportion was very much greater at 32·4 per cent.

There is, as usual, a wide variation between one part of the country and another in the numbers of births in relation to married women of child-bearing age. In Scotland, as a whole, the average number of children per thousand married women in 1955 was 134·2. The cities were below that at 131·7; the counties a little higher at 134·9, and the large burghs, excluding the cities, highest at 137·9.

Glasgow was the highest of the cities with 142·2 children per thousand married women; Dundee next with 125·2; Aberdeen next with 120·8, and Edinburgh lowest with 114·0. Among the large burghs the highest rates were in Coatbridge and Dumbarton with 186·6 and 185·4. Indeed the eight large burghs coming highest in the list are all in or near Central Clydeside. They are Coatbridge, Dumbarton, Port Glasgow, Greenock, Hamilton, Rutherglen, Motherwell & Wishaw, and Airdrie. Lowest in the list, with figures from 114

EXPLANATORY NOTES

(1) *To save repetition, any references to an average or average rate will, unless the contrary is indicated, be intended as references to the average for the five years 1950 to 1954.*

(2) *The population is taken to be the civil population (including members of the Mercantile Marine for the time being in Scotland) and members of the armed forces stationed in Scotland. Birth, death and marriage-rates are calculated accordingly.*

(3) *Throughout the Report "year" means "calendar year" except where otherwise specified.*

down to 111, were Falkirk, Perth, Kirkcaldy and Arbroath. Among the counties the first three are Sutherland, Ross & Cromarty, and Inverness with figures of 166·7, 166·0, and 158·7 respectively. The last three counties in the list are Berwick, Orkney and Kinross with 110·4, 109·9 and 102·4 respectively. As a general rule the Highland counties, or some of them, always head the list and the four border counties come at or near the foot. In 1955 the counties of Berwick, Selkirk, Peebles and Roxburgh were within the last nine counties on the list. The number of children per 1,000 married women in Roxburgh was 125·0 in 1955; in Peebles 117·8; in Selkirk 111·4, and in Berwick 110·4.

Marriages.—There were 43,212 marriages registered in Scotland in 1955. The figure is higher than any since that of 1948, which still reflected the sharp temporary increase in the number of marriages after the last war. The marriages of 1955 were at the rate of 8·4 per 1,000 of the estimated population, which was 11 per cent. higher than the average in the five years before the war. This maintains a sustained increase over the last 40 or 50 years. In the five years 1911-15 there were on the average 7·1 marriages a year for every 1,000 of the population. In the five years 1951-55 the average was 8·1, an increase of one marriage a year for every 1,000 of the population.

As a result, the proportion of married persons in the population over 16 years of age has risen substantially. In 1901 it was 45·9 per cent., showing little change from the 46·4 per cent. of 1861, before which such information is not available. By 1931, however, it had risen to 51 per cent. and by 1951 showed a considerable further increase to 59·7 per cent. So in every 100 of the population over 16 there were 14 more married persons in 1951 than in 1901.

The tendency towards earlier marriage is also quite noticeable. It is true both of men and women, although, of course, the average age of women at marriage is always considerably lower than that of men. 28 per cent. of the men who married in 1938 were under 25, but in 1954, the latest year for which figures are available, the proportion had risen to 45 per cent. 49 per cent. of the women who married in 1938 were under 25 and the percentage had risen to 65 by 1954. Roughly, the figures indicate that three women marry under 25 for every two men. In compensation for the large increase in the numbers of persons under 25 at the time of marriage, there was a considerable fall in the number over that age. This is true of the total marriages over 25 and also of each five yearly age group, save for a small increase in the relatively few marriages after age 45.

The extent to which the shift towards marriage at earlier ages has progressed in recent years may be seen from the figures given on page 69 of this Report. In the male population under 21, for example, there were 3,523 marriages in 1954 compared with 1,648 in 1938. In the female population, where marriage at younger ages is very much more frequent, the number of marriages under 21 was 11,594 in 1954 compared with 7,138 in 1938.

A comparison of the age-grouping of the married population at different points of time gives a measure of the effect of this continuing trend towards early marriage. The following table shows the proportions of married persons in each of four age groups at the years indicated; and taking the proportion for the year 1901 as equivalent to 100 in each group the comparable figure in each of the two later years is indicated.

PROPORTION OF MARRIED PERSONS IN AGE GROUPS

		<i>Under 20</i>	<i>20-24</i>	<i>25-29</i>	<i>Over 30</i>
1901	...	0·94 (100)	18·10 (100)	48·02 (100)	64·55 (100)
1931	...	1·33 (141)	17·38 (96)	46·55 (97)	65·66 (102)
1951	...	2·02 (215)	30·15 (167)	63·69 (133)	69·06 (107)

The table shows that for every 100 married persons under 20 in 1901 there were 215 in 1951. The other age groups also show increases, reflecting the general increase in the marriage-rate and the improvement in the death-rate, but the rate of increase diminishes as the age increases. The increase under 20 is markedly greater than that in any other of the three age groups.

Even so, the proportion of married persons in the population between 15 and 20 is a good deal lower in Scotland than in the other main English-speaking countries. Since males bulk small in the total, the comparison stands out more clearly in relation to the female population, to which the following figures are accordingly limited. Even in relation to England, the proportion of females between 15 and 20 in Scotland who were married at the time of the 1951 census was a good deal less at 3.52 per cent. than the English figure of 4.4 per cent. (though the minimum age for marriage in Great Britain is 16, the age-group 15-20 is taken to fit the groupings for which comparable figures are available for the other countries mentioned in the following). In Australia (excluding aborigines) the figure at the census of 1947 was 5.5. In Canada at the census of 1951 it was a good deal higher at 7.9. In the United States of America, at the census of 1950, the proportion was no less than 16.7 per cent. This includes both the white and non-white population. In the latter, which comprises about 10 per cent. of the total population, the proportion was not a great deal higher at 20 per cent.

It might naturally be supposed that these higher proportions of married persons in the younger population reflect higher proportions in the countries mentioned of younger persons in the total population, but the actual facts do not entirely bear this out. The population between 15 and 20 in Scotland at the last census made up 7.1 per cent. of the total population. England and Wales was lower at 6.2 per cent.; Canada and Australia higher at 7.6 and 7.7 per cent.; New Zealand lower at 6.7 per cent., and the United States lower also at 7.0 per cent. (the figures are in each case those of the last census—see previous paragraph).

It is a matter of some surprise to discover from these figures that the ranks of the population in Scotland between 15 and 20 should have been stronger proportionately to the total population than the comparable groups in such countries as the United States and New Zealand. For one thing it is natural to look upon those countries as characteristically countries of immigration, and on Scotland as a country of emigration. For another, one has become accustomed to references in one context and another to their high birth-rates in comparison with that in Scotland. As regards migration it is to be remembered that there was a more or less general standstill on migration during the 1930's and throughout the second world war. Consequently, the populations of immigrant countries in 1951 between 15 and 20 would not usually include many persons, relatively speaking, who had come as immigrants from other countries though they would include numbers of young persons who were the sons and daughters of persons who had emigrated from other countries before the onset of the depression of the 1930's. It is true that the birth-rates ruling for a number of years in the United States, and in New Zealand as well, have been much higher than the rates ruling in Scotland. The birth-rate in the United States in 1954, for example, was 24.9 per 1,000 of the population, and in New Zealand it was 24.7. In Scotland it was no more than 18.0, a very much lower figure. This means that Scotland was gaining in 1954 only 180 new lives in every 10,000 of the population, whereas the United States was gaining 249 in every 10,000 and New Zealand 247. In Canada and Australia, where the strength of the 15-20 population was relatively greater than in Scotland, the birth-rates were respectively 28.7 and 22.5 per 1,000 of their 1954 population. Canada, it will be seen, had the highest birth-rate

of all, and though the Australian rate was considerably lower than this, it was still much higher than the Scottish rate of 18.0 to which in 1954 only the lower rate of 15.2 in England and Wales took a second place.

The persons comprising in 1951 the 15-20 age group would be those born in the early 1930's. And another, different sort of picture is presented when one compares the birth-rates which prevailed then. In the five years 1930-34 the Scottish birth-rate was 18.6, a little more than the 18.0 of 1954. The rate in England and Wales was only one decimal point different at 15.3 from what it was in 1954, and was very much the same distance behind the Scottish rate as it was in 1954. Even the rate in the United States of America was then lower than Scotland at 17.6. It has risen by no less than 7.3 points in the interval between the depression of the early 1930's and the unprecedented industrial prosperity of recent years. The rates in Australia and New Zealand in 1930-34 were also lower than the Scottish rate at 17.6 and 17.5 respectively. At that time Canada had the highest rate of all the countries mentioned, namely, 22.2, and it is noteworthy that it still held first place in 1954. These high rates are presumably in part due to the high level of immigration into Canada. And, no doubt, the improvement in the rates in Australia and New Zealand is due in part to the same cause. Interesting in themselves, these comparisons show how the proportionate intake of new lives into the population in Scotland was higher in the early 1930's than in any other of the countries mentioned excepting Canada, and this is the reason why its 15-20 population in 1951 was proportionately high.

The figures of 1955 show that relatively to other countries the proportion of the 15-20 population in Scotland to the total population was still much the same. But as the years go on the higher birth-rates in those other countries (higher, speaking generally, since the beginning of the last war) will increase in their favour the proportions of the 15-20 population in comparison with Scotland. This can be seen from the comparative figures indicating the proportions of younger persons under the age of 15 in the respective populations. In 1954 children under 15 made up 24.9 per cent. of the population of Scotland. While England and Wales were lower at 22.5, the other countries mentioned were higher, viz.:—Australia 25.1, the United States of America 29.0, New Zealand 39.9, and Canada 32.2. Scotland cannot therefore go on having the same comparative intake into the 15-20 population in the future as these other countries, and, its relative proportion of younger persons in the population will be subject to a progressive diminution.

This becomes more apparent when the populations under the age of 15 are sub-divided according to age-groups. The lower the age the larger the margin of difference to the advantage of the other countries overseas. In 1954 the proportion of the Scottish population that was between the ages of 10 and 15 was 7.6. The proportion was higher at 8.4 in New Zealand; 8.7 in Canada, and 7.9 in the United States of America. Figures are not available for Australia for this age-group in isolation. In the age-group between 5 and 10 years of age, where Scotland shows a considerable increase at 8.8 per cent. over the 10-15 age-group (reflecting the post-war increase in the birth-rate), the other countries show a relatively still greater increase at New Zealand 10.6; Canada 10.8, and the United States of America 10.1. Taking the age-group between 5 and 15 Australia had a percentage of 19.2 which was much the same as Canada's percentage of 19.5. The consolidated Scottish percentage for that group was 16.3.

Children under five made up 8.4 per cent. of the Scottish population in 1954. The other countries had noticeably increased their lead and the figures were New Zealand 11.8; Australia 10.8; Canada 12.7, and the United States of America 11.0.

While the figures show that the other overseas countries mentioned, with their larger numbers of children at the younger ages, will go on increasing their proportion of the 15-20 population as the years go by, the general position remains, for the present, that Scotland is as strong as those other countries in the proportion of its population at those ages. There is no apparent reason why the increase in the proportion of married persons in the 15-20 age group of the Scottish population should not continue. There is no discernible reason, for example, why the proportion of married women in the female population between 15 and 20 should be 4·4 in England and in Scotland 3·5. In other countries there are sometimes, of course, variations in law and usage in relation to the age at marriage. But the comparisons have been held to populations between 15 and 20 and consequently the margin of difference, where any difference arises, is limited to persons between the age of 15 and 16. That cannot make any substantial difference to the broad comparative position.

Perhaps the most significant aspect of this continued trend towards earlier marriage is its effect upon the birth-rate. The statistics of births show that the rate is much higher at the earliest marriage ages. For example, in 1955 the number of births per 1,000 married women between the ages of 16 and 20 was 451. For married women between the ages of 20 and 25 the number was a third less at 305. Between the ages of 25 and 30 it fell to 215 and between 30 and 35 to 125.

The figures seem to leave no doubt that the trend towards marriage at earlier ages has been a main factor in keeping the birth-rate in Scotland at a reasonably steady level for some years past. While the influences affecting the birth-rate are too various to permit of anything in the nature of a prediction, the continuing trend towards earlier marriage is a factor which may tend in the years immediately ahead to keep it from falling below its present level.

Deaths.—Mortality in Scotland showed little change from the previous year. The deaths numbered 61,645 compared with 61,380 in 1954. The rate per 1,000 of the estimated population (the crude death-rate) was 12·01, only fractionally above the rate of 11·98 in 1954 but a little below the average of 12·17 for the five years 1950-54.

The long improvement in the death-rate, which has been concentrated in the younger ages (the life span has not altered), is being slowed down by the ageing of the population. As this continues there will be increasingly less room for further contraction in the death-rate.

Infant mortality shows a slight decline and is the lowest ever recorded. The rate per 1,000 births of children under one was 30·4, a little below that of 31·0 in 1954, and 4·2 below the average. Neo-natal deaths (those aged under four weeks) account for two-thirds of the deaths of children under one and equal a rate of 19·7 which is 0·9 lower than in 1954 and 1·7 below the average.

The principal cause of death continues to be heart disease. It accounted for 33·9 per cent. or fully one-third of all deaths in Scotland in 1955.

Deaths from tuberculosis have again declined and the rate of 19 per 100,000 of the population is the lowest recorded. The rate is less than a quarter of what it was as recently as 1948. For men the death-rates were heaviest in the age groups 55 to 74, whereas for women they were greatest at 25 to 44.

Maternal deaths number 43 in 1955, showing a sharp fall from 70 in 1954.

The stillbirth-rate of 24·6 per 1,000 total births is 0·7 below that of 1954 and 1·4 below the average.

Population.—The population of Scotland at 30th June, 1955, was estimated to be 5,133,300. The natural increase (excess of births over deaths) was 29,000. The loss of population by migration is estimated to have been 23,000.

The age distribution of the population of Scotland at mid-1955 is estimated in Table G (1) on page 22 of this Report. According to the estimates there were 1,277,500 children under 15, 3,333,400 persons between 15 and 65, and 522,400 persons over the age of 65. The comparable figures at the census of 1951 were 1,255,037 children under 15, 3,333,419 persons between 15 and 65, and 506,895 persons over the age of 65. The number of children under 15 was 22,000 more than in 1951. The increase is the result of the higher birth-rates prevailing after the last war. The population between 15 and 65 is the same as in 1951 but the estimated over 65 population in 1955 is more than 15,000 higher than in 1951.

The following Table compares the situation in 1955 with that at previous points of time beginning with 1861, before which figures are not available.

AGE DISTRIBUTION OF THE POPULATION OF SCOTLAND
1861-1955

Date		Proportion, per 1,000 of the total population, in each age-group		
		0-14	15-64	Over 65
1861	...	361	591	49
1901	...	334	617	48
1951	...	246	654	99
1955	...	249	649	102

According to the estimates there were 2,455,300 males and 2,678,000 females in the Scottish population at 30th June, 1955. The males were 47·8 per cent. of the total and the females 52·2 per cent. The numbers and proportion of females in the population go on increasing because women have an appreciably longer life span than men. As indicated elsewhere in this Report, the average expectation of life for a child born in 1955 was 65·8 years for a male and 70·6 for a female child. The excess of females in the population is in no way attributable to a higher birth-rate among female children. The contrary is the case. The number of male children born is always higher than the number of female children. But mortality is higher among males, especially at the younger ages, and somewhere before the age of 30 the numerical advantage passes from males to females and is never recovered.

The following Table A shows the estimated population distributed in the aggregate among the counties of cities, large burghs, small burghs and landward areas. It gives the corresponding census figures for 1931 and 1951 adjusted for boundary changes.

TABLE A.—Population of Scotland in 1955

GROUPS OF DISTRICTS	Estimated Population at 30th June, 1955	Census 1951 (Resident)			Census 1931 (Resident)		
	Persons	Persons	Males	Females	Persons	Males	Females
Counties of Cities ...	1,914,700	1,927,139	902,036	1,025,103	1,892,593	889,386	1,003,207
Large Burghs ...	848,600	830,506	397,870	432,636	777,278	378,043	399,235
Small Burghs ...	844,900	831,524	387,156	444,368	748,276	347,827	400,449
Landward ...	1,525,100	1,567,246	747,296	759,950	1,424,833	710,267	714,566
SCOTLAND ...	5,133,300	5,096,415	2,434,358	2,662,057	4,842,980	2,325,523	2,517,457
Males ...	2,455,300						
Females ...	2,678,000						

Migration.—Estimates of intercensal movement from one country to another are approximate, especially as regards migration within the United Kingdom.

For the year to June, 1955, it is estimated that in the movement overseas the emigrants exceeded the immigrants by 10,000. The net loss to other parts of the United Kingdom, principally England, is estimated at 13,000. This gives a total loss of 23,000 out of the natural increase of 29,000.

The loss was 2,000 less than that of the previous year which was estimated at 25,000. It was also below the average of 24,000 for the preceding five years.

Of the net estimated overseas migration of 10,000 over a third (4,200) went to Canada, 3,200 to Australia, 1,500 to United States and 900 to New Zealand.

For some time past migrants have usually been equally divided between the sexes. This was borne out by the experience of the intercensal movement between 1931 and 1951. In the year to June, 1955, however, female migrants were a little in excess and constituted 57 per cent. of the total. Experience based on single years must, of course, show some variation.

About 92 per cent. of the male migrants and 85 per cent. of female migrants were under 45. Children under 15 accounted for nearly 28 per cent. in the case of males and 23 per cent. in the case of females. The main loss is therefore in the age-groups between 15 and 45, accounting for 64 per cent. for men and 62 per cent. for women.

The tabulation of male emigrants by occupation shows that the main groupings were building and carpentry, clerical and distributive, engineering, and professional and managerial in that order. More than half of the females aged 15 and over were shown as housewives. The remainder were mainly in the clerical and distributive group, professional and managerial occupations, and in domestic occupations.

REPORT 1955

BIRTHS

Numbers.—The number of living children* whose births were registered in Scotland in 1955 was 92,539 (47,526 males and 45,013 females). This is an increase of 224 over 1954 and of 1,175 over the average of the five years 1950-1954.

Rates.—The birth-rate for the year was 18·03 per 1,000 population. The rate in 1954 was 18·02 and the average rate 17·85. In the counties of cities the 1955 rate was 18·0, in the large burghs 19·2, in the small burghs 17·4, and in the landward districts 17·8. (Table B (1).)

The birth-rates in 1955 in each city, large burgh and county will be found in Table 4. In the cities and large burghs the rate ranged from 25·1 in Dumbar-ton, 24·9 in Coatbridge and 23·0 in Port Glasgow to 15·5 in Arbroath, 15·3 in Falkirk, and 15·2 in Edinburgh. In the counties the rate ranged from 20·7 in Midlothian, 19·7 in Lanark and 19·1 in Wigtown to 13·7 in Orkney, 13·6 in Kinross and 13·1 in Bute.

TABLE B (1).—Birth-rate in Scotland and its Groups of Public Health Districts in 1955

GROUPS OF DISTRICTS	Live Births					Birth-rate per 1,000 of Estimated Population			Illegitimate Births per 100 Live Births
	Total	Legitimate		Illegitimate		Total	Legitimate	Illegitimate	
		Males	Females	Males	Females				
Counties of Cities ...	34,462	16,996	15,767	876	823	18·00	17·11	0·89	4·93
Large Burghs	16,325	8,040	7,688	293	304	19·24	18·53	0·70	3·66
Small Burghs	14,662	7,192	6,935	269	266	17·35	16·72	0·63	3·65
Landward ...	27,090	13,269	12,661	591	569	17·76	17·00	0·76	4·28
SCOTLAND ...	92,539	45,497	43,051	2,029	1,962	18·03	17·25	0·78	4·31

	Stillbirths			Rate per 1,000 Births (including Stillbirths)		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Counties of Cities ...	870	813	57	24·6	24·2	32·5
Large Burghs	415	392	23	24·8	24·3	37·1
Small Burghs	383	357	26	25·5	24·6	46·3
Landward ...	662	629	33	23·9	23·7	27·7
SCOTLAND ...	2,330	2,191	139	24·6	24·1	33·7

Ratio of Male to Female Births.—There were 1,056 males to every thousand females among the children born alive in 1955 the ratio being the same as in 1954. This is one below the average for the years 1951 to 1955. The highest average of male to female births since 1855 (the beginning of registration) was in the period 1946 to 1950 when the ratio was 1,063.

* Stillbirths are dealt with in Appendix II (pages 52-58).

Monthly Birth-rates.—As will be seen from Table 63 the monthly birth-rate was, as usual, higher in the first than in the second half of the year.

Fertility Rates.—Births and birth-rates in Scotland in 1955 in relation to women of child-bearing age are given in Table 8. They are given for Scotland as a whole and for the administrative areas in the aggregate, and also for each county and large burgh. The total number of births is shown and, separately, the numbers of legitimate and illegitimate births. The birth-rates per 1,000 women of child-bearing age are calculated in the Table in relation to all women between the ages of 15 and 45, and also in relation to married women between the ages of 16 and 45.

These rates are summarised in the following Table B (2) for three-yearly periods centred on each census from 1861 to 1951.

The number of births per 1,000 married women reached its highest figure of 319·4 in 1870-72. By 1900-02 it was down to 271·8 and by 1950-52 that figure was more than halved at 132·3. The 1950-52 rate was about 42 per cent. of the rate of 1860-62.

TABLE B (2).—Birth-rate in Scotland, per 1,000 Women aged 15-44, 1861-1951

YEAR	Births per 1,000 Women aged 15-44			Legitimate Births per 1,000 Married Women aged under 45		
	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62
1860-62 ...	144·6	—	100	316·0	—	100
1870-72 ...	149·4	103·3	103·3	319·4	101·1	101·1
1880-82 ...	145·8	97·6	100·8	311·5	97·5	98·6
1890-92 ...	132·5	90·9	91·6	296·4	95·2	93·8
1900-02 ...	121·9	92·0	84·3	271·8	91·7	86·0
1910-12 ...	107·3	88·0	74·2	233·2	85·8	73·8
1920-22 ...	105·1	97·9	72·7	226·7	97·2	71·7
1930-32 ...	80·1	76·2	55·4	169·0	74·5	53·5
1940-42 ...	73·0	91·1	50·5	136·9	81·0	43·3
1950-52 ...	80·3	110·0	55·5	132·3	96·6	41·9

The yearly rates from 1931-55 are given in the following Table B (3). It will be observed that the rate for all women between 15 and 45 was higher in 1955 than in 1931, whereas the rate for married women was a good deal lower. The reason for the increase in relation to all women of child-bearing age is that the proportion of married women is much increased. The marriage-rate has been going up more or less steadily for a long time, and the numbers of married persons in the population were sharply increased by exceptionally high marriage-rates after the last war.

The births per 1,000 married women were lower by 34·1 per 1,000 married women than in 1931, but the continuing fall has, in recent years, been arrested. The figure reached 131·5 in 1951 and was much the same at 131·3 in 1952, 1953 showed an increase and 1954 a further increase which has been maintained by the figure of 134·2 in 1955.

As mentioned elsewhere in this Report, it appears that this steady increase in the number of legitimate births per 1,000 married women is due to an increase in the numbers of marriages at the younger ages, mainly under 20. Statistics make it clear that fertility is highest at these younger ages.

TABLE B (3)—Crude Birth-rate and rate per 1,000 women aged 15—44 in Scotland 1931—1955

Year	Crude Birth-rate per 1,000 Population	Births per 1,000 Women aged 15-44	Legitimate births per 1,000 Married Women aged under 45	Illegitimate births per 1,000 Unmarried Women aged 15-44
1931	19.0	79.8	168.3	10.3
1932	18.6	78.4	164.3	9.9
1933	17.6	74.5	154.7	9.2
1934	18.0	76.5	156.8	9.4
1935	17.8	74.9	152.4	9.0
1936	17.9	75.1	151.4	9.1
1937	17.6	73.7	147.2	8.6
1938	17.7	74.0	146.1	8.7
1939	17.4	72.1	141.1	8.3
1940	17.1	71.4	137.0	8.3
1941	17.5	73.5	138.1	9.6
1942	17.6	74.2	135.9	10.7
1943	18.4	78.7	140.6	12.3
1944	18.5	79.9	141.5	13.1
1945	16.9	73.1	126.1	13.3
1946	20.3	89.5	158.0	12.6
1947	22.3	97.1	163.9	12.3
1948	19.7	86.6	143.9	11.5
1949	18.7	83.4	137.9	10.6
1950	18.0	81.0	133.9	9.9
1951	17.7	79.8	131.5	9.6
1952	17.7	80.1	131.3	9.1
1953	17.8	81.3	132.1	9.2
1954	18.0	83.2	134.2	9.2
1955	18.0	84.1	134.2	9.1

Multiple Births.—The total number of women giving birth to living children in 1955 was 91,367 of whom 90,203 or 98.73 per cent. gave birth to single children, 1,156 or 1.27 per cent. to twin children and 8 or 0.01 per cent. to triplets. These births refer only to children born alive and single births here include multiple births in which only one child was born alive. Appendix II which analyses the stillbirths registered in Scotland in 1955 provides further particulars regarding multiple births, live and still. (See Table 20 which includes all multiple births, live and still, page 173.)

Illegitimate Births.—These numbered 3,991 and constituted 4.31 per cent. of the total living births compared with 4,177 and 4.52 per cent. in 1954. In the cities the percentage was 4.9 and in the large burghs 3.7, compared with 5.0 and 4.1 in 1954. It was 3.6 in the small burghs and 4.3 in the landward districts. Relating these births to the estimated number of unmarried women and widows aged 15-44, the rate for Scotland was 9.1 per 1,000, that for the cities being 9.7, for the large burghs 8.3, for the small burghs 7.7 and for the landward areas 9.4. The corresponding Scottish rate for 1954 was 9.2. (Tables 1-4 and 8.)

TABLE C.—Birth-rate per 1,000 Women aged 15-44, 1955

GROUPS OF DISTRICTS	Estimated Number of Women aged 15-44	Births	Birth-rate per 1,000 of Population		Birth-rate per 1,000 Women aged 15-44	
		Number	Rate	Relative Quantity, Scotland being=100	Rate	Relative Quantity, Scotland being=100
Counties of						
Cities ...	424,600	34,462	18.00	99.8	81.2	96.6
Large Burghs	186,200	16,325	19.24	106.7	87.7	104.3
Small Burghs	179,800	14,662	17.35	96.2	81.5	96.9
Landward ...	309,600	27,090	17.76	98.5	87.5	104.0
SCOTLAND ..	1,100,200	92,539	18.03	100.0	84.1	100.0

International Rates.—The following Table shows birth-rates in certain other countries:—

BIRTH-RATES PER 1,000 POPULATION, 1955

Ceylon	37·9	Spain	20·6
India	30·5	Japan	19·4
Canada	28·3	Norway	18·7
Israel	27·2*	France	18·4
Yugoslavia	26·9	SCOTLAND	18·0
Union of South Africa	26·0†	Italy	17·7
New Zealand	24·9‡	Denmark	17·5
United States of America	24·6	Switzerland	17·1
Portugal	23·6	Belgium	16·8
Australia... ..	22·6	Western Germany	15·7
Netherlands	21·4	Austria	15·5
Eire	21·2	England & Wales	15·0
Finland	20·9	Sweden	14·8
Northern Ireland	20·8		

* Jewish population only

† European population only

‡ Excluding Maoris

MARRIAGES

There were 43,212 marriages in Scotland in 1955. This was 1,238 more than in 1954. The rate per 1,000 of the population of the marriages in 1955 was 8·42 compared with a rate of 8·19 in 1954.

During 1955 the marriage-rate was highest in the months of March (16·0), July (10·6) and September (10·4), and lowest in November (5·8), January (5·4) and May (3·1). (Table 63.)

TABLE D.—Marriages in Scotland and its Administrative Areas in 1955

GROUPS OF DISTRICTS	Marriages	Marriage-rate per 1,000 of Population	
	Number	Rate	Relative Quantity, Scotland being = 100
Counties of Cities ...	18,766	9·80	116·4
Large Burghs... ..	8,238	9·71	115·3
Small Burghs... ..	7,697	9·11	108·2
Landward	8,511	5·58	66·3
SCOTLAND	43,212	8·42	100·0

The marriage-rate was highest in the urban and lowest in the rural areas. This is invariably the case because to quite a large extent, through lack of local facilities, persons living in the countryside go to a town or city to be married. The parties often come from different areas, and consequently it is not possible to correct the figures of marriages according to normal residence as it is customary to do for births and deaths. (Table 4.)

Civil Marriages.—The following Table shows the number of ecclesiastical and civil marriages registered in the cities, large burghs, small burghs and landward areas in 1955.

	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
All Marriages	43,212	18,766	8,238	7,697	8,511
Solemnised by a minister of religion:—					
Preceded by Banns or Publication of Notice	34,755	13,637	6,534	6,517	8,067
Authorised by Sheriff's Licence	111	55	29	10	17
Irregular Marriages:—					
Decree of Declarator (Court of Session) ...	13	—	1	1	11
Civil Marriages:—					
Preceded by Publication of Notice	8,019	4,872	1,607	1,134	406
Authorised by Sheriff's Licence	314	202	67	35	10

Civil marriages constituted 19·3 per cent. of all marriages registered in Scotland. The percentage was 27·0 for the cities, 20·3 for the large burghs, 15·2 for the small burghs and 4·9 for landward areas. In 1954 civil marriages constituted 18·7 per cent. of all marriages (26·2 per cent. for the cities, 19·1 for the large burghs, 15·5 for the small burghs and 4·3 for landward areas.)

International Rates.—The following Table shows marriage-rates in other countries so far as these are available:—

MARRIAGE RATES PER 1,000 POPULATION, 1955

United States of America	9·3	Japan	8·0
Yugoslavia	9·3	Switzerland	8·0
Western Germany	8·7	Australia...	7·8
Israel	8·6†	Belgium	7·8
SCOTLAND	8·4	Finland	7·7
Netherlands	8·3	Denmark	7·6
New Zealand	8·3*	Norway	7·5
Portugal	8·3	Italy	7·4
Austria	8·1	France	7·2
Canada	8·1	Sweden	7·1
Spain	8·1	Northern Ireland	6·8
England & Wales	8·0	Ceylon	6·1
		Eire	5·5

* Excluding Maoris

† Jewish population only

Divorces.—2,078 marriages were dissolved by decrees pronounced in Scotland during the year 1955. Of these, 2,054 were decrees of divorce and 19 of nullity. Five marriages were dissolved on a presumption of death of one of the parties.

Divorces decreased by 146 compared with 1954 and they are 220 below the average of the past five years.

Table E shows the number of decrees of divorce, nullity and dissolution of marriage on presumption of death in ten-yearly periods from 1855 to 1954, and annually from 1945 to 1955.

TABLE E.—Number of Divorces, etc., in Scotland, 1855-1955

Ten Year	Average Number of Decrees of Divorce and Nullity of Marriage	Year	Annual Number of Decrees of		
			Divorce	Nullity of Marriage	Dissolution of Marriage (Presumption of Death)
1855-64	17	1945	2208	15	4
1865-74	14	1946	2902	22	10
1875-84	60	1947	2495	18	20
1885-94	100	1948	2028	19	10
1895-1904	159	1949	2419	19	9
1905-14	222	1950	2186	10	8
1915-24	458	1951	1928	16	11
1925-34	488	1952	2702	16	19
1935-44	906	1953	2352	13	11
1945-54	2358	1954	2200	16	10
		1955	2054	19	5

Tables have been compiled (see Appendix X) for each year since 1948 showing age of wife in relation to age of husband at time of divorce, age of wife in relation to age of husband at date of marriage, and present age of wife with duration of marriage. The particulars relate only to those who were married in Scotland.

DEATHS

The total number of deaths registered during the year was 61,645—an increase of 265 compared with 1954. The death-rate for the year was 12·0 per 1,000 population, and is the same as that for 1954.

STANDARDISED DEATH-RATES

The following Table shows the crude and standardised* death-rates for Scotland for each year from 1931-55.

The standardised rate is much lower than the crude rate, and throughout the period covered by the Table has increased its comparative advantage. This is due in the main to the increasing age of the population. The standard population contains a high proportion of young persons and it is in these young age groups that the death-rates are lower and where the greatest improvement in mortality has taken place.

For the separate sexes the crude rate shows a reduction since 1931, being more pronounced in the case of females who have a longer average life. The standardised rates show a large reduction for both sexes, especially for women.

DEATH-RATES FOR SCOTLAND PER 1,000 POPULATION

			PERSONS		MALES		FEMALES	
			Crude Rate	Standardised Rate	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate
1931	13·26	12·45	13·86	13·74	12·71	11·28
1932	13·53	12·65	13·94	13·76	13·14	11·64
1933	13·20	12·22	13·79	13·50	12·66	11·04
1934	12·92	11·98	13·51	13·23	12·37	10·84
1935	13·19	11·99	13·76	13·30	12·66	10·80
1936	13·44	12·14	14·16	13·57	12·77	10·83
1937	13·85	12·33	14·59	13·82	13·17	10·98
1938	12·61	11·13	13·22	12·39	12·04	10·00
1939	12·87	11·10	13·68	12·62	12·11	9·73
1940†	14·86	12·46	16·59	14·32	13·40	10·78
1941†	14·74	12·30	16·75	14·02	13·11	10·71
1942†	13·34	10·70	15·24	12·26	11·81	9·27
1943†	13·98	10·71	15·93	12·21	12·43	9·34
1944†	13·57	10·22	15·65	11·74	11·95	8·82
1945†	13·20	9·63	15·11	11·07	11·70	8·32
1946†	13·07	9·82	14·14	11·15	12·15	8·61
1947	13·02	9·73	13·86	11·13	12·25	8·48
1948	11·96	8·79	12·64	10·03	11·34	7·68
1949	12·42	8·91	12·99	10·13	11·90	7·83
1950	12·48	8·75	13·09	10·05	11·93	7·61
1951	12·86	8·84	13·55	10·23	12·23	7·61
1952	12·03	8·22	12·86	9·64	11·26	6·96
1953	11·50	7·76	12·41	9·23	10·68	6·44
1954	11·98	7·92	12·87	9·44	11·17	6·57
1955	12·01	7·87	12·76	9·33	11·32	6·57

† Civilian death-rates.

The crude rates do not vary greatly between urban and rural areas, being 12·36 per 1,000 in the cities, 11·52 in the large burghs, 12·71 in the small burghs and 11·46 in the landward areas. But when the rates are standardised for

* The object of standardisation of the death-rate is to allow for variations of age and sex distribution in making comparisons of mortality between one population and another. For a fuller explanation see page 25 of the 1954 Annual Report.

difference of age and sex constitution the urban rates are appreciably higher. This is because rural populations are older, mainly due to migration from country to town. The standardised rate for the cities was 12·87, for the large burghs 12·36, for the small burghs 11·53 and for the landward area 11·10.

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1955

GROUPS OF DISTRICTS	Deaths		Death-rate per 1,000 of Population	
	Registered Number	Corrected for Transfers	Corrected for Transfers	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1951
Counties of Cities	25,796	23,656	12·36	12·87
Large Burghs	10,350	9,778	11·52	12·36
Small Burghs	8,662	10,741	12·71	11·53
Landward	16,837	17,470	11·46	11·10
SCOTLAND	61,645	61,645	12·01	—

In the cities and large burghs the standardised rate ranged from 14·0 in Port Glasgow, 13·8 in Glasgow and in Greenock, and 13·5 in Rutherglen to 11·1 in Kirkcaldy, 11·0 in Perth and 10·2 in Arbroath. In the counties it ranged from 12·6 in Wigtown, 12·5 in Kinross and 12·4 in Lanark to 9·9 in Inverness, 9·8 in Ross and Cromarty and in Zetland and 9·5 in Peebles. (Table 4.)

MONTHLY DEATH-RATES

The highest death-rates of the year occurred in January, March and February, and the lowest in August, September and July. They ranged from 15·6 in January to 9·6 in August. (Table 63.)

INTERNATIONAL DEATH-RATES

The following Table gives the crude death-rates for various countries, so far as available, in the year 1955. The Scottish death-rate is the sixth highest of the countries mentioned. In Scotland, however, the population is older than in most of the other countries included in the Table, and if comparisons were made on standardised death-rates the difference between Scotland and most of the other countries referred to would be narrowed.

DEATH-RATES PER 1,000 POPULATION, 1955

Belgium	12·7	Finland	9·3
India	12·7	Spain	9·3
Eire	12·6	United States of America	9·3
Austria	12·1	Italy	9·2
France	12·0	New Zealand	9·0*
Scotland	12·0	Australia... ..	8·9
England & Wales	11·7	Denmark	8·8
Yugoslavia	11·4	Union of South Africa	8·6†
Portugal	11·3	Norway	8·3
Northern Ireland	11·1	Canada	8·1
Ceylon	11·0	Japan	7·8
Western Germany	10·8	Netherlands	7·6
Switzerland	10·1	Israel	5·8‡
Sweden	9·4		

* Excluding Maoris. † European population only. ‡ Jewish population only.

Age and Sex.—The death-rates by age-groups show a rapid decline from the high rates in infancy to a minimum in age-group 10-14. After that there is an increase in the rate, gradual at first but becoming more pronounced at higher ages.

Table 35 shows the death-rates for each sex in the various age-groups, and it will be observed that the male death-rate exceeds the female in each age group.

Table G (1) shows the population estimates on which these rates have been calculated. In Table G (2) there are shown death-rates by age and sex for five-yearly periods from 1911 to 1955 and for single years from 1951. (Tables 35, 37 and 38.)

Comparing the male rates by age groups in the period 1951-55 with those of 1911-15, by far the greatest reduction in mortality has been under the age of 15. It is most pronounced in the group aged 1 to 4 which is only 8 per cent. of the 1911-15 rate. The rate for school children is less than a fifth. Under one year it is a little more than a quarter of that prevailing 40 years ago. From age 15 onwards the improvement is still considerable but lessens with increasing age. The improvement has been much more rapid in the last 20 years. When the period 1931-35 is compared with 1951-55 there is an improvement in every age group with the exception of that aged 55 to 64 which shows an increase.

The rate for the female population presents an even more favourable picture. At each age group the improvement has been greater than that for males. Compared with the period 1931-35 the rates are much lower in every age group and, unlike the male rate, that for females aged 55 to 64 shows a considerable improvement. It has been suggested that the increase in the male rate may be due to the late effects of the hazards of the first world war.

Infant Mortality.—Deaths of children aged under one year numbered 2,811. When related to the 92,539 live births in 1955 the infant mortality rate is 30·4 per 1,000 live births being 0·6 below that for 1954 and the lowest rate ever recorded in Scotland. Up to the year 1915 the rate was never below 100, and by 1939 it had fallen to 69. In 1947 the rate was 56 but since then the rate has gradually declined. In 1955 the male rate was 33·2 and the female rate 27·4, compared with 34·9 and 26·9 respectively in 1954.

The monthly infant mortality rate was highest in January (39), December (36) and March (35) and lowest in August and October (26), June (25) and July (24). In 1954 the highest rates were recorded in January, February, April and November and the lowest in July, September and August. (Tables 1, 2 and 63.)

The rate was 33 in the Counties of Cities, 33 in the large burghs, 26 in the small burghs and 28 in the landward areas. In 1954 these rates were respectively 32, 33, 31 and 29. The landward areas, however, are by no means uniformly rural in character. In the Central Industrial Belt of Scotland* there are considerable areas which are distinctly urban although not within the boundaries of a burgh. The census of 1951† showed that no less than 67·9

* The Central Industrial Belt comprises:

EAST CENTRAL DIVISION: Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian, East Lothian and the City of Dundee.

WEST CENTRAL DIVISION: Counties of Lanark, Dunbarton, Renfrew and Ayr.
The Counties lying to the north and west of the Central Industrial Belt are referred to as the NORTHERN DIVISION; those lying to the south and east of it as the SOUTHERN DIVISION.

† Census 1951, Scotland, Volume II, Population of Towns and Larger Villages, etc., published by H.M. Stationery Office, price 4s. 0d.

TABLE G (1).—Estimated Population of Scotland, by Age and Sex, 1955

Age	Both Sexes	Males	Females	Age	Both Sexes	Males	Females
0	88,500	45,100	43,300	50—54	332,500	158,700	173,800
1—4	342,600	175,400	167,200	55—59	279,100	124,900	154,200
5—9	457,200	233,900	223,300	60—64	235,500	101,800	133,700
10—14	389,200	197,800	191,400	65—69	192,200	80,600	111,600
15—20	362,800	174,800	188,100	70—74	151,800	62,900	88,900
20—24	346,000	162,700	183,300	75—79	103,400	42,600	60,800
25—29	361,600	178,200	183,400	80—84	52,900	21,000	31,900
30—34	369,300	181,300	188,000	85 & over	22,100	7,300	14,800
35—39	324,900	156,300	168,600	All ages	5,133,300	2,455,300	2,678,000
40—44	365,800	176,900	188,800				
45—49	355,900	172,900	182,900				

TABLE G (2).—Age-group Death-rates per 1,000 of Population from 1911 to 1955

YEARS	MALES												FEMALES											
	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
1911-15	140.0	18.5	3.7	2.4	4.1	5.6	8.8	16.2	33.5	67.4	162.7	...	111.2	17.5	3.7	2.6	3.8	5.5	8.3	12.9	26.4	54.3	147.0	
1916-20	110.8	15.5	3.6	2.4	4.5	6.2	8.5	16.2	34.3	69.1	170.2	...	85.4	14.7	3.6	2.7	4.3	6.0	7.8	12.6	25.9	49.8	149.5	
1921-25	109.1	15.1	2.9	1.9	3.2	4.6	6.9	12.0	26.8	61.9	144.5	280.7	82.6	13.7	2.7	1.9	3.2	4.5	6.3	10.1	21.5	49.2	118.7	
1926-30	103.8	11.8	2.7	1.9	3.1	4.2	7.0	11.9	25.9	62.4	143.2	303.8	79.0	10.2	2.4	1.7	2.9	4.1	5.9	10.0	20.6	48.4	118.6	
1931-35	96.2	9.3	2.6	1.6	2.9	3.8	6.3	11.8	24.3	59.7	140.7	289.8	74.1	8.3	2.2	1.5	2.8	3.7	5.2	9.1	19.4	47.8	117.4	
1936-40	90.7	6.8	2.2	1.5	2.8	3.5	6.0	12.4	25.4	60.9	147.2	349.9	69.0	6.1	1.9	1.2	2.6	3.2	4.6	8.7	18.8	47.5	116.9	
1941-45	82.1	4.6	1.9	1.4	3.3	4.2	6.1	11.7	24.4	54.1	129.1	290.3	62.0	4.2	1.5	1.2	3.0	3.3	4.0	7.5	16.5	41.0	101.1	
1946-50	56.0	2.6	1.1	0.9	1.8	2.4	3.4	10.6	24.5	54.2	117.8	258.5	42.6	2.1	0.8	0.7	1.5	3.0	3.3	6.5	15.3	41.2	98.0	
1951-55	38.7	1.5	0.7	0.5	1.2	1.8	3.4	9.6	25.6	57.0	130.0	272.9	30.0	1.3	0.5	0.4	0.8	1.5	2.7	6.0	14.4	39.4	104.8	
1951	43.5	1.8	0.9	0.5	1.3	2.1	3.6	10.4	26.4	59.0	140.0	298.4	33.2	1.6	0.6	0.5	1.2	1.9	3.0	6.3	15.6	43.5	115.6	
1952	41.7	1.6	0.8	0.5	1.2	1.8	3.3	9.7	25.3	56.6	131.4	270.8	32.5	1.4	0.5	0.4	1.0	1.6	2.7	6.1	14.6	40.3	102.6	
1953	36.6	1.5	0.8	0.6	1.2	1.8	3.5	9.1	24.9	55.6	122.6	242.4	27.6	1.3	0.5	0.4	0.8	1.4	2.6	6.0	13.5	36.9	98.4	
1954	36.7	1.5	0.6	0.4	1.1	1.7	3.2	9.5	26.1	56.4	129.1	274.2	28.0	1.1	0.4	0.4	0.7	1.3	2.6	6.2	14.4	37.5	103.0	
1955	34.9	1.4	0.6	0.5	1.0	1.6	3.3	9.5	25.2	57.2	127.5	280.5	28.5	1.0	0.5	0.4	0.6	1.3	2.4	5.6	14.1	39.1	103.8	

per cent. of the landward population in the Central Industrial Belt was enumerated in towns or villages which, though not burghs, had a population of 1,000 or more. The corresponding percentage in the rest of the country was no higher than 7.6.

The infant mortality for 1955 in landward areas was 30 per 1,000 in the Central Industrial Belt, compared with 25 per 1,000 in the rest of landward Scotland.

The following Table shows the infant mortality rates for the years 1954 and 1955 for the large burghs (including Counties of Cities) and small burghs in Scotland and also for the landward areas of the four main geographical regions.*

The rate for the large burghs is largely influenced by the rate in Glasgow which accounted for 41 per cent. of the births in the large burghs. The rates for Glasgow are therefore shown separately in the Table.

* See note * on page 21.

	1954	1955		1954	1955
Scotland	31	30	Regions (Landward):—		
Large burghs	32	33	Northern... ..	26	25
Glasgow	35	36	East Central*	29	30
Other large burghs	30	30	West Central*	31	30
Small burghs	31	26	Southern	31	26
Landward	29	28			

* See note * on page 21.

The rate in the large burghs fell steadily from 64 in 1947 to 32 in 1953 and 1954, but in 1955 it was a little higher at 33. In Glasgow the rate fell from 67 in 1946 to 35 in 1954 but has slightly increased in 1955 to 36. The areas are arranged in descending order of the infant mortality rate in the following Table (which groups the two central, and the north and south, regional landward areas together):—

	1954	1955		1954	1955
Glasgow	35	36	Small burghs	31	26
Other large burghs	30	30	Landward (Northern and		
Landward (Central)	30	30	Southern)	27	25

In individual large burghs the rate ranged from 50 in Part Glasgow, 38 in Dumbarton, Coatbridge and Paisley and 37 in Greenock to 25 in Edinburgh, 24 in Dumfries and 21 in Aberdeen. In the counties it ranged from 42 in Sutherland, 40 in Kinross and 36 in Nairn to 14 in Zetland, 13 in Bute and 10 in Peebles.

International Rates.—The following table shows infant mortality rates in other countries in 1955 so far as these are available:—

INFANT MORTALITY PER 1,000 BIRTHS, 1955

Yugoslavia	105	France	34
Portugal	91	Israel	32†
Spain	56	Northern Ireland	32
Italy	50	Union of South Africa	31*
Belgium	48	Scotland	30
Austria	45	England & Wales	28
Western Germany	42	Netherlands	20
Eire	37		

* European population only ... † Jewish population only

Mortality among Legitimate and Illegitimate Children.—Among legitimate children the infant mortality rate was 30 per 1,000 live births, being 32 in the counties of cities, 32 in the large burghs and 27 in the counties. These rates in 1954 were 30, 31, 32 and 29 respectively. Among illegitimate children the rate was 48, being 49 in the counties of cities, 49 in the large burghs and 47 in the counties. In 1954 the rates were 51 for Scotland, 46 in the counties of cities, 56 in the large burghs and 52 in the counties.

The following table shows for the years 1953-55 the deaths by cause in the first year of life for all infants and separately for illegitimate children together with the numbers to be expected among illegitimate children had they been subject to the general rate prevailing among all liveborn infants.

CAUSES OF DEATH UNDER ONE YEAR IN ILLEGITIMATE AND
TOTAL INFANTS, SCOTLAND, 1953-55

International Nos. Detailed List	Cause of Death	All Infants	Illegitimate	
			Actual	Expected
010	Tuberculous Meningitis	5	—	0·2
011	Abdominal Tuberculous	—	—	—
001-008, 012-019	Other Tuberculous Diseases	18	1	0·8
020-029	Syphilis	2	—	0·1
055	Diphtheria	1	—	0·0
056	Whooping cough	48	1	2·2
057	Meningococcal infections	47	4	2·1
085	Measles	17	3	0·8
340	Meningitis not meningococcal or tuber- culous	51	3	2·3
490-493	Pneumonia (excluding newborn)	782	51	35·2
500-502	Bronchitis... ..	103	3	4·6
470-483, 510-527	Other respiratory diseases	86	8	3·9
543, 571, 572	Diarrhoea (excluding newborn), gastri- tis and duodenitis	316	24	14·2
530-542, 544-570, 573-587	} Other digestive diseases	126	8	5·7
750-759				
760-761	Congenital malformations	1,456	77	65·5
762	Birth injuries	708	53	31·8
763	Asphyxia and atelectasis	1,354	90	60·9
764	Pneumonia of newborn	333	28	15·0
765-776	Diarrhoea of newborn	33	5	1·5
780a	Other infantile diseases	2,081	156	93·6
Remainder	Convulsions	136	4	6·1
E921-E925	All other natural causes	244	17	11·0
E800-E920, E926-E999	Accidental mechanical suffocation, etc.	464	35	20·9
	Other violence	61	32	2·7
	ALL CAUSES	8,472	603	380·9
	TOTAL LIVE BIRTHS	275,767	12,399	—
	Rate per 1,000 total live births	30·7		
	Rate per 1,000 illegitimate births		48·6	
	Percentage excess of illegitimate rate		58	

The total infant mortality is decidedly higher among illegitimate children, the rate being 58 per cent. in excess of the general rate under one year. The table shows that the excess is in evidence in nearly every individual cause, being most pronounced in birth injuries, asphyxia and atelectasis and other infantile diseases as well as in accidental mechanical suffocation and other violent causes. It is less so in the case of pneumonia of the newborn and other pneumonia and of diarrhoea, gastritis and duodenitis.

Infant Mortality.—Age at Death.—Table 31 classifies the number of deaths and the death-rates per 1,000 births by age in days, weeks and months during the first year of life. It shows that more infants died in the first day of life than in the remaining six days of the first week, and that 56 per cent. of the children who died before reaching one year of age did not survive the first week. When ages are stated in months it is found that the rate falls suddenly from 19·7 per 1,000 births at ages under a month to 4·4 at 1·2 months. It is 1·0 at 9-11 months.

Infant death-rates at age under 28 days are highest in the cities and large burghs. At ages over one month the rates for the cities and large burghs are also in excess of the county rate.

In Tables 29 and 30 infant deaths are classified according to selected causes of death and according to month of registration. (See also page 42.)

Neo-natal Mortality.—Deaths at ages under 28 days are shown in Tables 29 and 31. The following table shows the variations in the Infant Mortality rate since 1911 and how much of the rate has been attributable to neo-natal mortality. In the quinquennium 1911-15 the rate at ages between one month and one year was very much higher than the neo-natal rate, but from 1911 to 1941 the difference between the two rates gradually decreased. From 1942 onwards the neo-natal rate has been higher than the post-natal rate and the difference between the two rates has generally increased since 1948. In 1955 the rate for ages between 28 days and one year (10·6) was appreciably below the neo-natal rate (19·7).

NEO-NATAL MORTALITY PER 1,000 BIRTHS

	Deaths under 28 days.*			Deaths between 28 days* and 1 Year		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1911-15	43·0	—	—	69·8	—	—
1916-20	40·5	—	—	58·5	—	—
1921-25	38·2	—	—	53·6	—	—
1926-30	36·5	—	—	48·9	—	—
1931-35	36·8	—	—	44·0	—	—
1936-40	36·9	35·8	54·5	38·9	37·5	58·8
1941-45	33·8	32·3	53·0	33·9	32·1	55·6
1946-50	26·1	25·3	39·8	21·2	20·2	37·0
1951-55	20·7	20·1	32·4	12·2	11·9	18·5
1947	28·5	27·5	45·8	27·3	26·1	45·9
1948	25·1	24·4	37·6	19·6	18·7	33·0
1949	23·2	22·2	40·8	18·2	17·5	30·0
1950	23·0	22·5	32·0	15·6	15·2	21·5
1951	22·3	21·8	31·6	15·1	14·7	22·2
1952	21·7	21·1	33·2	13·5	13·1	20·9
1953	19·3	18·8	30·3	11·5	11·2	17·0
1954	20·6	19·9	35·0	10·4	10·1	15·6
1955	19·7	19·2	31·8	10·6	10·4	16·3

* Prior to 1950 the rates relate to under 1 month and between 1 month and 1 year.

Since 1936 infant deaths have been, for certain purposes, separately classified according to legitimacy, and this classification is shown in the table above. A longer period elapsed before the illegitimate post-natal rate fell below that of the neo-natal. The rate for ages between one month and one year was, until 1947, higher than the neo-natal rate, except in the year 1945 when the rate for ages between one month and one year was 27·7 and the neo-natal rate 28·5. Since 1948 the neo-natal rate, as with legitimate infants, exceeds the death-rate in the later months of infancy.

The causes of death in infancy will be found in Table 29 and are discussed later. (See page 42.)

See Appendix III for Neo-natal Mortality according to Social Class.

Centenarians.—Eight deaths of reputed centenarians were registered during the year, one male and seven females. In six cases the age was verified as being at least 100 years, the verified age being 100 years in two cases, 101 in two cases, 104 in one case and 107 in one case. Since 1910, when enquiries regarding such cases were begun, 632 have been registered as those of centenarians, 106 of males and 526 of females. The age has been verified as being at least 100 years in 384 cases (55 males and 329 females); in 105 the evidence was rather against the claim; while in 143 cases no satisfactory evidence of age could be found. The highest numbers registered were in the years 1918 and 1950 when there were 19 deaths of centenarians. The greatest age verified since 1921 was one of 109 years and 14 days in 1936.

LIFE TABLES

The following abridged life table shows the expectation of life at different age periods on the experience of the 1955 mortality rates. In the separate age-groups the expectation of life is the average future lifetime a person aged x would live if the 1955 mortality rates had operated throughout the lifetime.

A table is also given showing the historical picture of the expectation of life at birth beginning with the period 1861-1870. One of the greatest improvements, especially in recent years, has been the declining infantile mortality rate. To bring this out clearly the expectation of life at age 1 is also given.

It will be seen that since the period 1861-1870 the expectation of life at birth has increased by 25.5 years for males and by 26.7 years for females. The greatest improvement has taken place since the beginning of the century. In the thirty years from 1861-1870 to 1891-1900 the improvement in males was only 4.4 years and in females 3.5 years. From 1891-1900 to 1930-1932 the span had lengthened by 11.3 years for males and 12.1 years for females. Since 1930-32 another 9.8 years and 11.1 years have been added to the respective sexes.

In the period 1861-1870 the hazards of infant mortality are clearly shown. If there was a survival through the first year of life the expectation of life jumped from 40.3 years at age 0 to 45.6 aged 1 for males and from 43.9 to 47.5 for females. The expectation of life in 1861-1870 increased by 5.3 years in the first year of life in the case of males and 3.6 in the case of females. Allowing for the fact that these lives had survived through the first year of life, the overall increase was 6.3 and 4.6 years respectively. For 1955 the male difference was only 1.2 years and the female 1.0 years.

ABRIDGED LIFE TABLE—SCOTLAND
1955

Age x	Males		Females	
	l_x	e_x	l_x	e_x
0	10,000	65.78	10,000	70.60
1	9,667	67.04	9,725	71.59
2	9,647	66.18	9,706	70.73
3	9,635	65.26	9,697	69.80
4	9,624	64.33	9,690	68.85
5	9,613	63.41	9,685	67.88
10	9,583	58.60	9,663	63.03
15	9,558	53.74	9,645	58.14
20	9,518	48.96	9,621	53.28
25	9,458	44.25	9,586	48.47
30	9,390	39.56	9,536	43.71
35	9,305	34.90	9,464	39.02
40	9,183	30.33	9,374	34.37
45	9,006	25.87	9,244	29.82
50	8,702	21.69	9,045	25.42
55	8,181	17.91	8,738	21.23
60	7,397	14.54	8,269	17.29
65	6,321	11.60	7,569	13.66
70	4,994	9.01	6,493	10.51
75	3,499	6.79	5,058	7.78
80	2,005	4.99	3,273	5.66
85	829	3.53	1,591	3.99

This abridged life table is constructed from the estimated population in 1955 and the total deaths registered in that year.

The column headed l_x shows the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the 1955 death records. Column e_x is the "expectation of life", that is the average future lifetime which would be lived by a person aged exactly x , if likewise subject to these death probabilities.

EXPECTATION OF LIFE AT BIRTH AND AGE ONE YEAR, 1861 TO 1955

SCOTLAND

Scottish Life Table	Expectation of Life at			
	Birth		Age one year	
	Male	Female	Male	Female
1861-70	40·3	43·9	45·6	47·5
1871-80	41·0	43·8	46·5	48·5
1881-90	43·9	46·3	49·7	51·2
1891-1900	44·7	47·4	51·1	52·7
1910-12	50·1	53·2	55·8	57·8
1920-22	53·1	56·4	58·4	60·4
1930-32	56·0	59·5	60·7	63·1
1942-44	59·8	64·6	63·6	67·6
1947	61·7	65·8	64·7	68·0
1948	63·5	67·5	65·8	69·0
1949	63·7	67·5	65·7	68·9
1950	64·2	68·2	66·0	69·4
1951	64·2	68·4	65·9	69·6
1952	65·1	69·6	66·7	70·8
1953	65·7	70·7	67·0	71·6
1954	65·5	70·5	66·9	71·5
1955	65·8	70·6	67·0	71·6

CAUSES OF DEATH

Certification.—The number of deaths registered in Scotland in 1955 was 61,645. The cause was certified in 61,630 cases, or 99·98 per cent of the total, normally by a registered medical practitioner, but occasionally by an officer of the forces or other similarly authorised person, or by the report of a Procurator Fiscal.

The percentage of cases in which the cause of death was uncertified was 0·02 of the total and this is the lowest on record. It was 0·05 in 1954, 0·1 in the years 1948-1953, 0·2 in 1945-1947 and 0·3 over the period 1936-1944. Back in 1881 it stood as high as 10·9 per cent but it fell, broadly speaking, by half in each decade thereafter.

As usual these cases of death without cause stated were commoner in counties in which the populations are more widely scattered. The county of Inverness accounted for 5 of the 15 cases and Ross and Cromarty for 4 (See Table 7).

The cause of death was specified in 61,355 cases or 99·5 per cent of the total deaths registered. These figures include 839 deaths attributed to senility. In 290 cases or 0·5 per cent of the total registered deaths, the cause of death was either ill-defined or not mentioned. 50 deaths were ascribed to heart failure. 208 were assigned to various symptoms and ill-defined causes, including 46 from convulsions in children under 5 and 12 from unclassified uræmia. In 18 cases no cause was specified and in 7 cases the death was described as sudden.

TABLE H.—Deaths from Uncertified Causes, 1881-1955

Year	Uncertified Causes	Percentage of Uncertified to Total	Year	Uncertified Causes	Percentage of Uncertified to Total
1881-1890 ...	6,061	8.2	1949 ...	55	0.1
1891-1900 ...	3,239	4.1	1950 ...	52	0.1
1901-1910 ...	1,839	2.4	1951 ...	46	0.1
1911-1920 ...	1,239	1.7	1952 ...	36	0.1
1921-1930 ...	499	0.8	1953 ...	34	0.1
1931-1940 ...	235	0.4	1954 ...	30	0.0
1941-1950 ...	128	0.2	1955 ...	15	0.0
1941 ...	218	0.3			
1942 ...	174	0.3			
1943 ...	187	0.3			
1944 ...	178	0.3			
1945 ...	144	0.2			
1946 ...	98	0.2			
1947 ...	135	0.2			
1948 ...	40	0.1			

Principal Epidemic Diseases.—This group as now classified consists of typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections and measles. For comparison with previous years deaths from influenza are also included. The total number of deaths in the group in 1955 was 275. The equivalent death-rate is five per 100,000, the same as in 1954, and an average of 11 over the period 1950-54.

There were 10 deaths from whooping cough in 1955, 15 fewer than in the previous year. For the first time there were no deaths from diphtheria. Influenza, which accounted for 212 deaths, made up the greater part of the deaths from epidemic diseases in 1955 and were 36 more than in 1954. The following Table J (1) shows the number of certified deaths in which influenza was mentioned not as the primary but as a contributory cause. Deaths from meningococcal infections numbered 29. This was 12 fewer than in 1954 and the lowest figure yet recorded. There was one death from typhoid

TABLE J (1).—Deaths associated with Influenza but not classified as such, 1955

Inter-national abbreviated List 'B'	CAUSE OF DEATH	Total	Males	Females	AGES												
					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
1	Tuberculosis of respiratory system ...	3	2	1	-	-	-	-	1	-	1	1	-	-	-	-	
18	Malignant neoplasms	4	-	4	-	-	1	-	-	-	-	-	-	2	1	-	
20	Diabetes mellitus	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
22	Vascular lesions affecting central nervous system	8	3	5	-	-	-	-	-	-	-	-	3	3	2	-	
46.2	Other diseases of nervous system	4	2	2	-	-	1	-	-	-	2	1	-	-	-	-	
25	Chronic rheumatic heart disease	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
26	Arteriosclerotic and degenerative heart disease... ..	55	20	35	-	-	-	-	-	-	-	3	4	10	30	8	
27	Other diseases of heart... ..	3	1	2	-	-	-	-	-	-	-	1	-	-	1	-	
28	Hypertension with heart disease	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
29	Hypertension without heart disease	3	2	1	-	-	-	-	-	-	-	-	-	-	2	-	
46.3	Other circulatory disease	4	3	1	-	-	-	-	-	-	-	-	1	2	1	-	
31	Pneumonia (except of new born)	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
32	Bronchitis	2	1	1	-	-	-	-	-	-	-	1	-	-	1	-	
46.4	Other respiratory diseases	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
38	Nephritis and nephrosis	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
41	Congenital malformations	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
49	Suicide	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
	TOTAL	94	40	54	-	-	2	-	3	-	4	7	11	20	39	8	

fever. Measles accounted for 20 of the deaths from epidemic diseases, 12 more than in 1954. There was one death from scarlet fever and there were two from streptococcal sore throat. It is of interest to note that deaths in the whole of this group of the main epidemic diseases accounted for less than a half per cent. of all deaths in Scotland. (Tables 35-40.)

Tuberculosis.—Deaths from all forms of tuberculosis numbered 982 compared with 1,128 in 1954 and the average of 1,807 for the years 1950-54. The death-rate from tuberculosis was 19 per 100,000 of the population compared with 22 the previous year and with the average of 35. (Tables 35, 37-40.)

Since 1855, when the registration of deaths began, mortality ascribed to tuberculosis has continuously improved decade by decade, but there was a slight retardation in the rate of decline in the first world war and a considerable setback during and immediately after the second.

On the 1955 statistics, death-rates from tuberculosis were heaviest at ages 55-74 in males and 25-44 in females. (Table 35.)

Deaths from tuberculosis were most numerous in January, February and March in that order. (Table 43.)

The rate in the counties of cities was 23 per 100,000, in the large burghs 24, in the small burghs 15 and in the landward areas 14. In the cities and large burghs the highest rates were recorded in Port Glasgow (44), Greenock (43) and Clydebank (33), and the lowest in Stirling (11), Arbroath (10) and Aberdeen (9). In the counties (excluding large burghs) the rates ranged from 29 in Argyll, 27 in Zetland and 26 in Inverness to six in East Lothian, five in Midlothian and in Selkirk and three in Wigtown. There were no deaths from tuberculosis in the counties of Orkney and Sutherland. (Table 4.)

Respiratory Tuberculosis.—Almost 88 per cent. of the deaths from tuberculosis in 1955 were due to the respiratory forms of the disease. They numbered 860 compared with 1,010 in 1954. The average over 1950-1954 was 1,581. The death-rate from respiratory tuberculosis in 1955 was 17 per 100,000 (males 23, females 11) compared with 20 in 1954 (males 25, females 15). The heaviest death-rates in males in 1955 were at ages 55-74, in females at 25-44. The lowest rates in each sex were recorded at ages under 1-14 years. (Tables 35, 37-40.)

The following table shows the trend of the rates by sex and broad age groups since 1938. For males the rate under 15 rose slightly and it was not until 1949 that it fell below the 1938 level. Since then it has decreased so much that the numbers are too small to show even a rate of one per 100,000 of the population. A somewhat similar upward movement occurred in the groups 15-44 and 45-64, and it was not until 1950 in the case of the first group and 1952 in the case of the second that the rate fell below that experienced in 1938. During the intervening period it has fallen to a little less than a quarter of the pre-war rate in those aged 15-44 and to a little more than half in the group 45-64. Although the trend of the rate of those aged 65 and over was also upward, it has not yet fallen to the 1938 level. For 10 years, beginning at 1938, the rate for the oldest group was round about half that of those aged 45-64. Now the two rates are almost equal. The mortality from this disease which has fallen so rapidly now tends to be higher at the older ages and does not now take away so many of the young lives.

The female trend showed the same upward tendency during the war and immediately afterwards and then began to decline. In females deaths from respiratory forms of tuberculosis are much more prevalent in the younger working ages. Notwithstanding the great improvement since 1938 the rate is still highest in the group aged 15-44.

DEATH-RATES PER 100,000 FROM RESPIRATORY FORMS OF TUBERCULOSIS

Year	MALES				FEMALES			
	Under 15	15-44	45-64	65+	Under 15	15-44	45-64	65+
1938	9	74	89	46	10	75	30	25
1939	6	78	102	49	7	79	32	17
1940	6	107	107	50	9	88	33	23
1941	10	108	105	49	12	96	33	15
1942	11	103	103	42	12	98	31	22
1943	10	112	105	54	14	96	26	20
1944	11	111	103	54	14	99	25	16
1945	9	115	102	52	12	94	25	15
1946	11	94	113	61	12	105	27	19
1947	13	85	121	60	20	112	25	23
1948	13	89	124	63	13	115	23	19
1949	6	78	117	62	11	104	23	18
1950	6	54	100	73	7	78	23	19
1951	5	41	89	77	5	49	22	18
1952	4	29	69	70	4	35	17	13
1953	2	24	63	59	2	25	15	14
1954	1	19	55	54	2	22	14	16
1955	0	17	49	48	0	19	10	9

Deaths from respiratory tuberculosis were most numerous in February, January and March and fewest in July, August and October. The range of monthly incidence was from 50 in July to 100 in February. (Table 43.)

The rate in the cities was 21 per 100,000, in the large burghs 21, in the small burghs 13 and in the landward areas 11. It was highest in the large burghs of the west, Port Glasgow 44, Greenock 40 and Clydebank 31. In general the eastern counties had the lowest death-rates from respiratory tuberculosis. The rate was three per 100,000 in Wigtown, four in Midlothian and East Lothian and five in Selkirk. There were no deaths from respiratory tuberculosis in the counties of Orkney and Sutherland. (Table 4.)

Non-respiratory Tuberculosis.—Deaths from non-respiratory forms of tuberculosis numbered 122 compared with 118 in 1954 and an average of 226 in the five years 1950-54. The rates per 100,000 were three for males and two for females and are similar to those for 1954.

The rate for non-respiratory tuberculosis averaged more than 100 per 100,000 population until 1880, fell rapidly to 72 in 1883, and thereafter more gradually, reaching a level of 60 prior to the first world war. By 1920 the rate had fallen to less than 40, and at the outbreak of war in 1939 it was down to 16. As with respiratory tuberculosis, the decline was interrupted for a few years during and after the last war but the rate of two in 1955 is much lower than the pre-war rate of 16 per 100,000. (Tables 35, 37-40.)

The following table shows year by year the decrease since 1938. It will be seen that mortality from this cause has always been highest in the early years of life, and although the rate has fallen rapidly it is still greatest at pre-school ages.

Just over 30 per cent. of the deaths in this group are from tubercular meningitis. Over the past 10 years the general improvement in non-pulmonary deaths is shared in varying degree by deaths in most sites, but outstandingly so in meningeal and disseminated tuberculosis, and relatively less in abdominal tuberculosis.

DEATH-RATES PER 100,000 FROM NON-RESPIRATORY FORMS OF TUBERCULOSIS

MALES					FEMALES			
	Under One year	1-4	5-9	10 and over	Under One year	1-4	5-9	10 and over
1938	73	63	26	12	78	50	24	12
1939	78	53	20	13	67	40	23	12
1940	109	77	23	14	72	62	19	14
1941	100	69	26	16	75	77	23	15
1942	92	65	27	14	88	63	21	13
1943	76	68	21	16	58	63	27	15
1944	76	57	24	16	51	62	36	14
1945	54	51	27	13	59	58	26	13
1946	57	54	29	9	54	48	27	10
1947	40	44	24	9	31	52	22	10
1948	29	34	16	7	16	29	13	7
1949	21	30	14	5	19	27	7	6
1950	11	23	6	5	14	23	6	5
1951	13	18	10	4	7	21	7	4
1952	9	12	3	3	12	13	1	4
1953	2	9	3	3	5	12	0	3
1954	2	6	3	3	—	4	1	2
1955	4	6	1	2	—	6	0	2

Other Infective and Parasitic Diseases.—Deaths from syphilitic and para-syphilitic diseases numbered 97, of which 26 are attributable to aortic aneurysm and 39 to the nervous affections, including locomotor ataxia and general paralysis of the insane.

There were 22 deaths from acute poliomyelitis and polioencephalitis (21 in 1954), 43 from lethargic encephalitis and 19 from infectious hepatitis.

Other deaths in this group include seven from paratyphoid fever and other salmonella infections, 15 from dysentery, 19 from septicæmia and six from tetanus.

TABLE J (2).—Deaths from Syphilitic and Parasyphilitic Diseases, 1855-1955
(Decennial Averages, 1855-1950)

	Total	Syphills	General Paralysis of the Insane	Locomotor Ataxia (Tabes Dorsalis)	Aneurysm of Aorta
1855-1860 ...	—	87	—	—	—
1861-1870 ...	—	157	—	—	—
1871-1880 ...	—	210	—	—	—
1881-1890 ...	—	237	—	—	—
1891-1900 ...	—	203	—	—	—
1901-1910 ...	—	218	220	70	149*
1911-1920 ...	—	202	248	76	136*
1921-1930 ...	—	141	191	71	139*
1931-1940 ...	—	88	116	56	128*
1941-1950 ...	222	57	55	28	83‡
1950	170	35	33	21	81†
1951	149	36	28	15	70†
1952	110	31	22	12	45†
1953	96	28	27	14	27†
1954	109	41	27	14	27†
1955	97	40	21	10	26†

NOTE.—The symbol — indicates the number is not available.
The numbers for decennial periods are annual averages. * Aneurysm (all sites).
† Excludes dissecting aneurysm unqualified.
‡ Excludes dissecting aneurysm unqualified in the year 1950.

Malignant Neoplasms.—Deaths from this group numbered 10,585, equivalent to a death-rate of 206 per 100,000. This rate is one more than that for the previous year and eight above that for the five years 1950-54.

The following table shows the crude rates and rates standardised to the 1951 (Scottish) population for each year since 1931. The increase in the crude rate is substantial and was accelerated during the recent war. It is attributable mainly to changes in the age constitution of the population. This was accentuated by the withdrawal to the services during the war of a large number of persons, mostly young adult males. The remaining civilian population was thus loaded with an increased proportion of persons at ages where mortality from malignant disease is heavy. Since 1931 the crude rate has increased by 39 per cent., but when the experience is shown separately for the sexes males show the higher percentage increase of 59 compared with a 23 per cent. increase for females. On the other hand, the standardised rate for both sexes varied within narrow limits, the rate of 184 in 1931 being similar to the rate of 183 in 1947. Tracing back the figures in the column showing the effect of standardisation from 1951 to 1931, there is no doubt that, but for the withdrawal of a large number of persons in the services, the yearly difference between the crude and standardised rate would have gradually widened during the war years thereby continuing the trend. Since 1951 the crude rate has increased by 14 but the standardised rate shows a difference of only eight.

The standardised rate for males rose from 186 in 1931 to 240 in 1955, an increase of 29 per cent. This is a little less than half of the increase in the crude rate. On the other hand the female standardised rate decreased from 182 to 171, a reduction of six per cent. compared with an increase of 23 per cent. in the crude rate.

As Hodgkins disease, leukaemia, aleukæmia and mycosis fungoides were omitted from the malignant neoplasms before 1950 the rates for that year are calculated on the number of deaths classified to both the 5th and 6th Revisions of the International List of Causes of Death. An allowance can, therefore, be made for the years prior to 1950.

Of the 10,585 deaths in 1955 that were classified to malignant neoplasms 5,462 were of males and 5,123 of females.

In our recent statistics of mortality from cancer the principal sites in males have been for trachea, bronchus and lung, stomach, intestine, rectum and prostate, and for females, stomach, breast, intestine, cervix and other parts of the uterus, with cancer of the lung much less frequent than in males. Males show a rate for all sites about 30 per cent. higher than do females and in individual sites show greatest relative excess for lung, larynx and buccal cavity and in less degree, for rectum, oesophagus and lymphosarcoma.

Over the years there have been decided changes in sites and sex trends, the gross rate in females showing some improvement, in males a noteworthy increase. In separate sites, males have shown a substantial improvement in those within the buccal cavity; in females this is restricted to lip, mouth, jaw and salivary glands. In the digestive system, changes are less notable but roughly similar in the sexes, the mortality from cancer of stomach and intestine being lower, that for rectum and pancrea higher, and there has been decided lowering in respect of liver and gall bladder and abdomen not otherwise specified (suggesting improvement rather in identification of the primary site in some cancers). In the respiratory system, laryngeal cancer has shown little

DEATH-RATE PER 100,000 POPULATION FROM MALIGNANT DISEASE

Year	Crude	Standardised to Scotland 1951	Effect of Standardisation
1931	148	184	+36
1932	153	187	+34
1933	153	187	+34
1934	153	185	+32
1935	157	188	+31
1936	159	187	+28
1937	157	182	+25
1938	162	187	+25
1939	161	184	+23
1940	170	185	+15
1941	174	185	+11
1942	179	185	+ 6
1943	185	182	— 3
1944	186	181	— 5
1945	192	185	— 7
1946	180	180	—
1947	178	183	+ 5
1948	184	187	+ 3
1949	188	190	+ 2
1950 (5th Revision)	190	190	—
1950 (6th Revision)	196	197	+ 1
1951	192	192	—
1952	198	196	— 2
1953	198	195	— 3
1954	205	200	— 5
1955	206	200	— 6

Year	MALE		FEMALE	
	Crude	Standardised	Crude	Standardised
1931	140	186	155	182
1932	145	190	160	186
1933	147	192	159	183
1934	148	191	158	181
1935	152	196	162	183
1936	155	196	163	182
1937	151	188	163	179
1938	152	189	170	185
1939	156	192	165	177
1940	175	196	165	175
1941	184	198	166	174
1942	193	201	168	172
1943	199	199	173	170
1944	205	201	171	166
1945	209	202	178	171
1946	190	201	171	162
1947	186	210	171	164
1948	190	212	178	169
1949	192	213	184	173
1950 (5th Revision)	197	218	183	169
1950 (6th Revision)	205	226	187	174
1951	201	221	184	171
1952	212	230	185	170
1953	217	235	180	164
1954	224	241	188	170
1955	222	240	191	171

change, but for lung and bronchus there has been a decided increase in each sex but especially so in men. Breast cancer in women shows little change but there has been some decline in deaths from cancer of the uterus. There has been some increase in recorded deaths for such sites as kidney in males and bladder in both sexes and in prostate and testis, but a noteworthy fall in deaths from cancer of the skin.

Diabetes.—Deaths from this cause numbered 459 (141 males and 318 females), 14 more than in 1954, and in the past 10 years the figures have not shown much fluctuation. The much heavier female rate is most in evidence at the highest age groups. (Tables 35 and 37.)

Anæmias.—Deaths from this cause numbered 216 of which 79 were of males and 137 of females. In 1954 the number was 248. The majority of deaths in the group are due to pernicious and other hyperchromic anæmias and these account for 121.

Other General Diseases.—In addition to the foregoing there were 226 deaths from asthma, a decrease of 30 compared with 1954, 32 deaths from thyrotoxicosis (27 in 1954) and from other diseases of thyroid 65 (43 in 1954).

Diseases of the Nervous System.—In this group there were 10,402 deaths, of which the majority (9,607) were from vascular lesions affecting the central nervous system. Most of the latter are certified as either cerebral hæmorrhage (4,181) or cerebral embolism and thrombosis (4,543). Apart from these, though much less important numerically, the main nervous diseases were paralysis agitans, multiple sclerosis, epilepsy and other cerebral paralysis. Non-meningococcal meningitis deaths numbered 48 compared with 59 in 1954.

The vascular lesions of the central nervous system show a heavier crude death-rate in females, but for other diseases of the central nervous system there is little sex difference.

Diseases of the circulatory system.—Deaths in this group numbered 23,316 of which 20,890 were ascribed to heart disease. The number increased steadily from 9,535 in 1931 to 16,503 in 1940. Change of classification in 1941 reduced this number slightly (about one per cent.) and in the two following years there was a substantial diminution in deaths in this group. Since then there has been an irregular increase. The change of classification between the fifth and sixth revision accounted for an increase of only $\frac{1}{2}$ per cent. in deaths allocated to this group.

Of the total deaths from diseases of the heart the vast majority (18,014) are ascribed to the arteriosclerotic or degenerative categories. Of these 8,739 were arteriosclerotic heart disease (including coronary thrombosis), 8,913 other forms of myocardial degeneration and 362 chronic endocarditis not specified as rheumatic.

Coronary Thrombosis.—Mortality ascribed to this cause shows a progressive increase with age both in males and females, but at each age the rate in males exceeds that in females, although the extent of this excess differs widely throughout the age span. At ages under 30 years the death rates for this cause are small and the male excess also relatively small (less than twice as high under 30 years of age), but from then onwards the recorded death rates in males show an increasing divergence from those in females reaching a maximum sex-ratio of over 5 between the ages of 40 and 55 years. From then till the end of the life span the male : female ratio declines progressively, but even in the oldest age group mortality in males is between $1\frac{1}{2}$ and 2 times as heavy as that in females.

The rate, both in men and women, has shown progressive increase over recent years and this has applied to every significant age period. Thus, contrasting the experience of 1949-53 with that of 1931-5, the general rate at ages 15 years and over has increased six-fold, 5.94 times in males, 6.17 times in females. The ratios of the rates at different ages in the sexes show little regular difference with age and, except at 45-64 years where the rate of increase in males exceeds the corresponding figures for females, there is little difference between the sexes.

Deaths from chronic rheumatic heart disease numbered 847 compared with 860 in 1954. Acute rheumatic fever accounted for 54 deaths, an increase of five from the previous year. Deaths from acute non-rheumatic conditions of the heart were 128. Functional and other and unspecified diseases of the heart caused 594 deaths, hypertension accounting for 2,017 of which 1,307 were associated with heart disease.

Circulatory diseases apart from the heart are much less important. In 1955 there were 1,238 ascribed to general arteriosclerosis, compared with 1,198 in 1954. Deaths from aortic aneurysm numbered 90, an increase of 16 compared with 1954 and pulmonary embolism and infarct numbered 84, which is 35 fewer than in the previous year. This latter cause was, in the Fifth Revision, classified to the respiratory group. Other causes are much less frequent.

Diseases of the Respiratory System.—Deaths from these causes accounted for 4,713 deaths, compared with 4,330 in 1954. Of these the principal individual causes were bronchitis (2,086), bronchopneumonia (1,247) and lobar pneumonia (366). Deaths, particularly from the two latter conditions, have decreased appreciably in number over recent years. In 1955 deaths from pneumonia were still below the previous five years' average but bronchitis deaths were slightly above the average. Deaths from influenza numbered 212 compared with 176 in 1954.

Diseases of the Digestive System.—Deaths in this group, exclusive of those from malignant disease and tuberculosis, numbered 2,076 compared with 2,064 in 1954. The principal conditions under this heading are ulcer of stomach (284) and duodenum (382) and diarrhoea between four weeks and under two years of age (120). In the latter there has been a considerable reduction of mortality over recent years. Deaths from appendicitis numbered 87 and from hernia and intestinal obstruction 399.

Diseases of Genito-urinary System.—These collectively numbered 1,314 deaths compared with 1,346 in 1954. Apart from the fact that the numbers increased slightly in 1954 there has been a fairly steady decline during the past 10 years. The principal components of the group are chronic nephritis (411) and diseases of the prostate (460). Deaths due to arteriosclerotic kidney, etc., which were classified to this group in the Fifth Revision, are now classified to the hypertension group. The numbers are therefore not strictly comparable with those before 1950. Deaths from diseases of the prostate were 14 more than in 1954.

Diseases of Pregnancy and Childbirth.—These numbered only 43 and form a new low record. They are a little less than a fifth of what were so registered 10 years ago. The most prominent constituents are sepsis (including post abortive sepsis), hæmorrhage, accidents of childbirth and toxæmias. The total deaths represent a rate of 0.5 per 1,000 live births. (Table K (1).)

In addition to the deaths classified as due to puerperal conditions there were 18 which occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not specified as the primary cause of death. These are shown in detail in Table K (2). The number in 1955 is the same as in 1954.

TABLE K (1).—Deaths and Death-rates from Puerperal Conditions in Scotland and its Groups of Public Health Districts in 1955.

	Births (Living Children)	Still- births	Deaths from all Puerperal Con- ditions	Deaths from Puerperal Sepsis	Deaths from other Puerperal Con- ditions	DEATH-RATE PER 1,000 LIVE BIRTHS			Death-rate (all Puer- peral conditions) per 1,000 Total Births (including Stillbirths)
						All Puerperal Conditions	Puerperal Sepsis	Other Puerperal Conditions	
SCOTLAND ...	92,539	2,330	43	11	32	0·46	0·12	0·35	0·45
Counties of Cities ...	34,462	870	9	1	8	0·26	0·03	0·23	0·25
Large Burghs	16,325	415	11	3	8	0·67	0·18	0·49	0·66
Counties (ex Counties of Cities & Large Burghs) ...	41,752	1,045	23	7	16	0·55	0·17	0·38	0·54
Small Burghs	14,662	383	12	1	11	0·82	0·07	0·75	0·80
Landward ...	27,090	662	11	6	5	0·41	0·22	0·18	0·40

TABLE K (2).—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1955

International Abbreviated List 'B'	CAUSE OF DEATH	All Ages	Ages						
			15-19	20-24	25-29	30-34	35-39	40-44	45 and over
1	Tuberculosis of respiratory system	1	—	—	1	—	—	—	—
18	Malignant neoplasms	1	—	—	—	1	—	—	—
25	Chronic rheumatic heart disease ...	5	—	1	—	4	—	—	—
26	Arteriosclerotic and degenerative heart disease	3	—	—	1	—	1	1	—
46·3	Other circulatory disease	1	—	—	—	1	—	—	—
31	Pneumonia	2	—	—	1	1	—	—	—
46·6	Other digestive diseases	1	—	—	—	—	—	1	—
41	Congenital malformations	1	—	—	1	—	—	—	—
49	Suicide	2	—	1	—	1	—	—	—
48·1	Other violence	1	—	1	—	—	—	—	—
	TOTAL ...	18	—	3	4	8	1	2	—

Diseases of Skin and Cellular Tissue.—There were 53 deaths from these causes compared with 61 in 1954 and 187 in 1944. There were over 300 deaths in this group in 1936 and 1937 and the general trend since that date has been steadily downwards. The reduction is mainly in deaths from cellulitis.

Diseases of Bones and Organs of Movement.—These too are comparatively unimportant causes of death, 254 deaths being registered during the year.

Malformations.—There were 622 deaths from these compared with 676 in 1954. Congenital malformations of the heart were the most frequent (209).

These were followed by spina bifida (152) and hydrocephalus (67) which accounted for most of the remaining conditions specified. The vast majority (77 per cent.) of these deaths took place in the first year of life.

Table L (1) shows these deaths distributed in age groups. Of the 622 who died from congenital malformations 478 died at ages under one year and of these 213 did not survive a week. Table L (2) shows for each of the principal causes in the group and also for certain diseases of early infancy the rate per 1,000 births in each quinquennium since 1936 and for individual years since 1951. The rate for congenital malformations was 6·72 in 1955 compared with 7·32 in 1954. A more accurate rate is obtained by limiting the deaths to those which occurred in the first year of life, but this does not materially affect the trend.

Internal changes in classification of causes such as prematurity affect some of the rates in comparisons of the years 1950-5 with earlier years.

TABLE L (1).—Deaths from Congenital Malformations in 1955
(International Nos. Detailed List 750—759)

CAUSES OF DEATH	Persons	Males	Females	Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days-2 m'ths	3-5 months	6-8 months	9-11 months	1-4 years	5-9 years	10-14 years	15-24 years	25 years and over
Spina Bifida, Meningocele (751) ...	152	49	103	19	41	24	11	4	20	13	7	5	6	1	1	-	-
Congenital Hydrocephalus (752) ...	67	30	37	10	10	4	2	1	7	8	6	3	13	1	1	-	1
Congenital Heart Disease (754) ...	209	106	103	10	35	12	3	8	29	26	11	8	17	5	7	16	22
Other Congenital Malformations of Digestive System (756.2) ...	63	37	26	4	23	12	2	1	7	4	-	2	1	2	-	1	4
Other Congenital Defects (Residual) ...	131	67	64	47	14	3	2	1	11	4	1	3	7	5	1	3	29
TOTAL ...	622	289	333	90	123	55	20	15	74	55	25	21	44	14	10	20	56

TABLE L (2).—Death-rates per 1,000 Live Births from Congenital Malformations and Diseases of Early Infancy
International Nos. Detailed List 750-776)

CAUSES OF DEATH	1936-49	1941-45	1946-50	1951-55	1951	1952	1953	1954	1955
Congenital Malformations (All Ages) 750-759	6·87	7·28	6·58	6·85	6·64	6·75	6·80	7·32	6·72
Do. (Under 1 Yr.)	6·20	6·33	5·47	5·25	5·12	5·31	5·05	5·62	5·17
Hydrocephalus ... 752	0·70	0·74	0·64	0·70	0·76	0·67	0·66	0·69	0·72
Spina Bifida, Meningocele ... 751	1·89	1·93	1·38	1·54	1·24	1·68	1·40	1·73	1·64
Congenital Heart Disease ... 754	2·26	2·26	2·11	2·24	2·25	2·17	2·13	2·37	2·26
Congenital Pyloric Stenosis ... 756·0	2·02	2·34	0·48	0·11	0·13	0·12	0·11	0·11	0·05
Other Congenital Defects ... } Residual			1·97	2·26	2·26	2·10	2·50	2·42	2·04
Diseases of Early Infancy ... 760-776	30·61	27·74	20·24	17·24	18·99	18·20	16·05	16·78	16·24
Debility ... 773 A & B	7·09	5·22	1·93	0·74	1·20	0·84	0·55	0·67	0·45
Premature Birth ... 776	16·79	15·07	10·39	5·50	6·63	6·38	5·09	5·09	5·09
Injury at Birth ... 760-761	3·22	3·19	2·94	2·78	3·35	2·85	2·54	2·62	2·54
Asphyxia at Birth ... 762			2·99	4·58	3·57	4·56	4·66	5·07	4·99
Other Specified Causes ... } Residual	3·50	4·27	2·00	*3·65	*4·23	*3·57	*3·20	*3·33	*3·17
TOTAL (All Ages)	37·48	35·02	26·83	24·09	25·63	24·95	22·85	24·10	22·96

* Includes pneumonia of newborn and diarrhoea of newborn

Diseases of Early Infancy.—Deaths from this group of causes totalled 1,503 compared with 1,549 in 1954 and there has been a fairly steady improvement in mortality from such causes during recent years. The most important individual component of this group is prematurity unqualified, deaths from which numbered 471, about a third of the total. Asphyxia (including atelectasis), birth injury, pneumonia of newborn and hæmolytic disease are next in order of importance. Mortality ascribed to prematurity and, even more, to congenital debility has shown remarkable improvement recently. Deaths from injury at birth have shown no such favourable change. The rate for 1955 was 2·54 compared with 2·62 in 1954 and 2·54 in 1953 and 2·85 in 1952.

Senility.—Only 839 deaths were so attributed. In spite of the ageing of the population the numbers here have shown fairly steady diminution, and it is clearly due to transfer to other cause groups, presumably as a result of more specific certification.

Violence.—2,920 deaths from violence were registered in 1955. 2,491 were from accidents and 394 from suicide. The remainder were caused by homicide and late effects of war operations.

There were 749 transport accidents in 1955, 56 more than in 1954. The majority were motor vehicle accidents—598—an increase of 70 from the previous year. Of the remainder, 55 were from railway accidents, 38 from road transport fatalities other than with motor vehicles, 42 in water transport accidents and 16 in air transport accidents.

The number of deaths from road transport accidents in Scotland from 1935 is set out in summary form in the following table. The figures are given by sex and by five age groupings. It will be seen that at all ages accidents have taken a much heavier toll of the male than of the female population. Mortality has been notably heavy among young children and older people.

TABLE M (1).—Deaths from Road Transport Accidents, 1934-1955

		All Ages	0-4	5-14	15-34	35-64	65 and over
MALES	1934-38 (average)	515	41	86	169	145	74
	1939-45	709	50	104	183	242	130
	1945	436	56	100	94	121	65
	1946	429	51	89	122	95	72
	1947	402	38	67	98	116	83
	1948	374	46	74	75	106	73
	1949	367	43	60	87	104	73
	1950	398	63	45	107	105	78
	1951	425	46	79	116	101	83
	1952	351	38	48	101	108	56
	1953	449	38	68	131	126	86
	1954	405	33	44	125	126	77
	1955	478	42	64	143	151	78
FEMALES	1934-38 (average)	162	21	37	25	42	37
	1939-45	188	22	43	29	50	44
	1945	135	18	33	21	33	30
	1946	163	23	35	19	39	47
	1947	162	21	40	23	36	42
	1948	164	25	37	24	28	50
	1949	150	23	32	19	40	36
	1950	134	15	32	15	33	39
	1951	141	19	33	18	30	41
	1952	133	22	14	27	35	35
	1953	153	16	35	22	37	43
	1954	158	20	28	17	46	47
	1955	158	20	30	23	41	44

Other deaths by accident are divided according as they take place in the home or elsewhere. Deaths in the home in 1955 made up as usual the greatest individual group of fatal accidents. They numbered 1,120 or 45 per cent. of the total deaths from accident. This was 14 more than in 1954.

The causes of accident in the home are indicated in Table M (2) below.

TABLE M (2).—Accidents at Home, 1955

Inter- national Nos. Detail ed List	CAUSE OF DEATH		Total	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Not stated
870-888	Accidental poisoning by solid and liquid substances { M. F.		22 24	— —	2 1	— —	— —	1 —	1 4	5 5	3 6	3 5	6 1	1 1	— —	— —
890-895	Accidental poisoning by gases and vapours ... { M. F.		86 109	— —	1 —	— —	— 1	3 1	7 3	10 4	15 6	12 12	16 24	16 46	6 12	— —
900-904	Accidental falls ... { M. F.		166 367	— 3	2 2	1 2	— —	1 1	2 1	4 —	7 3	15 10	30 51	69 181	35 113	— —
916-918	Accident caused by fire, explosion, hot substance, radiation, etc. ... { M. F.		47 77	1 2	13 10	2 6	— 1	1 3	4 1	2 5	4 3	2 5	4 14	10 23	4 4	— —
919	Accidental injury by fire- arms ... { M. F.		1 1	— —	— —	— 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
921-925	Accidental mechanical suffocation ... { M. F.		122 75	99 67	1 3	1 —	— —	— —	3 —	6 —	4 2	3 —	5 1	— 2	— —	— —
926	Lack of care of infants under 1 year of age ... { M. F.		1 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
929	Accidental drowning and submersion ... { M. F.		5 2	1 —	— —	— —	— —	— —	1 —	— —	1 —	1 1	1 1	— —	— —	— —
910, 914, 936 }	Other and unspecified acci- dents ... { M. F.		9 5	1 —	1 —	— —	— —	— 1	— 1	— 1	1 —	1 1	2 2	— 1	2 —	— —
	TOTAL ... { M. F.		459 661	103 73	20 17	4 9	— 2	6 5	18 10	28 14	36 20	37 34	64 94	96 254	47 129	— —

Accidental falls were the main cause, accounting for 533 deaths or nearly half of the total deaths through accidents at home. These deaths from falls were much heavier among females, numbering 367 or more than two-thirds of the total, and they took a very much heavier toll of older persons, as is seen from the fact that 90 per cent. of the deaths were of persons over the age of 65 (males 81 per cent., females 94 per cent.). Confining the percentage to persons over the age of 75 it was 75 per cent. (63 for males and 80 for females). The percentage of deaths from falls among persons under the age of 65 was 10 (19 for males and six for females).

The second heaviest cause was suffocation, which caused 197 accidental deaths in 1955. No less than 166 or 84 per cent. were deaths of children under one, and four of the remainder were of children between one and five. 101 of the deaths of children under one were due to inhalation and ingestion of food causing obstruction or suffocation. Of the remaining 65 deaths of children under one, 49 were due to suffocation in bed or cradle.

Gas poisoning was the third heaviest cause of deaths in the home. It will be seen from the table that in 1955 there were 195 deaths, 86 of males and 109 of females, from accidental gas poisoning. 120 of these deaths were among persons over the age of 65 (males 38, females 82).

Accidents caused by fire, etc., were the next heaviest contributor to deaths in the home in 1955. They caused 124 deaths. Among these there were 26 children under five and 59 persons over the age of 65.

The following Table M (3) indicates the main causes of death by accident elsewhere than at home, but excluding deaths from transport accidents. (See Table M (1) and relative text.)

TABLE M (3).—Accidents elsewhere than at Home, 1955

International Nos. Detailed List	CAUSE OF DEATH	Total	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Not stated
870-888	Accidental poisoning by solid and liquid substances { M. F.	1 1	— —	— —	— —	— —	1 —	— —	— —	— —	— 1	— —	— —	— —	—
890-895	Accidental poisoning by gases and vapours ... { M. F.	3 —	— —	— —	— —	— —	— 1	1 —	1 —	— —	— —	— —	— —	— —	—
900-904	Accidental falls ... { M. F.	117 47	— —	2 —	4 1	3 —	20 1	10 1	17 —	15 1	13 1	18 14	12 22	3 6	—
910	Blow from falling object... { M. F.	56 2	— —	2 1	2 —	— —	4 1	13 —	12 —	16 —	7 —	— —	— —	— —	—
911	Accident caused by vehicle ... { M. F.	19 —	— —	— —	— —	— —	5 —	5 —	3 —	3 —	— —	3 —	— —	— —	—
912	Accident caused by machinery ... { M. F.	15 —	— —	— —	— —	— —	3 —	2 —	5 —	3 —	2 —	— —	— —	— —	—
915	Accident caused by pressure vessel ... { M. F.	8 —	— —	— —	— —	— —	— —	3 —	2 —	3 —	— —	— —	— —	— —	—
916-918	Accident caused by fire, explosion, hot substance, radiation, etc. { M. F.	18 2	— —	— —	— —	1 —	2 1	2 —	1 —	7 —	5 —	— —	1 —	— —	—
919	Accidental injury by fire-arms ... { M. F.	14 —	— —	— —	— —	1 —	1 —	5 —	4 —	2 —	1 —	— —	— —	— —	—
921-925	Accidental mechanical suffocation ... { M. F.	10 —	2 —	1 —	— —	1 —	1 —	— —	— —	1 —	3 —	— —	1 —	— —	—
926	Lack of care of infants under 1 year of age ... { M. F.	— 2	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
929	Accidental drowning and submersion (excluding water transport) ... { M. F.	169 47	— —	11 8	19 4	15 3	24 3	17 5	15 2	23 10	22 7	14 5	8 —	1 —	—
940-959	Medical or Surgical complications and therapeutic misadventure ... { M. F.	3 10	2 2	— —	— 1	— —	— 2	— 2	— 2	1 —	— —	— 1	— —	— —	—
913, 914, 928, 930, 932, 936, 962	Other and unspecified accidents { M. F.	61 17	1 —	1 —	5 —	2 —	6 —	5 —	7 1	12 3	13 4	4 2	5 3	— 4	—
	TOTAL ... { M. F.	494 128	5 4	17 9	30 6	23 3	67 8	63 8	67 5	87 14	66 13	39 22	26 26	4 10	—

There were 216 deaths from drowning (excluding deaths in water transport)—the heaviest individual group. Next heaviest were accidental falls accounting for 164 deaths. 58 persons (56 males and two females) died from the impact of falling objects, and 20 (18 males and two females) died through accidents caused by fire, explosion, hot substance, radiation, etc.

Generally it will be observed from the table that, apart from deaths by drowning deaths outside the home are comparatively few among children. On the other hand, as has been noticed, young children in the home are the main sufferers from death by suffocation. Young children are also very vulnerable, as the figures show, to accidents caused by fire, etc. Boys of school age are more liable to accidents outside than inside the home, but girls aged 1-14 years tend to suffer more from accidents at home. In earlier adult life in the age groups from 15 to 45 accidents outside the home outnumber those in the home by nearly four to one in the male population, but accidents at home outnumber those outside it in the female population. Between 45 and 65 males are again more vulnerable to accidents outside the home, but by now the women are even more vulnerable than before to accidents at home. At ages over 65 domestic accidents are markedly more frequent than accidents elsewhere, especially for females.

The following Table M (4) compares in broad age groups the death-rates of males and females from accidents at home (Table M (2)) and from accidents elsewhere (Table M (3)), always excluding transport accidents separately accounted for in Table M (1). It shows for each age group the death-rate per 100,000 of the population represented by the deaths from accident in that age group in Scotland in 1955.

**TABLE M (4)—Death-rate per 100,000 from Accidental Deaths
(excluding Transport Accidents)**

		All ages	0-4	5-14	15-44	45-64	65 and over
Accidents at Home	MALE	19	56	1	5	13	97
	FEMALE	25	43	3	3	8	155
Accidents Elsewhere	MALE	20	10	12	19	27	32
	FEMALE	5	6	2	2	4	19
Total	MALE	39	66	13	24	40	129
	FEMALE	29	49	5	5	13	174

The over-all rate is appreciably lower for males than for females as regards accidents at home; but it will be observed that it is higher in each individual age group except for ages 5-14 and 65 and over. In the latter group the rate for females is almost one-half higher. The figures show that males are more vulnerable to accidents outside the home in the proportion of four to one. The difference is even greater in the age groups between 15 and 45.

Fatal accidents occurring in coal mines and quarries are included where appropriate in the previous tables. They are also separately accounted for by cause of death in Table N below. More than 43 per cent. of them were due to blows from falling objects. Accidents caused by vehicles in the mines was the next heaviest cause. The total was four less than in 1954 when there were 57 fatal accidents in coal mines and quarries in Scotland.

TABLE N.—Accidents in Coal Mines and Quarries, 1955

International Nos. Detailed List	CAUSE OF DEATH	Total	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
802	Railway accidents ...	1	—	—	—	—	1	—	—
894	Carbon dioxide poisoning	1	—	—	—	1	—	—	—
902	Falls from one level to another ...	3	—	—	—	1	1	1	—
910	Blow from falling object ...	23	1	4	7	9	2	—	—
911	Accident caused by vehicle	15	4	4	2	2	—	3	—
912	Accident caused by machinery ...	3	—	1	1	1	—	—	—
914	Accident caused by electri- cal current ...	2	1	1	—	—	—	—	—
915	Accident caused by explo- sion of pressure vessel ...	1	—	—	—	1	—	—	—
916	Accident caused by fire and explosion of combustible material ...	1	—	—	—	1	—	—	—
962	Late effects of mine and quarry accidents ...	3	—	1	1	—	1	—	—
	TOTAL ...	53	6	11	11	16	5	4	—

Suicide.—Deaths from suicide numbered 394, 235 males and 159 females. This is equivalent to a death-rate of eight per 100,000 and is two above that for 1954 and three above the average of the last five years. (Tables 41 and 42.)

A full list of deaths from accidental and suicidal poisoning and under anaesthetics will be found in Table 41.

Relative Frequency of Cause of Death.—As in recent years the commonest causes or cause-groups of death are, in descending order, heart disease, malignant disease, vascular lesions of the central nervous system, violence, congenital causes, bronchitis, pneumonia and tuberculosis. These together account for 83 per cent. of the total deaths in 1955. (See Table O below.)

TABLE O.—Relative Frequency of Causes of Death

CAUSES OF DEATH	1955		1954	
	Number	Per cent of total	Number	Per cent of total
Heart disease	20,890	33·89	20,390	33·22
Malignant neoplasms... ..	10,585	17·17	10,505	17·11
Vascular lesions of the central nervous system	9,607	15·58	9,562	15·58
Violence	2,920	4·74	2,672	4·35
Congenital malformations and diseases of early infancy ...	2,125	3·45	2,225	3·62
Bronchitis	2,086	3·38	1,843	3·00
Pneumonia (excluding pneumonia of newborn)... ..	1,828	2·97	1,728	2·82
Tuberculosis (all forms) ...	982	1·59	1,128	1·84
TOTAL	51,023	82·77	50,053	81·55

Infant Deaths.—Table 29 contains an analysis of deaths at age-periods under one year classified according to cause of death. For all causes of death the infant death-rates and the neo-natal rates (referring to children aged under 28 days) will be found on page 25 for years and combinations of years back to 1911, but Table 29 shows for 1955 a finer analysis by age with classification according to cause of death. Of the 2,811 children who died before reaching one year of age, 863 had died before they were a day old; 1,568 did not survive a week and no fewer than 1,826 or almost 65 per cent. of the total had died before they were four weeks old. The changes in recent years in the number of deaths from congenital defects and from conditions associated with early infancy (debility, premature birth, etc.) have already been referred to (page 37). Compared with 1954 deaths from meningococcal infections decreased by 12, meningitis by eight, and whooping cough by seven. The number of deaths from pneumonia (excluding newborn) (258) was the same as that of the previous year and deaths from diarrhoea (excluding newborn) increased by 25. Deaths from pneumonia of newborn decreased from 122 to 117.

Of all deaths under one year of age numerically the most important are congenital malformations, prematurity (unqualified), asphyxia and atelectasis, pneumonia (excluding newborn) and birth injuries, in that order. (Table 29.)

Month of Registration.—Table 30 shows deaths from the same causes as are shown in Table 29 but classified according to calendar month of registration. The rates by calendar month for all infant deaths have already been referred to (page 21). These deaths were at a maximum in January and at a minimum in July. The incidence of individual causes throughout the year generally

conforms to this pattern though the variation is considerable in deaths from pneumonia. (Tables 30 and 63.)

Deaths of Illegitimate Children.—These have been separately classified since 1936, and differences in rates (all causes) have already been referred to in page 23. The rate among illegitimate children is 60 per cent. above that for legitimate children—48 per 1,000 live births against 30 per 1,000 live births.

Table 31 shows for each large burgh and county the numbers of children who died in 1955 before reaching their first birthday. The duration of the lives of these children according to days, weeks or months is indicated in the headings to the table. The columns on the right-hand side of the table show the death-rates per 1,000 of the births in Scotland in 1955. Many of the rates are, of course, based on small numbers and are, therefore, of limited value. It will be seen that the death-rate was equivalent to 30·4 per 1,000 births compared with a death-rate for the whole population of 12·0. The figures show that children in the first four weeks of life were subject to much the heaviest mortality of the groups accounted for and that the mortality was specially heavy on the first day of life and in the first week.

The neo-natal rates for Scotland as a whole have already been dealt with (see page 25) but in Table P there will be found for Scotland the death-rates for certain age groups within the first year of life for 1955 and previous years.

TABLE P.—Deaths under One Year per 1,000 Births in Scotland, 1922–1955

YEAR	MALES						FEMALES					
	Under 1 year	Under 7 days	*7-27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under 12 months	Under 1 year	Under 7 days	*7-27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under 12 months
1922-25	103·7	42·6		16·0	16·6	28·5	80·0	32·7		11·8	12·6	23·0
1926-30	96·0	41·1		14·9	16·5	23·5	74·4	31·8		10·6	12·1	19·9
1931	93·2	27·5	12·6	13·9	15·9	23·3	69·9	21·7	9·6	9·9	10·4	18·4
1932	94·6	26·8	13·4	15·4	17·0	22·1	77·3	20·7	11·1	12·3	13·8	19·4
1933	89·3	28·8	12·0	14·8	14·2	19·5	72·4	23·3	10·9	10·0	11·4	16·7
1934	86·9	27·7	12·2	14·3	14·0	18·7	68·0	21·6	10·8	9·5	11·1	15·0
1935	86·9	28·8	14·6	13·2	13·6	16·7	66·2	20·7	12·8	9·1	10·1	13·6
1931-35	90·3	27·9	13·0	14·3	15·0	20·1	70·8	21·6	11·0	10·2	11·4	16·6
1936	92·2	28·4	14·1	15·9	15·2	18·7	71·9	21·3	11·2	10·7	13·0	15·8
1937	89·6	28·2	14·2	15·0	16·2	16·0	70·5	22·0	12·0	10·8	11·5	14·2
1938	76·6	26·6	11·4	13·4	12·2	13·0	62·1	21·9	10·0	8·9	9·1	12·1
1939	77·4	29·7	12·4	12·1	11·7	11·6	59·1	22·8	8·0	8·8	9·7	9·8
1940	90·3	29·5	13·1	15·0	15·7	17·0	65·7	21·2	10·4	10·5	11·8	11·8
1936-40	85·2	28·5	13·0	14·3	14·2	15·3	65·9	21·8	10·3	9·9	11·0	12·8
1941	93·3	29·0	16·0	17·4	17·0	14·0	71·6	22·5	12·2	12·6	10·9	13·4
1942	77·9	27·0	12·9	14·1	13·1	10·8	60·2	19·8	10·3	10·0	11·4	8·8
1943	73·0	25·3	11·8	13·3	12·3	10·3	57·0	18·7	9·8	9·1	10·0	9·4
1944	73·0	24·7	12·3	13·3	13·1	9·8	56·4	17·8	10·4	9·4	10·4	8·4
1945	64·7	23·6	9·0	12·4	11·5	8·2	47·3	17·5	6·6	8·9	8·2	6·0
1941-45	76·4	25·9	12·4	14·1	13·4	10·6	58·5	19·2	9·9	10·0	10·2	9·2
1946	60·0	25·1	8·1	10·0	9·5	7·3	47·3	19·4	7·0	7·2	7·8	5·9
1947	62·9	22·4	9·4	11·8	10·3	9·1	48·2	17·5	7·6	7·7	7·8	7·6
1948	51·3	21·6	6·9	8·9	8·1	5·8	37·7	15·5	5·9	5·9	5·8	4·6
1949	46·2	21·0	5·3	8·3	6·6	5·0	36·3	15·4	4·4	6·3	5·9	4·2
1950	43·0	21·0	4·6	6·5	6·4	4·5	33·8	16·2	4·0	5·3	4·4	3·9
1946-50	53·2	22·3	7·0	9·2	8·3	6·4	41·1	16·9	5·9	6·5	6·4	5·3
1951	42·2	20·4	4·8	6·9	6·2	3·8	32·4	15·5	3·6	5·1	4·6	3·6
1952	39·3	20·1	4·1	5·6	6·2	3·3	30·8	15·7	3·2	4·1	4·3	3·5
1953	34·7	18·9	3·5	5·3	4·4	2·6	26·6	13·5	2·5	4·3	3·6	2·7
1954	34·9	20·2	3·4	4·3	4·1	2·9	26·9	15·2	2·3	4·2	3·1	2·0
1955	33·2	19·3	2·8	4·9	3·7	2·5	27·4	14·5	2·8	3·9	3·7	2·6
1951-55	36·8	19·8	3·7	5·4	4·9	3·0	28·8	14·9	2·9	4·3	3·9	2·9

*—Prior to 1950 the numbers and rates relate to 1 week and under 1 month and 1 month and under 3 months

Death-rates Standardised to Population of Great Britain in the Year of Experience.—Precise comparisons between the death-rates in England and Wales and those in Scotland cannot be made from an examination of the crude death-rates in the two countries. By agreement between the two Registrars General death-rates for Scotland and for England and Wales have been standardised according to population based upon the age and sex distribution of Great Britain for the year of observation.

Table 48 gives the standardised death-rates for the two countries for all causes and for certain specified diseases for the years 1951 to 1955. It will be observed that the standardised death-rate as a whole is materially in excess of that in England and Wales. When the rate is related to individual causes, the relative excess is greatest in rheumatic fever, tuberculosis and vascular lesions affecting the central nervous system. In the case of syphilis, pneumonia, hypertensive disease, influenza and nephritis and nephrosis, however, the Scottish rate is more favourable.

CENTRAL CLYDESIDE CONURBATION

A description of the Clydeside Conurbation was given in previous Reports but for reference purposes the constitution of the areas is again given. It is as follows:—

Dunbarton County (Part of)	Lanark County (Part of)	Renfrew County (Part of)
Clydebank Burgh	Glasgow City	Barrhead Burgh
Kirkintilloch Burgh	Airdrie Burgh	Johnstone Burgh
Milngavie Burgh	Coatbridge Burgh	Paisley Burgh
New Kilpatrick District	Hamilton Burgh	Renfrew Burgh
of County	Motherwell and Wishaw Burgh	Renfrew First District of County
	Rutherglen Burgh	Renfrew Second District of County
	Lanark Fifth District of County	
	Lanark Sixth District of County	
	Lanark Eighth District of County	
	Lanark Ninth District of County	

The following is a summary of the births, deaths and marriages in the area of the conurbation in the calendar year 1955. The births and deaths are corrected, where necessary, to relate to the area of usual residence.

CENTRAL CLYDESIDE CONURBATION

	Registered	Corrected for Transfer	Rate per 1,000 of estimated population
Births	33,850	34,678	19·6
Deaths	20,604	20,931	11·8
Deaths under 1 year	—	1,208	34·8 per 1,000 live births
Marriages	16,164	—	9·1
Stillbirths	947	948	26·6 per 1,000 total births (including stillbirths)

The population of Central Clydeside is estimated at 1,770,340 which is more than a third of the population of Scotland. The birth-rate of 19·6 is 2·4 higher than that of the rest of Scotland whereas the death-rate of 11·8 is 0·3 less. The stillbirth rate is 3·3 per 1,000 total births more than in the rest of Scotland.

The excess of the birth-rate over the death-rate in the conurbation area was 7·8 per 1,000 of the population against 5·1 in the remainder of Scotland. The excess of births over deaths in Scotland was 30,894, those in Central Clydeside accounting for no less than 13,747.

The infant mortality rate at 34·8 per 1,000 live births is much less favourable than that of the remainder of Scotland which is 27·7.

The over-all death-rate in the conurbation area is for males 1,309 per 100,000 of the population compared with 1,258 in the rest of Scotland. The female rates are 1,066 and 1,167 respectively. The accompanying table compares the rates by sex from the principal groups of causes of death. The conurbation area has a higher death-rate for males and mortality from respiratory tuberculosis and bronchitis is roughly twice as high as that for the rest of Scotland. There is also an outstanding excess of deaths from congenital malformations and other diseases of early infancy. On the other hand the death-rate from heart disease is lower than in the rest of Scotland.

The over-all female rate is more favourable in the conurbation area, but again respiratory tuberculosis is almost twice as heavy as in the rest of the country. This excess is more than accounted for by decreases in malignant neoplasms, vascular lesions of central nervous system and heart disease. The higher death-rates in the remainder of Scotland is no doubt due to an older age structure.

CERTAIN SPECIFIED CAUSES OF DEATH IN THE
CENTRAL CLYDESIDE CONURBATION AND THE REST OF SCOTLAND
WITH THEIR CORRESPONDING RATES PER 100,000 POPULATION—1955

International Classification Intermediate List "A"		Number				Rates per 100,000 population			
		Conurbation Area		Rest of Scotland		Conurbation Area		Rest of Scotland	
		Males	Females	Males	Females	Males	Females	Males	Females
1	Tuberculosis respiratory	298	143	257	162	35	15	16	9
2-5	Tuberculosis— other forms ...	32	26	32	32	4	3	2	2
6-10	Syphilis ...	27	10	43	17	3	1	3	1
12, 17, 18, 21-23, 32, 88	Principal epidemic diseases ...	40	37	86	112	5	4	5	6
44-59	Malignant neoplasms	1,998	1,672	3,464	3,451	236	181	215	197
70	Vascular lesions of central nervous system	1,347	1,755	2,673	3,832	159	190	166	218
80-83	Heart disease ...	3,506	3,223	7,034	7,127	414	349	438	406
89-91	Pneumonia (excluding newborn) ...	375	352	525	576	44	38	33	33
92, 93	Bronchitis ...	700	309	696	381	83	33	43	22
99, 100	Ulcer of stomach and duodenum ...	157	52	335	122	19	6	21	7
104	Diarrhoea (excluding newborn) ...	63	74	95	104	7	8	6	6
108, 109	Nephritis ...	82	81	185	182	10	9	12	10
127-135	Congenital malforma- tions and other diseases of early in- fancy ...	512	388	675	550	60	42	42	31
Residual of 1-137	All other natural causes	1,365	1,362	2,926	3,065	161	148	182	175
138, 139	Transport accidents ...	179	66	409	94	21	7	25	5
148	Suicide ...	78	45	157	114	9	5	10	6
Residual of 138-150	Other violence ...	339	238	639	562	40	26	40	32
	All causes ...	11,098	9,833	20,231	20,483	1,309	1,066	1,258	1,167

The rates in the conurbation area are to a large extent influenced by those of Glasgow. The following statement shows the rates for respiratory tuberculosis, other forms of tuberculosis and bronchitis separately for the conurbation area, Glasgow and the remainder of the conurbation area.

International Classification Intermediate List "A"		Rate per 100,000 of Estimated Population					
		Conurbation Area		Glasgow		Remainder of Conurbation Area	
		Males	Females	Males	Females	Males	Females
1	Respiratory tuberculosis	35	15	41	17	26	14
2-5	Other forms of tuberculosis	4	3	3	3	4	3
92, 93	Bronchitis	83	33	96	40	62	23
89-91	Pneumonia (excluding newborn) ...	44	38	53	47	31	24
12, 17, 18, 21-23, 32, 88	Principal epidemic diseases*	5	4	6	4	3	3

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

These show generally a reduction in the rates for the remainder of the conurbation area which are however, in the case of tuberculosis and bronchitis, still higher than those experienced in the rest of Scotland.

APPENDIX I

REPORT ON INFORMATION OBTAINED FOR THE YEAR 1955 UNDER THE POPULATION (STATISTICS) ACT, 1938

This Appendix contains an analysis of the statistics obtained in respect of the year 1955.

The crude birth-rate for the year is 18·0 and is the same as the rate for 1954. If recent trends of birth and death-rates are maintained, the number of births of females in 1955 was adequate, with a little to spare, to maintain the population against a natural decline. The net reproduction rate is 1·173, which is ·017 higher than in 1954.

The crude birth-rates and the gross and net reproduction rates for each year from 1939 are as follows:—

Year	Crude Birth-rate	Gross Reproduction rate	Net Reproduction rate
1939	17·4	1·051	0·932
1940	17·1	1·042	0·896
1941	17·5	1·058	0·893
1942	17·6	1·087	0·948
1943	18·4	1·162	1·012
1944	18·5	1·183	1·041
1945	16·9	1·088	0·978
1946	20·3	1·336	1·192
1947	22·3	1·427	1·281
1948	19·7	1·265	1·158
1949	18·7	1·228	1·131
1950	18·0	1·187	1·107
1951	17·7	1·171	1·099
1952	17·7	1·180	1·114
1953	17·8	1·179	1·121
1954	18·0	1·212	1·156
1955	18·0	1·230	1·173

Table 10 shows the number of births analysed by age of mother, and, so far as legitimate births are concerned, by the duration of marriage. As usual, more children were born to mothers aged between 25 and 29 than to those in any other quinquennial age-group. The single ages which contributed the greatest number of children were 24 years, 25 years and 23 years (in that order), and this is also true when related to legitimate births. At age 30 the number was much smaller. The largest number of illegitimate births was to mothers aged 20, 19 and 21 in that order. (Table 9.)

It will be observed from the following table that every year since 1940 the proportion of births to mothers in the age-group 20-24 was greater, and since 1947 much greater, than in 1939, the first year in which figures are available.

Year	Total Legitimate Births	Number of Legitimate Births by quin- quennial age-groups 20-34			Proportion compared with 1939		
		20-24	25-29	30-34	20-24	25-29	30-34
1939	81,669	18,605	25,661	19,267	100	100	100
1940	81,248	19,086	26,068	18,619	103	102	97
1941	83,800	19,933	26,038	19,410	107	101	101
1942	84,187	20,827	25,396	19,459	112	99	101
1943	87,450	21,285	24,417	21,361	114	95	111
1944	88,308	21,614	23,402	22,062	116	91	115
1945	89,398	18,940	21,163	19,791	102	82	103
1946	97,465	22,228	29,070	24,450	119	113	127
1947	106,836	25,804	33,600	24,795	139	131	129
1948	94,568	24,117	30,001	20,255	130	117	105
1949	90,451	23,586	29,628	17,949	127	115	93
1950	87,693	23,168	27,964	18,193	125	109	94
1951	86,047	23,244	27,302	18,306	125	106	95
1952	86,116	23,616	27,078	18,808	127	106	98
1953	86,682	24,140	27,391	19,325	130	107	100
1954	88,138	25,437	27,374	19,673	137	107	102
1955	88,548	25,595	28,491	18,786	138	111	98

Table 11 shows fertility by age of mother. The fertility rates for the 16 years 1939 to 1955 are summarised below.

TABLE F (a).—Fertility Rates by Age of Mother

LEGITIMATE BIRTHS PER 1,000 MARRIED WOMEN

Year	All Ages (16-49)	16-19	20-24	25-29	30-34	35-39	40-44
1939	119.8	525.7	336.6	220.0	140.5	82.7	25.8
1940	115.2	448.9	322.7	213.6	131.3	77.4	25.0
1941	116.4	376.6	300.8	211.1	134.9	82.6	27.7
1942	114.3	354.3	290.9	208.3	133.3	82.0	26.8
1943	117.9	357.8	283.4	209.6	146.9	90.6	30.2
1944	118.3	340.9	284.8	210.0	153.8	92.4	31.3
1945	105.2	322.7	246.9	192.9	139.1	82.4	27.6
1946	131.6	385.0	290.7	264.9	180.5	98.6	28.5
1947	137.5	466.4	348.8	251.5	171.3	98.5	29.7
1948	120.4	458.0	320.8	213.4	145.2	84.7	26.9
1949	115.2	510.0	316.8	208.6	132.9	79.1	23.8
1950	111.7	478.8	312.5	202.1	133.5	74.6	22.8
1951	109.6	464.3	307.1	203.5	129.6	71.6	21.2
1952	109.4	456.9	302.3	206.2	128.8	71.0	20.3
1953	109.8	456.7	301.8	209.4	127.8	68.6	19.6
1954	111.2	451.8	310.9	208.0	128.2	68.0	19.9
1955	111.2	450.9	305.2	214.6	124.9	66.8	18.7

ILLEGITIMATE BIRTHS PER 1,000 UNMARRIED WOMEN

Year	All Ages (15-49)	15-19	20-24	25-29	30-34	35-39	40-44
1939	7.7	5.3	12.0	11.5	10.6	7.7	2.8
1940	7.7	4.7	12.5	12.0	10.7	7.6	3.1
1941	8.8	5.1	14.4	15.0	13.3	8.5	2.6
1942	10.0	5.2	16.3	18.6	15.3	9.9	3.4
1943	11.4	5.6	19.0	24.1	17.7	10.8	4.0
1944	12.1	5.2	19.8	29.7	20.1	11.6	3.6
1945	12.3	5.1	20.2	30.3	20.6	12.5	3.4
1946	11.5	5.1	18.0	29.3	19.0	11.9	3.6
1947	11.2	4.7	17.5	26.5	19.5	12.6	4.1
1948	10.4	4.8	15.4	24.9	19.7	12.1	4.0
1949	9.6	4.3	14.1	21.5	21.1	11.3	3.7
1950	9.0	4.1	12.8	19.9	19.0	11.6	3.6
1951	8.6	3.7	12.4	18.6	18.9	12.5	3.0
1952	8.2	3.7	11.7	17.6	18.2	11.2	3.5
1953	8.3	3.8	12.1	16.7	18.1	12.1	3.4
1954	8.4	3.8	12.4	17.7	16.9	13.4	3.3
1955	8.2	3.6	12.5	17.3	18.1	11.9	3.8

On comparing the legitimate rates for 1955 with those of 1954 it will be observed that there is an increase at age group 25-29. The illegitimate fertility rates show a decrease in the age groups 15-19, 25-29 and 35-39 compared with the previous year.

Table 12 shows the interval between present marriage and the birth of the first child for all first children born in 1955 according to the age of mother.

The following table gives a summary for the years 1939 to 1955 of the percentage of first births occurring within eight months of marriage.

TABLE F (b).—Percentage of First Births taking place within Eight Months of Date of Present Marriage

Year					Age of Mother				
					All ages	Under 20	20-24	25-29	30-34
1939	28.8	70.1	40.3	17.0	10.0
1940	24.9	61.3	34.8	14.6	9.2
1941	18.5	53.6	24.2	10.4	8.5
1942	17.0	52.3	21.2	9.5	7.4
1943	14.4	49.0	17.4	7.9	6.2
1944	14.3	51.1	17.0	7.8	6.2
1945	15.2	51.1	18.5	8.3	6.5
1946	13.4	51.4	17.2	7.8	6.1
1947	15.1	50.8	18.9	9.6	7.7
1948	19.1	56.6	23.7	11.6	8.4
1949	20.4	59.8	24.3	11.3	8.7
1950	20.2	60.0	24.6	10.0	8.1
1951	19.8	60.3	23.6	9.9	9.1
1952	19.2	59.4	22.5	9.3	8.6
1953	18.6	59.9	21.7	8.8	7.0
1954	18.2	59.8	20.7	7.3	6.4
1955	17.6	56.1	19.6	7.3	7.0

The percentage of first births taking place within eight months of marriage is 0.6 lower than that for 1954. If these are added to the number of illegitimate births, the combined total is 3,836 below that for 1939; and 383 below that for last year.

In the Report for 1954 a summary of Table 13 was given for the year 1939, and 1946 to 1954 (Table F (c)). This table is now repeated for the years 1939, and 1947 to 1955.

TABLE F (c).—Number of Births by Present Husband which are First, Second, etc

Number of previous children (including still-born and dead)	1939	1947	1948	1949	1950	1951	1952	1953	1954	1955
0	28,976	44,369	36,492	34,177	31,843	30,834	31,468	31,641	32,313	32,738
1	19,473	27,962	26,697	25,893	25,284	24,795	24,214	24,233	24,744	24,544
2	11,757	15,016	13,717	13,474	13,804	13,952	13,758	14,073	14,146	14,309
3	7,391	7,811	7,069	6,955	6,926	7,129	7,316	7,507	7,619	7,538
4	4,771	4,434	3,872	3,838	3,770	3,725	3,871	3,990	4,165	4,166
More than 4	9,301	7,244	6,668	5,979	5,886	5,478	5,356	5,159	5,125	5,186
Not stated	—	—	53	135	180	134	133	79	26	67
TOTAL	81,669	106,836	94,568	90,451	87,693	86,047	86,116	86,682	88,138	88,548

In 1955 there was a total increase of 410 legitimate births compared with 1954 and first births increased by 425. The total legitimate births increased by 0.5 per cent., first births increased by 1.3 per cent., second births decreased by 0.8 per cent. and third births increased by 1.2 per cent.

On examining the proportion which first births bear to the total births for the year as set out in Table F (c) it is found that the percentage which was 35.5 in 1939 increased to 41.5 in 1947. From then the rate decreased from 38.6 in 1948 to 35.8 in 1951. Since then the rate has gradually increased, being 36.5 in 1952 and 1953, 36.7 in 1954 and 37.0 in 1955.

Table 14 shows legitimate births by duration of present marriage and number of previous children. It also indicates the trend of family size. The following table, covering the period 1939 and 1944 to 1955 and relating to children by present husband only, gives average family size—but only for those families having a child in the year under observation. The figures shown include the birth in the particular year referred to as well as previous births. They show that the average size of family into which a child was born has been decreasing from 1939 but since 1948 the downward trend has been very slight. The average decreased substantially in 1946 and 1947, rose slightly in 1948 and since then has remained fairly steady. The figure for 1955 (2.41) is .01 below that for 1954 and .02 less than in 1948.

Duration of Marriage	Average number of children by present husband in family including stillborn and dead													
	1939	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	
Under one year ...	1.03	1.03	1.03	1.04	1.03	1.03	1.03	1.03	1.03	1.03	1.02	1.02	1.02	
1	1.29	1.17	1.18	1.15	1.17	1.23	1.23	1.24	1.27	1.22	1.22	1.22	1.22	
2	1.77	1.55	1.60	1.55	1.56	1.69	1.71	1.73	1.71	1.69	1.66	1.67	1.68	
3	2.14	1.85	1.85	1.79	1.82	1.96	2.01	2.06	2.04	2.03	2.03	1.98	1.99	
4	2.48	2.12	2.09	1.95	2.00	2.22	2.25	2.30	2.33	2.35	2.29	2.29	2.30	
5	2.77	2.48	2.34	2.13	2.17	2.38	2.49	2.53	2.56	2.60	2.58	2.58	2.57	
6	3.17	2.74	2.71	2.39	2.39	2.54	2.65	2.76	2.78	2.83	2.88	2.85	2.86	
7	3.50	3.00	3.01	2.76	2.67	2.74	2.81	2.94	3.00	2.99	3.08	3.11	3.11	
8	3.83	3.29	3.27	3.09	3.06	3.02	3.02	3.08	3.20	3.28	3.27	3.34	3.39	
9	4.10	3.58	3.57	3.40	3.34	3.40	3.37	3.26	3.35	3.44	3.52	3.54	3.63	
10-14	5.06	4.51	4.41	4.27	4.22	4.32	4.29	4.18	4.13	4.06	4.05	4.12	4.17	
15-19	6.93	6.13	6.07	6.02	5.98	6.08	6.15	6.13	5.97	5.90	5.76	5.63	5.49	
20-24	8.94	7.98	7.84	7.94	7.93	7.93	7.78	7.91	7.90	7.81	7.74	7.59	7.40	
25 and over	10.68	9.92	9.15	10.00	9.07	9.62	9.54	9.53	9.69	9.54	9.02	9.04	8.88	
Total														
Present Husband...	2.79	2.61	2.59	2.46	2.37	2.43	2.42	2.45	2.45	2.44	2.43	2.42	2.41	

Table 20 sets out the number of multiple confinements classified by age of mother and type of birth (live and still). It also shows as a percentage of all mothers the number of mothers who gave birth to multiple children.

Tables 15 and 16 contain statistics of women who have been married but at the time of death are stated to have had no children. The results are summarised in the following Table F (d). It will be seen that the percentage of women who die childless gradually decreased from 16.1 in 1944 to 14.7 in 1952. Since then however there has been a slightly upward trend and the rate for 1955 was 15.6. The number of deaths among divorced women is too small to give a reliable rate for individual years. In 1955 almost 13 per cent. of the married women who died were under 45 years of age, whereas less than one per cent. of widows died under that age.

TABLE F (d).—Percentage of Women who have been Married and who at Death are stated to have had No Children

	1939	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955
Married ...	15.4	17.7	17.3	17.0	17.1	16.7	16.6	16.3	16.2	16.0	16.1	16.0	17.0
Widowed ...	13.8	14.6	14.3	14.3	14.5	14.6	14.2	14.3	14.0	13.7	14.1	14.7	14.7
Divorced ...	35.0	31.4	24.5	31.1	24.3	26.5	23.9	26.5	28.0	18.2	31.4	28.0	22.8
All women who had been married ...	14.6	16.1	15.7	15.6	15.7	15.6	15.3	15.2	15.0	14.7	15.0	15.2	15.6

Table 17 shows deaths from the principal causes by age-groups of women who had been married, and gives figures of those who had children and those who died childless. The purpose of the table is to see if there is any connection with certain diseases and infertility.

APPENDIX II

REGISTRATION OF STILLBIRTHS

The total number of stillbirths registered during the year 1955 was 2,330 and with 92,539 live births registered during the same period these stillbirths are equivalent to a rate of 24·6 per 1,000 total births, live and still, as compared with 42·2 in 1939, 27·1 in 1949, 24·8 in 1953, and 25·3 in 1954. Apart from a slight increase in the rate for 1954 there has been a continuous reduction in the rate since 1939, the first year in which stillbirths were registered in Scotland.

The geographical distribution of these live and stillbirths (together with neo-natal deaths among live-born infants) and the corresponding rates for stillbirths, neo-natal deaths and for the two groups combined are shown in Table 18. For local authority aggregates the highest stillbirth rate is recorded for small burghs, the lowest for landward areas, the value for the Counties of cities and large burghs being intermediate. The rate for the counties of cities was 24·6 and for large burghs 24·8, the corresponding rates for the previous year being 26·7 and 25·8. The aggregate rates for 1955, showing a definite urban excess, are in this respect in line with the general experience of preceding years.

As in previous years, the rates for individual large burghs and counties show wide variations, but in some, owing to the comparatively small numbers involved, the annual rates are not very stable. Among large burghs the highest rates for the year are observed in Airdrie (37), Hamilton (35) and Kirkcaldy (31), the lowest in Inverness (15), Perth (13) and Aberdeen and Ayr (12). In the counties the highest rates were in Caithness (37), East Lothian (36), and Peebles (32), the lowest in Zetland (13), Clackmannan (12) and Nairn (7). There were no stillbirths in the County of Kinross. For the combined stillbirth and neo-natal rate, the lowest rates were in the burghs of Motherwell and Wishaw (29), Perth (28) and Aberdeen (23), and in the counties of Zetland (27), Kincardine (24) and Bute (21). The heaviest were in the large burghs of Coatbridge (57), Hamilton (56) and Airdrie (54) and in the counties of Orkney (56), East Lothian (53) and Caithness and West Lothian (52).

In Table SB (a) will be found the stillbirth rate aggregated for the four geographical divisions of Scotland. The rate in the East Central group of counties is highest with that for the West Central division second, while the rate for the Northern district is lowest of all. (From Table 18 it will be seen that for the more comprehensive rate for stillbirths and neo-natal deaths the higher rates are for the West Central and East Central county groups in that order and the lowest is in the Northern Division.) The stillbirth rate for large burghs is heavier than for the county districts in the West Central Division.

TABLE SB (A).—Stillbirth Rates per 1,000 Births (Live and Still) by Divisions, 1955

Divisions*	Total	Counties of Cities and Large Burghs	Counties (excluding Counties of Cities and Large Burghs)
Northern	18·4	13·0	20·5
East Central... ..	26·1	24·8	27·5
West Central	25·8	26·3	24·8
Southern	25·5	25·2	25·5
SCOTLAND	24·6	24·7	24·4

* The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark, Dunbarton, Renfrew and Ayr; while the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

Stillbirths and Neo-natal Deaths.—Table 18 shows the numbers and rates for stillbirths and neo-natal deaths (under 28 days of age) separately and combined for individual local authority areas and administrative and geographical aggregates thereof. For Scotland as a whole in 1955, out of every 1,000 born alive or dead after the 28th week of pregnancy 43·8 died before or within 28 days of birth. This figure compares with 45·4 in 1952-1954 and with 77·3 in 1939. The rates for individual years since the beginning of stillbirth registration are as follows:—

DEATH-RATES PER 1,000 TOTAL BIRTHS, LIVE AND STILL, 1939-1955.

Year	Stillbirths	Neo-natal Deaths*	Total
1939 ...	42·2	35·0	77·3
1940 ...	42·1	35·7	77·8
1941 ...	39·6	38·4	77·9
1942 ...	38·2	33·7	71·9
1943 ...	35·6	31·7	67·3
1944 ...	32·5	31·7	64·2
1945 ...	32·8	27·6	60·4
1946 ...	32·3	28·9	61·2
1947 ...	30·5	27·7	58·2
1948 ...	28·7	24·4	53·1
1949 ...	27·1	22·5	49·7
1950 ...	26·9	22·4	49·3
1951 ...	26·6	21·7	48·3
1952 ...	26·2	21·1	47·3
1953 ...	24·8	18·8	43·6
1954 ...	25·3	20·1	45·5
1955 ...	24·6	19·2	43·8

* These neo-natal rates, being based on Total Births, do not quite correspond with those based on live births only, which will be found elsewhere in this Report.

Both rates have declined since 1939, the stillbirth rate rather more regularly than the neo-natal rate but each is now less than two-thirds of the rate registered 16 years ago.

Age of Mother and Number of Previous Children.—Table 19 shows legitimate and illegitimate stillbirths classified according to age of mother, and legitimate stillbirths according to the number of children already born to the mother. For all births, legitimate and illegitimate, the rate is 24·6 per 1,000 total births, this rate being at its lowest when the mother was aged 25-29 years and rising thereafter with increasing age of the mother. These latest figures confirm the experience of earlier years that the younger the mother in general, the less risk there is of stillbirth, the exception being that the younger mothers (under 25 years) show a heavier rate than mothers of 25-29. For every age group the illegitimate stillbirth rates are higher than the corresponding legitimate rates. They are based on small numbers, but exhibit a similar general trend as the legitimate rates, viz.: a fairly steady increase with increasing age of mother.

Table SB (B) has been prepared from the distribution of stillbirths by age and parity shown in Table 19 in order to contrast first births with all subsequent births at different ages of mother. This shows that the rate for primiparous is for every age of the mother appreciably higher than for multiparous births.

Among multiparous births themselves, as will be observed from Table 19, the relative frequency of stillbirth varies widely, being least in the case of a second birth and thereafter increasing with increase in the number of previous children born to the mother.

**TABLE SB (B).—Legitimate Stillbirths per 1,000 Legitimate Births
(Live and Still), 1955**

Age of mother	Children of all married mothers	Primiparæ (first births)	Multiparæ (one or more previous births)
Under 20	19	19	17
20—	20	22	17
25—	19	22	17
30—	28	37	26
35—	37	40	37
40 and over	50	49	50
ALL AGES	24	24	24

To examine separately the influence of parity and of age of mother, Table SB (C) has been compiled. The parity groups are aggregated to obtain more stable rates. For each parity group the stillbirth rate tends to increase with increasing age of mother and when the experience of mothers of similar ages is examined, it is found that as a rule the rate increases with increasing number of previous children, an important exception being for first births in which are found higher rates than for 1-3 previous children. The stillbirth rate for first births is generally above the average rate for each maternal age group.

TABLE SB (C).—Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), (Age of Mother and Number of Previous Children), 1955

Number of previous children	Age of mother						
	All ages	—20	20—	25—	30—	35—	40 and over
None	24	19	22	22	37	40	49
1-3	21	17	17	16	25	29	41
4-6	35	—	18	25	27	52	44
7-9	55	—	—	66	54	48	66
10 and over ...	76	—	—	—	—	51	104
TOTAL ...	24	19	20	19	28	37	50

No rate has been calculated where the number of births (live and still) is less than 50.

Illegitimate Stillbirths.—Of the 2,330 stillbirths, 139 or 6·0 per cent. were illegitimate, this being an appreciably greater proportion than among living births, 4·3 per cent. of which were illegitimate. The stillbirth rate was 33·7 per 1,000 total illegitimate births but it varied with age of mother, being 25 for young unmarried women in age groups under 20 years and 20-24, the highest rates of all being in the later ages. The corresponding general rate for legitimate infants was 24·1 per 1,000 and this better experience is apparent in every age group.

The percentage of illegitimate stillbirths and live births are compared for individual years as follows:

PERCENTAGE OF ILLEGITIMATE BIRTHS TO TOTAL BIRTHS, 1939-1955

Year	Still-births	Live Births
1939	6·8	6·0
1940	7·2	6·0
1941	8·3	6·6
1942	8·8	7·2
1943	9·0	7·6
1944	10·0	7·9
1945	9·9	8·7
1946	8·2	6·7
1947	7·8	5·6
1948	7·2	5·8
1949	7·1	5·5
1950	6·8	5·2
1951	7·2	5·1
1952	6·3	4·8
1953	6·5	4·7
1954	6·1	4·5
1955	6·0	4·3

Multiple Births.—In page 16 of this Report reference is made to multiple births where the children were born alive. From Table 20 it will be seen that when stillborn children are included it is found that there were 113 additional cases of the birth of twins in 93 of which one was stillborn (the others being included among the single births) and in 20 of which both were stillborn. (See page 173.)

Adding the number of stillbirths to the living births, it is found that the total number of children born was 94,869 of whom 92,539 were live born and 2,330 stillborn, the total number of confinements being 93,580. Of these confinements 92,301 resulted in a single birth, 1,269 in a twin birth, and 10 in a triplet birth. Of the 2,538 twin children 133 were stillborn—a rate of 52 per 1,000 twin children compared with 25 for all children and 24 for single births. The total confinements according to plurality or otherwise are summarised below.

The percentage of mothers who gave birth to two or more children was 1·37 compared with 1·42 in 1954. In Table 2 rates will be found from 1855 onwards but prior to 1939 they relate to multiple live births only and are not comparable with those for subsequent years. Since 1939 the rate has varied between 1·27 and 1·45 but does not show any general trend.

TABLE SB (D).—Multiple Births, 1955

Number of children born	Confinements	Living born Children	Stillborn Children
1 living	90,107	90,107	—
1 stillborn	2,194	—	2,194
2 living	1,156	2,312	—
1 living, 1 stillborn	93	93	93
2 stillborn	20	—	40
3 living	8	24	—
2 living, 1 stillborn	1	2	1
1 living, 2 stillborn	1	1	2
TOTAL	93,580	92,539	2,330

Certification.—In the great majority of the 2,330 stillbirths registered, the cause of death was certified by a medical practitioner (2,314) and in only 14 by a certified midwife. There was one case of registration following receipt from the Procurator Fiscal of a Schedule of Result of Precognition, and only one case in which it was necessary for a statutory declaration to be made by the informant that the child was not born alive. The percentages certified by a medical practitioner and by a midwife were 99·3 and 0·6 respectively. In 1954 the corresponding figures were 98·8 and 1·0 and in 1939 94·4 and 5·3 respectively.

Principal Causes of Stillbirth.—The causes of stillbirth, shown separately by sex of child and age of mother, are dealt with in detail in Table 21 and rates per 1,000 total births are given in Table SB (E) in summarised form. Of the 2,330 stillbirths, 502 were attributed to foetal defects, 385 to ill-defined causes, 360 to antepartum hæmorrhage, 318 to difficult labour and 173 toxæmias of pregnancy.

In group I (acute and chronic diseases of mother) only 75 cases are included, of which the chief individual components are diseases of the circulatory system (32) and diabetes (16). Deaths from toxæmia, of which 83 per cent. were eclampsia, numbered 173 compared with 234 in 1954, 218 in 1953, 199 in 1952 and 256 in 1951. Foetal deaths attributed to difficulties at birth numbered 318, of which 89 were certified as birth injury. There were 5 deaths from birth injury associated with immaturity. Of the remainder the most frequently stated causes were malposition of foetus (88 cases of which 15 were also stated to be immature), disproportion (56 with 15 immature), and abnormality of forces of labour (17 with one stated as immature). (The individual causes within this group are not readily comparable with these in the list in use prior to 1950.) Antepartum hæmorrhage leading to stillbirth is preponderantly accidental hæmorrhage, a little over one-tenth of this whole group being ascribed to placenta prævia. Of stillbirths ascribed to congenital defect, the most important individual defects were anencephalus (266) and hydrocephalus (142) these accounting jointly for slightly over four-fifths of the whole group. Placental and cord complications (apart from antepartum hæmorrhage) accounted for a total of 431 deaths, roughly equal numbers being found for prolapse, torsion of cord and for placental infarct. Ill-defined and unknown causes constitute 17 per cent. of stillbirths (15 per cent. in 1954), but compares favourably with the figure of 33 per cent. at the outset of registration of stillbirths in 1939.

For the principal cause groups the rates per 1,000 births by age of mother are shown in Table SB (E). For acute and chronic disease in mother, toxæmias, difficult labour and other defined causes the rates rise steadily with age of mother. Generally for the remaining groups, the rates in the first age group (under 20 years) are rather higher than at 20-24 years but thereafter, as in other groups, these rates also progressively increase with advance of maternal age.

TABLE SB (E).—Stillbirths per 1,000 Births (Live and Still) by Age and Disease Groups, 1955

Age of mother	All causes	Acute and chronic disease in mother	Toxæmias	Antepartum hæmorrhage	Other placental and cord conditions	Foetal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
Under 20	20	0·2	0·9	3·2	3·9	5·3	1·6	—	4·9
20—	20	0·5	1·5	2·9	3·9	5·7	2·1	0·5	3·2
25—	19	0·5	1·6	2·6	3·1	4·1	3·2	0·8	3·4
30—	28	1·1	2·2	4·4	5·0	5·4	4·1	1·1	5·0
35—	38	1·8	2·4	7·4	6·9	7·0	5·0	1·8	5·3
40 and over	51	1·8	3·4	8·6	13·8	7·0	7·6	1·8	7·0
ALL AGES	25	0·8	1·8	3·8	4·5	5·3	3·4	0·9	4·1

Sex Ratios.—The ratio of male to female stillbirths for groups of causes is given below.

	1955	1954
Acute and chronic disease in mother ...	1·78	2·19
Toxæmias	1·04	0·98
Antepartum hæmorrhage	1·59	1·40
Other placental and cord conditions ...	1·28	1·32
Fœtal defects	0·63	0·56
Difficult labour	1·50	1·52
Other defined causes... ..	1·26	1·03
Ill-defined or unknown causes	1·06	1·05
ALL CAUSES	1·12	1·07

For 1955 the ratio of male : female stillbirths was 1·12, the corresponding ratio for live births being 1·06. This ratio throughout the years from 1939 has fluctuated between 1·06 and 1·27, but during the same period the ratio for live births has been much more stable, varying only between 1·05 and 1·07. The excess of males is more pronounced for the cause groups, acute and chronic disease of mother, antepartum hæmorrhage and difficult labour, but for fœtal defects there is a decided female excess.

Causes of Stillbirth by Parity.—Table SB (F) shows the stillbirth rates for broad cause groups for all married women and separately among primiparous and multiparous births. The heavier general rate among primiparous births is chiefly attributable to fœtal defects, other placental and cord conditions and difficult labour and, in less degree, to antepartum hæmorrhage and toxæmias. The rates among them are more favourable than in the multiparous for acute and chronic diseases in mother, antepartum hæmorrhage and other defined causes.

TABLE SB (F).—Stillbirth Rates per 1,000 Births (Live and Still) among Married Mothers, 1954

	All married mothers	Primiparæ	Multiparæ
Acute and chronic disease in mother	0·8	0·7	0·8
Toxæmias	1·8	2·4	1·5
Antepartum hæmorrhage	3·6	2·9	4·1
Other placental and cord conditions	4·5	4·8	4·4
Fœtal defects	5·2	5·5	5·1
Difficult labour	3·3	3·5	3·2
Other defined causes... ..	0·9	0·2	1·3
Ill-defined or unknown causes ...	3·9	4·3	3·7
ALL CAUSES	24·1	24·4	24·0

Illegitimate Stillbirths by Cause.—The number of illegitimate stillbirths analysed by cause is shown in the last column of Table 22. There were in all 139 stillbirths from unmarried mothers, the rate being 33·7 per 1,000 compared with 24·1 among infants of married mothers. The greatest absolute and relative excess in the rates for illegitimates are found in antepartum hæmorrhage and ill-defined or unknown causes.

Month of Registration.—Stillbirths are classified by cause of death and month of registration in Table 23. The monthly rate for all causes fluctuates between 22 in June and 27 in February, August and November. The quarterly rates showed no marked or regular seasonal fluctuation either for all or for individual cause groups of stillbirths. (Table 63 and SB (G).)

Stillbirths by Cause and Place of Occurrence.—Table 23A shows the stillbirths by cause subdivided by place of occurrence. Of the total 2,330 stillbirths, 1873 or 80·4 per cent. occurred in institutions. The highest proportions are, as expected, found for acute, serious illness peculiar to pregnancy such as eclampsia, placenta prævia and accidental hæmorrhage or general illness such as diabetes and heart disease, and anencephalus, and erythroblastosis. The lower proportions of institutional stillbirths, proportions actually lower than the average for all deliveries, are found for difficult labour with malposition of foetus, placental infarct, spina bifida, premature birth (cause not stated), debility and unknown causes. These figures naturally afford no information on the relative safety to the foetus of domiciliary or institutional birth. Initial selection on such grounds as parity, general health of mother, previous obstetrical history, social factors and personal preference, together with the later, perhaps more important selection on the advent of illness during pregnancy or of obstetrical or other accidents in pregnancy and labour preclude any inferences on these lines on the basis of such data as those in Table 23A.

Stillbirths by Cause and Local Authority Area.—In Table 24 the stillbirths in each local authority area in Scotland are shown subdivided according to the full list of causes in use since 1950. Live births for these areas are given in Table 47. While a detailed geography of individual causes will not result until a longer experience becomes available, the table will be published annually as offering opportunity for study of individual causes or groups of causes in different combinations or types of local authority area.

TABLE SB (G).—Stillbirth Rates per 1,000 Births (Live and Still), 1955

	All Causes	Acute and Chronic Disease in Mother	Toxæmias	Ante-partum hæmorrhage	Other Placental and Cord Conditions	Foetal Defects	Difficult Labour	Other Defined Causes	Ill-defined or Unknown Causes
1st Quarter	25	1·1	2·1	3·6	5·2	5·3	3·3	1·1	3·5
2nd Quarter	23	0·7	1·7	3·7	3·8	5·3	3·0	0·7	4·2
3rd Quarter	26	0·8	1·9	4·2	5·0	5·2	3·6	0·8	4·0
4th Quarter	24	0·6	1·6	3·7	4·3	5·3	3·5	0·9	4·5
YEAR	25	0·8	1·8	3·8	4·5	5·3	3·4	0·9	4·1

APPENDIX III

BIRTHS, STILLBIRTHS AND INFANT DEATHS ACCORDING TO SOCIAL CLASS OF FATHER, 1955

The five social classes are those into which occupations have previously been grouped in vital statistical investigations. Class I represents the professional and financially independent section of the population, Class III represents the skilled artisan and analogous workers, and Class V labourers and workers in other unskilled callings. Classes II and IV are intermediate, comprising occupations of mixed types or types not readily assignable to the class on either side.

STILLBIRTHS AND INFANT MORTALITY ACCORDING TO SOCIAL CLASS, 1955

Social Class	NUMBERS				RATES			
	Live Births	Still-births	Deaths		Stillbirths per 1000 Total Births (Live & Still)	Neo-Natal Deaths per 1000 Live Births	Post-Natal Deaths per 1000 Live Births	Total Infant Mortality per 1000 Live Births
			Under 28 days	28 days-11 months				
SCOTLAND								
I.	3,604	60	58	15	16.6	16.1	4.2	20.3
II.	9,991	178	168	59	17.5	16.8	5.9	22.7
III.	51,103	1,223	946	491	23.4	18.5	9.6	28.1
IV.	15,251	468	345	193	29.8	22.6	12.7	35.3
V.	12,590	401	309	227	30.9	24.5	18.0	42.6
TOTAL	92,539	2,330	1,826	985	24.6	19.7	10.6	30.4
COUNTIES OF CITIES								
I.	1,416	22	21	6	15.3	14.8	4.2	19.1
II.	3,006	57	53	19	18.6	17.6	6.3	24.0
III.	20,245	470	391	219	22.7	19.3	10.8	30.1
IV.	4,353	146	111	65	32.4	25.5	14.9	40.4
V.	5,439	175	129	107	31.2	23.7	19.7	43.4
TOTAL	34,462	870	705	416	24.6	20.5	12.1	32.5
LARGE BURGHs								
I.	492	9	6	2	18.0	12.2	4.1	16.3
II.	1,290	26	17	8	19.8	13.2	6.2	19.4
III.	9,689	231	180	105	23.3	18.6	10.8	29.4
IV.	2,058	60	60	34	28.3	29.2	16.5	45.7
V.	2,796	89	71	57	30.8	25.4	20.4	45.8
TOTAL	16,325	415	334	206	24.8	20.5	12.6	33.1
COUNTIES (Ex Co.s OF CITIES & LARGE BURGHs)								
I.	1,696	29	31	7	16.8	18.3	4.1	22.4
II.	5,695	95	98	32	16.4	17.2	5.6	22.8
III.	21,169	522	375	167	24.1	17.7	7.9	25.6
IV.	8,837	262	174	94	28.8	19.7	10.6	30.3
V.	4,355	137	109	63	30.5	25.0	14.5	39.5
TOTAL	41,752	1,045	787	363	24.4	18.8	8.7	27.5

Numbers and rates are shown in the foregoing Table for Scotland as a whole, for cities, large burghs and for all counties (excluding cities and large burghs).

Analysis of the figures for 1955 confirms the conclusions to which that of previous years has pointed, viz: that Social class has a much more marked effect on Infant Mortality than on the incidence of stillbirths, and that it is more important in post-natal than in neo-natal deaths. These conclusions are borne out not only by the figures for Scotland as a whole but also by those for the cities, large burghs and for the counties.

Comparing the Scottish rates for 1954 with those for 1955 it is found that the Infant Mortality rate decreased from 31.0 to 30.4 and this decrease was shared by class III. The rates for classes I, II, IV, and V each show an increase compared with 1954, especially class I. The post-natal mortality rate increased from 10.4 in 1954 to 10.6 in 1955, an increase which affected classes I, IV and V. The neo-natal rate fell from 20.6 in 1954 to 19.7 in 1955 the decrease affecting classes III and V. While such annual differences are evident, the general trend over the past 10 or 12 years shows a fairly uniform rate of change in each of the five social classes for stillbirths as well as the two important sections of the infant mortality rate.

Age and Parity Distribution of Births in Different Social Classes.—

Since age of mother and previous parity each have an influence on the outcome as regards stillbirth frequency and since explanation of the differences of stillbirth rates in the social classes is of importance, there are incorporated in this section detailed tables from which, inter alia, social class differences of parity and maternal age among the births each year can be observed and thus offer opportunity of assessing the influence, if any, of such differences on the crude stillbirth rates. Tables 27 and 28 show live births and stillbirths separately thus subdivided in this manner for each of the five social classes.

The main points of note here are the higher proportion of first births and the lower proportion of parities of higher order (five and over) in class I compared with classes IV or V and the progressive and regular change in this respect throughout the social classes from I to V. Such differences of distribution would tend to produce favourable rates in classes I and II compared with the remainder. With age of mother, the social class differences are of opposite character as regards influence on the crude stillbirth rates, in the first two classes the proportion of births to mothers in earlier age groups being smaller, in older ages correspondingly higher than in the remaining classes. This difference would, other things being equal, tend to produce heavier stillbirth rates in the upper classes. Moreover for specific previous parities, the tendency is for the average age to be higher in classes I and II than elsewhere.

With a view to illustrating the magnitude of the effects of these social class differences of age and parity constitution, there was published in the 1950 Report a table of correcting factors found by standardising the stillbirth rates in the five social classes for age of mother and parity separately and jointly. The calculations were based upon the experience over several years. It was found that the application of these correcting factors had little effect upon the comparative relationships between the social class rates and that the crude stillbirth rates did not give a distorted view of social class differences of mortality in this period.

Causes of Stillbirths in Different Social Classes.—The relative importance of the several broad cause groups of foetal death have already been noted. In Table 25 the registered causes of stillbirths are shown (in detail in respect of legitimate stillbirths only) for each of the five social classes.

The percentage social class distribution of total legitimate births, live and still, in Scotland is as follows: Class I 4·0, Class II 10·9, Class III 55·6, Class IV 15·9 and Class V 13·6 per cent. From these figures and those in Table 25, the following condensed table of number and rates per 10,000 total births offers some indication of the causes to which general social class differences in the total stillbirth rates are attributable.

	NO. OF STILLBIRTHS			RATE PER 10,000 BIRTHS		
	I and II	III	IV and V	I and II	III	IV and V
Disease of mother ...	7	36	26	5	7	10
Toxæmia ...	17	83	63	13	16	23
Antepartum hæmorrhage ...	24	176	131	18	35	49
Other placental and cord conditions ...	47	220	145	35	44	54
Fœtal defects ...	43	261	172	32	52	64
Difficult labour ...	36	153	110	27	30	41
Other defined causes ...	15	42	27	11	8	10
Ill-defined and unknown ...	39	190	128	29	38	48
ALL CAUSES ...	228	1,161	802	170	230	298

While the rates for the five social classes increase progressively from Class I to V it is not possible to treat individual causes or even the broader cause groups in this fashion on the basis of one year's experience. The above condensed version does show, however, to some extent in what groups the greatest differences are found. Thus relatively, the greatest divergences between the two extreme pairs of social classes are in antepartum hæmorrhage where the rate for Class IV and V exceeds that for I and II by 172 per cent., in disease of mother and fœtal defects where the excess is 100 per cent. in each case. In toxæmia the excess is 77 per cent. These same cause groups account for the greatest part (more than half) of the absolute difference between the extremes of social class. In spite of these differences there is a general similarity in the broad pattern of causes of stillbirths in all the social classes. Fœtal defects, other placental and cord conditions, antepartum hæmorrhage and difficulty in delivery are the more important causes. Ill-defined and unknown causes are also prominent in all classes.

Causes of Infant Mortality in Different Social Classes.—The causes of death in the first year of life in legitimate infants in the five social classes are shown in Table 26. For any one year the number of deaths for a given cause in individual social classes is often small (especially in classes I and II) so that several of the cause rates must be unreliable. Similar information is being published annually, so that soon a very useful body of reliable information will be built up.

The total infant mortality, as has been indicated above, is directly related to social class and, using only the three social groups as in the table below, it will be observed that the mortality of classes IV and V is 73 per cent. higher than that in I and II. The difference between the rates for causes of early infant deaths and those generally occurring at a later date in the first year of life is also clear. Thus, for the neo-natal causes as a whole and for other causes the rates per 10,000 are these:—

	I and II	III	IV and V
Neo-natal ...	172	197	250
Other causes ...	45	78	126

Relatively and absolutely the difference in infant mortality between social classes I and II and social classes IV and V is greater for the later death-date of infancy, neo-natal causes being 45 per cent. higher in classes IV and V than in I and II, other causes being almost three times as high, and of the total absolute difference between the rate for class extremes a smaller contribution to this is made by the earlier causes (78 as compared with 81 per 10,000 for other causes).

For individual diseases or groups, mortality in infancy is consistently heavier in classes IV and V, relatively least for other respiratory diseases, other infantile diseases and congenital malformations (with excess varying from 25 per cent. in the first to 43 per cent. in the last named), relatively greatest in convulsions, diarrhoea, suffocation and bronchitis and pneumonia. The greatest contributions to the absolute difference in the total rate, are made, however, by bronchitis and pneumonia, birth injury and other infantile diseases which jointly contribute over half of the divergence of 158 per 10,000 births in the rates for all causes.

INFANT MORTALITY RATES (PER 10,000) BY CAUSE IN SOCIAL CLASS

	I and II	III	IV and V
Principal epidemic disease	2	2	3
Tuberculosis	—	—	1
Meningitis	2	1	3
Convulsions	1	5	6
Bronchitis and pneumonia	14	27	49
Other respiratory diseases	4	3	5
Diarrhoea	4	12	16
Other digestive diseases	5	5	4
Congenital malformations	42	50	60
Birth injury, etc.	56	71	86
Pneumonia of newborn	9	11	18
Diarrhoea of newborn	2	1	—
Other infantile diseases	63	65	86
Suffocation	7	15	27
Other violence	1	2	2
Other causes	8	5	10
ALL CAUSES	217	275	375

APPENDIX IV

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1954

A preliminary statement regarding the marriages registered in Scotland during the year 1954 was incorporated in the Hundredth Annual Report, but as full details of the registered marriages were not available at the time when the report was prepared the statement was necessarily restricted. It is now supplemented by this detailed report on these marriages, which includes figures according to the kind of marriage preliminaries (Banns, Notice or Sheriff's Licence), the type of marriage, the church of celebration and the ages and conjugal condition of those marrying.

In the Hundredth Annual Report it was stated that the number of marriages registered in Scotland in 1954 was 41,975, but after complete examination of the registers the corrected number is found to be 41,974. This is 1,072 more than the number in 1953 and is much above the average numbers registered annually prior to 1939.

During the seven years 1939-1945 the number of marriages was in the region of 319,000. In the next seven years the number had fallen to about 299,000. Even so, this is considerably higher than the 257,000 registered in the period 1932-38. Since 1949 the annual number has varied within the narrow limits of 40,459 and 41,708, and the figure of 41,974 for 1954 seems to suggest stability for a few years at least. The greatest number of marriages ever registered in any one year in Scotland was in 1940 when the total was 53,522.

The marriages in 1954 represent a rate of 8·19 per 1,000 population as against 7·99 in 1953.

Ecclesiastical, Civil and Irregular Marriages.—Of the 41,974 marriages registered, 34,127 or 81·31 per cent were solemnised by a minister of religion after proclamation of banns, publication of notice or Sheriff's licence, 7,842 or 18·68 per cent were civil marriages under the Act of 1939, and 5 or 0·01 per cent were irregular. Percentages in 1953 were 82·43, 17·55 and 0·02 respectively.

Civil marriages accounted for 26·3 per cent of marriages in the cities, 19·1 in the large burghs and 9·6 per cent in the counties, as against 24·9, 17·5 and 8·7 respectively in 1953. This percentage ranged in the cities and large burghs from 36·6 in Dunfermline, 34·7 in Perth and 34·2 in Edinburgh to 10·0 in Rutherglen, 8·0 in Airdrie, and 7·6 in Coatbridge. In Glasgow it was 22·8. In the counties it ranged from 18·7 in Dumfries, 18·2 in Roxburgh and 17·4 in Kinross to 4·1 in Stirling, 3·3 in Nairn and 2·8 in Orkney.

TABLE Q.—Ecclesiastical Marriages in Scotland in 1954, following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff

Church of Celebration	Number					Percentage of Total for each Church, etc.				Percentage of Total Ecclesiastical Marriages
	Total	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	
Church of Scotland	23,802	22,263	710	782	47	93·5	3·0	3·3	0·2	69·7
United Free Church	406	311	77	17	1	76·6	19·0	4·2	0·2	1·2
Free Church ...	252	133	107	10	2	52·8	42·5	4·0	0·8	0·7
Roman Catholic Church ...	6,425	394	5,877	105	49	6·1	91·5	1·6	0·8	18·8
Scottish Episcopal Church ...	988	515	395	75	3	52·1	40·0	7·6	0·3	2·9
Congregational Church ...	1,002	686	269	47	—	68·5	26·8	4·7	—	2·9
Baptist Church ...	398	250	131	15	2	62·8	32·9	3·8	0·5	1·2
Methodist Church ...	314	158	141	15	—	50·3	44·9	4·8	—	0·9
Christian Brethren ...	124	29	86	9	—	23·4	69·4	7·3	—	0·4
Jews ...	83	1	80	1	1	1·2	96·4	1·2	1·2	0·2
All other Ecclesiastical Marriages ...	333	140	174	17	2	42·0	52·3	5·1	0·6	1·0
All Ecclesiastical Marriages ...	34,127	24,880	8,047	1,093	107	72·9	23·6	3·2	0·3	100·0

All the 5 irregular marriages were registered on the authority of Decree of Declarator of the Court of Session.

Method of Publication.—Of the 34,127 ecclesiastical marriages (*i.e.*, those with a religious ceremony) 72·9 per cent were solemnised after proclamation of banns, 23·6 per cent after publication of notice, 3·2 per cent after proclamation of banns for one party and publication of notice for the other, while 0·3 per cent were after Sheriff's licence under the special provisions of the Act of 1939. In the cities and large burghs these four percentages were respectively 66·4, 30·1, 3·1 and 0·4 while in the counties they were 82·1, 14·4, 3·3 and 0·2.

Table Q shows the frequency of banns or of publication of notice in the case of marriages solemnised according to the forms of each of the principal churches. In the Church of Scotland proclamation of banns was the most usual preliminary (93·5 per cent of all Church of Scotland marriages). In the United Free Church 76·6 per cent of the marriages celebrated were preceded by banns and in the Congregational Church 68·5 per cent. On the other hand 91·5 per cent of Roman Catholic marriages and 96·4 per cent of Jewish marriages were preceded by publication of notice.

Of the 7,842 civil marriages registered, 7,502 were preceded by publication of notice at the office of the Registrar, while 340 were after Sheriff's licence under a provision of the Act of 1939 whereby publication of notice may be dispensed with in certain circumstances of emergency. (Tables R, 49, and 50).

Church of Celebration.—Of the 34,127 ecclesiastical marriages those according to the forms of the Church of Scotland numbered 23,802 or 69·7 per cent, those according to the forms of the Roman Catholic Church 6,425 or 18·8 per cent, of the Congregational Church 1,002 or 2·9 per cent and of the Scottish Episcopal Church 988 or 2·9 per cent (Tables Q and S).

TABLE R.—Ecclesiastical, Civil and Irregular Marriages in 1954

	Number				Percentage of Total Marriages			
	SCOTLAND	Counties of Cities	Large Burghs	Other Districts	SCOTLAND	Counties of Cities	Large Burghs	Other Districts
Ecclesiastical Marriages								
Church of Scotland ...	23,802	8,661	4,064	11,077	56·7	47·3	50·9	70·7
United Free Church ...	406	127	80	199	1·0	0·7	1·0	1·3
Free Church ...	252	62	62	128	0·6	0·3	0·8	0·8
Roman Catholic Church	6,425	3,206	1,457	1,762	15·3	17·5	18·2	11·2
Scottish Episcopal Church ...	988	425	218	345	2·4	2·3	2·7	2·2
Congregational Church	1,002	480	249	273	2·4	2·6	3·1	1·7
Baptist Church ...	398	138	107	153	0·9	0·8	1·3	1·0
Methodist Church ...	314	147	96	71	0·7	0·8	1·2	0·5
Christian Brethren	124	35	48	41	0·3	0·2	0·6	0·3
Jews ...	83	67	1	15	0·2	0·4	0·0	0·1
All other Ecclesiastical Marriages ...	333	157	84	92	0·8	0·9	1·1	0·6
Irregular Marriages ...	5	3	—	2	0·0	0·0	—	0·0
Civil Marriages ...	7,842	4,808	1,523	1,511	18·7	26·3	19·1	9·6
TOTAL MARRIAGES	41,974	18,316	7,989	15,669	100·0	100·0	100·0	100·0

From Table 49 it will be seen that there has not been any marked change from year to year in the proportions of those married according to the forms of the principal churches. Compared with 1953 the percentage of marriages celebrated according to the forms of the Church of Scotland decreased by 1·0, that of the Roman Catholic Church by 0·1 and that of United Free Church of Scotland by 0·1. The Scottish Episcopal marriages were slightly more than the previous year. Civil marriages increased by 1·1 per cent. compared with 1953. The local distribution according to ecclesiastical forms, and the numbers and proportion of non-ecclesiastical marriages, are set out in Table 51. Church of Scotland marriages constituted 56·7 per cent. of all marriages in Scotland. The proportion was 47·3 in the cities, 50·9 in the large burghs and 70·7 in the counties. In individual large burghs the highest percentages were 66·3 in Kilmarnock, 66·2 in Rutherglen and 63·8 in Arbroath. In the counties the highest were in Kincardine 90·3, Orkney 87·0 and Nairn 86·7. Roman Catholic marriages made up 15·3 per cent. of all Scottish marriages, the percentage being 17·5 in the cities, 18·2 in the large burghs and 11·2 in the counties. In the individual cities and large burghs the highest were 40·6 in Coatbridge, 37·6 in Clydebank and 35·3 in Dumbarton. In the counties 25·9 in Lanark, 23·6 in Dunbarton and 20·0 in Renfrew. (Table 51.)

Conjugal Conditions of those Marrying.—Of the 41,974 males marrying during the year, 38,631 or 92·0 per cent. were bachelors, 1,965 or 4·7 per cent. were widowers and 1,378 or 3·3 per cent. had been divorced. Of the same number of females, 38,873 or 92·6 per cent. were spinsters, 1,515 or 3·6 per cent. were widows, and 1,586 or 3·8 per cent. had been divorced. Compared with the previous year there is a decrease in the percentage of spinsters and widowers, and an increase in the percentage of bachelors, widows and divorced persons. The following Table shows the marriages registered during 1954 arranged according to the conjugal condition of the contracting parties:—

	Spinsters	Widows	Divorced Women	All Women
Bachelors	36,931	685	1,015	38,631
Widowers	1,023	648	294	1,965
Divorced men	919	182	277	1,378
All men	38,873	1,515	1,586	41,974

From the above it will be seen that of the bachelors who married during the year 96 per cent. married spinsters and 2 per cent. married widows, while

TABLE S.—Marriages in Scotland in 1954 by Denominations, etc., in Order of Frequency

1. Church of Scotland ...	23,802	15. Original Secession Church ...	17
2. Roman Catholic Church ...	6,425	16. Church of God ...	14
3. Congregational Church ...	1,002	17. Reformed Presbyterian Church ...	14
4. Scottish Episcopal Church ...	988	18. Elim Foursquare Gospel Church ...	13
5. United Free Church ...	406	19. Unitarian Church... ..	11
6. Baptist Church ...	398	20. Other Religious Forms ...	105
7. Methodist Church ...	314		
8. Free Church ...	252		
9. Christian Brethren ...	124		
10. Jews ...	83	All Religious Forms ...	34,127
11. Salvation Army ...	67	Irregular Marriages ...	5
12. Free Presbyterian Church...	43	Civil Marriages ...	7,842
13. Church of the Nazarene ...	25		
14. Church of Christ ...	24	All Marriages ...	41,974

of widowers 52 per cent. married spinsters and 33 per cent. married widows. Of divorced men 67 per cent. married spinsters, 13 per cent. married widows and 20 per cent. married divorced women. Some 95 per cent. of the spinsters marrying during 1954 married bachelors, of the widows 45 per cent. married bachelors and 43 per cent. married widowers, and of the divorced women who remarried 64 per cent. married bachelors, 19 per cent. married widowers and 17 per cent. married men who had also been divorced. These proportions do not differ materially from those observed in 1953. The number of cases in which both parties had been divorced rose from 42 in 1942 to 264 in 1947. The numbers fell to 254 in 1948 and to 228 in 1949 but further increased in 1950 to 267. Since then the numbers have continued to fluctuate being 211 in 1951, 307 in 1952, 241 in 1953, and 277 in 1954. (Tables 52, 54A and 54B.)

The following table shows the civil condition of those marrying as compared with previous years. From about 1880 there was an almost continuous decline in the percentage of widowed persons of both sexes remarrying. In the case of males this decline was arrested in 1941, the trend thereafter being somewhat irregular until 1949 since when the decline has been resumed.

ALL MARRIAGES		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse)
		Bachelors	Widowers	Divorced*	Spinsters	Widows	Divorced *	
1855-1860	100.0	84.3	11.2	—	90.1	5.4	—	4.5
1861-1870	100.0	87.3	11.5	—	93.6	5.2	—	1.2
1871-1880	100.0	87.8	12.0	—	93.5	6.3	—	0.2
1881-1890	100.0	88.6	11.4	—	94.2	5.8	—	0.0
1891-1900	100.0	90.1	9.9	—	94.6	5.3	—	0.0
1901-1910	100.0	91.4	8.5	—	95.0	4.9	—	0.0
1911-1920	100.0	91.7	8.3	—	93.4	6.6	—	0.0
1921-1930	100.0	92.6	7.4	—	95.2	4.8	—	0.0
1931-1940	100.0	93.4	5.9	0.7	96.3	3.0	0.7	0.0
1941-1950	100.0	91.7	5.7	2.6	93.3	4.3	2.4	0.0
1941	100.0	93.6	5.3	1.1	95.8	3.2	1.0	0.0
1942	100.0	93.6	5.3	1.1	95.4	3.5	1.1	0.0
1943	100.0	91.9	6.3	1.7	94.2	4.3	1.5	0.0
1944	100.0	91.5	6.5	2.0	93.5	4.6	1.9	0.0
1945	100.0	92.5	5.5	2.0	93.8	4.2	2.0	0.0
1946	100.0	90.7	6.1	3.1	92.1	5.3	2.7	0.0
1947	100.0	90.2	5.7	4.1	91.2	5.3	3.5	0.0
1948	100.0	90.9	5.4	3.7	92.0	4.6	3.3	0.0
1949	100.0	90.8	5.5	3.7	92.4	4.2	3.4	0.0
1950	100.0	90.8	5.3	3.9	92.4	4.1	3.6	0.0
1951	100.0	91.6	5.1	3.3	93.1	3.7	3.2	0.0
1952	100.0	91.2	5.0	3.8	92.3	3.8	3.9	0.0
1953	100.0	91.8	4.9	3.3	92.9	3.5	3.6	0.0
1954	100.0	92.0	4.7	3.3	92.6	3.6	3.8	0.0

*—Previous to 1933 classified as Bachelors and Spinsters respectively.

From the decennium 1871-1880 to that of 1931-40, apart from the first war period 1911-20, the percentage of widows remarrying has shown a progressive decline. It rose again during the second war in the period 1941-50 but from 1951 onwards it again decreased. The percentage of 3.6 in 1954 is 0.1 above the rate for the previous year and is 0.6 above the 1931-40 average. The percentage of widowers remarrying has always been higher than that of widows, being approximately twice as much in the second half of last century, but the percentage has fallen so steadily that it is now only 31 per cent. higher than widows.

Marriages of divorced persons were first tabulated separately in 1935. Since then the proportion increased for each sex up to the year 1947 but where the male proportion has declined slightly that of the female has been upward.

During the intervening years a considerable alteration has taken place in the age of those marrying. The number under 25 has increased since 1938 by no less than 73 per cent. in the case of males and 43 per cent. in that of females. From ages 25-44 the proportion has fallen considerably but at over 45 more marriages now take place, especially among females where the percentage is 46 above that of 1938. But for the excess of those marrying over 45 the average age would have declined still further.

The following table shows the number of divorces notified in each year since 1932 and some detail regarding marriages of divorced persons. From 1934 until 1945 the annual number of divorced men and women who remarried was roughly equal, but in the five years 1946-1950 there was a substantial excess of males. In 1951 they were again roughly equal but since then the position has been reversed and the females have exceeded the males. In the year 1954 the females exceeded the males by 208.

Year			Divorces*	Re-marriage of Divorced Persons		Divorced Persons Remarried per 100 Divorced in previous year	
				Males	Females	Males	Females
1932	488	—	—	—	—
1933	510	203	253	41·6	51·8
1934	468	240	238	47·1	46·7
1935	498	258	244	55·1	52·1
1933-35						47·8	50·1
1936	642	274	288	55·0	57·8
1937	649	346	347	53·9	54·0
1938	788	387	362	59·6	55·8
1936-38						56·3	55·7
1939	884	480	460	60·9	58·4
1940	780	513	500	58·0	56·6
1941	762	531	471	68·1	60·4
1939-41						62·2	58·4
1942	1,017	505	507	66·3	66·5
1943	1,312	660	585	64·9	57·5
1944	1,731	757	707	57·7	53·9
1942-44						62·2	58·2
1945	2,223	959	956	55·4	55·2
1946	2,924	1,442	1,217	64·9	54·7
1947	2,513	1,798	1,557	61·5	53·2
1945-47						61·0	54·2
1948	2,047	1,607	1,464	63·9	58·3
1949	2,438	1,553	1,415	75·9	69·1
1950	2,196	1,558	1,446	63·9	59·3
1948-50						67·4	61·8
1951	1,944	1,357	1,338	61·8	60·9
1952	2,718	1,549	1,611	79·7	82·9
1953	2,365	1,368	1,480	50·3	54·5
1951-53						62·3	64·6
1954	2,216	1,378	1,586	58·3	67·1

* Including nullities

Ages of those Marrying—The average age of all men marrying in 1954 was 28·3 and of all women 25·4. Among men this age was 29·7 in 1938 and 28·5 in 1953 and among women 26·7 in 1938 and 25·6 in 1953. In the cities the average was 28·6 for men and 25·8 for women, in the large burghs it was 28·2 and 25·4 and in the counties 27·9 and 25·0. (Tables 53, 54, 54A and 54B.)

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form:—

Average ages of—				Spinsters	Widows	Divorced Women	All Women
Bachelors marrying	26·3	39·1	33·3	26·7
Widowers marrying	48·8	57·3	49·2	51·6
Divorced men marrying	37·0	44·0	40·4	38·6
All men marrying	27·1	47·5	37·5	28·3

Average ages of—				Bachelors	Widowers	Divorced Men	All Men
Spinsters marrying	23·7	39·0	30·4	24·2
Widows marrying	39·5	52·0	42·1	45·2
Divorced women marrying	33·3	41·8	36·2	35·4
All women marrying	24·2	43·7	33·1	25·4

These do not show any marked differences compared with 1953. The average ages of widowers, divorced men, widows and divorced females increased slightly.

For all marriages the average age of the bridegrooms was 2·9 years greater than that of the brides—a figure which scarcely varies from year to year. It was 3·0 in 1943 and 1944, 2·8 in 1945, 3·0 from 1946 to 1950, 2·9 in 1951, 3·0 in 1952 and 2·9 in 1953. In the case of bachelors and spinsters this excess was 2·6 (2·7 in 1953), of widowers and spinsters, 9·8 (9·2) and of widowers marrying widows 5·3 (5·3). In cases where either party had been divorced the average age of the bridegrooms was always higher than that of the brides.

The youngest bridegrooms of the year were 13 bachelors aged 16 and 144 aged 17 who all married spinsters. The youngest brides were 276 spinsters aged 16. Of these 275 married bachelors and 1 married a divorced man. There were 938 brides aged 17 all spinsters of whom 927 married bachelors, four married widowers and seven married divorced men. (Tables 55-59B).

The oldest men who married during the year were three widowers, one aged 86, and the other two 82 years respectively. The first married a widow aged 64, the second a spinster aged 63, and the third a widow aged 59. The oldest brides were two widows aged 81 and 80 years who married widowers aged 72 and 69 respectively. (Tables 55-59B).

In the counties of cities and large burghs the average age at marriage among males ranged from 30·3 in Inverness, 29·5 in Perth and 29·1 in Edinburgh to 27·2 in Greenock, 27·1 in Airdrie and 26·8 in Port Glasgow. In the counties it ranged from 31·6 in Sutherland, 31·2 in Zetland and 30·5 in Inverness to 27·1 in Fife, 27·0 in Orkney and 26·5 in Clackmannan. Among females the average age in the counties of cities and large burghs ranged from 26·8 in Inverness, 26·4 in Perth and 26·2 in Edinburgh to 24·5 in Greenock and Dumbarton, 24·4 in Airdrie and 24·2 in Port Glasgow. In the counties the range was from 27·5 in Sutherland, 26·9 in Zetland, and 26·4 in Argyll to 24·3 in Clackmannan, 24·1 in Dumfries and 23·3 in Orkney.

The following table shows in age groups the number of persons married in each year from 1938 to 1954. Compared with 1953 the males show increases in all the age groups except 30-34 and 35-44. The largest increase was in the 21-24 age group. The age group under 21 showed the largest increase in the number of females married. The other female groups showing increases compared with 1953 were age groups 21-24 and 45 and over.

AGE AT MARRIAGE, 1938-54

	Year	All Ages	Under 21	21-24	25-29	30-34	35-44	45 and over
MALES	1938 ...	38,716	1,648	9,192	14,292	7,215	4,205	2,164
	1939 ...	46,236	2,554	11,161	16,996	8,419	4,782	2,324
	1940 ...	53,522	3,379	13,453	19,694	9,226	5,412	2,358
	1941 ...	47,620	3,786	12,550	15,747	7,883	5,134	2,520
	1942 ...	47,402	4,127	14,340	14,323	6,997	5,164	2,451
	1943 ...	38,177	3,529	12,180	10,228	5,442	4,458	2,340
	1944 ...	37,017	3,318	12,676	9,443	5,031	4,220	2,329
	1945 ...	48,642	3,560	15,789	14,775	6,872	4,992	2,654
	1946 ...	45,785	2,754	12,771	14,901	7,239	5,348	2,772
	1947 ...	44,360	2,288	12,989	14,881	6,685	4,911	2,606
	1948 ...	43,718	2,261	13,564	14,774	5,861	4,716	2,542
	1949 ...	41,708	2,319	13,508	13,857	5,251	4,288	2,485
	1950 ...	40,459	2,377	13,274	13,055	5,288	4,129	2,336
	1951 ...	41,361	2,682	14,123	13,152	5,272	3,755	2,377
	1952 ...	41,154	2,754	13,989	12,940	5,153	3,847	2,471
	1953 ...	40,902	2,922	14,567	12,511	5,027	3,478	2,397
	1954 ...	41,974	3,523	15,207	12,536	4,906	3,300	2,502
1954 per cent. of 1938		108·4	213·8	165·4	87·7	68·0	78·5	115·6
	Year	All Ages	Under 21	21-24	25-29	30-34	35-44	45 and over
FEMALES	1938 ...	38,716	7,138	11,927	10,927	4,804	2,819	1,101
	1939 ...	46,236	9,295	13,957	13,197	5,365	3,260	1,162
	1940 ...	53,522	11,857	16,344	14,526	5,886	3,666	1,243
	1941 ...	47,620	11,124	15,129	11,652	4,956	3,460	1,299
	1942 ...	47,402	11,786	16,437	9,889	4,466	3,526	1,298
	1943 ...	38,177	9,764	13,145	7,216	3,686	3,087	1,279
	1944 ...	37,017	9,302	13,273	6,729	3,412	2,988	1,313
	1945 ...	48,642	11,152	17,814	10,154	4,486	3,589	1,447
	1946 ...	45,785	9,440	15,702	10,698	4,715	3,667	1,563
	1947 ...	44,360	9,182	15,599	10,370	4,191	3,521	1,497
	1948 ...	43,718	9,621	15,554	10,027	3,668	3,339	1,509
	1949 ...	41,708	9,804	14,882	9,387	3,154	3,061	1,420
	1950 ...	40,459	9,667	14,770	8,660	3,100	2,818	1,444
	1951 ...	41,361	10,133	15,455	8,590	3,120	2,605	1,458
	1952 ...	41,154	10,225	15,288	8,279	3,157	2,662	1,543
	1953 ...	40,902	10,569	15,597	7,757	3,040	2,378	1,561
	1954 ...	41,974	11,594	15,698	7,721	2,998	2,355	1,608
1954 per cent. of 1938		108·4	162·4	131·6	70·7	62·4	83·5	146·0

The accompanying table shows the percentage of persons who married by age-groups for the years 1938, 1948 and 1954. This comparative table indicates that both as regards males and females there are now more marriages in the younger age groups than immediately prior to the war. In 1938 the largest percentage of males who married were in the ages 25-29 whereas today the largest percentage is in the age-group 21-24. The number of males marrying under 21 years has also greatly increased and the percentage is nearly twice that of 1938. The highest percentage of females now marrying is in the age group 21-24 years. In 1938 this group also showed the highest percentage being slightly in excess of those in ages 25-29 but in 1954 the percentage in the latter group was only half of those between 21-24. As in the case of males there is now a higher percentage of females marrying under 21 years and they constitute more than a quarter of all marriages.

PERCENTAGE MARRIED IN EACH AGE GROUP, 1938-54

	Year	All Ages	Under 21	21-24	25-29	30-34	35-44	45 and over
MALES	1938 ...	100	4.26	23.74	36.91	18.64	10.86	5.59
	1948 ...	100	5.17	31.03	33.79	13.41	10.79	5.81
	1954 ...	100	8.39	36.23	29.87	11.69	7.86	5.96
FEMALES	1938 ...	100	18.44	30.81	28.22	12.41	7.28	2.84
	1948 ...	100	22.01	35.58	22.94	8.39	7.64	3.45
	1954 ...	100	27.62	37.40	18.39	7.14	5.61	3.83

APPENDIX V

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

Tables 60 and 61 summarise certain electoral statistics which are related to the Register of Electors compiled under the provisions of the Representation of the People Acts and published on the 15th February 1955, with reference to the qualifying date, the 10th October, 1954.

The figures contained in Table 60 have been compiled from returns furnished by the electoral registration officers of the several areas. The table shows the total number of parliamentary electors in each parliamentary constituency in Scotland; separate figures are given for the civilian residents and service voters. There was one bye-election held on the basis of the February, 1955, register.

The figures contained in Table 61 have been compiled from returns furnished by Town Clerks and County Clerks. The Table shows the numbers of local government electors in the counties, burghs, landward areas and districts (district council areas) respectively. Additional figures show to what extent seats on Councils were contested and what proportion of the electorate voted at the local elections held in 1955.

APPENDIX VI

ALTERATIONS OF BOUNDARIES OF BURGHs, LANDWARD AREAS OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1955

Area	Nature of Alteration	Population at Census 1951					
		Before Alteration			After Alteration		
		Persons	Males	Females	Persons	Males	Females
BURGHs							
Dumbarton	Extension within Civil Parish of Dum-	23,702	11,398	12,304	23,708	11,401	12,307
Alloa	Extension within Civil Parish of Alloa	13,436	6,494	6,942	13,521	6,527	6,994
Kirkintilloch	Extension within Civil Parish of Kirk-	14,826	7,041	7,785	14,962	7,109	7,853
Tranent	Extension within Civil Parish of	5,639	2,765	2,874	5,838	2,862	2,974
Cumnock and Holmhead	Extension within Civil Parishes of	4,607	2,202	2,405	4,645	2,217	2,428
Tillicoultry	Extension within Civil Parish of Tili-	3,819	1,764	2,055	3,876	1,789	2,087
LANDWARD AREAS							
Dumbarton County ...	Extensions of Burghs of Dumbarton	63,568	31,293	32,275	63,426	31,222	32,204
Clackmannan County ...	Extensions of Burghs of Alloa and	14,782	7,268	7,514	14,640	7,210	7,430
East Lothian County ...	Extension of Burgh of Tranent	26,602	13,630	12,972	26,405	13,533	12,872
Argyll County	Extension of Burgh of Cumnock and	123,695	61,273	62,422	123,657	61,258	62,399
COUNTIES	None						
CIVIL PARISHES ...	None						
REGISTRATION							
DISTRICTS							
Stirling	The area within Civil Parish of Logie	27,007	12,718	14,289	27,196	12,806	14,390
Logie		3,975	1,724	2,251	3,786	1,636	2,150
Pencaitland	An area in Registration District of	1,413	742	671	1,385	727	658
Gladsmuir		2,001	1,008	993	2,029	1,023	1,006
Portsoy ...	United with Registration District of	1,948	886	1,062	—	—	—
Fordyce		1,475	743	732	—	—	—
Fordyce	See above	—	—	—	3,423	1,629	1,794
Gamrie	United under name of "Banff"	1,760	872	888	—	—	—
Alvah		894	445	449	—	—	—
MacDuff		3,648	1,715	1,933	—	—	—
Banff		3,941	1,748	2,193	10,243	4,780	5,463
Aberdalgie	United under name of "Perth"	283	150	133	—	—	—
Perth		40,551	18,775	21,776	41,668	19,361	22,307
Tibbermore		834	436	398	—	—	—
Muckhart	United under name of "Muckhart and	493	234	259	—	—	—
Glendevon		139	71	68	—	—	—

(Continued).

Area	Nature of Alteration	Population at Census 1951					
		Before Alteration			After Alteration		
		Persons	Males	Females	Persons	Males	Females
385 Muckhart and Glendevon }	See above	—	—	—	632	305	—
137 Forres }	United under name of 'Forres' Registration District 137	5,231	2,511	2,720	6,860	3,343	3,517
133 Dyke }		973	487	486	—	—	—
134 Edinkillie }		656	345	311	—	—	—
135 Elgin }	United under name of "Elgin" Registration District 135	14,318	6,751	7,567	17,018	8,658	8,360
127 Birnie }		302	161	141	—	—	—
142 St. Andrews-Lhanbryd }		2,398	1,746	652	—	—	—
774 Ettrick }	An area in Registration District of Ettrick transferred to Registration District of Yarrow	299	145	154	247	118	129
779 Yarrow }		402	210	192	454	237	217
282(2) Dundee West }	Those portions of the City of Dundee situated in the Registration District of Liff, Benvie and Invergowrie and an area in the Registration District of Dundee East transferred to Registration District of Dundee West, and areas in the Registration Districts of Dundee West and Broughty Ferry transferred to Registration District of Dundee East	53,769	24,222	29,547	64,671	29,614	35,057
301 Liff, Benvie and Invergowrie }		2,246	1,061	1,185	2,017	952	1,065
282(1) Dundee East }		79,879	37,248	42,631	69,704	32,197	37,507
282(4) Broughty Ferry }		12,717	5,631	7,086	12,219	5,399	6,820

APPENDIX VII

RE-REGISTRATION OF BIRTHS

REGISTRATION OF BIRTHS, ETC. (SCOTLAND) AMENDMENT ACT, 1934

This Act, which came into force on 1st January, 1935, provides that the Registrar-General may authorise re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents and also of persons the original entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows:—

<i>Year</i>	<i>No.</i>
1935	1,259
1936	1,063
1937	1,048
1938	979
1939	1,069
1940	1,191
1941	716
1942	742
1943	687
1944	737
1945	719
1946	729
1947	717
1948	648
1949	534
1950	552
1951	507
1952	507
1953	469
1954	449
1955	401

ADOPTED CHILDREN REGISTER

The Adoption of Children (Scotland) Act, 1930, provided for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. An amending Act (Adoption of Children Act, 1949) came into force on 1st January, 1950, and the enactments relating to the adoption of children were consolidated by the Adoption Act, 1950, which came into force on 1st October, 1950. The Adopted Children Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an Extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if it is recorded in the relative entry. The original Act came into operation on 1st October, 1930, and the following table shows the number of adoptions recorded in each year:—

<i>Year</i>	<i>No.</i>	<i>Year</i>	<i>No.</i>
1930	3	1943	1,747
1931	347	1944	1,681
1932	492	1945	1,876
1933	437	1946	2,292
1934	602	1947	1,890
1935	683	1948	2,073
1936	704	1949	1,764
1937	820	1950	1,289
1938	812	1951	1,562
1939	1,100	1952	1,523
1940	1,424	1953	1,486
1941	1,222	1954	1,343
1942	1,563	1955	1,352

RECORDS IN GENERAL REGISTRY OFFICE

These consist in the main of duplicate copies of the registers of births, deaths and marriages maintained by the local registrars. The public are entitled to have extracts from these registers, or to make search themselves in them, on payment of the prescribed fee. The earlier census records are also accessible for search or extract; so too the pre-1855 Church of Scotland records, so far as available, of births, baptisms, proclamations of banns, etc.

The following table shows the number of searches made and extracts issued during each year since 1937:—

SEARCHES AND EXTRACTS

YEAR	Total Searches	Official Searches	Paid Searches	Extracts	Total Fees received		
					£	s.	d.
1937	37,107	21,338	15,769	10,929	2,184	11	5
1938	39,360	22,432	16,928	12,419	2,348	17	8
1939	40,064	24,964	15,100	13,048	2,179	11	7
1940	67,233	53,355	13,878	13,044	2,099	14	2
1941	47,275	35,090	12,185	11,656	1,861	5	6
1942	46,636	33,454	13,182	12,734	2,006	19	8
1943	43,567	30,070	13,497	12,395	2,009	3	10
1944	49,986	35,534	14,452	13,408	2,167	16	7
1945	59,405	42,460	16,945	16,430	2,543	4	6
1946	118,861	95,838	23,023	22,889	3,485	12	4
1947	89,732	65,694	24,038	23,911	3,677	18	4
1948	88,208	64,609	23,599	26,658	3,640	16	2
1949	83,516	59,727	23,789	25,063	3,592	4	1
1950	73,832	50,691	23,141	25,136	3,453	9	7
1951	103,436	77,816	25,620	28,595	3,927	18	4
1952	88,436	63,624	24,812	27,030	3,863	13	10
1953	82,710	57,876	24,834	25,902	3,811	10	10
1954	82,958	55,870	27,088	28,085	4,090	1	3
1955	60,671	32,663	28,008	27,672	4,116	8	7

Among the 32,663 official searches made in 1955, 1,703 related to claims for family allowances, and 29,420 to claims for contributory, non-contributory and service pensions.

APPENDIX VIII

INHABITED HOUSES

Table 62 gives the numbers, as entered in the Valuation Rolls, of inhabited houses in each county of city, large burgh, small burgh and landward area in Scotland for the year 1939 and for each year from 1951 to 1955.

The table has been compiled from statements received from Town Clerks and County Clerks.

APPENDIX IX

OCCUPATIONAL MORTALITY

Mortality according to occupation is dealt with in the tables on pages 82 to 133 of this Report. The classification of occupations follows that of the official classification published in 1951 by H.M. Stationery Office, and the analysis relates to the main occupational groupings and to some particular occupations in which large numbers are engaged. The mortality in each of the occupational groups is shown according to age groupings and to the causes of death.

Such an analysis can be made only when the occupational distribution of the population is ascertained at a census, so this is the first examination of mortality by occupation since that of 1936, which was based upon the census of 1931. Before that there were two classifications, one published in 1895 and the other in 1905. These three previous studies of occupational mortality related to the deaths of occupied and retired males and the numbers of deaths were based on a three-years period centred on the particular census from which the strength of the different occupations was ascertained. On this occasion the statistics include females engaged in gainful occupations and the mortality is computed with reference to a period of five years centred upon the 1951 census, namely, the five years 1949-1953. The longer period makes more allowance for fluctuations in the death-rate. There is included also in this Report tables on pages 120 to 123 which sub-divides the occupational mortality figures according to social class.

Women have a smaller range of occupations than men and their numbers in some occupational groups are quite small. The figures relating to women, in this study of occupational mortality, are therefore given in broader occupational groups than for men and on an abridged list of the causes of death. The number of single women engaged in gainful occupations is substantially greater than that of married, widowed and divorced women, but it may be mentioned in passing that the number of married, widowed and divorced women shown in death registrations over the five years 1949-1953 as having had a gainful occupation seems to have been considerably understated. The number was 1,464 whereas the total number of married, widowed and divorced women engaged in gainful occupations according to the census returns of 1951 was 211,666. In relation to a figure of that magnitude the number of deaths over the five-year period would certainly have been considerably higher, probably something like 6,300.

The previous official classification of occupations was issued in 1931, and between it and that of 1951 there were changes reflecting the introduction of new industrial processes and various rearrangements of grouping. But, in the main, the differences are such as to permit a broad general comparison between the classifications of 1931 and 1951. The classification of occupations followed in the Reports of 1895 and 1905 are, however, widely different from the classifications of 1931 and 1951, and in general there is no basis of comparison.

The numbers engaged in a particular occupation and the number of deaths in that occupation are taken respectively from the census returns and the registrations of death under the Registration of Births, Deaths and Marriages Acts. There is room, therefore, for variation in the description of the occupation. Where it differs it is more likely to be accurate in the census return, which is filled up, as a rule, by the employed person or by someone else immediately on his behalf. The occupation of a deceased person, on the other hand, is stated to the registrar by someone else. Consequently it is more liable to error or vagueness in the description, all the more as the relationship of the informant to the deceased person is more distant. Variation may also arise in the occupation registered at death as between the normal life-time occupation and some later occupation following retiral, illness, etc.

Cause and Age at Death by Occupation.—Table AA shows the numbers of deaths of occupied and retired males aged 15 years and over according to occupation. As indicated more fully in the Census Report on occupations and industries (Volume IV) the number of occupations in the Classification of Occupations published by H.M. Stationery Office runs to about 600 separate headings. These are gathered into 28 broad occupational groups of kindred occupations described in the classification as "orders". The analysis of occupational mortality is related to these occupational orders and, within them, to certain particular occupations or groups of occupations chosen in the main because the numbers employed in them are large.

Even so, the detail in the Table is considerable. The broad comparative position between one group of occupations and another can, however, be seen more plainly from the summary in Table BB. It shows the mortality rate per 100,000 for 11 main causes of mortality in each of the 28 occupational orders. This is of course the actual mortality rate. It allows nothing for variations in age distribution. Consequently in occupations where the average age is relatively high, the death-rate, other things apart, is naturally higher than in occupations where the average age is lower. The average age of fishermen, for example, is higher than that of metal workers, and this is plainly reflected in a death-rate about twice as heavy. Comparisons which do not allow for this factor of age variation do not therefore bring the relative mortality in different occupations into a common perspective. This is done in Table CC, where the death-rates are standardised to a common basis which relates them to a standard age grouping.

Occupational Mortality—Standardised Death-rates.—A comparison taken from the 1951 census may serve to illustrate the point just made that comparisons which take no account of variations of age structure in different groups are not a measure of the variations in occupational risks. In the five years 1949-1953 the deaths of 6,673 farmers (including crofters) and of 195 messengers were recorded. At the 1951 census there were 55,353 farmers and crofters (including retired), and 5,698 messengers. These figures give crude annual death-rates of 24.1 per 1,000 farmers and crofters and 6.8 per 1,000 messengers. But such rates are quite misleading as a measure of the mortality in these two types of occupation when regard is had to differences of age. 3,997 or 70.1 per cent. of the 5,698 messengers were under the age of 18 but only 101 or 0.2 per cent. of the crofters and farmers were under the age of 18. On the other hand, the number of farmers and crofters over the age of 55 was 16,649 or 30.1 per cent., whereas the numbers of messengers over that age returned at the census was only 765 or 13.4 per cent.

To discount differences in age composition, the occupational mortality rates in Table CC have been standardised.

The method followed was to take the actual death-rates by age-groups in the general male population in Scotland over the age of 15, and to assume that the same death-rates held good for each corresponding occupational age-group. It was then calculated how many deaths there would, on that assumption, have been in each occupational group. The resultant figure is taken as the "expected number of deaths" which in some occupations is less and in others more than the actual number of deaths in that occupational group. The degree of variation can readily be seen when the actual number is expressed as a percentage of the expected number, taking this as 100. The percentage is for simplicity referred to in this text as the standardised death-rate.

Standardised Mortality—All Causes of Death.—Table CC shows the standardised mortality from all causes of occupied and retired males, aged 15 years and over in the different occupations by selected age-groups. The rates given in the table show for each age-group the proportion which the actual number of deaths in the occupations in the five years 1949-1953 bears to the expected number of deaths (equal to 100).

Brackets round rates indicate that the number of deaths in that particular occupation and age group in the five years 1949-53 was under 20. Rates related to such small numbers should be treated with reserve.

The standardised death-rates calculated in 1936 for occupied and retired males aged 14 years (then the school leaving age—figures excluding 14-15 not available) and over in the three years 1930-1932 are shown in the last column of the table. These rates are not really comparable with the rates calculated now. The actual death-rates and the age constitution of the population have changed considerably since the previous study. The two sets of figures, however, show whether the mortality in a particular occupation, or group of occupations, has improved or otherwise in comparison with the expected rate used at each study. Taking fishermen, for example, the rate in the previous study was 91.6 (i.e., 8.4 below the expectation) as compared with 102.0 in the present study (i.e., 2.0 above the normal). The mortality among fishermen in the years 1949-1953 does not therefore bear such a good relationship to the normal rate as it did about 20 years ago. A dash (—) in the last column indicates that a comparison is not possible owing either to changes in the classification of occupations between the 1931 and 1951 censuses, or to the fact that the occupation was not shown in the previous study.

In the major occupation orders, those showing a standardised death-rate higher than the normal of 100 are workers in unskilled occupations (129.9), persons employed in transport and communications (115.8), workers in mining and quarrying (115.5) and commercial, finance and insurance occupations (114.2). Those with a mortality below 100 on the standardised basis include building workers (71.7), agricultural workers (83.3), workers in wood, etc. (92.4) and professional occupations (96.2).

In the building and contracting industry (Occupation Order No. XIV) the standardised death-rate appears in the table as 71.7. This is too low, because it very frequently happens that on registration of death the occupation of a navvy (a term usually limited to constructional work, and consequently within Order No. XIV) is given simply as that of a labourer. Consequently deaths so registered are charged not against building and contracting but against unskilled occupations which belong to a different occupation order (XXVI). The result is to under-charge the deaths to the building industry and overcharge the deaths to unskilled occupations. In the last two lines of the table some figures are given with a view to redressing this. Navvies are excluded in the second last line from workers in the building and contracting industry and the result is to bring the death-rate in that industry up from the apparent 71.7 to 98.5, almost at parity with the normal general expected figure of 100. Compensatingly they are combined in the last line with labourers from Order XXVI and on that basis the standardised death-rate for the combined group is 108.4, much higher than the apparent figure of 36.0 for navvies in the building and contracting industry but a good deal lower than the rate of 130.2 for labourers in Order No. XXVI.

Standardised Mortality—Particular Causes of Death.—Table DD shows the mortality of occupied and retired males aged 15 years and over according to some of the main causes of death. The mortality rates are calculated on the standardised basis explained above.

The particulars are given for two age groups, viz:—firstly for all males over 15 and, secondly, for males over 15 and under 65. Where the numbers of deaths upon which the rates were calculated were under 20 the rates have been inserted in brackets. These bracketed figures should be treated with reserve as the smaller the numbers the greater the tendency to random variation in mortality. The figures in brackets have been ignored in the following notes which refer to all ages 15 and over.

All Tuberculosis.—The standardised occupational mortality from this cause varies widely from one occupational group to another. In not more than two out of five of the occupational groups shown in the table is it within 20 of the normal general rate of 100 (the "expected" figure previously referred to). In the other three-fifths of the occupations, taken together, the incidence of tuberculosis is divided almost equally between rates lying below 80 and rates above 120. But the range of the standard rate varies widely from 39 at the lowest to 187 at the highest.

In many occupations the numbers are small and one or two deaths bulk proportionately large in any inter-occupational mortality comparison. But even if due allowance is made for this it appears that the variation as respects tuberculosis mortality is greater from occupation to occupation than is the case generally with other causes of death.

Among the main occupation groups the highest rates from tuberculosis were in unskilled occupations (187), tanners, etc., leather goods makers (159) and persons professionally engaged in entertainment and sport (145). The lowest rates were in agricultural occupations (39), in administrative, etc., occupations (46) and in professional occupations (65).

Malignant Neoplasms (Cancer).—The rates for cancer do not show so wide a variation as those from tuberculosis. For about three-fifths of the occupations referred to in the table the rates are within the range of 80 to 120. This appears to suggest that deaths from cancer are not influenced by occupational conditions so much as are deaths from tuberculosis. But for respiratory cancer taken alone the variation is a good deal more than for cancer taken as a whole.

In the main occupation groups, the highest rates from cancer were among "makers of products not elsewhere specified" (workers in rubber, plastic mouldings, etc.) (167), workers in unskilled occupations (131) and persons professionally engaged in entertainment and sport (127). The lowest rates were in agricultural occupations (75) and among workers in wood, cane and cork, and stationary engine drivers, etc. (88). For reasons previously indicated the figure for the building and contracting industry is much understated. This is again adjusted at the end of Table DD.

Vascular lesions affecting Central Nervous System.—More than three-fifths of the rates fell between 80 and 120. Occupational conditions seem, therefore, to affect mortality in this group of diseases less than for tuberculosis and cancer.

In the main occupation groups the highest rates were among administrators, etc. (128), "makers of products not elsewhere specified" (rubber workers, etc.) (122) and unskilled workers (121). The lowest rates were among stationary engine drivers, etc. (82), agricultural workers (85), and persons engaged in personal service and warehousemen, etc. (93).

Coronary Thrombosis.—The higher rates from this cause among the main occupation groups occur mostly among persons in sedentary occupations. The group under the heading of "Administrators, directors, etc.," shows the highest rate of 152, more than 50 per cent. above the normal rate for the general population. Persons in commercial, finance and insurance occupations come next with 141 and those in professional occupations third with 134. The lowest rate of 76 is in agricultural occupations.

Other Arterio Sclerotic and Degenerative Heart Disease.—Rates from this cause do not show so wide a variation in the different occupations, almost four-fifths of them falling between 80 and 120. The highest rates among the main occupation groups are found among "makers of products not elsewhere specified" (164) and coal gas and coke makers, etc. (151) and the lowest among persons employed in defence, etc. (87) and warehousemen, etc. (90).

Bronchitis and Pneumonia.—This is another cause which showed a wide range of rates among the different occupations appearing in the table—only one-half of them falling between 80 and 120. In the main occupation groups the highest rates were among unskilled workers (174) and “makers of products not elsewhere specified” (157) and the lowest among fishermen (51) and agricultural workers (52).

Accidental Deaths.—The rates from this cause show a very wide range in the different occupations—less than two-fifths of them falling between 80 and 120. The occupations with rates outside that range are divided equally between those below 80 and those above 120. In the main occupation groups the highest rates were found among mining and quarrying occupations (171) and fishermen (163) and the lowest among clerks, typists, etc. (55) and warehousemen, etc. (60).

Mortality (Actual) by Social Class.—It is customary for various purposes to analyse vital statistics according to what are termed, for lack of a better term, social classes. The classification is based mainly upon occupational sub-divisions and helps, for example, to bring out internal variations in a population between child mortality rates.

It is usual to sub-divide the population for this purpose into five social classes, namely:—

- Class I—Professional, etc., occupations
- II—Intermediate occupations
- III—Skilled occupations
- IV—Partly skilled occupations
- V—Unskilled occupations.

The occupational mortality statistics in this Appendix are sub-divided according to these five classes.

Table EE analyses the mortality in Scotland over the five years 1949-53 according to social class. The table also sub-divides Classes III and IV to isolate from the rest some large occupational groups which it seems desirable to look at separately, whether because they are liable to a heavier mortality than other groups, such as mine workers, or to a lighter mortality, such as agricultural workers.

The table analyses the deaths over the five years 1949-53 according to age and cause of death. It deals in the actual numbers of deaths and as the strength of one social class varies widely from that of another, any comparison based solely on numbers of deaths is not a measure of comparative mortality. The following summary overcomes this difficulty by expressing the deaths in each social class as a rate per 100,000 of the population.

	Total Males	Class I	Class II	Class III	Class IV	Class V
Census Population aged 15 and over	1,795,273	52,955	224,768	888,086	316,904	249,457
All Causes	1,625	1,997	2,204	1,472	1,622	1,799
All Tuberculosis	65	42	43	64	59	98
Malignant neoplasms (cancer) ...	279	315	345	262	275	330
Vascular lesions affecting central nervous system	206	290	311	186	200	206
Heart disease	565	815	865	508	550	562
Pneumonia	44	45	50	38	45	61
Bronchitis	71	34	61	65	84	109
Other respiratory diseases ...	32	32	33	31	37	34
Ulcer of stomach and duodenum ...	27	37	36	25	25	29
Nephritis and nephrosis	16	18	25	14	15	17
Hyperplasia of prostate	26	31	45	22	28	21
Violence excluding suicide	63	73	60	56	70	80

Standardised Mortality—by Social Class.—Comparisons based upon Table EE and the foregoing summary do not, of course, allow anything for differences in age composition between one social class and another. This is allowed for in Tables FF and GG where the death-rates in each social class are standardised, on the same basis as in Tables CC and DD, with reference to the rates applying in the general population of the country.

Standardised Mortality—all Causes.—The standardised comparative mortality of the male population of Scotland over the five years 1949-53 according to the age groupings indicated is given in Table FF. The general rate (all ages taken together) is highest in Class I and lowest in Class IV. Taking the age-groups separately Class I exceeds the others except for Class V in the age-group 20-44. The figures in Table GG suggest that this may be due to higher rates in Class V from tuberculosis, bronchitis and pneumonia and to a lesser degree accidental deaths.

Mine workers have a noticeably higher standardised death-rate generally and in every age-group except 20-44 where clerical workers have the highest rate. The other table suggests that this high rate among clerical workers may be due, in the main, to relatively high rates for coronary thrombosis and tuberculosis. In Class IV agricultural workers have the most favourable death-rates at all ages except in the relatively small numerical group under the age of 20.

Standardised Mortality—Particular Causes.—Table GG indicates by social class the standard mortality over the five years 1949-53 according to eight main causes of death. There is a generally upward trend from Class I to V in mortality from tuberculosis, bronchitis and pneumonia, and a downward trend from vascular lesions and coronary thrombosis. Mortality from tuberculosis was highest in Class V (143) and lowest in Classes I and II (61 and 59). The reverse was the case for coronary thrombosis where the rate rose steadily from 79 in Class V to 167 in Class I.

The tuberculosis rate is highest for clerical workers and lowest for agricultural workers. The cancer rate is highest for transport workers and lowest for agricultural workers; the difference is even more pronounced in respiratory cancer. Generally the agricultural group holds a favourable position except in the case of accidental death where clerical occupations have the lowest rate and where the rate for mineworkers is by far the highest, being 203 or twice the normal rate. Mineworkers are also highest for bronchitis and pneumonia.

The variation in standardised mortality from one social class to another may be seen from the diagrams on the opposite page.

Females.—Cause and Age at Death by Occupation.—Table HH shows the numbers of deaths of gainfully occupied and retired females aged 15 years and over according to occupation. As already indicated the figures are given in broader occupational groups than for males and on an abridged list of the cause of death. Occupational mortality rates have not been calculated for the females. When the data is subdivided by occupation and age-groups the numbers are too small for the calculation of significant rates and also, as previously mentioned, the numbers of deaths of women who were stated to have a gainful occupation at the registration of death have been considerably understated. Rates for women, therefore, would have little reality.











TABLE AA.—Deaths of Occupied and Retired Males according to Occupations showing (1) Cause of Death and (2) Age at Death, 1949-1953.
Note—The Code Nos. (shown in brackets under headings) indicating the exact contents of each group are those published in Volume IV of the Report on the Census of Scotland, 1951

International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	Total Males 15 and Over	I. FISH-ERMEN		II. AGRICULTURAL OCCUPATIONS										III. MINING AND QUARRYING OCCUPATIONS							
			Entire Order (000, 001)	Entire Order (010-030)	Farmers and farmers' sons, etc. (010, 011, 018)	Farm workers (012, 016, 017, 019, 029)	Market gardeners, etc. (013, 014)	Other gardeners (015)	Land and estate agents (020)	Estate labourers (021)	Tractor drivers, etc. (022)	Foresters (030)	Entire Order (040-059)	Subordinate superintending staff (040, 050)	Machine cutters, hand hewers (041, 042, 051)	Other workers below ground (043-047, 052, 055)	Stone quarriers (056)	Others above ground (049, 059)				
001-008	Tuberculosis of respiratory system	5,464	39	175	41	71	10	36	1	—	3	13	219	8	104	72	4	31				
010-019	Tuberculosis—other forms	382	3	33	9	19	4	4	—	—	1	1	11	1	5	4	—	1				
020-029	Syphilis	470	—	30	12	11	2	3	—	—	1	1	18	—	7	7	—	3				
140-148	MALIGNANT NEOPLASMS (140-205)	25,069	284	2,073	951	599	58	339	13	24	17	72	1,398	79	734	418	20	147				
140-148	Buccal cavity	1,001	17	84	40	24	1	13	2	2	1	1	63	2	35	17	—	9				
150	Esophagus	884	12	64	30	20	1	8	1	1	1	3	50	3	28	18	1	3				
151	Stomach	4,716	61	451	185	161	8	71	4	6	1	15	339	22	171	108	5	33				
152, 153	Intestine, except rectum	3,094	44	349	179	81	12	55	1	3	3	15	156	9	79	49	4	15				
154	Rectum	1,725	30	177	81	52	9	22	—	4	1	3	85	7	39	27	1	12				
161	Larynx	356	2	19	12	4	—	3	—	—	—	—	22	2	13	3	1	3				
162, 163	Trachea, bronchus and lung not specified as secondary	5,944	22	202	75	52	10	53	2	1	3	6	267	11	147	74	3	32				
177	Prostate	1,599	23	208	101	53	3	38	—	2	1	10	90	6	55	22	1	6				
180	Kidney	380	1	39	20	11	1	5	—	—	1	2	24	4	14	6	3	1				
181a	Bladder	735	12	54	25	17	1	10	—	1	1	2	59	4	29	22	—	4				
190, 191	Skin	277	3	44	20	11	2	7	—	—	1	2	17	2	5	6	—	4				
196, 197	Bone and connective tissue	411	8	36	14	14	1	6	—	—	1	—	20	—	11	8	—	1				
155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199 204	All other and unspecified sites	2,845	41	247	121	72	9	28	2	2	3	10	147	13	72	43	2	17				
200-203, 205	Leukæmia and aleukæmia	456	5	46	20	14	1	8	—	—	1	2	30	—	18	7	—	5				
260	Lymphosarcoma and other neo- plasms of lymphatic and hæmato- poietic system	646	3	53	28	13	—	7	1	1	—	3	29	1	18	8	—	2				
290-293	Diabetes	737	12	66	28	23	1	11	—	—	2	1	31	3	11	12	1	4				
330-334	Anæmias	529	10	56	27	23	1	4	—	—	—	1	32	1	17	12	—	2				
	Vascular lesions affecting central nervous system	18,451	244	1,938	952	522	46	303	16	17	14	68	1,183	77	628	339	16	123				
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)				

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)
410-416	HEART DISEASE (410-443) TOTAL	50,756	729	5,235	2,533	1,560	160	774	39	65	29	175	3,722	193	1,791	395	72	381
420	Chronic rheumatic heart disease	1,501	17	125	51	44	3	17	1	1	8	8	75	3	31	29	1	11
421	Coronary thrombosis...	22,817	283	1,933	895	534	73	312	20	24	11	64	1,232	94	619	353	29	137
422	Chronic endocarditis not specified as rheumatic	1,305	24	176	86	53	6	20	3	1	16	7	74	6	37	22	2	7
430	Myocardial degeneration	20,582	361	2,639	1,276	795	64	366	12	33	16	76	1,533	73	861	416	35	148
434	Other diseases of heart	2,817	26	314	153	94	10	37	3	5	12	12	205	12	106	64	3	20
440-443	Hypertension with heart disease	1,734	18	148	72	40	4	22	1	1	1	12	103	15	87	21	2	8
444-447	Hypertension without heart disease	1,700	24	185	94	50	5	25	1	3	1	6	107	9	53	38	4	7
450	Arteriosclerosis	2,239	48	337	168	104	7	39	1	1	14	165	3	96	43	5	18	11
480-483	Influenza	994	15	108	51	31	3	19	1	2	—	2	64	2	32	18	1	11
480-483	Pneumonia	3,946	30	322	142	108	8	50	5	3	—	6	245	13	122	73	11	26
490-493	Bronchitis	6,389	38	303	113	101	10	62	3	4	—	10	658	22	345	240	8	43
500-502	Silicosis and occupational fibrosis	614	—	—	—	—	—	—	—	—	—	—	445	25	272	134	2	12
510-522, 470-475, 525-527	Other respiratory diseases	1,277	7	91	42	31	1	11	—	—	—	—	85	4	47	23	1	10
520-527	Ulcer of stomach	988	10	97	42	35	1	15	—	—	1	2	33	2	10	14	1	6
541	Ulcer of duodenum	1,395	12	136	67	44	6	13	—	—	1	4	69	2	36	20	3	8
530-539, 542-578	Other digestive diseases	1,907	24	195	94	60	5	24	—	2	1	9	120	7	49	50	5	9
580-587	Diseases of liver, gall bladder and pancreas	941	13	70	36	14	3	12	1	1	—	3	60	3	20	31	2	4
590-594	Nephritis and nephrosis	1,449	20	162	90	47	3	14	2	2	—	1	82	5	41	28	1	7
610	Hyperplasia of prostate	2,299	53	338	175	91	9	51	2	2	—	8	147	7	74	51	—	15
690-749	Diseases of skin and organs of locomotion	427	5	36	22	9	1	3	—	—	—	1	18	1	12	5	—	—
794	Senility	2,192	81	434	280	103	7	33	—	—	—	1	200	9	109	61	2	19
780-793, 795	Causes ill-defined and unknown	2,644	34	300	143	87	7	41	2	8	2	10	144	8	60	53	2	21
E963, E970-979	Other natural causes	6,088	69	613	266	210	17	74	3	8	7	28	297	17	143	97	3	37
E810-845	Suicide	914	7	88	29	41	4	8	1	1	1	3	29	1	15	10	—	3
(Part of)	Road transport accidents	1,457	7	185	46	96	2	11	1	2	19	8	62	4	28	18	2	10
E870-936	Accidents in the home	1,448	21	143	69	46	1	16	—	2	1	8	94	4	52	33	—	5
E800-802, E850-869, Rem. of E870-936, E940-962, E964-965, E980-999	Other violence	2,744	60	200	59	84	3	15	1	4	16	18	371	22	180	128	7	34
	ALL CAUSES	145,910	1,899	14,050	6,581	4,221	381	2,010	90	160	119	488	9,609	533	5,023	2,937	169	947
	AGES AT DEATH																	
15-19	...	1,040	5	76	7	53	2	4	—	2	5	3	24	—	6	7	—	11
20-24	...	1,422	9	90	10	57	3	5	—	—	8	7	52	—	18	24	1	9
25-34	...	3,551	31	219	43	118	3	14	1	1	15	24	199	3	96	83	—	17
35-44	...	6,474	43	364	109	152	18	40	4	1	17	23	389	23	180	133	10	43
45-54	...	15,470	102	807	293	294	38	109	8	4	17	45	876	53	417	282	15	109
55-59	...	11,974	97	672	293	220	28	88	7	4	6	26	675	40	306	245	11	73
60-64	...	15,550	124	972	408	330	31	151	7	8	5	32	927	68	422	324	12	101
65-69	...	19,167	210	1,603	722	518	44	217	11	27	10	54	1,286	70	604	433	24	155
70-74	...	22,961	314	2,264	1,067	674	45	358	13	25	10	72	1,683	103	924	499	33	124
75 and over	...	48,278	964	6,983	3,625	1,805	169	1,024	44	88	26	202	3,498	173	2,050	907	63	305
Not stated	...	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ALL AGES	145,910	1,899	14,050	6,581	4,221	381	2,010	90	160	119	488	9,609	533	5,023	2,937	169	947

TABLE AA.—continued

International Nos. Detailed List (1948 Revision)	IV. WORKERS IN THE TREATMENT OF NON-METALLIFEROUS MINING PRODUCTS (OTHER THAN COAL)			V. COAL GAS AND COKE MAKERS—WORKERS IN CHEMICALS AND ALLIED TRADES			VI. WORKERS IN METAL MANUFACTURE, ENGINEERING AND ALLIED TRADES								
	Entire Order (060-089)	Potters, glassblowers, etc. (060, 062, 064-066, 070-072, 074, 075, 079, 080)	Remainder of Order	Entire Order (090-109)	Overlookers, mixers, etc. (090, 100-103)	Remainder of Order	Entire Order (110-279)	Foremen, overlookers and inspectors (110-119, 251-259)	Furnacemen, rollers, etc. (121-126, 128-130, 137)	Rollers' assistants (127)	Moulders (131, 132)	Iron and steel foundry workers and labourers (134-136, 138)	Smiths, forgersmen (145-149)	Annealers, copper-smiths and sheet metal workers (150, 155-157)	Platers and shipwrights (160, 164)
001-008 010-019 020-029	17	8	9	26	4	22	921	22	19	—	37	54	25	35	61
140-148	64	36	28	140	38	102	3,771	154	134	—	259	197	273	120	288
150	5	3	2	6	3	3	143	5	10	—	8	4	11	7	10
151	3	2	1	3	3	3	119	3	5	—	7	9	11	2	11
152, 153	8	5	3	27	6	21	742	19	29	—	61	44	66	25	55
154	10	6	4	10	5	5	409	14	13	—	30	18	39	15	31
161	4	1	3	11	1	10	245	11	4	—	10	19	23	12	26
162, 163	—	—	—	2	2	2	70	—	—	—	4	6	5	3	8
177	17	11	6	37	10	27	1,090	58	37	—	74	60	49	32	85
180	2	—	2	7	2	6	199	10	7	—	13	5	21	2	18
181.a	2	1	1	2	2	4	48	3	1	—	4	1	1	1	9
190, 191	2	1	1	5	1	4	92	1	5	—	7	4	6	3	6
196, 197	2	—	—	4	2	2	33	2	4	—	1	3	2	1	1
155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199, 204	2	2	—	3	2	1	65	—	2	—	4	3	5	4	6
200-203, 205	6	2	4	16	1	15	353	23	7	—	27	14	25	5	20
All other and unspecified sites	4	2	2	3	2	1	70	1	1	—	5	—	2	6	2
Leukemia and aleukemia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system	1	1	—	4	2	2	93	4	1	—	4	7	7	2	5
Diabetes	4	1	3	5	1	4	89	4	4	—	5	6	11	1	4
Anaemias	—	—	—	—	—	—	69	6	1	—	3	5	4	1	4
Vascular lesions affecting central nervous system	39	28	11	80	29	51	2,467	96	67	—	207	132	251	71	187
(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
410-416	HEART DISEASE (410-443) TOTAL	120	72	48	270	72	198	293	205	—	—	473	335	574	188	521
420	Chronic rheumatic heart disease	12	10	2	6	5	5	12	6	—	—	14	12	13	8	11
421	Coronary thrombosis...	37	22	15	122	36	86	187	69	—	—	180	127	239	79	239
422	Chronic endocarditis not specified as rheumatic	7	6	1	7	1	5	6	2	—	—	10	3	12	7	10
430-434	Myocardial degeneration	50	27	23	112	29	83	242	101	—	—	225	158	262	82	211
440-443	Other diseases of heart	9	3	6	13	2	11	314	11	—	—	21	24	24	2	24
444-447	Hypertension with heart disease	5	4	1	10	2	8	277	5	—	—	23	11	24	10	26
450	Hypertension without heart disease	3	2	1	12	2	10	229	12	—	—	11	11	22	7	13
480-483	Arteriosclerosis	3	1	2	8	2	6	284	8	—	—	35	14	35	8	25
490-493	Influenza	5	2	3	9	1	8	138	16	—	—	14	8	17	5	10
500-502	Pneumonia	8	4	4	15	2	13	568	24	—	—	56	35	45	19	50
523, 524	Bronchitis	21	13	8	34	3	31	972	34	—	—	84	86	83	30	69
525-527	Silicosis and occupational fibrosis	1	1	—	—	—	—	35	1	—	—	7	15	—	—	—
530-539, 542-578	Other respiratory diseases	5	3	2	5	2	3	174	6	—	—	12	14	30	3	7
540	Ulcer of stomach	2	2	—	9	9	9	126	7	—	—	6	7	11	2	11
541	Ulcer of duodenum	4	4	—	6	—	7	188	10	—	—	6	4	12	4	18
580-587	Other digestive diseases	8	4	4	—	—	6	265	9	—	—	22	12	23	7	22
590-594	Diseases of liver, gall bladder and pancreas	1	1	—	3	—	3	86	4	—	—	6	4	11	1	9
610	Nephritis and nephrosis	5	3	2	3	—	3	174	5	—	—	13	7	18	5	15
690-749	Hyperplasia of prostate	4	2	2	3	1	2	249	13	—	—	21	13	37	10	16
794	Diseases of skin and organs of locomotion	1	1	—	1	—	1	56	2	—	—	4	4	3	1	6
780-793, 795	Senility	6	2	4	8	2	6	212	12	—	—	22	13	32	11	16
Residual	Causes ill-defined and unknown	5	5	3	16	4	12	358	17	—	—	25	23	23	12	36
E963, E970-979	Other natural causes	16	12	4	26	8	18	758	32	—	—	58	36	61	15	61
(Part of)	Suicide	2	2	1	6	2	4	103	3	—	—	3	12	7	3	3
E810-845	Road transport accidents	1	—	1	8	2	6	204	8	—	—	11	6	13	5	13
E870-936	Accidents in the home	2	1	1	5	2	3	193	6	—	—	12	12	17	6	13
E800-869, E850-869, E880-889, E940-962, E964-965, E980-999	Other violence	6	4	2	18	—	18	381	11	—	—	9	25	11	10	33
	ALL CAUSES	359	215	144	732	180	552	19,525	795	623	—	1,428	1,097	1,657	582	1,519
15-19	AGES AT DEATH	2	1	1	1	—	1	157	—	—	—	7	2	2	7	8
20-24	...	5	4	1	3	1	2	208	14	—	—	9	3	5	6	4
25-34	...	17	8	9	20	2	18	608	14	—	—	13	22	12	26	23
35-44	...	22	14	8	38	5	33	874	40	—	—	41	64	31	20	38
45-54	...	41	27	14	98	20	78	2,386	127	—	—	98	143	94	64	181
55-59	...	30	12	18	72	16	56	1,768	92	—	—	84	100	105	39	146
60-64	...	25	14	11	81	14	67	2,235	118	—	—	130	124	155	65	176
65-69	...	44	25	19	79	23	56	2,651	117	—	—	226	145	224	83	227
70-74	...	67	45	22	105	35	70	2,932	120	—	—	266	183	293	99	242
75 and over	...	106	65	41	235	64	171	5,706	183	—	—	557	311	736	173	474
Not stated	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ALL AGES	359	215	144	732	180	552	19,525	795	623	—	1,428	1,097	1,657	582	1,519

TABLE AA.—continued

VI. WORKERS IN METAL MANUFACTURE, ENGINEERING AND ALLIED TRADES—continued																
International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	VI. WORKERS IN METAL MANUFACTURE, ENGINEERING AND ALLIED TRADES—continued														
		Riveters (162)	Platers' and riveters' labourers (161, 163)	Metal machinists (171-173, 176, 177)	Drillers (174)	Erectors, fitters (183)	Motor mechanics (184)	Other fitters (181, 185, 188)	Metal finishers (191, 192, 194, 198)	Plumbers, pipe fitters (200, 202-204)	Fitters and plumbers' labourers (189, 201)	Scientific and surgical instrument makers workers in precious metals (210-229)	Electricians (241, 242)	Other skilled electrical workers (231-233, 235, 237, 239, 243, 249)	Other skilled workers (182, 193, 205, 209, 261-266, 269, 273, 279)	Other workers (151, 234, 236, 267, 268, 271, 272)
001-008 010-019 020-029	Tuberculosis of respiratory system Tuberculosis—other forms Syphilis	43 1 3	28 1 —	64 3 3	19 3 6	23 2 3	44 2 2	138 9 14	12 — —	55 4 3	13 1 —	16 2 1	86 3 6	17 2 2	103 5 2	7 — —
140-148 150 151 152 153 154 155 161 162, 163	MALIGNANT NEOPLASMS (140-205) Total Buccal cavity Gastrophagus Stomach Intestine, except rectum Rectum Larynx Trachea, bronchus and lung not specified as secondary	174 7 6 6 35 19 10 3 56	98 6 2 24 12 4 4 26	223 11 8 43 33 16 1 60	89 4 3 22 7 6 — 27	189 6 5 34 19 15 5 63	117 4 3 17 10 6 41	531 25 13 97 60 35 14	28 1 4 7 2 1 1	211 9 4 35 29 9 3	49 — — 16 6 2 —	42 1 6 6 5 —	174 6 10 14 18 6 4	98 7 14 6 6 2	308 6 76 22 19 2	15 1 3 — — —
177 180 181 181a 190, 191 195, 197 155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199 204 200-203, 205	Prostate Kidney Bladder Skin Bone and connective tissue	10 7 1 1 3	1 2 2 2 2	9 9 4 4 3	6 3 3 1 —	9 3 2 1 1	4 3 3 2 1	132 33 12 11 3	5 6 — — 2	52 17 8 8 6	15 3 1 1 1	10 4 2 2 1	59 8 6 4 5	38 2 1 1 2	102 8 3 3 2	8 1 — — 1
260 290-293 330-334	All other and unspecified sites Leukemia and aleukemia Lymphosarcoma and other neo- plasms of lymphatic and hamato- poietic system Diabetes Ananias Vascular lesions affecting central nervous system	13 1 — 3 — 125	4 1 — 2 — 54	18 2 4 7 165	8 1 1 2 64	20 3 4 1 111	16 3 6 2 59	58 18 13 13 380	1 — 2 1 14	14 10 12 6 121	6 — — 1 18	5 — 2 1 42	21 6 5 3 91	13 2 2 — 45	34 6 7 2 162	1 — — — 5

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
410-416	HEART DISEASE (410-443) TOTAL	262	128	7	126	313	139	1,033	37	324	86	110	290	92	414	23
420	Chronic rheumatic heart disease	7	7	13	2	13	8	38	1	12	33	58	11	3	24	1
421	Coronary thrombosis...	99	59	174	60	170	86	522	16	149	33	58	173	55	178	11
422	Chronic endocarditis not specified as rheumatic	7	—	6	5	5	2	24	1	10	3	3	8	5	13	—
430-434	Mycocardial degeneration	119	53	154	48	95	29	357	16	126	22	35	71	26	151	8
440-443	Other diseases of heart	21	5	15	5	14	7	48	3	19	4	3	17	1	27	1
444-447	Hypertension with heart disease	9	4	22	6	16	7	44	—	3	4	4	10	2	21	2
450	Hypertension without heart disease	9	5	9	3	9	9	45	2	13	5	2	12	9	19	—
480-483	Arteriosclerosis	10	5	24	6	11	4	37	2	14	2	2	16	3	19	—
490-493	Influenza	19	7	3	2	7	2	20	4	11	1	1	5	—	9	—
500-502	Pneumonia	10	17	34	16	22	5	80	3	24	9	11	20	14	44	5
523, 524	Bronchitis	74	29	59	27	26	11	125	8	44	11	16	33	13	62	4
470-475, 510-522, 525-527	Scleritis and occupational fibrosis	—	1	—	—	—	—	4	—	—	—	—	2	—	4	—
540	Other respiratory diseases	11	4	12	3	7	6	14	—	4	1	6	—	3	19	1
541	Ulcer of stomach	6	4	5	2	4	5	20	—	8	—	1	6	2	15	2
530-539, 542-578	Ulcer of duodenum	12	7	15	3	5	10	35	—	10	—	4	13	2	10	1
580-587	Other digestive diseases	10	3	12	7	12	14	44	—	13	2	3	15	5	20	1
590-594	Diseases of liver, gall bladder and pancreas	—	2	5	4	2	3	16	2	3	3	—	1	—	9	—
610	Nephritis and nephrosis	4	4	7	5	5	7	30	2	6	2	3	4	7	17	2
690-749	Hyperplasia of prostate	15	3	15	6	6	—	39	1	10	2	6	8	3	17	1
784	Diseases of skin and organs of locomotion	3	1	2	2	4	3	6	—	1	1	1	1	2	2	—
780-793, 795	Senility	14	2	9	4	6	—	30	1	13	1	3	2	—	11	—
Residual	Causes ill-defined and unknown	15	12	24	8	18	3	66	2	12	2	5	11	4	26	1
E963, E970-979	Other natural causes	17	18	49	12	33	30	124	3	43	8	17	42	20	52	2
E810-845	Suicide	5	2	5	5	5	3	15	1	5	—	4	8	2	7	2
(Part of)	Road transport accidents	5	2	11	5	11	21	37	2	15	—	1	13	5	14	—
E870-936, E880-802, E850-869, E940-962, E964-965, E980-999	Accidents in the home	12	4	8	3	6	7	33	1	13	2	6	7	3	15	2
Other violence	...	11	15	8	7	11	16	56	2	26	7	1	39	14	63	—
ALL CAUSES	...	873	456	1,170	438	860	528	3,020	128	1,028	206	306	917	370	1,452	72
AGES AT DEATH	...	—	4	3	—	2	21	31	—	18	2	8	25	2	13	1
15-19	...	3	1	12	2	8	10	45	—	23	2	5	34	3	28	—
20-24	...	12	12	35	9	31	52	94	5	37	8	9	75	27	79	3
25-34	...	15	29	49	10	28	55	111	8	58	14	17	52	37	125	5
35-44	...	92	87	132	46	112	96	380	18	96	49	25	145	82	241	8
45-54	...	89	89	108	39	89	73	277	13	89	33	30	135	98	127	8
55-59	...	137	54	132	66	108	62	371	16	96	28	30	127	30	153	9
60-64	...	151	64	180	60	116	54	409	23	124	23	32	101	32	172	14
65-69	...	115	52	167	77	122	48	420	17	175	24	58	110	49	189	17
70-74	...	259	104	352	129	244	57	—	—	312	23	92	150	70	325	—
75 and over	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ALL AGES	...	873	456	1,170	438	860	528	3,020	128	1,028	206	306	917	370	1,452	72

TABLE AA.—continued

International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	VII. TEXTILE WORKERS							VIII. TANNERS, ETC., LEATHER GOODS WORKERS, FUR DRESSERS					IX. MAKERS OF TEXTILE GOODS AND ARTICLES OF DRESS (NOT BOOTS AND SHOES)				
		Entire Order (280-349)	Foremen (280, 290, 300, 310, 320, 330, 340)	Sorters, spinners, winders, etc. (281, 282, 291, 301-304)	Breakers, blenders and doublers (283, 284, 292)	Weavers (311, 312)	Other skilled workers (321, 331, 342, 343, 346, 349)	Other workers (332, 333, 339, 341, 345)	Entire Order (350-379)	Foremen and overlookers (350, 360, 370)	Tanners, leather dressers, etc. (351-359)	Boot and shoe makers (361-369)	Makers of leather goods, etc. (371-379)	Entire Order (380-419)	Foremen and overlookers (380, 390, 400, 410)	Cutters and tailors (381-383)	Machinists, pressers (and sack makers (386, 387, 415, 416)	
001-008 010-019 020-029	Tuberculosis of respiratory system Tuberculosis—other forms Syphilis	72 4 3	9 1 1	7 — —	9 — —	8 1 1	19 2 2	20 — 1	46 6 5	— — —	— — —	31 6 4	7 1 1	45 7 5	— — —	27 5 5	8 2 —	
140-148 150 151 152, 153 154 161 162, 163	MALIGNANT NEOPLASMS (140-205) Total Buccal cavity Esophagus Stomach Intestine, except rectum Rectum Larynx Trachea, bronchus and lung not specified as secondary	368 22 5 17 7 51 24 8 70	56 5 5 11 9 5 5 11	33 1 1 1 3 4 4 8	38 3 4 11 3 2 2 3	38 1 5 20 12 3 4 3	83 7 1 24 18 6 5	120 5 5 24 15 14 2	195 8 7 41 25 18 1	4 — — — — — — —	26 1 1 7 7 2 2 3	135 5 6 29 14 14	30 2 5 4 2 4	229 6 7 38 30 23 4	7 — — 1 1 1 3	148 5 5 23 20 18 3	18	
177 180 181, 4 190, 191 196, 197 155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199 204 200-203, 205	Prostate Kidney Bladder Skin Bone and connective tissue	28 5 12 6 3	3 1 1 1 —	1 1 1 1 1	3 3 2 1 1	9 3 2 2 2	17 3 3 1 2	27 9 4 1 2	43 3 8 9 7 2 3	2 — — — — — —	3 — — 3 3 2 2 3	28 9 2 2 1 3	10 1 2 2 1 1	44 26 4 13 3	1 2 3 2 2 2	21 16 3 9 2	7 3 1 — —	
260 290-293 330-334	All other and unspecified sites Leukemia and aleukemia Lymphosarcoma and other neo- plasms of lymphatic and hamato- poietic system Diabetes Anemias Vascular lesions affecting central nervous system	38 3 7 8 6 287	4 1 2 1 36	5 — — — 31	4 — — 1 29	4 1 1 1 26	11 1 5 — 83	10 — 3 3 82	20 3 6 7 156	1 1 — — 4	— — — — 19	17 2 4 3 4	2 — — — 23	24 5 2 7 209	— — — — 4	17 4 — 2 147	— — — — 11	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	

(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
HEART DISEASE (410-443) TOTAL	774	111	77	85	91	198	212	382	9	42	274	57	584	12	416	50	50
Chronic rheumatic heart disease	21	4	1	3	2	3	8	10	5	14	3	6	17	6	13	1	13
Coronary thrombosis	336	57	37	38	33	83	88	151	—	—	104	28	248	—	171	22	22
Chronic endocarditis not specified as rheumatic	20	2	2	1	4	4	7	7	—	—	6	—	11	1	8	1	1
Myocardial degeneration	329	36	31	34	46	89	93	165	3	18	122	22	253	3	188	21	21
Other diseases of heart	41	4	4	6	3	10	10	24	—	5	16	3	34	1	23	2	2
Hypertension with heart disease	27	4	2	3	3	9	6	25	1	2	20	3	21	1	13	3	3
Hypertension without heart disease	24	2	2	3	4	7	6	16	1	4	10	3	14	—	12	1	1
Arteriosclerosis	47	8	4	7	5	13	10	17	—	2	4	3	18	—	15	—	—
Influenza	13	3	3	2	1	4	3	5	—	—	4	1	14	1	13	8	8
Pneumonia	63	12	3	11	10	8	19	42	1	4	32	5	44	1	27	8	8
Bronchitis	77	4	7	18	5	18	25	43	—	8	27	8	56	1	31	8	8
Silicosis and occupational fibrosis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other respiratory diseases	35	4	4	7	2	6	12	10	—	1	9	—	11	1	7	2	2
Ulcer of stomach	16	1	—	1	1	3	10	11	—	3	6	2	11	1	4	—	—
Ulcer of duodenum	22	6	5	4	2	5	5	9	—	2	6	1	20	1	13	1	1
Other digestive diseases	35	2	2	4	4	5	14	8	—	1	7	—	17	—	10	3	3
Diseases of liver, gall bladder and pancreas	12	2	2	1	—	3	4	8	—	1	9	2	13	—	7	2	2
Nephritis and nephrosis	11	2	1	2	2	3	3	12	—	1	10	3	34	2	20	3	3
Hyperplasia of prostate	51	7	10	6	5	8	15	20	2	5	19	2	33	2	20	3	3
Diseases of skin and organs of locomotion	7	—	1	1	1	2	2	2	—	1	1	—	2	—	2	—	—
Senility	28	4	4	1	4	8	11	29	1	4	19	5	35	—	29	3	3
Causes ill-defined and unknown	31	4	4	4	1	8	10	27	—	8	16	3	35	—	22	4	4
Other natural causes	83	17	9	6	9	18	24	48	2	5	35	6	55	—	34	7	7
Suicide	10	3	1	—	1	3	2	8	—	2	6	—	12	—	7	—	—
Road transport accidents	13	2	—	1	1	4	5	9	1	3	4	1	10	—	7	—	—
Accidents in the home	22	3	4	5	1	5	4	9	—	—	7	2	15	1	9	1	1
Other violence	15	—	1	3	2	5	4	8	—	3	3	2	6	—	3	2	2
ALL CAUSES	2,138	299	207	249	226	528	629	1,145	27	156	794	168	1,534	30	1,041	134	134
AGES AT DEATH																	
15-19	8	—	—	1	1	3	3	10	—	5	4	1	8	—	3	3	3
20-24	20	4	2	3	4	6	5	12	—	4	5	3	8	—	4	4	4
25-34	30	4	3	4	7	10	4	20	—	4	15	1	15	—	5	2	2
35-44	61	8	7	5	12	20	1	34	1	9	28	1	33	2	12	1	1
45-54	193	30	14	25	16	53	55	81	2	9	56	14	65	3	25	16	16
55-59	153	25	18	29	7	34	40	78	4	5	57	12	95	3	59	18	18
60-64	194	29	18	29	19	46	54	110	4	14	76	16	136	6	82	16	16
65-69	263	41	28	33	18	61	82	136	7	13	94	22	203	4	135	16	16
70-74	302	38	24	41	30	80	89	189	2	24	128	35	273	4	199	21	21
75 and over	914	124	93	82	115	223	277	475	7	74	331	63	698	12	517	50	50
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ALL AGES	2,138	299	207	249	226	528	629	1,145	27	156	794	168	1,534	30	1,041	134	134

TABLE AA.—continued

International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	IX. MAKERS OF TEXTILE GOODS AND ARTICLES OF DRESS (NOT BOOTS AND SHOES)—continued		X. MAKERS OF FOODS, DRINKS AND TOBACCO				XI. WORKERS IN WOOD, CANE AND CORK							XII. MAKERS OF, AND WORKERS IN, PAPER AND PAPERBOARD, BOOKBINDERS AND PRINTERS			
		Other garment and hat makers (394, 388, 389, 391-399)	Other skilled workers (401, 402, 411-414, 419)	Entire Order (420-469)	Foremen and overlookers (420, 440, 450, 460)	Bakers, dough mixers, etc. (422, 423)	Other skilled workers (421, 423, 427-439, 459, 465)	Other workers (424, 426, 441-449, 461-464, 469)	Entire Order (470-489)	Foremen and overlookers (470)	Cabinet makers (471)	Carpenters, joiners (472)	Coopers (474)	Other skilled workers (473, 476-480, 489)	Other workers (475, 481)	Entire Order (500-539)	Foremen, overlookers (500, 510, 520)	Makers of paper and stationery (501-503, 509, 511-513, 519)
001-008	Tuberculosis of respiratory system	2	8	69	—	43	13	13	147	4	9	78	11	44	1	47	1	17
010-019	Tuberculosis—other forms	—	—	2	—	1	—	—	7	—	3	3	—	4	—	4	—	1
020-029	Syphilis	—	—	—	—	2	—	—	14	—	—	7	—	4	—	4	—	1
140-148	MALIGNANT NEOPLASMS (140-205)	5	19	422	23	233	83	83	768	39	41	418	70	188	12	283	13	62
150	Total	—	15	19	—	8	3	8	30	3	2	14	4	7	—	9	1	3
151	Buccal cavity	—	2	14	—	7	3	2	20	—	2	11	4	3	—	7	—	3
152, 153	Stomach	—	12	87	6	45	20	16	164	13	8	8	19	37	3	54	1	12
154	Intestine, except rectum	1	6	47	2	26	7	12	107	2	2	58	10	34	1	48	2	12
155	Rectum	—	1	22	4	11	5	2	54	2	2	30	4	15	2	23	—	3
161	Larynx	—	1	5	—	4	—	1	8	—	1	3	1	3	1	2	1	1
162, 163	Trachea, bronchus and lung not specified as secondary	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
177	Prostate	3	12	110	3	60	26	21	151	8	12	74	9	43	5	56	2	14
180	Kidney	—	1	26	2	12	5	7	58	2	2	35	8	12	—	17	4	3
181, a	Bladder	—	1	8	1	4	3	1	12	1	1	13	1	4	—	4	—	—
180, 197	Skin	—	1	13	1	7	2	3	20	2	1	17	1	3	—	9	—	—
186, 197	Bone and connective tissue	—	1	4	1	3	1	—	10	—	1	8	—	1	—	—	—	—
155, 161, 164, 165, 170, 178, 179, 181, 192, 196, 198, 199, 204	All other and unspecified sites	—	7	46	1	32	6	7	81	5	7	49	7	13	—	41	2	10
200-203, 205	Leukemia and aleukemia	—	1	7	—	4	1	2	16	—	1	9	1	5	—	3	—	1
260	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
280-293	Diabetes	—	2	9	—	7	1	1	22	1	2	14	2	3	—	4	—	1
330-334	Anemias	—	1	7	—	4	2	—	18	3	1	10	2	3	—	9	—	3
(a)	Vascular lesions affecting central nervous system	2	45	280	16	156	58	50	680	28	56	374	46	167	9	200	12	50
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)
410-416	HEART DISEASE (410-443) Total	9	97	769	43	420	174	122	1,753	83	153	942	129	422	24	619	28	151
420	Chronic rheumatic heart disease	2	3	20	2	14	83	43	50	45	6	27	4	11	1	13	14	6
421	Chronic thrombosis...	47	322	20	20	176	83	43	734	45	55	401	46	174	13	271	14	60
422	Chronic endocarditis not specified as rheumatic	1	19	—	—	7	5	7	42	2	4	23	2	11	—	8	—	1
430-434	Mycardial degeneration	6	35	15	15	186	69	55	767	22	77	392	67	200	9	276	13	67
440-443	Other diseases of heart	1	7	40	4	18	9	9	106	7	9	66	6	17	1	25	—	8
444-447	Hypertension with heart disease	4	33	2	2	19	5	5	154	6	2	33	4	9	—	26	1	9
450	Hypertension without heart disease	1	28	4	4	11	5	8	68	2	6	41	1	17	1	26	—	8
480-483	Arteriosclerosis	—	3	33	1	20	3	9	82	2	2	49	3	18	1	23	1	5
490-493	Influenza	—	17	1	5	10	10	8	30	1	1	20	2	5	2	9	1	1
500-502	Pneumonia	2	7	46	1	22	15	8	116	1	12	51	11	37	4	58	1	16
503-507	Bronchitis	2	14	121	6	63	31	21	179	6	18	83	23	44	5	67	3	14
520-524	Silicosis and occupational fibrosis	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
470-473, 510-522, 525-527	Other respiratory diseases	—	1	22	1	10	2	9	34	—	5	15	4	9	1	10	—	2
540	Ulcer of stomach	—	7	13	—	5	3	5	33	2	3	21	1	6	—	11	—	2
541	Ulcer of duodenum	1	5	18	—	9	4	5	41	3	3	23	3	10	1	18	—	3
580-589, 542-578	Other digestive diseases	1	4	25	5	10	7	3	75	1	3	45	6	16	4	16	—	6
590-594	Diseases of liver, gall bladder and pancreas	1	3	11	—	7	1	3	25	2	8	14	3	6	—	12	—	3
610	Nephritis and nephrosis	1	3	20	—	9	6	5	52	2	2	26	3	13	—	16	1	4
690-749	Hyperplasia of prostate	—	9	37	1	21	10	5	104	4	7	55	9	27	2	28	2	7
794	Diseases of skin and organs of locomotion	—	—	5	1	3	1	—	16	—	—	8	—	6	1	5	—	1
790-793, 795	Senility	—	3	39	1	18	13	7	79	2	8	44	11	14	1	18	1	6
Res 790-799	Causes ill-defined and unknown	—	1	8	3	18	13	2	96	4	5	42	6	34	5	17	1	2
E963, E970-979	Other natural causes	3	11	86	4	46	20	16	186	4	11	102	13	53	3	66	2	25
E930-945	Suicide	1	5	10	2	5	—	3	28	1	2	15	—	7	3	7	1	3
Part of E930-945	Road transport accidents	1	2	12	—	5	7	—	54	—	3	35	3	12	1	12	1	3
E870-886	Accidents in the home	1	3	18	—	13	4	1	47	1	2	22	6	16	—	12	1	6
E887-896	Other violence	1	—	24	3	10	5	6	59	2	3	37	4	13	—	13	—	7
E897-899	ALL CAUSES	34	295	2,171	118	1,171	493	389	4,812	198	369	2,590	373	1,200	82	1,620	72	407
Rem of E870-936, E940-962, E964-965, E980-999	AGES AT DEATH	1	1	10	—	6	2	2	37	—	2	22	—	12	1	5	—	2
15-19	15-19	2	6	34	1	20	9	5	42	—	1	27	2	12	—	9	—	5
20-24	20-24	2	2	34	1	20	8	3	91	—	7	61	1	21	1	15	—	5
25-34	25-34	3	19	73	18	102	55	50	169	6	11	95	10	45	2	43	—	13
35-44	35-44	3	22	155	10	81	33	31	304	21	23	153	20	82	5	135	8	46
45-54	45-54	3	32	241	19	130	48	44	480	35	22	233	25	73	5	130	7	40
55-59	55-59	5	41	282	20	149	59	54	693	28	54	380	44	118	11	192	5	54
60-64	60-64	6	43	342	18	192	65	67	875	37	66	470	72	174	13	189	7	62
65-69	65-69	10	109	790	31	441	196	122	1,855	60	164	996	158	451	26	636	35	125
70-74	70-74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75 and over	75 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ALL AGES	ALL AGES	34	295	2,171	118	1,171	493	389	4,812	198	369	2,590	373	1,200	82	1,620	72	407

TABLE AA.—Continued

International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	XII. MAKERS OF, AND WORKERS IN, PAPER AND PAPER-BOARD; BOOK-BINDERS, PRINTERS—continued										XIII. MAKERS OF PRODUCTS NOT ELSEWHERE SPECIFIED				XIV. WORKERS IN BUILDING AND CONTRACTING										
		Other skilled workers (523-526, 528-539)		Remainder of Order (504, 514, 527)		Entire Order (540-579)		Workers in rubber (540-549)		Other skilled workers (550-579)		Entire Order (580-599)		Foremen, gangers (580)	Clerks of works (581)	Bricklayers (583)	Plasterers (585)	Slaters (588)	Masons (589)	Builders' bricklayers' and masons' labourers (582, 584, 586, 591)	Platelayers (593)	Paviors, tunnel miners, etc. (594, 596)	Other skilled workers (587, 592, 595)	Other workmen, mainly navvies (599)		
		Compositors (521)	Other skilled workers (522)	3	16	3	40	15	25	143	45	98	1,076	70	39	68	56	79	155	207	108	17	6	8	41	
001-008 010-019 020-029	Tuberculosis of respiratory system Tuberculosis—other forms Syphilis	10 3 —	16 2 1	3 1 1	40 2 3	15 1 —	25 1 3	143 5 5	45 1 4	98 4 4	1,076 53 32	70 5 1	39 1 1	68 4 5	56 4 5	79 4 5	155 14 14	207 7 4	108 3 5	17 1 1	6 1 1	8 2 1	2 1 1	41 6		
140-148 150 151 152, 153 154 155 161 162, 163	MALIGNANT NEOPLASMS TOTAL Buccal cavity Gastrophagus Stomach Intestine, except rectum Rectum Larynx Trachea, bronchus and lung not specified as secondary Prostate Kidney Bladder Skin Bone and connective tissue	61 2 4 11 12 6 — 17 1 1 1 — —	132 3 3 28 19 12 — 22 9 2 7 4	15 — 2 2 2 2 1 1 1 2 2	45 5 16 20 10 2 2 45 9 2 2 4	98 4 4 16 8 2 2 31 6 2 2 3	1,076 53 32 212 127 82 8 257 60 17 44 10 12	70 5 1 13 6 3 15 3 2 4 1 2	39 1 7 10 5 7 11 15 3 1 1 2 1	68 4 14 11 13 6 2 11 9 2 4 3 — —	56 5 4 11 7 5 2 9 8 1 3 — —	79 4 5 13 10 1 1 16 9 7 7 1 1	155 14 14 26 23 17 14 38 9 6 6 3 1 1	207 7 4 56 47 23 13 1 57 5 6 6 3 1 —	108 3 5 21 17 10 13 21 4 15 4 1 3 —	17 1 1 1 2 2 4 4 1 3 1 1 —	6 1 1 1 2 2 4 1 1 1 1 —	46 4 4 2 3 4 1 1 3 — — — —	12 1 1 1 1 2 2 2 2 1 3 —	17 1 1 1 2 2 4 1 1 1 —	6 1 1 1 2 2 4 1 1 1 —	8 2 1 1 4 4 15 1 3 3 —	2 2 2 2 2 2 2 2 2 2 —	41 6		
177 180 181a 190, 191 196, 197 155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199 204 200-203, 205	All other and unspecified sites Leukemia and aleukemia Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system Diabetes Anamias Vascular lesions affecting central nervous system	— 6 — 3 3 50	4 1 2 4 4 80	3 1 1 1 1 8	18 2 3 4 66	7 1 1 1 25	11 1 — — 41	121 13 28 24 13 772	9 1 2 3 3 56	2 1 2 2 1 23	12 2 1 1 2 42	6 — 1 5 2 39	17 2 2 3 2 54	23 2 1 1 1 95	15 1 3 1 1 79	5 — — — — 11	2 2 2 2 2 171	23 2 1 1 1 171	15 1 3 1 1 79	5 — — — — 11	2 2 2 2 2 29	25 2 — — — 173				
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)							

[illegible]

TABLE AA.—continued

International Nos. Detailed List (1948 Revision)	XV. PAINTERS AND DECORATORS				XVI. ADMINISTRATORS, DIRECTORS, MANAGERS (NOT ELSEWHERE SPECIFIED)										
	Entire Order (600-609)	Aerographers and paint sprayers (601)	Painters (609)	Other skilled workers (600, 602, 603)	Entire Order (610-629)	Civil Service administrative officers (610)	Civil Service executive officers (611)	Local Authority officials (612)	Secretaries and registrars of companies (614)	Heads and managers of commercial departments, etc. (615)	Managers in mining and chemical trades (620,621)	Managers— Engineering trades (622)	Managers—textile and leather trades (623)	Managers in building trades (624)	Managers in other industrial undertakings (629)
001-008	71	2	61	8	53	1	3	1	2	2	6	13	1	7	17
010-019	4	—	4	—	4	—	1	1	—	—	1	2	1	—	2
020-029	5	—	5	—	7	—	2	—	—	—	1	—	—	—	—
140-148	323	7	290	26	644	25	86	29	32	18	51	105	59	99	140
150	17	15	15	2	20	1	1	1	—	1	2	2	2	2	9
151	10	10	10	20	20	1	4	5	—	—	2	4	2	2	4
152, 153	66	57	57	9	99	1	4	5	—	1	7	20	7	18	22
152, 153	35	1	29	5	99	11	13	5	5	2	1	18	7	14	23
154	11	1	9	1	44	1	6	3	1	1	6	3	3	11	3
161	4	3	3	1	12	—	1	1	1	—	1	4	—	1	3
162, 163	4	3	3	1	12	—	1	1	1	—	1	4	—	1	3
177	91	3	85	3	141	3	33	4	9	5	11	24	15	15	22
180	19	—	19	—	44	—	6	—	2	1	3	6	6	6	14
180 a	7	—	6	1	15	2	—	1	1	—	4	1	1	2	3
190	13	—	13	—	19	2	3	1	—	2	1	2	2	3	—
190, 197	6	—	5	1	12	—	1	—	—	—	1	2	3	4	2
195-160, 164, 165, 170, 173, 176, 180, 192, 195, 198, 199, 200, 200 a	5	—	5	—	—	—	—	—	—	—	—	—	—	—	—
200-203, 205	28	2	25	1	98	2	11	5	5	2	10	16	9	17	21
260	5	—	4	1	11	—	2	1	1	—	—	2	—	3	2
290-293	6	—	5	1	17	2	1	1	3	1	2	1	2	1	3
330-334	7	—	7	—	29	1	2	1	1	2	2	1	5	6	8
(a)	256	3	226	27	536	21	46	24	29	13	48	76	46	77	156
	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
410-416	HEART DISEASE (410-443) TOTAL	555	6	490	59	1,561	57	154	80	35	123	238	159	235	6	392	(3)
420	Chronic rheumatic heart disease	17	1	15	1	27	1	5	1	2	2	4	4	8	6	5	
421	Coronary thrombosis...	252	2	218	32	842	40	96	43	50	57	139	81	121	194		
	Chronic endocarditis, not specified as rheumatic																
422	Myocardial degeneration	11	—	10	1	36	2	38	6	2	5	1	3	4	4	10	
430-434	Other diseases of heart	219	1	196	22	540	13	38	22	27	53	82	55	84	11	150	
440-443	Hypertension with heart disease	31	2	27	2	75	1	5	3	2	6	11	14	11	9	10	
444-447	Hypertension without heart disease	25	—	24	2	41	—	5	4	1	4	4	1	4	6	6	
450	Arteriosclerosis	22	—	20	2	34	1	5	4	2	4	10	2	9	16	6	
480-483	Influenza	28	—	24	4	48	1	2	1	5	3	3	2	6	6	25	
480-493	Pneumonia	14	—	12	2	30	4	15	2	2	5	12	13	10	10	25	
500-502	Bronchitis	71	1	65	5	107	—	15	4	—	10	18	8	14	36	1	
523, 524	Silicosis and occupational fibrosis	3	1	2	—	4	—	—	—	—	3	—	—	—	—	1	
470-475, 510-522, 525-527	Other respiratory diseases	22	—	19	3	31	1	5	—	1	2	5	7	6	4	4	
530-539, 542-578	Ulcer of stomach	20	—	18	2	22	2	2	1	4	—	2	1	2	2	2	
540	Ulcer of duodenum	19	—	19	—	25	3	7	2	—	7	9	5	5	5	10	
580-587	Other digestive diseases	26	—	23	3	49	—	—	—	—	—	—	—	—	—	—	
590-594	Diseases of liver, gall bladder and pancreas	7	—	6	1	20	—	2	—	3	4	4	4	6	6	7	
610	Nephritis and nephrosis	16	—	15	1	23	1	2	1	2	2	4	2	4	6	7	
690-749	Hyperplasia of prostate	25	—	20	5	73	2	4	1	2	6	11	15	16	14	14	
794	Diseases of skin and organs of locomotion	3	—	2	1	14	—	1	1	1	—	4	2	1	3	3	
780-793, 795	Senility	17	—	17	—	37	1	4	—	—	5	4	3	5	5	15	
Residual	Causes ill-defined and unknown	40	—	39	1	44	1	19	2	—	6	6	10	6	6	11	
E963, E970-979	Other natural causes	72	1	62	9	151	6	19	13	5	10	14	23	23	34	34	
E810-845	Suicide	5	—	5	—	23	—	3	1	—	1	2	3	3	5	9	
(Part of)	Road transport accidents	15	—	11	4	28	—	3	—	—	2	6	3	3	3	9	
E870-936	Accidents in the home	14	—	14	—	33	1	3	—	—	3	6	—	—	7	12	
E800-802, E850-869, Rem. of E870-936, E940-962, E964-965, E980-999	Other violence	30	—	29	1	34	—	6	—	2	5	4	5	5	5	6	
	ALL CAUSES	1,746	21	1,559	166	3,778	131	398	173	193	317	573	381	571	952		
	AGES AT DEATH																
15-19	15-19	17	3	14	—	—	—	—	—	—	—	—	—	—	—	—	
20-24	20-24	24	—	24	2	34	—	1	—	—	—	—	1	1	1	1	
25-34	25-34	40	—	38	9	104	3	15	5	7	2	13	5	5	14	13	
35-44	35-44	91	6	81	14	333	6	66	14	9	6	25	28	48	48	37	
45-54	45-54	168	2	145	19	428	25	75	20	14	16	46	33	29	67	71	
55-59	55-59	154	—	133	26	428	27	68	13	16	34	58	39	65	85	91	
60-64	60-64	214	—	188	27	513	17	48	21	26	52	89	54	63	110	110	
65-69	65-69	232	4	201	30	635	25	48	26	28	54	101	59	100	175	175	
70-74	70-74	296	1	265	39	1,390	30	85	60	76	128	213	160	226	387	387	
75 and over	75 and over	510	1	470	—	—	—	—	—	—	—	—	—	—	—	—	
Not stated	Not stated	1,746	21	1,559	166	3,778	131	398	173	193	317	573	381	571	952		
	ALL AGES																

TABLE AA.—continued

International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	XVII. PERSONS EMPLOYED IN TRANSPORT AND COMMUNICATION																
		Entire Order (630-709)	Railway officials, etc. (630)	Locomotive engine drivers and motormen (631, 632)	Locomotive engine firemen, etc. (633, 634)	Guards (635)	Signalmen (636)	Shunters, etc. (637)	Porters (639)	Other railway transport workers (638, 649)	Bus and tramway managers (650)	Car and garage proprietors (651, 663)	Haulage contractors, inspectors, etc. (652, 653)	Drivers of horse- drawn vehicles (654)	Drivers of trams, buses and other self- propelled vehicles (655-659)	Bus and tram conductors (661)	Other road transport workers (660, 662, 669)	
001-008 010-019 020-029	Tuberculosis of respiratory system Tuberculosis—other forms Syphilis	647 39 60	4 — 1	11 3 3	20 3 1	8 1 1	8 — 1	8 1 1	26 2 3	11 1 —	1 — —	10 1 1	5 2 1	53 5 9	185 16 6	18 — —	12 4 2	
140-148 150 151 152 153 154 155 161 162, 163	MALIGNANT NEOPLASMS (140-205) Buccal cavity Oesophagus Stomach Intestine, except rectum Rectum Larynx Trachea, bronchus and lung specified as secondary Prostate Kidney Bladder Skin Bone and connective tissue	2,932 107 105 522 340 193 42 752 201 38 70 39 45	76 1 3 5 12 6 2 13 9 1 2 — —	164 4 1 5 25 13 — 45 15 2 2 1 3	39 1 1 6 1 1 — 11 2 2 1 —	58 3 4 9 12 6 — 17 4 1 1 —	93 4 4 18 6 1 — 17 9 1 4 —	54 1 1 7 12 7 1 17 3 4 — —	122 5 5 27 15 10 — 33 9 2 3 1	72 4 3 13 10 2 — 14 3 2 1 4	12 1 — 3 — — 5 1 — — —	42 2 1 11 3 2 — 7 6 2 1 3	84 3 3 1 21 4 3 1 25 6 1 — —	244 16 15 42 30 24 5 50 17 8 7 5 3	558 15 14 97 60 35 9 174 25 12 8 8	32 — — 3 3 3 1 10 1 — — —	74 1 2 6 12 3 1 25 6 — 1 1	
155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199, 204 200-203, 205	All other and unspecified sites Leukæmia and aleukæmia Lymphosarcoma and other neo- plasms of lymphatic and hæmato- poietic system Diabetes Anæmias Vascular lesions affecting central nervous system	341 58 79 95 54 1,863	8 3 1 5 5 70	11 6 5 6 4 122	4 1 2 5 1 23	4 2 4 5 1 63	11 2 2 4 4 77	7 1 2 2 1 32	10 2 — — 3 69	13 1 — 2 5 —	2 — — 1 — 8	3 — — 1 1 26	11 3 — 1 2 63	30 2 3 8 4 235	59 13 — 21 15 3	5 — — 2 — 16	— — — 3 2 38	
260 290-293 330-334																		
(a)																		

a)	b)	c)	d)	e)	f)	g)	h)	i)	j)	k)	l)	m)	n)	o)	p)	q)	r)
HEART DISEASE (410-443) Total	410-416	5,125	196	316	67	134	173	84	227	120	17	95	181	496	313	43	117
	417-420	151	2	11	3	2	5	4	4	4	2	5	1	12	39	3	1
	421	2,401	106	152	37	69	77	44	106	53	9	56	87	146	458	20	52
	422	144	5	8	2	2	3	1	7	5	—	2	3	12	31	2	3
	430-434	1,940	66	115	21	46	71	28	92	43	5	26	72	272	198	12	48
	440-443	303	12	14	3	10	12	3	13	10	1	3	8	38	52	2	7
	444-447	186	5	16	1	5	5	4	6	5	—	3	6	16	35	4	6
	450	188	7	10	2	3	6	4	3	7	—	5	6	13	38	3	1
	480-483	260	11	10	4	5	7	7	10	7	—	5	10	34	22	1	5
	490-493	81	2	4	—	4	2	3	17	1	1	1	15	11	58	6	2
Other respiratory diseases	Pneumonia	355	9	18	4	15	11	13	27	19	—	7	8	51	102	15	25
	Brucellosis	673	8	36	1	—	1	2	—	1	—	—	—	93	—	—	—
	Silicosis and occupational fibrosis	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other respiratory diseases	138	3	9	5	—	5	2	6	1	1	2	3	12	28	2	5
	Ulcer of stomach	113	2	6	3	3	4	2	4	2	—	1	4	12	28	—	—
	Ulcer of duodenum	144	4	5	1	4	5	2	11	3	—	1	5	9	38	1	6
	Other digestive diseases	206	10	9	3	4	5	2	10	5	1	6	5	21	35	3	7
	Diseases of liver, gall bladder and pancreas	106	7	6	—	—	—	—	4	2	—	1	4	6	21	1	—
	Nephritis and nephrosis	149	6	7	5	2	5	2	4	4	1	2	3	16	33	4	3
	Hyperplasia of prostate	217	10	12	3	6	13	2	7	2	—	2	8	31	21	2	2
Diseases of skin and organs of locomotion	Skin diseases	54	1	1	—	4	3	2	2	2	—	1	1	3	13	—	—
	Senility	159	4	7	1	2	2	1	5	8	—	—	3	21	9	1	4
	Causes ill-defined and unknown	266	6	18	6	7	12	6	12	3	1	5	14	26	34	4	4
	Other natural causes	624	19	35	20	19	26	13	22	14	3	10	16	52	115	5	11
	Suicide	90	—	7	1	—	1	2	8	2	—	4	3	8	17	1	3
	Road transport accidents	200	1	3	3	1	5	1	10	3	1	4	3	14	84	1	15
	Accidents in the home	142	4	3	3	2	4	2	3	2	—	3	4	18	21	3	5
	Other violence	321	5	24	15	10	9	14	23	4	—	1	1	17	41	1	10
	ALL CAUSES	15,259	471	853	244	365	494	266	651	367	49	241	470	1,522	2,587	163	367
	AGES AT DEATH	15-19	59	—	5	—	—	—	6	2	—	1	1	—	3	—	19
ALL AGES	20-24	128	—	1	20	1	11	3	11	3	—	1	—	7	41	4	5
	25-34	457	5	8	25	11	11	8	35	7	1	8	4	21	190	12	5
	35-44	813	5	18	39	47	44	16	100	55	6	13	16	47	336	20	15
	45-54	1,998	38	176	8	39	45	45	163	7	6	25	48	86	571	38	42
	55-59	1,364	34	87	19	38	50	27	63	46	4	34	49	81	268	15	34
	60-64	1,618	47	87	24	36	51	32	77	40	7	33	40	112	270	14	44
	65-69	1,997	41	117	22	39	84	23	87	30	9	39	58	221	268	10	35
	70-74	2,232	86	121	31	59	83	34	94	59	7	32	81	244	252	16	64
	75 and over	4,593	220	251	51	129	163	73	164	122	11	55	163	703	388	34	104
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ALL AGES	15,259	471	853	244	365	494	266	651	367	49	241	470	1,522	2,587	163	367

TABLE AA.—continued

International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	XVII. PERSONS EMPLOYED IN TRANSPORT AND COMMUNICATION—continued													XVIII. COM- MERCIAL, FINANCE AND INSURANCE OCCUPATIONS (EX CLERICAL STAFF)	
		Ship owners, managers, etc. (670)	Harbour officials, wharfingers, etc. (671, 672)	Navigating officers and pilots (673)	Engineering, petty and radio officers, etc. (674-676, 678)	Dock labourers (681)	Other water transport workers (677, 679, 680, 689)	Directors and managers air transport (690)	Other air transport workers (691-699)	Managers and directors of other transport (700)	Foremen, supervisors (701)	Postmen, sorters and operators (702-705)	Messengers, lift atten- dants and porters (706-708)	Other workers (709)		Entire Order (710-759)
001-008 010-019 020-029	Tuberculosis of respiratory system Tuberculosis—other forms Syphilis
140-148 150 151 152, 153 154 161 162, 163	MALIGNANT NEOPLASMS (140-205) Buccal cavity Esophagus Stomach Intestine, except rectum Rectum Larynx Trachea, bronchus and lung not specified as secondary	13 1 1 1 3 — — 3	40 1 2 12 4 1 9	84 4 4 18 16 4 1 11	246 5 15 35 29 10 5 63	281 12 17 26 20 6 6 72	94 4 2 17 6 1 22	— — — — — — —	4 — — 1 1 — 2	39 2 13 5 3 — 5	31 8 7 5 1 — 7	218 5 36 27 17 4 53	157 8 28 18 3 3 41	1 — 1 — — — —	2,234 90 82 349 285 150 38 557	242 10 38 33 16 8 67
177 180 181, a 190, 191 196, 197 155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199 204 200-203, 205	Prostate Kidney Bladder Skin Bone and connective tissue ... All other and unspecified sites Leukemia and aleukemia ... Lymphosarcoma and other neo- plasms of lymphatic and hema- topoietic system Diabetes Anæmia Vascular lesions affecting central nervous system (b)	3 1 1 1 1 — 1 1 1 18	5 5 1 1 1 — — — 20	3 3 2 1 2 3 65	5 5 5 4 4 — — — 143	11 5 7 5 5 — 34	15 3 3 1 1 — 13	— — — — — — —	— — — — — — —	— — — — — — —	— — — — — — —	— — — — — — —	— — — — — — —	— — — — — — —	135 35 75 15 32 284 46 61 100 48 1,857	13 7 1 1 2 30 5 5 7 8 221

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
410-416	HEART DISEASE (410-443) Total	58	80	151	440	440	400	117	10	101	72	384	226	7	5,339	647
420	Chronic rheumatic heart disease	2	1	4	14	14	12	2	—	1	2	5	5	1	336	13
421	Coronary thrombosis...	28	36	70	174	153	153	57	—	52	32	210	108	3	2,700	349
422	Chronic endocarditis not specified as rheumatic	1	2	4	13	15	15	4	—	—	—	11	8	—	125	14
430-434	Myocardial degeneration	19	35	60	205	181	181	44	—	37	33	129	78	3	1,943	224
440-443	Other diseases of heart	7	3	4	21	25	25	7	—	6	3	22	16	—	250	24
444-447	Hypertension with heart disease	1	3	4	13	14	14	3	—	5	2	7	11	—	185	23
450	Hypertension without heart disease	2	4	8	21	19	19	4	—	4	4	9	9	—	150	44
480-483	Arteriosclerosis	1	2	10	16	17	17	7	—	5	2	11	4	—	202	23
490-493	Influenza	2	2	—	7	5	5	—	—	2	2	7	3	—	87	13
500-502	Pneumonia	2	4	4	33	46	13	—	—	2	3	17	27	—	336	40
523, 524	Bronchitis	5	5	4	41	93	30	—	—	9	1	50	39	—	492	55
470-475, 510-522, 525-527	Silicosis and occupational fibrosis	—	—	—	—	2	—	—	—	—	—	—	—	—	10	—
540	Other respiratory diseases	1	1	1	11	16	3	—	—	—	—	8	12	—	134	19
541	Ulcer of stomach	1	1	5	10	7	4	—	—	1	2	7	3	—	97	13
550-559, 542-578	Ulcer of duodenum	—	—	4	6	8	4	—	—	2	2	15	5	—	156	20
580-587	Other digestive diseases	2	—	4	14	14	9	—	—	3	2	21	12	—	181	23
590-594	Diseases of liver, gall bladder and pancreas	2	—	3	16	12	—	—	—	2	1	5	6	—	132	17
610	Nephritis and nephrosis	3	1	7	9	7	3	—	—	7	6	16	6	—	167	22
690-749	Hyperplasia of prostate	3	3	4	25	14	6	—	—	1	—	19	8	—	253	27
794	Diseases of skin and organs of locomotion	1	—	—	5	4	4	—	—	2	—	5	1	—	38	3
780-793, 795	Senility	3	2	8	29	19	10	—	—	—	—	16	2	—	147	16
Residual	Causes ill-defined and unknown	3	9	23	23	25	16	—	—	1	2	18	11	—	213	25
E963, E970-979	Other natural causes	5	11	16	65	40	8	—	—	10	5	62	21	—	539	59
E810-845	Suicide	1	1	1	12	5	3	—	—	1	—	7	3	—	111	14
(Part of)	Road transport accidents	1	1	2	6	15	3	—	—	2	2	7	11	1	139	12
E870-936	Accidents in the home	—	1	4	11	23	5	—	—	—	1	15	5	—	112	14
E800-802, E850-869, Rem. of E870-936, E940-962, E864-865, E980-999	Other violence	—	—	9	64	33	13	—	—	3	—	8	11	—	117	15
	ALL CAUSES	117	190	416	1,381	1,343	442	—	3	27	169	1,129	698	12	13,876	1,618
	AGES AT DEATH															
15-19	...	—	—	—	6	2	—	—	—	—	—	3	10	1	56	—
20-24	...	—	—	1	13	—	3	—	—	—	1	4	9	—	85	6
25-34	...	—	—	9	63	15	3	—	—	—	1	22	18	1	205	12
35-44	...	2	4	18	76	55	8	—	7	2	2	59	35	1	553	47
45-54	...	8	18	27	137	144	51	—	5	20	18	114	95	—	1,385	149
55-64	...	6	9	29	100	102	33	—	1	28	14	124	69	—	1,213	140
65-74	...	9	22	36	141	158	49	—	4	28	20	139	86	2	1,456	152
75 and over	...	17	25	52	172	217	61	—	2	31	28	202	102	2	1,842	198
Not stated	...	16	25	68	206	229	54	—	1	39	29	172	111	1	2,363	313
	...	59	87	176	467	421	150	—	—	73	56	290	163	4	4,718	601
	ALL AGES	117	190	416	1,381	1,343	442	—	3	27	169	1,129	698	12	13,876	1,618

TABLE AA.—continued

International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	XVIII. COMMERCIAL, FINANCE AND INSURANCE OCCUPATIONS (EX CLERICAL STAFF)—continued							XIX. PROFESSIONAL AND TECHNICAL OCCUPATIONS (EX CLERICAL STAFF)							
		Commercial travellers (715)	Proprietors, managers of retail businesses (720-729)	Salesmen, shop assistants, etc. (730-741, 749)	Coal hawkers (742)	Other hawkers and newspaper sellers (743, 744)	Company directors, bankers, insurance managers (750-753)	Auctioneers and other finance occupations (756-759)	Insurance brokers and agents (754, 755)	Entire Order (760-819)	Ministers, clergyman (760-762)	Judges, solicitors (764, 765)	Physicians, surgeons, etc. (766-768)	Trained nurses, midwives (770)	Veterinary surgeons, pharmacists, massagers, etc. (769, 774-777, 779)	Other nursing and medical auxiliary services, etc. (771-773, 778, 804)
001-008	Tuberculosis of respiratory system	52	129	128	2	20	23	1	23	158	6	5	18	15	13	3
010-019	Tuberculosis—other forms	1	13	9	4	—	9	—	3	13	—	2	4	1	1	—
020-029	Syphilis ...	6	9	4	4	3	6	—	3	15	—	—	—	—	—	—
140-148	MALIGNANT NEOPLASMS (140-205)	297	968	384	25	27	192	30	69	929	79	82	105	30	62	20
150	Buccal cavity	9	37	17	2	4	6	5	1	22	2	2	2	1	2	2
151	Esophagus	9	40	12	4	4	9	2	1	32	3	2	4	1	8	1
152	Stomach	42	153	67	5	6	27	4	7	129	17	11	15	7	4	—
153	Intestine, except rectum	46	119	43	5	1	24	2	12	105	6	16	9	5	4	—
154	Rectum	20	66	17	3	1	18	4	5	66	6	8	5	3	2	—
161	Larynx	4	9	8	—	2	5	1	1	15	1	1	3	—	1	1
162, 163	Trachea, bronchus and lung not specified as secondary	71	251	99	6	3	43	4	13	221	11	17	24	7	20	9
177	Prostate	27	60	18	—	—	11	—	6	70	6	8	3	2	7	—
180	Kidney	7	15	3	—	1	4	1	2	16	1	2	5	—	2	—
181	Bladder	7	38	14	—	1	6	—	4	35	4	1	4	1	3	—
190, 191	Skin	4	4	2	1	1	3	3	2	13	1	2	2	—	1	—
196, 197	Bone and connective tissue	5	12	4	—	—	5	2	2	18	3	2	3	1	1	1
155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199	All other and unspecified sites	33	127	55	3	3	24	3	6	127	14	7	16	1	5	5
200-203, 205	Leukemia and aleukemia	6	17	10	—	—	3	2	3	27	2	1	3	—	2	1
260	Lymphosarcoma and other neo- plasms of lymphatic and hamato- poietic system	10	20	15	—	—	4	—	7	33	2	2	7	2	2	—
290-293	Diabetes	7	56	12	2	1	8	—	6	46	6	3	4	1	2	—
330-334	Anemias	6	19	6	—	—	2	—	7	23	1	1	3	1	2	—
	Vascular lesions affecting central nervous system	192	854	278	29	17	172	25	69	827	101	87	83	14	66	2
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
HEART DISEASE (410-443) TOTAL	...	598	2,431	728	44	366	553	64	208	2,238	283	210	267	43	130	18
Chronic rheumatic heart disease	...	10	59	36	1	2	11	31	120	1,248	140	112	163	25	67	11
Coronary thrombosis	...	320	1,167	351	15	21	326	31	120	1,248	140	112	163	25	67	11
Chronic endocarditis not specified as rheumatic	...	9	67	20	2	2	7	23	69	759	111	77	82	1	2	3
Myocardial degeneration	...	199	944	248	22	33	181	23	69	759	111	77	82	1	2	3
Other diseases of heart	...	38	111	42	4	5	12	5	9	93	10	9	7	1	5	3
Hypertension with heart disease	...	22	83	31	4	3	16	3	4	81	15	3	6	2	5	1
Hypertension without heart disease	...	16	62	27	1	—	19	2	9	64	8	9	7	1	3	1
Arteriosclerosis	...	16	102	22	1	4	12	2	15	83	6	15	12	—	6	2
Influenza	...	3	37	15	3	1	9	1	4	43	3	12	4	1	7	2
Pneumonia	...	24	159	54	5	5	35	4	15	119	12	12	10	2	7	2
Bronchitis	...	71	211	86	12	14	20	3	20	131	13	18	13	3	10	2
Silicosis and occupational fibrosis	...	—	5	—	—	1	2	—	1	2	—	—	—	—	—	—
Other respiratory diseases	...	19	49	26	3	2	9	3	4	46	6	5	11	2	3	—
Ulcer of stomach	...	11	39	17	—	1	10	1	5	40	—	1	4	—	3	—
Ulcer of duodenum	...	12	76	26	1	1	15	2	3	55	4	8	7	1	3	—
Other digestive diseases	...	17	81	28	1	2	21	3	5	71	10	2	5	3	1	2
Diseases of liver, gall bladder and pancreas	...	18	63	10	1	2	17	2	2	38	3	3	2	2	3	2
Nephritis and nephrosis	...	19	69	26	1	6	12	2	10	53	3	4	7	1	4	1
Hyperplasia of prostate	...	24	119	34	—	3	27	2	17	87	12	10	9	1	6	1
Diseases of skin and organs of locomotion	...	6	23	17	—	—	2	—	—	—	—	2	4	—	3	1
Senility	...	12	78	17	4	1	13	1	1	55	13	2	3	1	3	1
Causes ill-defined and unknown	...	24	88	31	5	16	11	3	10	68	4	7	6	1	7	2
Other natural causes	...	51	224	102	9	16	52	8	28	255	23	23	31	5	16	4
Suicide	...	14	44	22	—	1	10	4	2	49	1	5	9	—	5	—
Read transport accidents	...	26	43	37	1	3	12	—	5	52	2	1	4	3	5	3
Accidents in the home	...	10	55	13	—	3	9	2	6	69	6	4	15	2	3	1
Rem. of E870-936, E800-802, E850-869, E940-962, E964-965, E980-989	...	8	53	21	1	8	7	2	2	61	1	4	6	—	4	1
Other violence	...	1,560	6,159	2,166	150	215	1,282	168	558	5,759	606	526	654	136	375	69
ALL CAUSES	...	1,560	6,159	2,166	150	215	1,282	168	558	5,759	606	526	654	136	375	69
AGES AT DEATH	...	—	2	50	2	2	—	—	—	14	—	—	—	—	—	—
15-19	...	6	10	55	2	2	1	—	3	49	—	—	3	—	—	3
20-24	...	28	56	88	2	3	6	1	10	139	4	6	11	1	10	5
25-34	...	61	193	152	7	14	44	4	21	291	13	20	30	14	23	6
35-44	...	155	563	282	11	27	125	18	56	547	31	51	72	28	35	7
45-54	...	157	484	197	13	25	149	23	52	437	31	31	71	11	31	11
55-59	...	188	611	233	13	25	149	23	57	635	31	33	82	16	33	9
60-64	...	216	859	238	23	28	193	21	66	737	69	72	83	16	38	6
65-69	...	262	1,066	335	33	38	206	32	75	930	106	95	102	21	77	5
70-74	...	487	2,312	528	45	51	421	65	208	1,980	302	230	200	25	117	8
75 and over	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ALL AGES	...	1,560	6,159	2,166	150	215	1,282	168	558	5,759	606	526	654	136	375	69

TABLE AA.—continued

International Nos. (1948 Revision)	CAUSE OF DEATH	XIX. PROFESSIONAL AND TECHNICAL OCCUPATIONS (EX CLERICAL STAFF)—continued						XX. PERSONS EMPLOYED IN DEFENCE SERVICES						XXI. PERSONS PROFESSIONALLY ENGAGED IN ENTERTAINMENT AND SPORT			
		XIX. PROFESSIONAL AND TECHNICAL OCCUPATIONS (EX CLERICAL STAFF)—continued						XX. PERSONS EMPLOYED IN DEFENCE SERVICES						XXI. PERSONS PROFESSIONALLY ENGAGED IN ENTERTAINMENT AND SPORT			
		Teachers (785)	Civil engineers, surveyors, architects, etc. (786-793, 800-803, 805-811)	Designers and Draftsmen (794, 799)	Other professional occupations (763, 780, 812-819)	Entire Order (820-839)	Commissioned Officers in Armed Forces (820, 822, 824)	Other ranks in Armed Forces (821, 823, 825)	Chief Constables and Inspectors of Police (830)	Police—other ranks, fire brigade and other occupations (831, 832, 839)	Watchmen (833)	Entire Order (840-855)	Managers and producers (840, 841, 843)	Stagehands (846)	Others in entertainment and sport (842, 844, 845, 847-855)		
001-008 010-019 020-029	Tuberculosis of respiratory system Tuberculosis—other forms Syphilis ...	15 2 2	41 2 2	32 4 2	10 1 1	166 9 22	4 — —	84 5 9	1 — —	31 2 8	46 5 5	36 5 5	6 — —	— — —	30 5 5		
140-148 150 151 152-153 154 161 162, 163	MALIGNANT NEOPLASMS (150-205) Total Buccal cavity ... Esophagus ... Stomach ... Intestine, except rectum ... Rectum ... Larynx ... Trachea, bronchus and lung not specified as secondary ... Pancreas ... Kidney ... Bladder ... Skin ... Bone and connective tissue ...	157 3 6 18 21 14 2	259 8 30 30 21 21 3	44 3 5 5 2 — —	91 4 1 18 9 5 2	579 18 32 100 74 53 5	36 2 3 3 5 1 1	75 17 13 8 1 1 1	35 2 — 1 1 1 1	206 4 16 32 24 18 1	227 11 10 42 31 23 1	138 7 9 21 14 7 1	26 3 4 3 3 — —	2 1 — — — — —	110 6 6 17 11 6 1		
177 180 181 ^a 190, 191 196, 197 155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199, 204 200-203, 205	All other and unspecified sites Leukemia and aleukemia ... Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system ... Diabetes ... Anemias ... Vascular lesions affecting central nervous system ...	27 15 2 8 1 3	72 17 2 8 4 4	11 5 1 1 1 —	23 7 1 5 1 1	122 32 11 14 8 10	10 3 1 — 1 1	15 2 1 1 — —	6 4 1 1 — 1	37 11 4 6 5 5	54 12 9 5 6 2 3	37 9 2 2 2 3 3	10 — — 3 — — 1	— — — — — — —	27 9 2 2 2 2 2		
280 290-293 330-334		28 5	32 12	8 —	11 1	68 14	5 —	12 3	7 1	23 7	21 3	10 2	1 1	— —	9 1		
		4 12 5	10 10 7	2 2 1	2 5 2	18 16 15	— — 2	1 2 2	1 1 1	13 6 7	3 7 3	5 1 —	— 1 —	— — —	5 — —		
		154 (c)	209 (d)	41 (e)	70 (f)	453 (g)	41 (h)	53 (i)	27 (j)	156 (k)	176 (l)	68 (m)	17 (n)	1 (o)	50 (p)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
410-416	HEART DISEASE (410-443) TOTAL	434	533	123	247	1,216	92	140	77	419	488	218	39	3	176
420	Chronic rheumatic heart disease	12	16	9	8	34	8	55	42	226	207	112	2	2	87
421	Coronary thrombosis...	232	302	73	123	586	56	55	42	226	207	112	23	2	87
422	Chronic endocarditis not specified as rheumatic	10	16	1	5	23	—	2	1	7	13	6	—	—	6
430-434	Mycardial degeneration	144	158	32	90	452	27	61	29	137	198	76	11	1	64
440-443	Other diseases of heart	20	20	7	14	66	—	10	3	23	30	10	2	—	8
444-447	Hypertension with heart disease	16	21	1	11	55	8	4	2	17	24	8	1	—	7
450	Hypertension without heart disease	9	18	1	7	36	1	6	2	17	10	11	2	—	9
480-483	Arteriosclerosis	14	20	6	4	40	2	4	2	12	20	2	—	—	2
490-493	Influenza	10	11	4	4	22	4	4	1	6	9	8	—	—	8
500-502	Pneumonia	15	34	14	11	87	6	15	7	20	39	19	3	—	16
523, 524	Bronchitis	28	21	7	16	171	4	12	4	47	104	40	10	1	29
470-475, 510-522, 525-527	Silicosis and occupational fibrosis	—	1	—	1	3	—	1	—	—	—	1	—	—	1
530-539, 542-578	Other respiratory diseases	4	8	1	6	22	3	5	—	3	11	10	3	—	7
540	Ulcer of stomach	8	16	1	7	37	4	5	3	15	14	3	—	—	3
541	Ulcer of duodenum	10	11	7	3	42	6	6	2	11	13	6	2	—	4
580-587	Other digestive diseases	14	20	7	7	52	4	7	2	13	26	9	1	—	8
590-594	Diseases of liver, gall bladder and pancreas	4	4	3	2	28	5	5	—	9	9	10	3	—	7
610	Nephritis and nephrosis	7	15	4	2	31	3	4	2	12	10	9	1	—	8
690-749	Hyperplasia of prostate	23	15	1	9	54	2	2	2	23	25	13	1	—	12
794	Diseases of skin and organs of locomotion	2	4	1	1	7	—	6	1	2	2	2	—	—	2
780-793, 795	Senility	8	13	4	6	34	3	6	2	8	15	9	3	—	6
Residual	Causes ill-defined and unknown	10	19	5	9	81	5	7	3	25	41	14	3	—	6
E963, E970-979	Other natural causes	49	53	20	31	132	10	35	10	42	35	28	4	1	23
E810-845	Suicide	5	16	4	4	31	6	11	1	3	10	5	2	—	3
(Part of)	Road transport accidents	5	19	7	3	61	5	31	2	13	10	8	1	—	7
E870-936	Accidents in the home	13	11	5	9	41	6	11	3	7	14	10	1	—	9
E800-802, E850-869, Rem. of E870-936, E940-962, E964-965, E980-999	Other violence	10	21	10	4	157	53	57	1	20	26	13	6	1	6
	ALL CAUSES	1,029	1,425	361	578	3,645	305	606	192	1,143	1,399	701	135	9	557
	AGES AT DEATH														
15-19	15-19	—	7	4	—	46	8	36	—	2	—	9	—	—	9
20-24	20-24	—	23	12	7	100	22	73	—	4	1	8	3	—	5
25-34	25-34	17	48	25	2	116	21	65	—	26	4	16	4	—	12
35-44	35-44	54	82	27	21	133	13	58	5	14	39	8	2	—	37
45-54	45-54	69	155	36	59	355	30	53	15	156	101	109	21	1	89
55-59	55-59	65	125	34	41	347	24	42	20	114	147	50	11	—	39
60-64	60-64	127	166	49	63	472	23	41	22	153	233	80	14	1	84
65-69	65-69	150	169	52	84	569	43	56	30	176	264	110	26	1	83
70-74	70-74	159	226	39	96	604	38	60	26	184	296	102	24	3	75
75 and over	75 and over	386	424	83	205	903	83	122	74	285	339	168	24	1	143
Not stated	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ALL AGES	1,029	1,425	361	578	3,645	305	606	192	1,143	1,399	701	135	9	557

TABLE AA.—continued

International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	XXII. PERSONS ENGAGED IN PERSONAL SERVICE (INCLUDING INSTITUTIONS, CLUBS, HOTELS, ETC.)										XXIII. CLERKS, TYPISTS, ETC.				
		Entire Order (861-888)	Proprietors (862-865, 870)	Barmen (866)	Waiters (867)	Barbers (873)	Charwomen and kitchen hands (876, 883)	Chefs, Cooks (882)	Other indoor domestic servants (884, 885)	Certain others in personal service (861, 872, 874, 880, 881)	Remainder of Order (868, 869, 871, 875, 877-879, 888)	Entire Order (890-895)	Clerks (not elsewhere specified) (890)	Short-hand typists, typists and other operators (891-894)	Costing and estimating clerks (895)	
001-008 010-019 020-029	Tuberculosis of respiratory system Tuberculosis—other forms Syphilis	202 14 20	22 1 6	52 3 1	14 1 1	16 1 1	7 1 1	10 1 1	1 1 2	16 1 3	64 6 4	267 14 14	231 10 13	3 2 —	33 2 1	
140-148 150 151 152, 153 154 155 161 162, 163	MALIGNANT NEOPLASMS (140-205) Buccal cavity Esophagus Stomach Intestine, except rectum Rectum Larynx Trachea, bronchus and lung specified as secondary Prostate Kidney Bladder Skin Bone and connective tissue	809 42 32 134 87 52 11	169 12 8 30 16 3 2	83 10 9 9 8 6 3	18 1 3 2 2 2 —	58 4 2 7 5 4 2	16 1 1 4 2 1 —	32 6 1 7 3 3 —	22 8 5 4 1 1 —	124 8 5 22 15 13 —	287 6 11 49 32 22 3	899 32 33 140 105 57 13	750 26 28 120 91 49 12	8 — — 2 — — —	141 6 5 18 14 8 1	
177 180 181 190, 191 196, 197 155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199 200-203, 205	All other and unspecified sites Leukemia and aleukemia Lymphosarcoma and other neo- plasms of lymphatic and hamato- poietic system Diabetes Anemias Vascular lesions affecting central nervous system	210 52 13 25 5 21	41 14 5 4 1 6	23 7 2 2 — 2	5 1 1 1 — —	10 2 1 1 2 5	4 1 1 1 — —	12 4 1 1 — —	4 4 2 — — 2	18 10 2 6 1 1	93 12 10 10 1 5	255 43 16 26 5 15	209 32 13 21 7 11	3 — — — 1 —	43 11 3 3 2 4	
260 290-293 330-334		92 12	21 —	6 1	1 —	9 3	— —	2 3	2 1	18 2	33 2	110 14	95 13	2 —	13 1	
		21 28 20	6 8 3	1 6 1	— 2 —	1 1 1	1 — —	2 — —	— 1 1	3 4 6	7 3 7	30 36 19	23 28 16	— 1 —	7 7 3	
(a)		544	166	28	9	59	6	15	12	105	144	661	513	8	140	
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
HEART DISEASE (410-443) TOTAL	Chronic rheumatic heart disease	1,588	397	122	27	153	34	287	40	23	505	1,933	1,549	20	384
410-416	Coronary thrombosis...	57	10	1	1	6	3	10	3	10	20	64	55	13	9
420	Chronic endocarditis... not specified	754	200	63	15	73	14	109	11	14	255	1,091	876	—	202
421	as rheumatic	45	10	4	1	6	1	5	1	—	17	47	40	—	7
422	Mycardial degeneration	572	144	32	8	47	12	141	21	5	162	576	449	7	120
430-434	Other diseases of heart	101	21	7	2	13	5	14	4	2	33	89	75	—	14
440-443	Hypertension with heart disease	59	15	6	—	8	2	8	—	2	18	66	54	—	12
444-447	Hypertension without heart disease	52	10	6	2	5	—	10	1	2	16	65	59	—	6
450	Arteriosclerosis	65	16	3	1	5	2	17	2	—	19	71	56	3	12
480-483	Influenza	30	6	2	—	5	1	22	1	1	8	33	22	1	10
490-493	Pneumonia	120	21	15	3	12	5	37	—	4	100	133	100	1	32
500-502	Bronchitis	204	35	30	9	13	3	15	3	4	92	208	170	—	38
523, 524	Silicosis and occupational fibrosis	6	—	—	—	1	—	2	1	—	2	2	2	—	—
470-475, 510-522,	Other respiratory diseases	45	7	8	1	2	4	5	1	2	15	50	42	1	7
525-527	Ulcer of stomach	38	7	1	2	4	2	9	1	2	10	44	36	—	8
540	Ulcer of duodenum	42	8	12	2	5	1	11	2	2	11	56	50	1	5
541	Other digestive diseases	61	15	6	3	5	1	8	2	3	18	66	54	1	11
580-587	Diseases of liver, gall bladder and pancreas	61	28	4	2	—	1	9	2	—	15	35	28	—	7
590-594	Nephritis and nephrosis	50	15	6	1	4	1	7	1	3	15	54	46	—	8
610	Hyperplasia of prostate	71	27	2	—	4	—	17	3	—	18	51	32	2	17
690-749	Diseases of skin and organs of locomotion	14	5	—	—	2	—	3	2	—	2	15	15	—	—
794	Senility	55	13	3	1	4	—	21	1	2	10	46	34	1	11
780-793, 795	Causes ill-defined and unknown	89	18	11	1	5	4	17	4	3	26	88	77	1	10
Residual	Other natural causes	192	40	13	10	26	3	25	7	5	63	283	231	4	48
E963, E970-979	Suicide	38	9	8	1	5	4	4	1	1	5	53	44	—	9
E810-845	Road transport accidents	37	8	3	2	3	1	3	1	3	13	37	30	—	7
(Part of)	Accidents in the home	50	16	6	3	2	1	6	—	3	13	39	27	—	12
E870-936	Other violence	51	16	5	1	2	1	9	—	1	16	46	39	—	7
E800-802,	ALL CAUSES	4,596	1,092	440	117	400	99	765	114	125	1,444	5,318	4,304	58	956
E850-869,	AGES AT DEATH	15	1	1	2	2	—	5	—	—	4	42	38	—	4
Rem. of E870-936,	15-19	41	—	13	4	5	—	3	3	—	13	59	52	2	5
E940-962,	20-24	95	12	25	5	11	1	3	1	3	30	174	143	2	29
E964-965,	25-34	247	66	47	19	17	6	14	3	14	62	313	263	2	48
E980-999	35-44	586	136	83	17	54	19	52	9	52	196	684	578	3	103
	45-54	461	96	44	14	35	21	40	8	40	183	608	519	6	83
	55-59	569	143	59	11	49	21	54	11	54	197	691	588	4	99
	60-64	624	154	49	16	61	12	90	19	90	208	735	594	9	132
	65-69	680	172	47	13	61	8	135	15	12	217	769	609	12	148
	70-74	1,278	312	72	16	105	11	365	48	15	334	1,243	920	18	305
	75 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	ALL AGES	4,596	1,092	440	117	400	99	765	114	125	1,444	5,318	4,304	58	956

TABLE AA.—continued

International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	XXIV. WAREHOUSEMEN, STOREKEEPERS, PACKERS AND BOTTLERS				XXV. STATIONARY ENGINE DRIVERS, CRANE DRIVERS, STOKERS, ETC.						XXVI. WORKERS IN UNSKILLED OCCUPATIONS (NOT ELSEWHERE SPECIFIED)				
		Entire Order (900-909)	Warehousemen and storekeepers (900, 901)	Storekeeper's assistants (902)	Packers and bottlers (903-909)	Entire Order (910-921)	Stationary engine drivers and switch board attendants (910, 918)	Other stationary engine drivers and attendants, crane drivers, etc., above ground (911-913, 919)	Boiler firemen and stokers (915)	Remainder of Order (914, 916, 917, 920, 921)	Entire Order (930-950)	Assemblers, etc., not elsewhere specified (930-932)	Labourers in metal, engineering and allied trades (940)	Labourers in textiles (941)	Other labourers (935-939, 942-950)	
001-008	Tuberculosis of respiratory system	98	89	4	5	88	3	41	23	21	931	52	17	639		
010-019	Tuberculosis—other forms	5	3	—	1	9	—	4	5	—	51	10	4	34		
020-029	Syphilis	15	14	—	—	8	—	3	4	1	68	12	3	51		
140-148	MALIGNANT NEOPLASMS	469	400	20	49	469	39	193	183	54	2,981	179	83	2,000		
150	Buccal cavity	20	19	1	1	15	2	6	4	3	126	6	7	87		
151	Esophagus	22	16	1	5	14	1	4	7	2	124	6	2	82		
152, 153	Stomach	81	74	3	4	103	8	44	38	13	587	31	9	410		
154	Intestine, except rectum	57	45	2	12	49	6	20	20	3	338	15	3	238		
161	Rectum	30	23	2	—	27	2	6	17	2	212	10	3	152		
162, 163	Larynx	10	10	—	—	5	—	3	2	—	40	12	3	25		
177	Trachea, bronchus and lung	128	109	7	12	141	7	61	53	20	786	60	28	496		
180	specified as secondary	18	16	2	—	25	6	7	10	2	162	6	9	111		
181a	Prostate	8	8	—	—	6	—	3	1	2	37	1	—	30		
190, 191	Kidney	10	8	—	2	13	2	1	2	1	70	5	—	45		
196, 197, 198,	Bladder	2	1	1	—	5	—	8	2	1	30	7	—	23		
199, 200, 201,	Skin	5	5	—	—	5	—	1	2	—	43	1	1	29		
155-160, 164, 165, 170, 178, 179, 181b, 192-195, 196, 199	Bone and connective tissue	—	—	—	—	—	—	3	2	—	—	—	—	—		
200-203, 205		62	52	3	7	45	4	19	19	3	317	29	7	206		
260	All other and unspecified sites	5	5	—	—	3	—	—	3	—	37	4	2	25		
290-293	Leukemia and aleukemia	11	9	1	1	13	—	8	3	2	72	5	1	51		
330-334	Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system	5	5	—	—	8	1	3	3	1	59	1	1	42		
	Diabetes	11	9	—	—	16	3	6	5	2	54	5	3	40		
	Anemias	297	264	8	27	291	36	108	115	32	1,900	125	63	1,292		
	Vascular lesions affecting central nervous system	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		
(a)														(p)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
410-416	HEART DISEASE (410-443) TOTAL	837	739	19	79	843	97	357	320	69	5,108	299	1,130	173	3,506
420	Chronic rheumatic heart disease	26	23	1	2	20	3	8	9	2	195	15	138	8	134
421	Coronary thrombosis...	425	379	12	34	376	42	174	134	26	2,048	155	505	70	1,318
422	Chronic endocarditis not specified as rheumatic	32	28	2	2	15	2	3	10	—	137	12	27	3	95
430-434	Mycardial degeneration	285	251	2	32	353	42	136	139	36	2,265	95	462	77	1,631
440-443	Other diseases of heart	48	42	2	4	51	5	24	20	2	337	16	68	13	240
444-447	Hypertension with heart disease	21	16	—	5	28	3	12	8	5	126	6	30	2	88
450	Hypertension without heart disease	25	19	1	5	30	1	17	7	5	170	13	33	3	121
480-483	Arteriosclerosis	26	21	2	3	42	6	14	17	5	226	16	43	8	159
490-493	Influenza	10	10	—	—	15	2	27	6	—	111	8	25	4	74
500-502	Pneumonia	76	69	2	5	70	7	27	27	9	576	38	116	19	403
523, 524	Bronchitis	124	106	1	17	144	8	61	55	20	1,023	66	304	17	686
470-475, 510-522, 525-527	Sclerosis and occupational fibrosis	—	—	—	—	8	4	—	2	1	48	1	14	—	33
530-539, 542-578	Other respiratory diseases	21	21	—	—	19	—	9	8	2	153	9	27	4	113
540	Ulcer of stomach	16	14	1	1	17	1	9	5	2	107	8	30	5	164
541	Ulcer of duodenum	28	27	1	—	22	1	12	7	2	159	10	36	3	110
580-587	Other digestive diseases	32	29	—	3	30	3	13	9	5	182	13	36	10	123
590-594	Diseases of liver, gall bladder and pancreas	12	10	1	1	16	2	6	7	1	90	7	23	3	57
610	Nephritis and nephrosis	24	23	—	1	20	3	10	6	1	168	7	29	5	127
690-749	Hyperplasia of prostate	30	26	—	4	34	4	13	13	4	182	10	37	12	123
794	Diseases of skin and organs of locomotion	7	5	—	2	3	—	2	—	1	50	—	12	2	36
780-793, 795	Senility	27	22	—	5	26	1	9	14	2	272	9	57	6	200
Residual	Causes ill-defined and unknown	44	38	1	5	50	8	20	13	9	379	15	102	8	254
E963, E970-979	Other natural causes	108	94	1	13	76	7	30	28	11	697	29	151	18	499
E810-845	Suicide	16	13	—	3	9	—	3	6	—	113	5	27	6	75
(Part of)	Road transport accidents	14	12	—	2	28	2	14	10	2	146	8	29	3	106
E870-936	Accidents in the home	20	20	—	—	29	1	10	15	3	194	5	40	5	144
E800-802, E850-869, E880-889, E940-962, E964-965, E980-999	Other violence	29	23	1	5	60	6	30	12	12	373	9	85	7	272
	ALL CAUSES	2,426	2,125	61	240	2,480	246	1,032	925	277	16,571	952	3,791	495	11,333
	AGES AT DEATH	9	7	1	1	4	—	3	—	1	81	3	15	7	56
15-19	15-19	23	16	3	4	11	—	9	1	1	182	7	28	8	139
20-24	20-24	47	40	2	5	45	—	29	10	6	475	36	93	13	333
25-34	25-34	122	105	7	10	115	5	71	23	16	907	49	209	24	825
35-44	35-44	319	266	15	38	336	16	157	112	51	2,266	131	598	54	1,483
45-54	45-54	229	195	5	29	245	16	108	87	34	1,660	105	444	52	1,367
55-59	55-59	322	293	7	22	301	25	118	123	35	2,074	120	522	63	1,867
60-64	60-64	316	286	4	26	339	38	141	133	39	2,283	133	558	66	1,926
65-69	65-69	358	316	4	38	357	43	137	138	37	2,418	124	540	72	1,882
70-74	70-74	681	601	13	67	727	103	259	298	67	4,425	244	784	134	3,063
75 and over	75 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ALL AGES	2,426	2,125	61	240	2,480	246	1,032	925	277	16,571	952	3,791	495	11,333

TABLE AA.—*continued*

International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	XXVII. OTHER AND UNDEFINED WORKERS							XXVIII. NOT GAINFULLY OCCUPIED		
		Entire Order (961-979)	Inspectors, foremen, etc. (961, 971)	Managers (970)	Rag, bone and bottle sorters (973)	Other Civil Service and Local Authority officials (not clerks) (974, 975)	Officials of foreign governments (976)	All other and undefined occupations (965, 972, 979)	Entire Order (980, 981, X)	Students and persons following occupations outside United Kingdom (980, 981)	No gainful occupation stated (X)
001-008 010-019 020-029	Tuberculosis of respiratory system Tuberculosis—other forms Syphilis ...	40 2 5	12 — —	2 — 1	— — —	3 — 1	— — —	23 2 3	199 44 7	19 3 1	180 41 6
140-148 150 151 152-153 154 161 162, 163	MALIGNANT NEOPLASMS (140-205) Buccal cavity Esophagus Stomach Intestine, except rectum Rectum Larynx Trachea, bronchus and lung not specified as secondary	207 8 2 36 32 32 2 2	71 4 2 12 15 2 —	12 — — 2 1 1 —	4 — — 1 — — —	36 — 6 4 3 1	— — — — — —	84 — 15 12 3	242 7 7 41 45 7 5	52 1 1 4 7 6 2	190 6 6 37 38 6 3
177 180 181 ^a 190, 191 196, 197 155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199 204 200-203, 205	Prostate Kidney Bladder Skin Bone and connective tissue	59 17 13 7 3 4	16 3 2 3 3 1	5 2 — 1 —	— — — — 1	8 6 — — —	— — — — —	30 6 3 — 2	33 11 4 5 8	12 4 2 1 2	21 7 3 3 2 2 6
260 290-293 330-334	All other and unspecified sites Leukemia and aleukemia Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system Diabetes Anemias Vascular lesions affecting central nervous system	17 5 — 4 6 4 113	5 2 — 1 3 1 43	— — — — 2 21	1 1 — — — 1	5 — — — — 13	— — — — — —	6 2 — — — 35	47 7 — — — —	8 2 — — — 27	39 5 — — — 157
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)

(a)	(b) HEART DISEASE (410-443) Total	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)
410-416	Chronic rheumatic heart disease	398	146	49	3	72	—	128	598	82	516
420	Coronary thrombosis...	188	67	26	1	35	—	59	199	44	34
421	Chronic endocarditis not specified as rheumatic	8	4	17	—	1	—	2	24	1	23
422	Myocardial degeneration	158	61	17	1	29	—	50	278	21	254
430-434	Other diseases of heart	18	5	2	—	2	—	9	35	5	35
440-443	Hypertension with heart disease	17	7	2	1	3	—	4	40	5	15
444-447	Hypertension without heart disease	17	8	2	—	—	—	7	20	6	14
450	Arteriosclerosis	13	8	2	—	1	—	2	17	2	15
480-483	Influenza	10	3	2	—	1	—	1	34	—	34
490-493	Pneumonia	33	10	2	—	1	—	14	109	3	109
500-502	Bronchitis	44	7	4	—	7	—	29	112	7	58
523, 524	Silicosis and occupational fibrosis	1	1	—	—	—	—	—	65	—	—
470-475, 510-522, 525-527	Other respiratory diseases	11	3	—	—	—	—	6	25	4	21
540	Ulcer of stomach	11	4	—	—	2	—	5	13	1	12
541	Ulcer of duodenum	11	4	1	—	3	—	3	18	2	16
530-539, 542-578	Other digestive diseases	10	2	3	—	2	—	3	41	2	39
580-587	Diseases of liver, gall bladder and pancreas	7	3	2	—	1	—	1	14	2	12
590-594	Nephritis and nephrosis	15	4	1	—	2	—	8	34	6	28
610	Hyperplasia of prostate	16	7	1	—	2	—	7	19	4	15
690-749	Diseases of skin and organs of locomotion	1	—	1	—	—	—	—	28	2	26
794	Senility	9	1	—	—	3	—	5	33	1	31
780-793, 795	Causes ill-defined and unknown	17	7	1	1	1	—	7	28	3	25
Residual	Other natural causes	51	20	5	—	8	—	18	341	20	321
E963, E970-979	Suicide	6	1	1	—	3	—	1	20	11	9
E810-845	Road transport accidents	12	4	1	—	2	—	5	41	21	20
(Part of)	Accidents in the home	8	3	1	—	2	—	2	33	6	27
E870-936	Other violence	14	5	3	—	1	—	5	111	59	52
E800-802, E850-869, Rem. of E870-936, E940-962, E964-965, E980-999	ALL CAUSES ...	1,092	381	119	9	175	—	408	2,338	349	1,989
	Other violence	14	5	3	—	1	—	5	111	59	52
	ALL CAUSES ...	1,092	381	119	9	175	—	408	2,338	349	1,989
	AGES AT DEATH	5	—	1	1	—	—	3	310	19	291
15-19	...	8	—	2	—	—	—	6	176	55	121
20-24	...	9	—	2	—	2	—	5	211	39	172
25-34	...	5	—	2	—	6	—	31	181	87	174
35-44	...	144	16	16	1	21	—	60	246	27	219
45-54	...	93	27	18	2	16	—	42	143	21	122
55-59	...	137	55	22	—	22	—	46	173	32	139
60-64	...	135	41	14	2	28	—	58	208	41	167
65-69	...	71	22	22	—	35	—	88	218	26	189
70-74	...	184	126	30	3	47	—	112	454	62	392
75 and over	...	318	—	—	—	—	—	—	23	20	5
Not stated	...	—	—	—	—	—	—	—	—	—	—
	ALL AGES	1,092	381	119	9	175	—	408	2,338	349	1,989

TABLE BB.—Average Annual Male Death-rates per 100,000 Population Aged 15 and over in Occupation Order from certain Main Causes, 1949-1953.

NOTE.—The death-rates in this Table are not adjusted for variations in age distribution. (For adjusted rates see Table CC.)

Occupation Order	Census Population aged 15 and over	All Causes	All tuberculosis	Malignant neoplasms (cancer)	Vascular lesions affecting central nervous system	Heart disease	Pneumonia	Bronchitis	Other respiratory diseases	Ulcer of stomach and duodenum	Nephritis and nephrosis	Hyperplasia of prostate	Violence excluding suicide
TOTAL MALES	1,795,273	1,625	65	279	206	565	44	71	32	27	16	26	63
I													
Fishermen ...	13,804	2,751	61	411	354	1,056	43	55	32	32	29	77	128
II													
Agricultural workers	161,323	1,742	26	257	240	661	40	38	25	29	20	42	65
III													
Mining and quarrying	95,250	2,017	48	294	248	677	51	138	125	21	17	31	111
IV													
Workers in treatment of non-metalliferous mining products (other than coal) ...	5,422	1,324	70	236	144	443	30	77	41	22	18	14	33
V													
Coal gas, and coke makers in chemical and allied trades ...	9,599	1,525	54	292	167	563	31	71	29	38	6	6	65
VI													
Workers in metal manufacture & allied trades ...	274,659	1,422	70	275	180	462	41	71	25	23	13	18	57
VII													
Textile workers ...	24,570	1,740	62	300	234	630	51	63	40	31	9	42	41
VIII													
Tanners, etc., leather goods makers, fur dressers ...	9,781	2,341	106	399	319	781	86	88	31	41	25	41	53
IX													
Makers of textile goods and articles of dress	12,136	2,528	86	377	344	962	73	92	41	51	21	56	51
X													
Makers of food, drinks and tobacco ...	28,451	1,526	51	297	197	534	32	85	28	22	14	26	38
XI													
Workers in wood, cane and cork ...	64,364	1,495	48	239	211	545	36	56	20	23	16	32	50
XII													
Makers of, and workers in paper, etc., printing, etc. ...	18,006	1,799	57	314	222	688	64	74	22	32	18	31	41
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
XIII	Makers of products not elsewhere specified	8,911	1,544	94	321	148	532	49	67	31	29	20	27	54
XIV	Workers in building and contracting ...	110,928	1,090	44	194	139	365	35	53	21	16	9	17	50
XV	Painters & decorators	29,198	1,196	51	221	175	380	34	49	27	27	11	17	40
XVI	Administrators, directors, managers, etc.	32,737	2,308	35	393	327	954	53	65	40	29	17	45	58
XVII	Persons employed in transport and communication ...	181,395	1,682	76	323	205	565	39	74	25	28	16	24	73
XVIII	Commercial, finance and insurance occupations	141,396	1,963	63	316	263	755	48	70	33	36	24	36	52
XIX	Professional and technical occupations (excluding clerks) ...	80,206	1,436	43	232	206	571	30	33	23	24	13	22	45
XX	Persons employed in defence	56,171	1,298	62	206	161	433	31	61	17	28	11	19	92
XXI	Persons professionally engaged in entertainment and sport ...	8,438	1,661	97	327	161	517	45	95	45	21	21	31	73
XXII	Persons engaged in personal service ...	50,624	1,816	85	320	215	627	47	81	32	32	20	28	55
XXIII	Clerks, typists, etc. ...	76,126	1,397	74	236	174	508	35	55	22	26	14	13	32
XXIV	Warehousemen, storekeepers, etc. ...	33,103	1,466	62	283	179	506	46	75	19	27	15	18	38
XXV	Stationary engine drivers, crane drivers, etc.	31,814	1,559	61	295	183	530	44	91	26	25	13	21	74
XXVI	Workers in unskilled occupations (N.E.S.)	153,683	2,157	128	388	247	665	75	133	41	35	22	24	93
XXVII	Other and undefined workers	20,075	1,088	42	206	113	397	33	44	22	22	15	16	34
XXVIII	Not gainfully occupied	63,103	741	77	77	58	190	35	21	19	10	11	6	59

TABLE CC.—Mortality at Various Ages of Males in Occupation Orders and in Selected Occupations as compared with that for all Males of Similar Age (=100), Corrected throughout for Differences in Age Constitution.

Code No.	Occupation	Census Population 1951 aged 15 and over (including retired)	All ages (15 and over)	Age				Mortality in respect of deaths of occupied and retired males aged 14 years and over in the years 1930-1932 (see page 17 of text)
				20-64	15-19	20-44	45-64	65 and over
	ALL MALES Death-rate per 100,000 population	—	1,625	774	120	259	1,642	8,406
	ALL MALES	1,795,273	100·0	100·0	100	100	100	100
000.001	I. Fishermen	13,804	102·0	87·8	(145)	109	84	107
010, 011, 018, 020	II. Agricultural occupations	161,323	83·3	63·4	83	72	61	92
013-015	Farmers, etc.	55,353	82·5	57·4	(61)	61	57	91
022	Market and other gardeners	19,289	83·9	76·1	(105)	89	74	86
012, 016, 017, 019, 021, 029	Agricultural machine, tractor drivers, etc.	14,575	39·0	28·2	(38)	32	24	90
030	Farm workers, etc.	64,094	86·7	70·5	94	84	66	95
	Foresters	8,012	83·8	63·6	(91)	100	53	99
040-049	III. Mining and quarrying occupations	95,250	115·5	107·2	62	101	109	120
050-059	Coal mining	87,352	117·3	109·6	56	100	112	122
	Other mines, quarries, etc.	7,898	97·6	82·2	(156)	106	76	105
060-089	IV. Workers in the treatment of non-ferrous mining products (other than coal)	5,422	110·1	101·1	(69)	102	100	118
090-109	V. Coal gas and coke makers, workers in chemical and allied trades	9,599	116·7	96·5	(175)	81	101	138
110-119	VI. Workers in metal manufacture, engineering and allied trades	274,659	109·6	106·2	82	92	111	113
131, 132	Foremen, overlookers	13,023	60·1	48·9	—	35	51	75
134-138	Moulders	12,376	121·3	114·1	(97)	76	127	124
145-149	Foundry labourers, etc.	11,230	113·8	117·5	(162)	118	117	111
155-157	Smiths, forgers	11,315	108·8	99·4	(44)	86	101	112
160-164	Coppersmiths, sheet iron and sheet metal workers	8,878	111·8	101·2	(86)	85	108	120
171-177	Platers, riveters and shipwrights	23,857	130·7	139·1	(116)	104	146	126
181-189	Metal machinists	21,696	97·2	93·5	(39)	79	97	105
200-204	Fitters, machine erectors	80,202	103·9	104·3	69	86	110	93·3
231-249	Plumbers, pipe fitters, etc.	20,799	89·1	94·4	(86)	95	94	86
121-130, 150, 151, 191-198, 205-229, 251-279	Electrical apparatus makers and fitters and electricians	34,440	112·1	109·2	76	89	121	120
	Remainder of order	36,843	135·2	123·7	155	122	124	147
	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)

(d)	VII.	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)
280-284	Textile workers	24,570	98.2	89.0	(66)	69	85	103
310-312	Oppressors, sorters, blenders, carders, combers, drawers	...	4,012	83.9	95.9	(59)	(58)	104	78
330-339	Weavers	...	3,929	87.4	80.4	(44)	64	87	108
290-304, 320, 321, 340-349	Bleachers, dyers, finishers	...	6,705	89.0	77.9	(82)	64	81	94
	Others	...	9,924	113.5	97.3	(70)	76	103	123
360-369	Tanners, etc., leather goods makers, fur dressers	...	9,781	106.3	109.6	(188)	120	107	104
350-359, 370-379	Boot and shoe makers	...	6,832	104.8	112.3	(104)	132	108	102
	Others	...	2,949	109.9	103.1	(408)	(96)	105	111
380-389	Makers of textile goods and articles of dress	...	12,136	104.6	104.3	(72)	90	108	105
400-402	Garment workers	...	6,485	104.7	118.0	(143)	114	119	102
390-399, 410-419	Upholsters, etc.	...	4,420	105.2	91.4	(19)	85	94	118
	Others	...	1,231	102.0	69.1	—	(28)	79	121
422, 423	Makers of food, drinks and tobacco	...	28,451	95.8	87.2	(61)	66	93	101
420, 421, 424-439	Bakers	...	16,091	88.7	86.2	(46)	67	92	91
440-469	Others in food	...	8,265	95.3	76.9	(112)	63	81	110
	Makers of drinks and tobacco	...	4,095	128.6	110.3	(125)	(72)	119	138
472	Workers in wood, cane and cork	...	64,364	92.4	82.7	59	76	85	98
470, 471, 473-489	Carpenters, joiners	...	39,598	86.9	80.0	51	73	83	91
	Other workers in wood	...	24,766	99.8	86.0	(77)	80	88	107
520-539	Makers of, and workers in, paper and paper board, bookbinders, printers	...	18,006	102.1	93.5	(41)	59	102	108
500-519	Printers and bookbinders	...	12,355	97.0	88.4	(21)	56	96	102
	Others	...	5,651	117.3	105.0	(118)	65	117	127
540-549	Makers of products not elsewhere specified	...	8,911	143.0	131.6	(175)	120	136	153
550-579	Workers in rubber	...	3,810	119.1	109.0	(247)	97	114	129
	Others	...	5,101	161.5	152.0	(165)	142	156	169
580, 581	Workers in building and contracting	...	110,928	71.7	60.9	(41)	65	60	79
583	Foremen, gangers, clerks of works	...	7,971	88.6	70.8	—	71	71	105
585	Bricklayers	...	11,057	94.6	89.0	(74)	87	85	102
588	Plasterers	...	5,304	100.4	89.0	(36)	96	112	100
589	Slaters and tilers	...	6,584	109.5	92.2	—	100	88	103
593	Masons	...	6,201	118.8	102.2	(28)	73	113	122
599	Platelayers	...	6,462	110.3	87.8	—	89	87	126
582, 584, 586, 591	Navvies	...	45,147	96.0	28.8	(41)	25	29	42
587, 592, 594-598	Other labourers	...	15,540	90.0	38.7	(72)	100	98	82
	Other workers	...	6,662	77.3	81.4	(18)	97	75	76
600-609	Painters and decorators	...	29,198	96.3	94.0	(52)	76	101	99
610-611	Administrators, directors, managers, etc.	...	32,737	112.5	88.6	—	73	91	130
612-615	Civil service administrative and executive	...	5,328	115.8	105.6	—	80	109	130
620-629	Local authority, heads and managers of commercial and industrial office departments	...	6,237	73.9	62.6	—	(40)	67	82
	Managers in industrial undertakings other than office	...	21,172	122.2	91.1	—	82	93	142

TABLE CC.—continued

Code No.	Occupation	Census Population 1951 aged 15 and over (including retired)	All ages (15 and over)	Age				Mortality in respect of deaths of occupied and retired males aged 14 years and over in the years 1930-1932 (see page 77 of text)
				20-64	15-19	20-44	45-64	65 and over
XVII.	Persons employed in transport and com- munication	181,395	115.8	111.1	91	113	111	120
	1. <i>Railway transport workers</i>	40,545	106.1	100.2	(136)	96	101	110
	Railway officials, station masters, etc.	3,436	88.6	68.9	—	(56)	70	99
	Locomotive engine drivers and firemen	12,113	105.1	100.4	(233)	(86)	102	109
	Guards	3,844	100.6	88.9	—	(68)	97	109
	Signalmen	4,668	104.1	93.9	—	(76)	97	109
	Other railway transport workers	16,484	116.6	114.9	(148)	117	115	118
	2. <i>Road transport workers</i>	83,384	120.6	115.0	106	109	113	130
	Bus, tram and garage managers	3,091	113.1	105.0	135	135	140	121
	Drivers of transport buses	13,933	100.2	95.8	(3,333)	79	103	107
	Drivers of other self-propelled vehicles	47,042	102.3	103.8	(100)	106	103	89
	Bus and tram conductors	4,404	117.0	114.4	—	85	140	123
	3. <i>Other road transport workers</i>	14,914	153.1	148.5	104	201	140	156
XVIII.	Water transport workers	29,741	127.9	131.5	(100)	151	127	126
	Ship owners, managers, harbour officials, etc.	2,078	100.4	80.4	—	(67)	82	110
	Navigating, engineering and petty officers, seamen, etc.	11,089	153.2	170.1	(133)	210	158	146
	Dock labourers	10,123	111.1	119.4	(222)	124	119	107
	4. <i>Other water transport</i>	6,451	133.9	121.3	—	107	125	144
	Postmen	27,725	104.9	104.5	(56)	111	103	106
	Messengers	11,340	97.8	85.7	(92)	59	91	107
	5,698	89.9	91.4	(39)	(80)	92	99	102.3
	Others in transport and communication	10,687	116.0	128.4	(195)	170	119	107
	Commercial, finance and insurance occupations (excluding clerks)	141,396	114.2	105.2	104	88	110	120
	Proprietors and managers	53,067	124.0	113.4	(146)	100	116	129
	Commercial travellers	16,979	109.5	97.9	—	74	104	118
	Salesmen and shop assistants	47,316	90.5	91.5	104	85	95	89
XIX.	Other commercial occupations	8,297	83.6	78.8	(115)	68	83	87
	Insurance agents	6,560	95.5	90.7	—	84	93	99
	Others in finance and insurance	9,177	139.6	132.4	—	107	136	144
	Professional and technical occupations (excluding clerks)	80,206	96.2	88.0	(51)	80	91	102
	Ministers of religion	5,667	88.3	68.7	—	56	71	96
	Judges, solicitors	4,033	104.2	102.5	—	90	106	105
	Physicians and surgeons	7,318	111.8	111.7	—	88	118	112
	Nurses and medical auxiliary services	7,415	111.0	99.3	—	84	105	123
	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)
XVII.	Persons employed in transport and com- munication	181,395	115.8	111.1	91	113	111	120
	1. <i>Railway transport workers</i>	40,545	106.1	100.2	(136)	96	101	110
	Railway officials, station masters, etc.	3,436	88.6	68.9	—	(56)	70	99
	Locomotive engine drivers and firemen	12,113	105.1	100.4	(233)	(86)	102	109
	Guards	3,844	100.6	88.9	—	(68)	97	109
	Signalmen	4,668	104.1	93.9	—	(76)	97	109
	Other railway transport workers	16,484	116.6	114.9	(148)	117	115	118
	2. <i>Road transport workers</i>	83,384	120.6	115.0	106	109	113	130
	Bus, tram and garage managers	3,091	113.1	105.0	135	135	140	121
	Drivers of transport buses	13,933	100.2	95.8	(3,333)	79	103	107
	Drivers of other self-propelled vehicles	47,042	102.3	103.8	(100)	106	103	89
	Bus and tram conductors	4,404	117.0	114.4	—	85	140	123
	3. <i>Other road transport workers</i>	14,914	153.1	148.5	104	201	140	156
XVIII.	Water transport workers	29,741	127.9	131.5	(100)	151	127	126
	Ship owners, managers, harbour officials, etc.	2,078	100.4	80.4	—	(67)	82	110
	Navigating, engineering and petty officers, seamen, etc.	11,089	153.2	170.1	(133)	210	158	146
	Dock labourers	10,123	111.1	119.4	(222)	124	119	107
	4. <i>Other water transport</i>	6,451	133.9	121.3	—	107	125	144
	Postmen	27,725	104.9	104.5	(56)	111	103	106
	Messengers	11,340	97.8	85.7	(92)	59	91	107
	5,698	89.9	91.4	(39)	(80)	92	99	102.3
	Others in transport and communication	10,687	116.0	128.4	(195)	170	119	107
	Commercial, finance and insurance occupations (excluding clerks)	141,396	114.2	105.2	104	88	110	120
	Proprietors and managers	53,067	124.0	113.4	(146)	100	116	129
	Commercial travellers	16,979	109.5	97.9	—	74	104	118
	Salesmen and shop assistants	47,316	90.5	91.5	104	85	95	89
XIX.	Other commercial occupations	8,297	83.6	78.8	(115)	68	83	87
	Insurance agents	6,560	95.5	90.7	—	84	93	99
	Others in finance and insurance	9,177	139.6	132.4	—	107	136	144
	Professional and technical occupations (excluding clerks)	80,206	96.2	88.0	(51)	80	91	102
	Ministers of religion	5,667	88.3	68.7	—	56	71	96
	Judges, solicitors	4,033	104.2	102.5	—	90	106	105
	Physicians and surgeons	7,318	111.8	111.7	—	88	118	112
	Nurses and medical auxiliary services	7,415	111.0	99.3	—	84	105	123
	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)
XVII.	Persons employed in transport and com- munication	181,395	115.8	111.1	91	113	111	120
	1. <i>Railway transport workers</i>	40,545	106.1	100.2	(136)	96	101	110
	Railway officials, station masters, etc.	3,436	88.6	68.9	—	(56)	70	99
	Locomotive engine drivers and firemen	12,113	105.1	100.4	(233)	(86)	102	109
	Guards	3,844	100.6	88.9	—	(68)	97	109
	Signalmen	4,668	104.1	93.9	—	(76)	97	109
	Other railway transport workers	16,484	116.6	114.9	(148)	117	115	118
	2. <i>Road transport workers</i>	83,384	120.6	115.0	106	109	113	130
	Bus, tram and garage managers	3,091	113.1	105.0	135	135	140	121
	Drivers of transport buses	13,933	100.2	95.8	(3,333)	79	103	107
	Drivers of other self-propelled vehicles	47,042	102.3	103.8	(100)	106	103	89
	Bus and tram conductors	4,404	117.0	114.4	—	85	140	123
	3. <i>Other road transport workers</i>	14,914	153.1	148.5	104	201	140	156
XVIII.	Water transport workers	29,741	127.9	131.5	(100)	151	127	126
	Ship owners, managers, harbour officials, etc.	2,078	100.4	80.4	—	(67)	82	110
	Navigating, engineering and petty officers, seamen, etc.	11,089	153.2	170.1	(133)	210	158	146
	Dock labourers	10,123	111.1	119.4	(222)	124	119	107
	4. <i>Other water transport</i>	6,451	133.9	121.3	—	107	125	144
	Postmen	27,725	104.9	104.5	(56)	111	103	106
	Messengers	11,340	97.8	85.7	(92)	59	91	107
	5,698	89.9	91.4	(39)	(80)	92	99	102.3
	Others in transport and communication	10,687	116.0	128.4	(195)	170	119	107
	Commercial, finance and insurance occupations (excluding clerks)	141,396	114.2	105.2	104	88	110	120
	Proprietors and managers	53,067	124.0	113.4	(146)	100	116	129
	Commercial travellers	16,979	109.5	97.9	—	74	104	118
	Salesmen and shop assistants	47,316	90.5	91.5	104	85	95	89
XIX.	Other commercial occupations	8,297	83.6	78.8	(115)	68	83	87
	Insurance agents	6,560	95.5	90.7	—	84	93	99
	Others in finance and insurance	9,177	139.6	132.4	—	107	136	144
	Professional and technical occupations (excluding clerks)	80,206	96.2	88.0	(51)	80	91	102
	Ministers of religion	5,667	88.3	68.7	—	56	71	96
	Judges, solicitors	4,033	104.2	102.5	—	90	106	105
	Physicians and surgeons	7,318	111.8	111.7	—	88	118	112
	Nurses and medical auxiliary services	7,415	111.0	99.3	—	84	105	123
	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)
XIX.	Professional and technical occupations —	<i>continued</i>						
780, 785	Teachers	16,043	80.7	64.2	—	58	66	82.6
789	Draftsmen	9,347	93.3	90.7	(33)	92	92	83.2
786-794	Professional engineering, etc.	13,035	103.3	99.1	(121)	91	102	106
800-809	Scientists, etc.	6,720	84.9	82.6	(55)	85	81	91
810-819	Other professional and technical occupations	10,628	102.0	97.6	—	90	100	—
XX.	Persons employed in defence	56,171	98.7	123.5	62	106	130	—
820-825	Armed Forces	33,132	139.7	145.6	60	118	202	—
830-831	Police	10,479	111.1	113.0	(714)	76	125	—
832, 833, 839	Others in civil defence services	12,560	82.2	117.2	(385)	102	118	—
XXI.	Persons professionally engaged in entertainment and sport	8,438	116.7	113.9	(250)	130	110	85.8
840-855								
861-888	Persons engaged in personal service	50,624	97.7	103.0	(134)	123	99	105.5
880-885	Clerks, typists, etc.	76,126	104.4	107.4	106	109	107	99.1
900-909	Warehousemen, storekeepers, etc.	33,103	91.6	87.7	(67)	97	86	95.1
912	Stationary engine drivers, crane drivers, etc.	31,814	85.0	82.3	(155)	88	81	95.5
915	Crane drivers	7,475	123.4	126.5	(282)	146	122	—
910, 911, 913, 914, 916-921	Boiler firemen and stokers	9,411	86.1	84.3	—	72	86	96.7
	Others	14,928	69.3	60.6	(124)	64	60	—
XXVI.	Workers in unskilled occupations (N.E.S.)	153,683	129.9	142.6	138	167	137	—
930-932	Assemblers and machine minders (N.E.S.)	12,578	124.9	122.4	(107)	92	134	—
935-950	Labourers (N.E.S.)	141,105	130.2	144.1	140	176	138	121.4
961-979	Other and undefined workers	20,075	75.5	69.3	(27)	70	69	—
980, 981, X	Not gainfully occupied	63,103	33.2	133.6	222	296	86	—
XIV.	Workers in building and contracting, but excluding navvies	65,781	98.5	89.5	(41)	91	89	—
599, 935-950	Navvies and labourers (N.E.S.)	186,252	108.4	115.8	128	136	112	—

TABLE DD.—Mortality of Males (Aged 15 and Over and 15-64) in Occupation Orders and in Selected Occupations from Certain Causes as compared with that for All Males (=100), corrected for Differences in Age Constitution.

Code No.	Occupation	All Tuberculosis (001-019) 15 and over 64	Malignant neoplasms		Vascular lesions affecting central nervous system (330-334)		Coronary thrombosis (420)	Other arterio-sclerotic and degenerative heart disease (421, 422)	Bronchitis and pneumonia (490-502)	Accidental death (800-962)
			Total (140-205) 15 and over 64	Respiratory system (160-165) 15 and over 64	15 and over 64	15 and over 64				
ALL MALES										
	Death-rate per 100,000 population	65	279	146	72	55	254	244	115	62
	ALL MALES	100	100	100	100	100	100	100	100	100
000, 001	I. Fishermen	87	95	77	38	(45)	94	89	103	95
010, 011, 018, 020 013-015 022 012, 016, 017, 019, 021, 029 030	II. Agricultural occupations	39	36	75	62	35	31	85	73	76
	Farmers etc.	25	20	74	62	30	27	86	69	49
	Market and other gardeners	72	73	86	74	64	56	87	89	90
	Agricultural machine tractor drivers, etc.	(8)	(8)	(28)	(20)	(24)	(27)	(68)	(32)	(28)
	Farm workers etc.	46	45	74	62	30	25	83	82	73
	Foresters	(53)	(47)	70	52	(25)	(25)	96	(84)	69
040-049 050-059	III. Mining and quarrying occupations	73	61	99	83	79	91	111	99	96
	Coal mining	73	60	101	92	84	80	113	104	96
	Other mines, quarries, etc.	(67)	(71)	76	69	(73)	83	(52)	88	62
060-089	IV. Workers in the treatment of non-metallic ferrous mining products (other than coal)	(113)	(105)	114	109	(114)	(123)	101	(54)	74
090-109	V. Coal gas and coke makers, workers in chemical and allied trades	79	83	122	100	116	102	113	112	119
110-119 131, 132 134-138 145-149 155-157 160-164 171-177 181-189 200-204 231-249	VI. Workers in metal manufacture, engineering and allied trades	112	110	121	118	141	136	116	103	106
	Foremen, overlookers	(31)	(32)	59	54	62	54	69	57	82
	Moulders	99	96	135	138	180	162	130	108	103
	Foundry labourers, etc.	147	131	114	115	140	161	110	87	81
	Smiths, forgersmen	68	68	109	94	96	91	119	112	103
	Coppersmiths, sheet iron and sheet metal workers	140	132	136	141	155	(122)	133	(68)	100
	Platers, riveters and shipwrights	167	158	146	155	181	163	127	113	127
	Metal machinists	120	118	101	113	132	117	117	109	91
	Fitters, machine erectors	84	83	113	112	138	125	112	102	118
	Plumbers and pipe fitters, etc.	105	110	111	115	118	98	84	85	93
(a)	Electrical apparatus makers and fitters and electricians (b)	110	109	133	128	177	170	126	116	133
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)
							</			

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
121-130, 150, 151, 191-198, 205-229, 251-279	Remainder of order	145	149	155	143	185	183	135	109	116	114	134	104	167	138	130	123
VII.	Textile workers	95	98	101	94	88	82	101	75	102	100	100	87	91	90	63	45
280-284	Openers, sorters, blenders, carders, combers, drawers	(88)	(88)	79	71	(53)	(56)	71	(112)	85	92	80	(72)	114	(135)	(95)	(73)
310-312	Weavers	(85)	(94)	109	(105)	(62)	(61)	91	(52)	101	(75)	124	(97)	(87)	(52)	(35)	(36)
330-339	Bleachers, dyers, finishers	(83)	(95)	99	86	104	(88)	91	(47)	84	88	89	(100)	88	(73)	(32)	(22)
290-304, 320, 321, 340-349	Others	110	105	113	108	98	97	129	(36)	127	120	112	(80)	84	(93)	68	(53)
VIII.	Tanners, etc., leather goods makers, fur dressers	159	163	110	114	106	108	107	107	93	102	94	(103)	111	106	72	(51)
360-369	Boot and shoe makers	162	182	108	108	(126)	(102)	107	127	92	109	98	(111)	108	(113)	(57)	(36)
350-359, 370-379	Others	(154)	(188)	117	130	(124)	(124)	106	(59)	95	(83)	83	(83)	119	(91)	(108)	(84)
IX.	Makers of textile goods and articles of dress ...	135	143	98	96	99	102	101	118	114	126	101	(73)	96	(67)	69	(34)
380-389	Garment workers	198	238	93	95	99	(108)	143	101	113	143	101	(67)	90	(71)	80	(35)
400-402	Upholsterers, etc.	(35)	(44)	101	95	(107)	(118)	129	(167)	113	113	94	(59)	119	(41)	(32)	(32)
390-399, 410-419	Others	(30)	(59)	134	(84)	(36)	(33)	(104)	(32)	(76)	(68)	115	(138)	101	(34)	(75)	(38)
X.	Makers of foods, drinks and tobacco ...	79	81	109	103	116	112	98	95	91	76	101	93	104	106	62	43
422, 423	Bakers... ..	89	85	108	110	118	112	91	89	88	74	93	91	92	101	56	(30)
420, 421, 424-439	Others in food	(34)	(37)	98	89	107	109	89	(92)	104	78	104	(79)	123	(78)	(73)	(56)
440-469	Makers of drinks and tobacco	(92)	(80)	148	108	124	(127)	145	(117)	80	78	136	(124)	121	(176)	(64)	(67)
XI.	Workers in wood, cane and cork ...	79	82	88	85	79	81	100	89	93	85	99	79	81	73	80	72
472	Carpenters, joiners	69	74	84	82	70	73	96	100	89	84	89	70	65	55	78	75
470, 471, 473-489	Other workers in wood	92	93	93	87	91	90	105	76	97	87	112	90	102	95	83	68
XII.	Makers of, and workers in, paper and paper board, bookbinders, printers	87	80	106	99	90	95	97	85	111	105	114	97	111	103	62	(45)
520-539	Printers and bookbinders	85	77	107	100	90	87	80	73	109	109	106	94	110	97	(41)	(12)
500-519	Others	(92)	(84)	102	98	(89)	(114)	122	(114)	115	95	142	(103)	(115)	(114)	(114)	(114)
XIII.	Makers of products not elsewhere specified ...	154	157	167	183	195	205	122	(90)	135	124	164	(145)	157	159	96	(83)
540-549	Workers in rubber	(128)	(130)	118	88	(126)	(139)	109	(13)	141	126	117	(178)	145	(150)	(78)	(36)
550-579	Others	176	179	206	212	234	266	132	(72)	131	122	198	(117)	166	(166)	(108)	(119)
XIV.	Workers in building and contracting ...	66	58	73	65	70	68	74	55	64	54	75	55	82	69	82	84
580, 581	Foremen, gangers, clerks of works ...	(37)	(49)	98	89	88	84	97	(72)	104	93	96	(73)	48	(24)	136	124
585	Bricklayers	97	95	88	84	(97)	(61)	89	(95)	102	82	133	(184)	128	(130)	80	(83)
586	Plasterers	(94)	(109)	108	(88)	(99)	(100)	101	(102)	106	(51)	98	(41)	(90)	(45)	(96)	(94)
588	Stainers and tiers	108	(182)	110	97	(96)	(108)	125	(95)	70	122	92	(54)	122	(152)	111	(138)
589	Masons	205	(191)	104	110	71	182	103	(95)	112	94	101	(111)	147	(127)	(55)	(98)
590	Platelayers	(64)	93	131	131	106	(65)	106	(85)	125	95	120	(38)	117	(83)	260	263
591	Navvies	26	25	98	98	32	29	86	96	26	22	44	41	46	41	33	31
582, 584, 586, 591	Other labourers	97	89	118	129	122	118	83	90	69	73	77	(48)	110	119	103	111
587, 592, 594-598	Other workers	(79)	(62)	86	90	(101)	(118)	75	(96)	74	86	71	(49)	100	(88)	152	164

TABLE DD.—continued

Code No.	Occupation	All Tuberculosis (001-019)	Malignant neoplasms				Vascular lesions affecting central nervous system (330-334)		Coronary thrombosis (420)		Other arterio-sclerotic and degenerative heart disease (421, 422)		Bronchitis and pneumonia (480-502)		Accidental death (800-962)	
		15 and over 64	15-64	15 and over 64	15-64	15 and over 64	15 and over 64	15-64	15 and over 64	15-64	15 and over 64	15-64	15 and over 64	15-64	15 and over 64	15-64
600-609	XV. Painters and decorators	87	87	103	104	121	117	107	89	89	91	97	95	79	72	65
610-611	XVI. Administrators, directors, managers, etc.	46	37	107	85	95	128	123	152	133	119	86	79	49	85	77
612-615	Civil service administrative and executive...	(24)	(27)	125	105	137	75	138	165	154	103	48	79	(65)	(73)	(87)
620-629	Local authority, heads and managers of commercial and industrial office departments	(26)	(15)	72	66	66	(46)	(86)	(76)	(86)	(86)	(86)	(36)	(31)	(29)	(44)
	Managers in industrial undertakings other than office ...	58	46	113	85	92	69	138	117	160	136	130	97	91	103	84
XVII.	Persons employed in transport and communication	114	112	126	120	127	126	118	104	114	115	114	106	110	102	122
630	1. <i>Railway transport workers</i>	73	74	109	104	123	106	119	105	113	103	79	85	79	118	132
631-633	Railway officials, station masters, etc.	(28)	(36)	83	(47)	(94)	(98)	98	(87)	125	120	81	(29)	(44)	(70)	(67)
635	Locomotive engine drivers and firemen	55	64	108	107	99	102	120	98	111	100	106	110	92	110	121
636	Guards	(64)	(73)	91	104	(102)	(109)	125	(122)	101	100	90	(36)	(73)	(44)	(96)
634, 637-649	Signalmen	(49)	(51)	113	99	(87)	(99)	140	(93)	118	106	90	(36)	(73)	(44)	(96)
650, 651, 663	Other railway transport workers	100	98	125	123	127	135	129	115	114	125	117	81	(52)	(30)	(114)
655-657	2. <i>Road transport workers</i>	114	113	131	122	138	133	124	102	118	123	112	127	107	108	99
658, 659	Bus, tramway and garage managers	(104)	(108)	110	88	(77)	(45)	104	(92)	148	147	103	(73)	(38)	(10)	(129)
661	Drivers of trams and buses	64	63	123	124	128	127	101	95	115	118	92	(109)	95	86	(55)
662-654, 660, 662, 669	Drivers of other self-propelled vehicles	110	113	116	115	124	123	189	91	113	119	91	108	84	102	100
670-672	Bus and tram conductors	(137)	(142)	133	130	(170)	(151)	(126)	(102)	102	(125)	(101)	(86)	246	(46)	(31)
673-676	Other road transport workers	175	165	158	148	182	187	162	152	121	131	159	143	183	179	156
681	3. <i>Water transport workers</i>	181	169	146	149	154	159	118	94	109	110	121	129	127	186	209
677-680, 689	Ship owners, managers, harbour officials, etc.	(73)	(47)	101	93	(99)	(108)	92	(87)	130	121	115	(53)	(54)	(36)	(47)
702	Navigating, engineering and petty officers, seamen, etc.	228	237	178	194	189	194	140	132	136	139	143	(118)	91	(87)	216
706	Dock labourers	174	150	135	148	153	157	98	67	79	89	103	135	159	167	282
680-689, 700, 701, 703-705, 707-709	Other water transport	155	131	142	113	132	140	138	(97)	115	106	126	172	163	144	291
	4. <i>Other transport workers</i>	99	103	117	106	110	107	103	105	116	115	101	112	96	100	180
	Postmen	84	80	109	92	111	106	103	91	106	88	92	102	74	74	52
	Messengers	(63)	(70)	108	(81)	(94)	(52)	85	(72)	89	(85)	106	(150)	(114)	(29)	(34)
	Others in transport and communication	127	137	127	129	113	123	107	131	134	155	109	112	115	126	130
	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
XVIII.	Commercial, finance and insurance occupations	93	91	106	101	112	105	121	121	141	131	114	88	96	78	81	71
	Proprietors and managers	93	88	112	107	126	119	130	131	152	141	125	54	103	87	84	93
	Commercial travellers	86	87	118	111	119	110	109	78	140	133	102	54	94	64	84	88
	Sales and shop assistants	97	101	94	98	100	102	105	110	94	93	85	81	87	86	51	50
	Other commercial occupations	106	101	66	56	60	61	76	98	68	70	100	130	95	69	84	67
	Insurance agents	105	100	68	70	51	45	93	76	130	130	81	45	85	52	63	65
	Others in finance and insurance	81	66	122	106	113	98	148	187	213	196	133	121	82	47	99	102
XIX.	Professional and technical occupations																
	(excluding clerks)	65	67	90	82	89	75	111	114	134	116	92	97	59	45	76	74
	Ministers of religion	34	31	71	52	48	40	105	112	131	106	97	97	50	37	49	27
	Judges, solicitors	36	36	102	109	103	91	123	148	152	146	90	45	84	77	59	51
	Physicians and surgeons	78	81	101	89	103	71	119	183	173	158	102	53	22	119	139	
	Nurses and medical auxiliary services	118	121	117	102	127	95	143	129	128	108	109	86	77	68	78	81
	Teachers	30	33	72	62	53	44	96	88	116	90	84	73	47	38	62	38
	Draftsmen	134	138	67	46	65	62	109	98	118	118	75	68	80	58	76	72
	Professional engineering, etc.	63	60	111	105	116	101	119	107	142	129	85	113	58	52	89	100
	Scientists etc.	31	33	82	103	122	130	109	109	100	84	98	107	47	11	67	74
	Other professional and technical occupations	74	78	100	94	115	95	109	102	142	125	99	144	66	55	78	78
XX.	Persons employed in defence	108	113	93	105	88	97	97	146	104	123	87	133	101	117	153	159
	Armed Forces...	125	123	123	93	141	120	166	234	167	142	134	175	108	88	206	203
	Police	56	61	119	128	80	80	121	187	141	147	104	103	87	37	94	89
	Others in civil defence services	120	139	78	97	79	99	76	105	80	108	73	133	104	163	113	89
XXI.	Persons professionally engaged in entertainment and sport	145	148	127	132	124	103	96	95	113	92	104	99	138	132	126	119
XXII.	Persons engaged in personal service	119	123	96	103	98	103	93	109	97	97	93	102	95	92	84	85
XXIII.	Clerks, typists, etc.	114	116	98	96	110	102	110	105	132	143	93	105	94	85	55	48
XXIV.	Warehousemen, storekeepers, etc.	90	92	97	95	104	107	93	85	96	95	90	74	104	97	60	51
XXV.	Stationary engine drivers, crane drivers, etc.	83	86	88	90	99	100	82	76	77	72	93	76	101	104	112	113
	Crane drivers	145	152	135	132	154	150	95	108	112	107	125	101	166	182	173	173
	Boiler firemen and stokers	77	83	95	98	105	111	84	83	75	77	95	92	104	99	112	98
	Others	57	55	65	64	70	69	75	57	65	54	79	53	74	73	85	91
XXVI.	Workers in unskilled occupations (N.E.S.)	187	187	131	140	136	141	121	125	98	106	135	164	174	201	147	145
	Assemblers and machine minders (N.E.S.)	134	134	132	132	162	160	142	130	128	120	108	161	196	184	60	51
	Labourers (N.E.S.)	191	192	131	141	134	139	119	124	96	105	136	164	173	202	154	154
XXVII.	Other and undefined workers	66	67	80	80	85	82	65	50	80	78	84	54	74	62	55	55
XXVIII.	Not gainfully occupied	160	220	24	66	22	36	18	96	21	59	21	200	36	175	78	123
XIV.	Workers in building and contracting, but excluding navvies	96	82	102	99	103	104	100	83	94	84	97	69	109	94	117	123
	Navvies and labourers (N.E.S.)	151	151	109	113	110	113	101	100	80	85	115	134	144	163	125	124

TABLE EE.—Deaths of Males by Cause and by Age Groups in Social Class. 1949-1953.

International Nos. Detailed List (1948 Revision)	CAUSE OF DEATH	TOTAL MALES 15 and over	SOCIAL CLASS					Not GAINFULLY OCCUPIED (excl. Retired)	* SOCIAL CLASS SUB-DIVISIONS					
									III(a)	III(b)	III(c)	III(d)	IV(a)	IV(b)
			I	II	III	IV	V							
001-008 010-019 020-029	Tuberculosis of respiratory system Tuberculosis—other forms Syphilis ...	5,464 382 470	103 7 14	440 41 56	2,695 152 224	862 76 77	1,165 62 92	199 44 7	115 6 8	320 15 26	234 12 13	2,026 119 177	107 23 14	755 53 63
140-148 150 151 152, 153 154 161 162, 163	MALIGNANT NEOPLASMS (140-205) TOTAL Buccal cavity ... Esophagus ... Stomach ... Intestine, except rectum ... Rectum ... Larynx ... Trachea, bronchus and lung not specified as secondary ... Prostate ... Kidney ... Bladder ... Skin ... Bone and connective tissue ...	25,069 1,001 884 4,716 3,094 1,725 356 5,944 1,599 735 277 411	835 22 31 112 109 61 15 197 52 18 26 13 19	3,878 151 140 660 541 267 57 781 309 69 126 40 67	11,643 185 146 2,171 1,397 759 170 2,943 709 178 341 114 183	4,355 157 171 915 536 302 55 936 252 178 138 58 76	4,116 177 171 411 466 302 54 1,054 226 65 99 58	242 7 7 41 45 7 5 33 11 4 5 3 8	852 39 29 201 213 7 15 165 67 14 35 8 11	1,261 35 28 213 139 83 17 361 77 18 29 14 15	758 26 28 122 91 49 12 212 32 13 21 8 11	8,772 387 288 1,635 1,073 579 126 2,205 533 133 256 16 146	938 37 28 232 136 79 7 105 91 16 20 18 20	3,417 148 118 683 683 250 48 831 201 11 35 11 56
155-160, 164, 165, 170, 178, 179, 181b, 192-195, 198, 199 200-203, 205	All other and unspecified sites Leukemia and leukemia ... Lymphosarcoma and other neo- plasms of lymphatic and hema- tologic system ... Diabetes ... Anamias ... Vascular lesions affecting nervous system ...	2,845 456 646 737 529	107 22 31 34 18	499 69 102 171 90	1,278 236 316 320 244	482 65 91 116 105	432 57 94 85 65	47 7 12 11 7	89 18 19 15 21	140 33 43 46 24	97 13 23 29 16	952 172 231 230 183	100 22 20 34 27	382 43 71 82 78
260 290-293 330-334	HEART DISEASE (410-443) TOTAL Chronic rheumatic heart disease ... Coronary thrombosis... Chronic endocarditis not specified as rheumatic ... Myocardial degeneration ... Other diseases of heart ... Hypertension with heart disease ...	18,451 50,756 1,501 22,817 1,305 20,582 2,817 1,734	769 2,158 47 1,226 45 700 68 72	3,499 9,726 211 4,590 253 3,871 487 314	8,267 22,545 699 10,467 543 8,736 1,236 864	3,162 8,717 261 3,531 248 3,901 515 261	2,570 7,012 246 2,804 192 3,096 471 203	184 598 37 199 28 274 40 20	741 2,011 37 755 45 976 123 75	726 2,151 81 1,067 61 736 121 85	521 1,569 55 889 456 456 75 54	6,279 16,814 526 7,756 397 6,568 917 650	825 2,337 61 846 73 1,750 131 62	2,337 6,383 200 2,685 175 2,740 384 199
410-416 420 421 422 430-434 440-443	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	Hypertension without heart disease	1,700	66	272	809	305	228	20	63	89	59	598	75	230
450	Arteriosclerosis	2,329	71	443	944	461	303	17	105	74	59	706	143	318
480-483	Influenza	994	37	174	419	183	147	34	36	35	23	325	50	133
490-493	Pneumonia	3,946	120	565	1,668	717	764	112	142	132	101	1,293	158	559
500-502	Bronchitis	6,389	91	683	2,867	1,328	1,355	65	375	238	170	2,084	163	1,165
523, 524	Silicosis and occupational fibrosis	614	3	10	368	177	56	—	301	4	2	61	1	176
470-475, 510-522, 525-527	Other respiratory diseases	1,277	46	182	580	226	218	25	51	58	43	428	42	184
540	Ulcer of stomach	988	42	159	448	182	144	13	13	57	36	342	50	132
541	Ulcer of duodenum	1,395	55	247	642	221	212	18	39	66	51	486	57	164
530-539, 542-578	Other digestive diseases	1,907	69	337	839	350	270	41	59	74	55	651	84	266
580-587	Diseases of liver, gall bladder and pancreas	941	50	214	381	152	130	14	25	53	28	275	26	126
590-594	Nephritis and nephrosis	1,449	48	276	632	242	217	34	49	61	46	476	61	181
610	Hyperplasia of prostate	2,299	82	511	986	440	261	19	85	88	34	779	142	298
690-749	Diseases of skin and organs of locomotion	427	14	83	186	54	62	28	13	29	15	129	12	42
794	Senility	2,192	50	479	828	465	338	32	119	54	35	620	136	329
780-793, 795	Causes ill-defined and unknown	2,644	54	396	1,136	492	538	28	76	114	78	868	128	364
Residual	Other natural causes	6,088	211	1,000	2,679	971	886	341	167	289	235	1,988	284	687
E963, E970-979	Suicide	914	49	161	378	154	152	20	16	42	44	276	49	105
E810-845	Road transport accidents	1,457	45	183	708	267	213	41	34	103	30	541	107	160
(Part of)	Accidents in the home	1,448	53	248	594	256	264	33	57	47	27	463	62	194
E870-886	Other violence	2,744	94	244	1,196	582	517	111	208	167	39	782	99	483
E880-887	ALL CAUSES	145,910	5,288	24,769	65,378	25,695	22,442	2,338	5,802	6,443	4,362	48,771	6,231	19,464
Rem. of E870-936, 939-962	AGES AT DEATH	1,040	15	20	441	147	107	310	6	10	38	387	57	90
E940-962	15-19	1,422	49	60	693	228	216	176	18	59	54	562	62	166
E964-965	20-24	3,551	97	277	1,831	569	566	211	99	298	145	1,289	132	437
E980-999	25-34	6,474	218	776	3,142	1,021	1,136	181	208	473	265	2,196	192	829
	35-44	15,470	498	2,008	7,175	2,599	2,944	246	486	1,073	581	5,035	403	2,196
	45-54	11,974	458	1,773	5,441	1,999	2,160	143	362	620	525	3,934	308	1,691
	55-59	15,550	567	2,371	7,054	2,567	2,820	171	515	671	592	5,276	481	2,086
	60-64	19,167	701	3,195	8,580	3,311	3,172	208	712	764	603	6,501	735	2,576
	65-69	22,961	849	4,130	10,332	4,029	3,406	215	1,070	837	621	7,804	1,032	2,997
	70-74	48,278	1,836	10,159	20,689	9,225	5,915	454	2,326	1,638	938	15,787	2,829	6,396
	75 and over	23	—	—	—	—	—	23	—	—	—	—	—	—
Not stated	TOTAL ALL AGES	145,910	5,288	24,769	65,378	25,695	22,442	2,338	5,802	6,443	4,362	48,771	6,231	19,464

* These sub-divisions are made up from the following occupation code numbers in the Classification of Occupations:—

Class III. (a) Mineworkers (040, 041, 042, 050, 051, 910, 918)
 (b) Transport Workers (631-2, 635-7, 652-3, 655-9, 674-6, 678, 691-3, 699).
 (c) Clerical Workers (890-2, 894).

Class IV. (a) Agricultural Workers (012, 015-017, 019, 029).
 (b) Others.

TABLE FF.—Mortality at various Ages of Males in Social Class as compared with that for all Males of Similar Age (=100), corrected throughout for differences in Age Constitution.

Social Class	Census Population 1951 aged 15 and over (including retired)	Age					
		All ages (15 and over)	20-64	15-19	20-44	45-64	65 and over
ALL MALES Death-rate per 100,000 population	—	1,625	774	120	259	1,642	8,406
ALL MALES	1,795,273	100·0	100·0	100	100	100	100
SOCIAL CLASS:			COMPARATIVE MORTALITY				
I	52,955	112·4	107·9	(126)	99	110	115
II.	224,768	101·0	86·2	64	80	87	109
III.	888,086	106·0	102·5	78	94	105	109
IV.	316,904	98·1	90·3	84	92	90	103
V.	249,457	103·4	112·6	100	131	109	97
SUB-DIVISION:							
III. (a) Mineworkers ...	40,069	126·7	137·9	(114)	120	143	123
(b) Transport Workers ...	96,540	112·1	107·5	(95)	108	108	117
(c) Clerical Workers	54,604	114·4	124·9	109	139	121	106
(d) Others	696,873	102·5	97·3	75	86	101	107
IV. (a) Agricultural Workers ...	77,877	85·6	71·9	92	85	69	92
(b) Others ...	239,027	102·9	95·5	80	94	96	108

NOTE.—The rates for persons not in any social class (those not gainfully occupied, etc.) are excluded from this table.

TABLE GG.—Mortality of Males aged 15 and Over in Social Class from Certain Causes as compared with that for all Males (=100), corrected for Differences in Age Constitution.

Social Class	All Tuberculosis (001-019)	MALIGNANT NEOPLASMS		Vascular lesions affecting central nervous system (330-334)	Coronary thrombosis (420)	Other arterio-sclerotic and degenerative heart disease (421, 422)	Bronchitis and pneumonia (490-502)	Accidental death (800-962)
		Total (140-205)	Respiratory system (160-165)					
ALL MALES Death-rate per 100,000 Population	65	279	72	206	254	244	115	62
ALL MALES	100	100	100	100	100	100	100	100
SOCIAL CLASS								
I.	61	104	104	128	167	103	63	113
II.	59	93	81	109	119	106	71	85
III.	102	109	115	109	109	104	105	94
IV.	90	96	86	96	85	107	110	110
V.	143	106	109	95	79	107	135	124
SUB-DIVISION								
III. (a) Mineworkers	88	115	110	118	111	128	160	203
(b) Transport Workers	104	121	127	113	116	111	93	117
(c) Clerical Workers	138	111	123	115	143	98	100	58
(d) Others ...	99	107	113	107	105	101	102	87
IV. (a) Agricultural Workers	53	78	41	85	77	103	62	104
(b) Others ...	101	103	100	100	89	108	128	112

NOTE.—See note on Table FF.

TABLE HH.—Deaths of Females by Cause and by Age Groups in Selected Occupations. 1949-1953.

	FEMALES 1949-1953	Scotland	Women gainfully occupied	II. Agricultural occupations	Farmers and crofters (010, 018)	Other agricultural workers (015, 016, 019)	VII. Textile workers (280-349)	Sorters, spinners, winders, etc. (280-282, 290, 291, 300-304)	Openers, blenders, carders, etc. (283, 284)	Weavers (310-312)	Knitters (320-321)	Other skilled workers (330, 331, 340, 342, 343, 346, 349)	Other workers (292, 332-339, 341, 345)	IX. Makers of textile goods, etc. (380-419)	Cutlers and tailors (381-383)
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
001-008	Tuberculosis of respiratory system	4,186	1,521	15	1	14	101	12	5	22	18	30	14	99	19
010-019	Tuberculosis—other forms	433	170	1	—	—	14	—	2	4	4	3	—	1	4
020-029	Syphilis	193	33	—	—	—	2	—	—	1	—	1	—	3	1
140-148	MALIGNANT NEOPLASMS (140-205)	24,520	4,000	87	39	48	281	66	16	86	46	45	22	303	50
150	Buccal cavity	349	48	1	—	1	2	1	—	—	—	1	—	3	—
151	Diaphragm	692	100	1	—	1	9	1	—	—	—	3	—	10	—
152-153	Stomach	4,327	579	13	4	9	55	18	6	16	8	4	3	49	5
154	Intestine, except rectum	3,931	622	15	10	5	44	10	1	19	4	5	5	45	7
161	Rectum	1,144	185	3	3	—	13	5	1	5	—	2	—	25	7
162, 163	Larynx	119	18	1	—	1	2	—	—	1	—	1	—	1	—
170	Trachea, bronchus and lung, not specified as secondary	1,359	198	5	1	4	12	4	—	2	3	—	—	15	7
171-174	Breast	4,057	849	17	8	9	55	9	1	15	14	11	5	68	11
175-176	Uterus	2,322	288	9	3	6	17	5	2	3	3	3	1	14	4
180	Other female genital organs	1,339	302	4	1	3	13	3	1	2	3	3	1	19	2
181	Kidney	260	28	2	1	1	2	1	—	—	1	1	—	1	—
181a	Bladder	360	50	—	—	3	4	1	—	2	—	1	—	3	—
190-191	Skin	247	49	4	1	3	4	—	—	—	—	—	3	3	1
196-197	Bone and connective tissue	317	60	—	—	—	6	2	—	4	—	—	—	4	—
155-160, 164, 165, 181b, 192-195, 198, 199	All other and unspecified sites	2,808	453	11	6	5	31	6	2	10	7	5	1	29	2
200-203, 205	Leukemia and leukemia	393	88	—	—	—	7	—	1	2	1	1	2	6	2
260	Lymphosarcoma and other neo- plasms of lymphatic and hamato- poietic system	466	83	1	1	—	5	1	1	—	1	2	—	8	—
290-293	Diabetes	1,819	182	3	2	1	26	5	1	7	7	4	2	7	1
330-334	Anaemias	556	133	3	2	1	13	2	1	2	3	3	2	10	3
	Vascular lesions affecting central nervous system	25,388	3,607	87	49	38	284	54	6	99	46	59	20	294	36

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
410-416	HEART DISEASE (410-443) Total	49,968	6,970	113	95	82	612	126	33	231	87	91	44	612	86
417	Chronic rheumatic heart disease	2,756	538	16	11	5	41	6	2	11	9	8	5	37	11
420	Coronary thrombosis...	13,203	1,770	16	29	13	107	15	4	43	24	12	9	149	22
421	Chronic endocarditis not specified														
422	Myocardial degeneration	1,514	249	3	5	2	20	6	1	6	3	4		18	2
430-434	Other diseases of heart	27,143	3,742	77	130	53	394	93	21	155	42	56	27	340	42
440-443	Hypertension with heart disease	3,156	444	8	16	8	33	1	3	12	9	6	2	24	8
444-447	Hypertension without heart disease	2,196	227	3	4	1	17	5	2	4		5	1	24	1
450	Atherosclerosis	1,761	217	2	4	7	26	2	1	6		7	1	19	2
480-483	Influenza	2,192	328	5	12	7	26	5	1	6	2	7	1	27	4
490-493	Scarlet fever	1,222	198	2	9	7	23	2	2	6	4	6	4	20	2
500-502	Diphtheria	3,880	672	2	20	13	73	17	5	35	6	6	4	69	9
510-527	Other respiratory diseases	3,947	490	5	9	4	53	12	3	20	4	12	2	63	13
530-539	Ulcer of stomach	1,053	193	10	10	6	28	6	2	7	7	5	1	9	1
540	Ulcer of duodenum	438	75	1	1		6	1	2	1	1	1		5	3
580-587	Diseases of liver, gall bladder and pancreas	2,112	322	3	3	2	21	4	1	8	4	4		19	4
590-594	Nephritis and nephrosis	1,427	165	1	5	3	35	1	1	3	3	3	1	13	4
690-749	Diseases of skin and organs of locomotion	1,663	318	2	2		12	6	3	3	10	11	2	23	4
794	Senility	706	132	2	2	7	13	3		6	3	1		12	1
780-793, 795	Causes ill-defined and unknown	3,596	504	27	20	7	47	7	1	14	18	4	3	44	4
Residual	Other natural causes	1,649	242	6	6	1	23	2	2	14	3	1	3	12	1
E963, E970-979	Suicide	7,699	1,333	29	16	13	99	16	7	29	21	21	5	74	11
E810-845	Road transport accidents	490	117	1	1	2	8	2		1	1		1	5	
(Part of)	Accidents in the home	469	141	3	3	2	3	1		1			1	2	
E870-936	Other violence	2,595	447	6	6	3	39	10	3	19	3	2	2	35	3
Remainder of external causes		558	185	8	8	6	8	2	1	2	1	1	1	13	1
	ALL CAUSES ...	145,153	22,742	287	546	259	1,867	367	97	636	302	325	140	1,809	266
	AGES AT DEATH														
15-19	...	1,006	697	9	9	8	55	3	2	13	13	21	3	46	7
20-24	...	1,553	855	14	14	14	63	8	3	12	7	22	11	74	11
25-34	...	3,656	964	13	13	11	48	7	7	6	14	5	9	31	8
35-44	...	5,568	1,092	10	10	8	60	8	6	11	18	14	3	37	8
45-54	...	10,943	2,038	32	32	26	128	25	6	25	30	27	15	99	32
55-59	...	8,575	1,406	22	22	13	96	15	4	29	11	23	14	93	23
60-64	...	11,961	1,858	36	36	17	124	27	11	31	31	17	7	157	32
65-69	...	17,211	2,449	62	62	36	186	46	12	52	24	40	12	180	23
70-74	...	22,594	3,154	88	88	37	265	52	12	82	43	57	19	289	42
75 and over	...	62,085	8,229	260	260	89	842	176	34	375	111	99	47	803	80
Not stated	...	1													
	ALL AGES	145,153	22,742	546	546	259	1,867	367	97	636	302	325	140	1,809	266

TABLE HH.—continued

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	FEMALES															
																1949-1953	CAUSE OF DEATH														
001-008 010-019 020-029	Tuberculosis of respiratory system	13	14	53	34	45	35	10	52	36	—	—	16	264	19	245	Dressmakers (385)	Other skilled workers (380, 384, 389, 390-399, 400-414, 419)	Machinists, etc. (386, 387, 415, 416)	X. Makers of foods and drinks (420-423, 425, 427-440, 450, 459)	XII. Makers of, and workers in, paper, etc.	Skilled workers in paper and printing, etc. (500-503, 509, 510-513, 519-526, 528-539)	Other workers (504, 514, 527)	XVII. Transport and communication	Bus and tram conductresses (661)	Managers in transport, etc. (700)	Other workers in communications (701-705)	XVIII. Commercial occupations	Proprietresses, managers of businesses (710-714, 720-729)	Travellers, saleswomen, etc. (715, 730-741, 749)	
	Tuberculosis—other forms	4	—	2	—	3	1	—	1	—	2	—	—	30	2	28															
	Syphilis	1	—	—	—	1	—	—	—	—	—	—	—	4	2	2															
	MALIGNANT NEOPLASMS																														
	Total	150	62	41	26	51	46	5	56	8	22	22	26	421	217	204															
	Buccal cavity	2	—	1	1	2	2	—	—	—	—	—	—	4	1	—															
	Esophagus	5	1	3	3	3	3	—	3	—	—	—	2	8	6	3															
	Stomach	27	8	9	9	9	7	2	7	1	1	1	2	62	34	28															
	Intestine, except rectum	26	10	2	3	5	5	—	11	1	1	1	6	4	81	42															39
	Rectum	1	6	4	1	1	1	—	6	—	—	—	5	17	10	7															
	Larynx	8	—	—	—	—	—	—	—	—	—	—	—	1	—	1															
140-148 150 151 152-153 154 161 162, 163	Trachea, bronchus and lung, not specified as secondary	5	1	2	1	1	1	1	3	1	—	—	2	17	10	7	Other female genital organs	Kidney	Bladder	Skin	Bone and connective tissue	All other and unspecified sites	Leukemia and aleukemia	Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system	Diabetes	Ananias	Vascular lesions affecting central nervous system	Travellers, saleswomen, etc. (715, 730-741, 749)			
	Breast	38	16	5	3	10	10	—	12	1	1	6	5	39	44	45															
	Uterus	5	5	3	2	2	2	—	3	—	—	—	3	23	15	8															
	Other female genital organs	10	4	3	1	6	5	1	3	—	—	2	30	15	15																
	Kidney	—	—	—	—	—	—	—	—	—	—	—	—	4	4	4															
	Bladder	—	2	1	—	—	—	—	—	—	—	—	—	6	4	2															
	Skin	2	—	—	—	1	1	—	—	—	—	—	—	4	3	1															
	Bone and connective tissue	—	2	2	—	—	—	—	—	—	—	—	—	6	3	3															
	All other and unspecified sites	14	6	7	2	8	8	—	5	2	2	1	2	50	27	23															
	Leukemia and aleukemia	4	—	—	3	1	1	—	2	1	1	—	—	10	2	8															
	200-203, 205 260 280-283 330-334	Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system	5	1	2	—	2	1	—	1	1	—	—	—	9	1													8	Travellers, saleswomen, etc. (715, 730-741, 749)	
Diabetes		5	—	—	—	3	3	—	—	—	—	—	—	15	5	10															
Ananias		4	2	1	1	3	3	—	1	1	—	—	11	7	4																
Vascular lesions affecting central nervous system		190	46	22	20	39	36	3	38	1	15	22	362	226	136																

(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
410-416	344	117	65	36	73	68	7	95	4	47	44	675	427	238
420	12	3	11	9	9	6	3	24	4	1	15	77	24	58
421	87	34	6	6	23	23	—	—	—	9	15	182	111	71
422	9	6	1	4	4	3	1	4	—	1	3	23	13	10
430-434	201	59	38	11	28	25	3	55	2	34	18	324	244	80
440-443	22	8	8	4	7	7	—	5	3	1	13	44	27	17
444-447	13	9	1	4	3	2	—	3	1	1	1	25	18	7
448-450	11	4	2	1	4	3	—	8	2	4	1	19	19	10
480-483	18	3	2	—	4	3	1	8	—	4	4	26	20	10
490-493	12	5	5	—	1	1	—	1	—	2	2	15	10	5
500-502	44	1	11	7	11	10	1	12	2	3	7	60	32	28
510-527	29	11	10	5	8	5	3	3	1	2	—	49	25	24
530-539, 542-578	6	1	1	1	4	4	—	3	—	3	—	23	9	14
540	1	2	1	—	—	—	—	—	—	—	—	12	5	7
541	1	—	1	—	—	—	—	—	—	—	—	6	3	3
580-587	8	4	3	2	6	5	1	3	—	2	1	51	23	28
590-594	6	1	2	2	2	2	—	2	1	1	—	15	7	8
690-749	9	3	7	1	4	4	—	4	2	2	—	28	16	12
794	4	3	4	1	2	1	1	2	—	1	1	8	4	4
780-793, 795	33	5	2	3	3	3	1	10	—	8	2	26	19	7
Residual	6	1	4	6	6	6	2	27	1	7	—	27	14	13
E963, E970-979	38	14	11	9	20	18	2	28	4	6	18	149	50	99
E810-845	5	—	—	4	2	2	—	4	3	—	1	10	4	6
(Part of)	1	—	—	1	7	7	—	5	3	1	1	13	5	8
E870-886	21	8	3	1	5	5	—	4	—	1	3	44	27	17
Remainder of external causes	5	5	2	4	2	2	—	3	—	—	3	23	14	9
Other violence	5	5	2	4	2	2	—	3	—	—	3	23	14	9
Accidents in the home	21	8	3	1	5	5	—	4	—	1	3	44	27	17
Other violence	5	5	2	4	2	2	—	3	—	—	3	23	14	9
ALL CAUSES ...	969	313	261	166	308	271	37	348	71	122	155	2,386	1,211	1,175
AGES AT DEATH	7	8	23	22	23	18	5	16	7	—	9	132	4	128
15-19	25	10	4	17	22	17	5	35	16	—	9	163	6	157
20-24	2	8	13	15	12	10	5	30	28	—	18	119	5	114
25-34	9	9	11	15	13	11	5	40	22	2	17	144	85	109
35-44	8	12	21	22	26	21	5	40	11	2	11	235	87	148
45-54	30	21	21	22	26	21	4	15	3	1	6	157	78	79
55-64	32	21	17	11	23	20	4	16	1	8	13	164	94	70
65-69	63	31	29	18	33	20	4	21	—	13	22	247	150	97
70-74	94	40	23	10	30	36	2	36	1	13	22	247	150	97
75 and over	174	49	24	19	38	36	5	112	—	20	17	315	212	103
Not stated	546	124	53	16	73	68	5	—	—	72	40	710	540	170
ALL AGES	969	313	261	166	308	271	37	348	71	122	155	2,386	1,211	1,175

TABLE HH.—continued

	FEMALES 1949-1953	CAUSE OF DEATH	XIX. Professional and technical occupations (760-819)	Religious orders (760-762)	Mission workers (763)	Physicians, radiologists, dental practitioners (766-768)	Trained nurses, midwives (770)	Other nurses, chiropodists (771-773, 778)	Other medical services (769, 774-777, 779)	Teachers (780-785)	Laboratory assistants, technologists (804)	Law, professional engineering, surveying, architecture and science, etc. (764, 765, 786-793, 800-803, 805-811)	Other professional and technical occupations (794, 799, 812-819)	XXII. Personal service (861-888)	Proprietors of restaurants, hotels, etc., and matrons, (not hospital) (862-865, 870)	Waitresses (867)
001-008	Tuberculosis of respiratory system	...	100	1	1	...	53	8	2	18	4	...	3	273	4	35
010-019	Tuberculosis—other forms	...	9	—	—	...	5	2	1	1	—	—	—	27	2	2
020-029	Syphilis	...	3	—	—	...	1	—	—	2	—	—	—	16	1	1
140-148	MALIGNANT NEOPLASMS (140-205) Total	...	647	10	15	8	158	24	15	380	1	11	25	1,374	73	30
150	Buccal cavity	...	6	—	—	—	2	—	—	4	—	—	—	19	1	1
151	Oesophagus	...	13	—	—	—	2	—	—	9	—	—	—	1	1	1
152, 153	Stomach	...	72	—	2	—	24	—	1	41	—	1	1	41	2	2
154	Intestine, except rectum	...	100	2	5	—	24	3	3	51	—	1	6	213	11	5
155	Rectum	...	28	1	1	—	25	3	1	44	—	1	1	222	10	2
161	Larynx	...	6	—	—	—	4	—	—	20	—	—	—	60	6	1
162, 163	Trachea, bronchus and lung, not specified as secondary	...	33	—	—	—	4	—	—	2	—	—	—	3	—	1
170	Breast	...	161	4	3	3	11	—	1	20	—	—	1	66	6	1
171-174	Uterus	...	44	1	1	—	28	3	2	102	—	5	10	263	11	4
175, 176	Other female genital organs	...	49	—	1	1	10	3	1	23	—	—	4	127	3	8
180	Kidney	...	10	—	—	—	14	3	3	24	—	3	—	96	6	2
181.a	Bladder	...	5	—	—	—	3	1	—	7	—	—	—	6	1	1
190, 191	Skin	...	9	—	—	—	3	—	—	5	—	—	—	23	2	—
196, 197	Bone and connective tissue	...	8	—	—	—	3	—	—	4	—	—	—	16	2	—
155-160, 164, 165, 166, 167,	All other and unspecified sites	...	85	1	1	1	20	7	2	51	—	1	1	149	10	4
181b, 192-195, 198, 199 204	Leukemia and aleukemia	...	11	—	—	—	4	1	—	6	—	—	—	27	—	—
200-203, 205	Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system	...	7	—	1	—	1	1	—	4	—	—	—	22	1	—
260	Diabetes	...	26	—	—	—	10	1	1	14	—	—	—	65	3	—
290-293	Anemias	...	15	—	—	—	6	—	—	9	—	—	—	54	5	—
330-334	Vascular lesions affecting central nervous system	...	603	10	18	8	165	24	6	340	2	7	23	1,392	71	19
(a)		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
410-416	HEART DISEASE (410-443) Total	1,111	25	29	11	334	41	11	617	2	6	35	2,556	120	33
420	Chronic rheumatic heart disease	65	1	1	1	27	2	—	31	1	—	2	145	5	5
421	Coronary thrombosis...	330	4	9	7	107	6	3	178	—	—	14	647	36	8
422	Chronic endocarditis not specified as rheumatic	36	1	1	—	9	—	—	23	—	—	1	88	7	—
430-434	Myocardial degeneration	592	18	17	2	166	30	4	337	—	—	16	1,423	64	14
440-443	Other diseases of heart	55	2	—	1	15	3	2	31	—	—	2	169	6	4
444-447	Hypertension with heart disease	33	3	2	—	10	—	2	17	1	—	1	84	2	2
448-450	Hypertension without heart disease	33	3	1	—	9	3	2	16	—	—	1	89	8	4
480-483	Atherosclerosis	30	1	1	1	18	—	—	34	—	—	2	119	2	2
480-493	Influenza	80	—	—	—	6	—	—	17	—	—	2	69	2	—
490-502	Pneumonia	81	3	2	1	22	7	1	41	—	—	2	238	15	7
500-502	Bronchitis	47	2	2	2	13	2	—	27	—	—	—	178	5	1
510-527	Other respiratory diseases	24	2	2	—	6	2	—	13	1	—	—	66	5	—
530-539, 542-578	Other diseases	15	1	1	—	8	1	—	4	—	—	—	24	—	—
540	Ulcer of stomach	8	1	—	1	2	—	—	3	—	—	—	13	—	—
580-584	Other diseases of duodenum	45	1	2	—	19	—	—	20	—	—	2	108	3	—
580-587	Other digestive diseases	27	2	—	1	11	2	—	12	—	—	—	63	6	1
680-749	Diseases of liver, gall bladder and pancreas	45	—	—	—	16	—	1	21	2	—	3	111	5	4
780-793	Diseases of skin and organs of locomotion	14	1	—	—	4	—	—	9	—	—	—	54	1	—
794	Scurvy	61	3	1	—	23	5	—	29	—	—	—	243	5	1
790-793, 795	Causes ill-defined and unknown	25	1	—	—	6	1	—	17	—	—	—	102	3	—
Residual	Other natural causes	183	4	1	4	59	12	4	81	1	7	10	416	20	9
E963, E970-979	Suicide	16	—	—	1	3	—	1	6	—	2	3	34	3	—
E810-845	Road transport accidents	19	—	—	—	4	1	1	10	1	—	2	44	3	—
(Part of)	Accidents in the home	83	2	—	1	24	7	2	45	—	—	2	165	10	1
E870-936	Accidents in the home	83	2	—	1	24	7	2	45	—	—	2	165	10	1
Remainder of external causes	Other violence	18	1	—	1	4	—	—	11	—	—	1	53	1	4
	ALL CAUSES ...	3,349	72	74	41	990	148	48	1,797	14	41	124	7,948	373	157
	AGES AT DEATH														
15-19	...	26	—	—	—	4	15	1	—	3	—	2	78	—	11
20-24	...	44	—	—	—	11	6	2	12	—	—	7	108	1	16
25-34	...	95	2	2	3	46	4	3	20	1	4	13	206	16	16
35-44	...	124	5	7	3	53	13	3	35	2	3	13	327	16	23
45-54	...	252	5	7	7	75	13	9	115	1	2	13	653	49	25
55-59	...	179	3	4	4	53	7	2	98	—	2	8	515	28	10
60-64	...	261	5	3	1	55	2	3	174	—	4	13	701	28	14
65-69	...	395	6	3	4	103	2	5	251	1	5	11	940	39	13
70-74	...	507	7	4	9	162	20	7	270	1	5	12	1,232	60	8
75 and over	...	1,466	39	41	9	428	66	13	822	1	—	38	3,186	151	21
Not stated	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ALL AGES	3,349	72	74	41	990	148	48	1,797	14	41	124	7,948	373	157

TABLE III.—continued

CAUSE OF DEATH	FEMALES 1949—1953										Warehousewomen and storekeepers (900-901)			
	Barmaids, restaurant workers (866, 868)	Charwomen (876)	Chefs, cooks (882)	Kitchen hands (883)	Chambermaids, housemaids, etc. (884)	Other domestic servants (885)	Bath attendants, hairdressers, photographers, etc. (861, 872-874, 880, 881)	Others in personal service (869, 871, 875, 877-879, 888)	XXIII. Clerks, typists, etc. (890-895)	Clerkesses (n.e.s.) (890)	Typists, secretaries, office machine operators (891-894)	Costing, estimating and accounting clerkesses (895)	XXIV. Warehousewomen, storekeepers, etc.	
001-008	17	9	7	8	19	118	6	50	251	154	79	18	30	9
010-019	—	2	—	—	—	16	—	6	40	22	—	1	2	—
020-029	—	—	—	—	—	12	—	1	1	—	—	—	—	—
140-148	25	79	85	25	30	938	14	75	428	246	102	80	21	8
150	—	2	3	—	—	11	—	1	4	3	1	—	1	—
151	1	4	2	1	1	27	—	2	4	2	—	2	5	3
152, 153	6	16	9	1	6	146	1	12	45	22	13	10	2	—
154	3	6	18	4	3	165	1	2	56	34	10	12	2	—
161	—	1	1	1	—	42	1	5	16	9	3	4	4	—
162, 163	—	—	—	—	—	1	—	1	1	—	—	1	1	—
170	2	5	4	2	2	42	—	2	29	18	7	4	2	1
171-174	4	11	19	8	4	181	5	16	118	68	29	21	2	—
175, 176	2	11	9	1	3	82	2	6	23	16	2	5	1	—
180	1	10	3	4	2	62	2	6	45	24	11	10	4	—
181, 182	—	1	—	—	—	4	—	—	1	—	—	—	—	—
183, 184	—	1	1	1	1	16	1	3	7	4	2	1	—	—
185-190	—	1	1	—	2	11	1	—	3	3	1	—	1	—
190, 191	—	—	2	—	2	12	—	1	5	3	1	1	—	—
196, 197	—	—	—	—	—	—	—	—	4	—	—	—	—	—
198, 199	—	—	—	—	—	—	—	—	—	—	—	—	—	—
200-203, 205	—	8	9	1	5	105	—	7	41	21	12	8	2	2
204	2	1	2	1	1	16	—	3	12	6	6	—	1	—
260	—	—	—	—	—	—	—	—	—	—	—	—	—	—
280-283	1	1	2	—	—	15	1	1	17	13	3	1	—	—
290-293	—	5	3	—	1	50	—	3	18	9	6	3	2	2
330-334	1	5	3	—	1	35	1	3	6	3	2	1	—	—
(a)	13	74	109	10	25	1,005	2	64	231	126	56	49	19	10
(b)
(c)
(d)
(e)
(f)
(g)
(h)
(i)
(j)
(k)
(l)
(m)
(n)
(o)
(p)

(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
410-416	24	114	176	30	53	1,904	15	87	402	234	96	72	35	14
420	6	16	11	3	7	90	4	17	74	53	13	8	9	—
421	7	28	39	10	16	482	4	17	133	65	38	30	5	4
422	1	5	7	1	3	57	2	5	27	15	7	5	1	—
430-434	1	66	103	12	23	1,082	2	52	126	74	29	23	15	9
440-443	3	8	9	4	3	126	2	4	28	18	5	5	15	—
444-447	2	1	7	—	1	67	—	2	14	18	4	5	2	1
450	2	4	5	—	2	58	1	5	17	12	2	3	3	—
480-483	1	5	9	—	2	92	1	6	14	19	1	4	—	—
490-493	3	3	7	—	2	48	—	1	6	14	3	1	1	—
500-502	1	11	16	4	6	164	1	14	33	19	6	8	2	—
470-475	1	10	11	6	1	131	1	11	24	13	3	8	4	—
510-527	—	4	4	1	2	46	—	4	16	9	5	2	—	—
540	1	4	4	1	—	16	—	4	5	4	—	1	—	—
541	—	1	3	—	—	9	—	1	4	1	—	—	—	—
530-539, 542-578	—	6	7	4	3	77	1	7	37	25	8	4	2	—
580-587	—	—	—	—	—	—	—	—	—	—	—	—	—	—
590-594	2	3	5	1	1	40	—	4	14	8	5	1	1	—
690-749	4	4	6	2	1	72	2	11	29	17	7	5	3	1
794	1	—	4	2	1	43	—	2	10	6	3	1	—	—
780-793, 795	1	6	16	2	2	195	—	16	6	2	3	1	—	—
Residual	1	10	5	1	1	78	—	4	11	8	3	2	—	—
E963, E970-979	4	18	25	10	15	286	3	28	177	102	46	29	13	4
E810-845	—	1	4	2	1	20	1	2	20	17	12	1	2	1
(Part of)	3	—	1	5	4	23	—	5	28	17	9	2	1	—
Road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidents in the home	3	8	11	3	8	118	—	3	23	9	10	4	3	2
Other violence	—	3	4	—	4	33	1	3	31	15	10	6	2	2
ALL CAUSES ...	104	385	530	116	184	5,627	50	422	1,890	1,088	495	307	145	53
AGES AT DEATH														
15-19	4	1	1	7	10	20	3	21	152	97	49	6	12	1
20-24	8	—	2	2	14	39	3	23	179	100	71	8	21	7
25-34	16	2	10	7	19	93	7	35	186	115	59	12	13	1
35-44	15	19	22	13	17	164	8	30	177	105	43	29	15	2
45-54	14	44	35	21	15	402	7	41	351	203	90	58	18	3
55-59	16	39	31	19	9	318	4	41	165	104	32	29	15	6
60-64	13	58	36	15	13	502	5	32	180	89	51	40	12	1
65-69	6	57	74	11	17	675	6	42	164	90	45	29	12	7
70-74	8	49	74	8	23	948	3	54	136	67	23	46	26	4
75 and over	7	119	245	13	47	2,466	6	113	200	118	—	50	—	19
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ALL AGES	104	385	530	116	184	5,627	50	422	1,890	1,088	495	307	145	53

TABLE HH.—continued

FEMALES 1949—1953	CAUSE OF DEATH	Packers and bottlers (903-909)	XXVI. Workers in unskilled occupations (930-950)	Machine minders, etc. (930-932)	Labourers in textiles (not textile goods) (941)	All other industrial undertakings (933-940, 942-950)	All other occupations in :—	Social Class I.	Social Class II.	Social Class III.	Social Class IV.	Social Class V.	XXVIII. Not gainfully occupied	Students and persons occupied outside U.K. (980, 981)	No gainful occupation (X)
001-008	Tuberculosis of respiratory system	21	98	15	32	51	159	1	5	77	63	13	2,665	6	2,659
010-019	Tuberculosis—other forms	2	7	1	1	5	18	—	—	5	10	3	263	2	261
020-029	Syphilis	—	1	1	—	—	2	—	1	—	1	—	160	—	160
140-148	MALIGNANT NEOPLASMS (140-205)	13	141	15	77	49	164	15	20	76	39	14	20,520	6	20,514
150	Buccal cavity	1	1	2	1	1	4	2	—	1	1	—	301	—	301
151	Esophagus	—	4	2	2	—	4	4	—	1	1	—	592	—	592
152	Stomach	—	23	4	12	7	23	2	3	8	7	3	3,748	—	3,748
152-153	Intestine, except rectum	2	22	2	11	4	15	1	2	3	3	—	3,308	1	3,308
154	Rectum	—	7	—	3	4	8	—	1	3	4	—	959	—	959
161	Larynx	—	3	—	2	1	—	—	—	—	—	—	101	—	101
162, 163	Trachea, bronchus and lung, not specified as secondary	1	6	—	4	2	8	—	—	5	3	—	1,161	—	1,161
170	Breast	2	21	1	9	11	26	3	2	11	6	4	3,238	—	3,238
171-174	Uterus	1	10	2	4	4	12	1	1	7	3	—	2,034	—	2,034
175, 176	Other female organs genital	3	15	2	11	2	17	5	2	9	—	1	1,037	1	1,036
180	Kidney	—	1	—	—	1	1	—	—	1	—	—	232	—	232
181-181	Bladder	—	—	—	—	3	2	—	—	1	1	—	310	—	310
190, 191	Skin	—	3	—	—	—	1	—	—	1	—	—	198	—	197
196, 197	Bone and connective tissue	—	3	—	2	1	6	—	1	2	2	1	257	—	257
155-160, 164, 165, 181b, 192-195, 198, 199	All other and unspecified sites	—	13	1	9	3	27	—	5	12	5	5	2,355	—	2,355
200-203, 205	Leukemia and leukaemia	1	5	1	3	1	3	—	1	1	1	—	305	2	303
260	Lymphosarcoma and other neo- plasms of lymphatic and hamato- poietic system	—	4	—	4	—	7	—	1	4	2	—	383	1	382
290-293	Diabetes	—	8	—	3	5	7	—	—	3	3	—	1,637	—	1,637
330-334	Anaemias	2	3	—	3	—	11	—	—	8	—	2	1,823	—	1,823
	Vascular lesions affecting central nervous system	9	117	6	63	48	121	11	19	48	26	17	21,781	—	21,781
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
HEART DISEASE (410-443) TOTAL	21	259	139	106	309	13	51	142	79	24	42,998	1	1	42,997
Chronic rheumatic heart disease ...	9	27	12	13	30	2	2	14	11	2	2,218	1	1	2,217
Chronic thrombosis... ..	1	48	29	15	87	5	18	38	16	10	11,433	—	—	11,433
Chronic endocarditis not specified as rheumatic ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Myocardial degeneration ...	6	148	81	62	9	1	—	5	2	1	1,265	—	—	1,265
Other diseases of heart ...	2	22	12	10	17	4	22	76	43	11	23,401	—	—	23,401
Hypertension with heart disease ...	2	4	2	3	13	1	4	5	6	—	2,712	—	—	2,712
Hypertension without heart disease ...	—	—	1	—	10	1	3	4	1	—	1,969	—	—	1,969
Arteriosclerosis ...	21	21	10	11	10	1	4	5	4	—	1,544	—	—	1,543
Influenza ...	—	—	3	3	4	—	1	3	5	1	1,864	—	—	1,864
Pneumonia ...	2	32	18	16	34	1	7	10	11	1	1,024	—	—	1,024
Bronchitis ...	4	20	13	7	27	2	1	15	8	1	3,208	—	—	3,207
Other respiratory diseases ...	—	6	1	4	3	—	—	1	1	1	3,457	—	—	3,457
Ulcer of stomach ...	—	7	4	3	—	—	—	—	—	—	860	—	—	860
Ulcer of duodenum ...	—	—	—	—	—	—	—	—	—	—	363	—	—	362
Other digestive diseases ...	2	9	1	7	16	2	1	10	1	3	186	—	—	186
Diseases of liver, gall bladder and pancreas ...	1	7	4	3	6	—	—	1	1	—	1,790	—	—	1,789
Nephritis and nephrosis ...	2	8	3	4	22	1	1	8	5	2	1,262	—	—	1,260
Diseases of skin and organs of locomotion ...	—	7	3	4	7	1	—	3	1	2	1,345	—	—	1,344
Senility ...	—	14	10	4	20	—	—	8	10	1	574	—	—	574
Causes ill-defined and unknown ...	—	10	4	4	17	—	—	9	6	3	3,092	—	—	3,092
Other natural causes ...	9	57	30	22	77	2	8	34	24	9	1,407	—	—	1,406
Suicide ...	1	5	3	2	6	—	—	4	1	1	6,366	—	—	6,363
Road transport accidents ...	1	6	3	1	9	—	1	4	4	—	373	—	—	372
(Part of)	—	—	—	—	—	—	—	—	—	—	328	—	—	325
E870-936	1	24	13	11	16	2	1	8	3	2	2,148	—	—	2,146
Accidents in the home ...	—	—	—	5	14	1	—	5	6	2	373	—	—	371
Other violence ...	—	5	—	—	—	—	—	—	—	—	—	—	—	—
ALL CAUSES ...	92	884	439	378	1,096	53	121	480	318	114	122,411	34	34	122,377
AGES AT DEATH														
15-19 ...	11	58	20	29	68	—	—	24	35	9	309	10	10	299
20-24 ...	14	48	16	27	77	—	—	40	25	11	698	15	15	683
25-34 ...	11	75	23	36	110	—	4	55	44	6	2,692	5	5	2,687
35-44 ...	12	65	23	31	71	3	6	32	24	6	4,476	—	—	4,476
45-54 ...	15	84	26	50	124	8	18	50	36	15	8,905	—	—	8,904
55-59 ...	19	40	28	21	63	5	9	29	12	9	7,169	—	—	7,169
60-64 ...	4	64	43	21	94	8	9	41	27	12	10,103	—	—	10,102
65-69 ...	5	4	42	24	116	10	13	51	29	13	14,762	—	—	14,761
70-74 ...	4	98	52	39	112	18	22	51	21	10	19,440	—	—	19,440
75 and over ...	7	272	165	101	261	16	41	117	65	22	53,856	—	—	53,855
Not stated ...	—	—	—	—	—	—	—	—	—	—	1	—	—	1
ALL AGES ...	92	884	439	378	1,096	53	121	480	318	114	122,411	34	34	122,377

APPENDIX X

DIVORCE STATISTICS OF PERSONS MARRIED IN SCOTLAND 1948-1955

YEAR	Marital Condition at Time of Marriage					
	Husbands			Wives		
	Bachelors	Widowers	Divorced	Spinsters	Widows	Divorced
1948	1,675	24	15	1,686	16	12
1949	1,953	37	23	1,953	34	26
1950	1,744	45	25	1,763	30	21
1951	1,562	61	25	1,578	45	25
1952	2,196	75	36	2,208	59	40
1953	1,901	55	48	1,902	54	48
1954	1,784	63	38	1,776	64	45
1955	1,679	43	54	1,681	46	49

Present Age of Wife in Relation to Age of Husband, 1948

Present Age of Wife	All Ages	Present Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	15	—	9	6	—	—	—	—	—	—
21-24	174	3	56	90	18	7	—	—	—	—
25-	486	—	16	230	181	46	9	4	—	—
30-	399	—	4	36	161	148	43	5	2	—
35-	250	—	1	6	28	111	88	12	3	1
40-	201	—	—	1	1	20	105	54	20	—
45-	113	—	—	—	—	3	22	51	37	—
50-	68	—	—	—	1	—	1	13	46	7
60 and over	8	—	—	—	—	—	—	—	2	6
TOTAL	1,714	3	86	369	390	335	268	139	110	14

Age of Wife at Time of Marriage in Relation to Age of Husband, 1948

Age of Wife	All Ages	Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	790	253	390	129	13	5	—	—	—	—
21-24	613	55	293	196	52	17	—	—	—	—
25-	230	8	46	122	42	8	3	—	1	—
30-	54	—	6	18	21	6	2	—	1	—
35-	9	—	—	1	1	4	3	—	—	—
40-	15	—	—	1	2	2	5	2	2	1
45-	3	—	—	—	—	1	2	—	—	—
50-	—	—	—	—	—	—	—	—	—	—
60 and over	—	—	—	—	—	—	—	—	—	—
TOTAL	1,714	316	735	467	131	43	15	2	4	1

Present Age of Wife and Duration of Marriage, 1948

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0-2	3-4	5-6	7-9	10-14	15-19	20 and over
16-20	15	9	6	—	—	—	—	—
21-24	174	20	64	75	15	—	—	—
25-	486	10	72	157	196	51	—	—
30-	399	—	16	45	121	193	24	—
35-	250	—	5	8	47	83	107	—
40-	201	—	4	2	5	39	62	89
45-	113	—	3	6	1	7	15	81
50-	68	—	—	—	5	2	4	57
60 and over	8	—	—	—	—	—	—	8
TOTAL	1,714	39	170	293	390	375	212	235

Present Age of Wife in Relation to Age of Husband—1949

Present Age of Wife	All Ages	Present Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	16	1	10	3	2	—	—	—	—	—
21-24	158	2	48	81	25	1	1	—	—	—
25-	600	—	19	269	233	63	14	1	—	1
30-	495	—	—	37	220	178	52	7	1	—
35-	350	—	—	1	31	172	108	32	6	—
40-	201	—	—	—	2	29	98	58	12	2
45-	114	—	—	—	1	3	21	56	32	1
50-	69	—	—	—	1	1	4	11	42	10
60 and over	10	—	—	—	—	—	—	—	4	6
TOTAL	2,013	3	77	391	515	447	298	165	97	20

Age of Wife at Time of Marriage in Relation to Age of Husband, 1949

Age of Wife	All Ages	Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	853	265	404	151	27	6	—	—	—	—
21-24	719	56	318	262	60	10	13	—	—	—
25-	325	10	63	173	61	14	3	—	—	1
30-	82	—	3	23	36	13	6	1	—	—
35-	18	—	—	3	7	3	1	3	—	1
40-	8	—	—	—	3	4	—	—	1	—
45-	5	—	—	1	1	1	1	1	—	—
50-	1	—	—	—	—	—	—	—	—	1
60 and over	2	—	—	—	—	—	—	—	1	1
TOTAL	2,013	331	788	613	195	51	24	5	2	4

Present Age of Wife and Duration of Marriage, 1949

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0-2	3-4	5-6	7-9	10-14	15-19	20 and over
16-20	16	9	7	—	—	—	—	—
21-24	158	13	66	63	16	—	—	—
25-	600	16	94	162	273	55	—	—
30-	495	1	33	53	159	208	41	—
35-	350	2	8	12	54	118	139	17
40-	201	—	2	6	9	28	73	83
45-	114	1	3	1	3	10	20	76
50-	69	—	—	—	3	5	2	59
60 and over	10	—	2	1	—	—	1	6
TOTAL	2,013	42	215	298	517	424	276	241

Present Age of Wife in Relation to Age of Husband, 1950

Present Age of Wife	All Ages	Present Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	20	1	13	6	—	—	—	—	—	—
21-24	162	—	33	105	21	2	—	—	1	—
25-	529	—	11	256	199	50	11	2	—	—
30-	425	—	—	28	201	153	25	14	4	—
35-	314	—	—	6	28	151	102	21	6	—
40-	182	—	—	—	2	25	89	56	8	2
45-	107	—	—	—	—	1	17	47	40	2
50-	66	—	—	1	—	—	1	7	44	13
60 and over	9	—	—	—	—	—	—	1	2	6
TOTAL	1,814	1	57	402	451	382	245	148	105	23

Age of Wife at Time of Marriage in Relation to Age of Husband, 1950

Age of Wife	All Ages	Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	793	254	379	141	14	4	—	1	—	—
21-24	629	59	307	202	42	14	3	2	—	—
25-	276	4	59	134	59	15	3	1	1	—
30-	67	—	5	19	24	12	4	3	—	—
35-	28	—	1	5	6	10	3	2	1	—
40-	12	—	—	—	—	5	2	3	—	2
45-	6	—	—	1	—	1	—	1	3	—
50-	3	—	—	—	—	—	—	—	2	1
60 and over	—	—	—	—	—	—	—	—	—	—
TOTAL	1,814	317	751	502	145	61	15	13	7	3

Present Age of Wife and Duration of Marriage, 1950

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0-2	3-4	5-6	7-9	10-14	15-19	20 and over
16-20	20	10	10	—	—	—	—	—
21-24	162	8	76	67	11	—	—	—
25-	529	5	71	154	232	67	—	—
30-	425	1	19	44	133	199	28	1
35-	314	—	6	15	37	114	116	26
40-	182	—	4	5	9	27	58	79
45-	107	—	2	6	4	8	23	64
50-	66	—	1	1	7	—	4	53
60 and over	9	—	—	—	—	—	—	9
TOTAL	1,814	24	189	292	433	415	229	232

Present Age of Wife in Relation to Age of Husband, 1951

Present Age of Wife	All Ages	Present Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	8	2	5	1	—	—	—	—	—	—
21-24	141	1	42	80	14	4	—	—	—	—
25-	409	—	11	193	155	39	9	—	2	—
30-	383	—	—	29	183	130	33	6	2	—
35-	291	—	1	2	27	129	100	23	8	1
40-	211	—	—	1	7	25	96	63	18	1
45-	113	—	—	—	1	3	22	50	35	2
50-	73	—	—	—	—	1	1	12	48	11
60 and over	19	—	—	—	—	—	1	—	5	13
TOTAL	1,648	3	59	306	387	331	262	154	118	28

Age of Wife at Time of Marriage in Relation to Age of Husband, 1951

Age of Wife	All Ages	Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	724	246	345	110	18	3	1	1	—	—
21-24	557	52	256	188	43	13	5	—	—	—
25-	242	7	58	116	43	14	2	1	1	—
30-	74	1	5	20	27	12	9	—	—	—
35-	30	—	—	8	9	9	2	2	—	—
40-	7	—	—	—	2	—	2	1	1	1
45-	4	—	—	—	—	1	—	2	1	—
50-	8	—	—	—	1	—	2	—	2	3
60 and over	2	—	—	—	—	—	—	—	—	2
TOTAL	1,648	306	664	442	143	52	23	7	5	6

Present Age of Wife and Duration of Marriage, 1951

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0-2	3-4	5-6	7-9	10-14	15-19	20 and over
16-20	8	3	5	—	—	—	—	—
21-24	141	12	57	57	15	—	—	—
25-	409	3	48	121	185	52	—	—
30-	383	1	20	49	78	204	31	—
35-	291	—	9	16	28	100	119	19
40-	211	—	2	5	16	32	65	91
45-	113	—	—	3	8	11	17	74
50-	73	1	—	3	2	3	4	60
60 and over	19	—	2	—	3	1	—	13
TOTAL	1,648	20	143	254	335	403	236	257

Present Age of Wife in Relation to Age of Husband, 1952

Present Age of Wife	All Ages	Present Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	18	1	17	—	—	—	—	—	—	—
21-24	194	—	91	69	12	22	—	—	—	—
25-	517	14	42	210	94	143	4	7	3	—
30-	540	2	10	38	280	141	41	23	5	—
35-	411	—	2	5	93	123	65	110	12	1
40-	326	—	—	—	24	28	145	101	27	1
45-	169	—	—	—	3	4	48	51	62	1
50-	108	—	—	—	—	1	12	6	75	14
60 and over	24	—	—	—	—	—	—	—	11	13
TOTAL	2,307	17	162	322	506	462	315	298	195	30

Age of Wife at Time of Marriage in Relation to Age of Husband, 1952

Age of Wife	All Ages	Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	1,076	346	513	178	31	7	1	—	—	—
21-24	771	74	359	260	62	9	3	3	1	—
25-	294	11	61	140	53	19	7	2	1	—
30-	111	2	10	35	31	21	7	5	—	—
35-	31	—	—	6	9	10	4	2	—	—
40-	12	—	—	3	1	4	1	2	1	—
45-	8	—	—	—	2	—	—	4	2	—
50-	3	—	—	—	—	1	—	—	2	—
60 and over	1	—	—	—	—	—	—	—	—	1
TOTAL	2,307	433	943	622	189	71	23	18	7	1

Present Age of Wife and Duration of Marriage, 1952

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0-2	3-4	5-6	7-9	10-14	15-19	20 and over
16-20	18	6	12	—	—	—	—	—
21-24	194	19	84	77	14	—	—	—
25-	517	8	57	126	236	90	—	—
30-	540	2	17	48	129	316	28	—
35-	411	2	12	19	32	113	197	36
40-	326	—	5	8	20	45	103	145
45-	169	1	1	3	5	14	18	127
50-	108	—	—	1	6	6	5	90
60 and over	24	—	1	2	—	—	1	20
TOTAL	2,307	38	189	284	442	584	352	418

Present Age of Wife in Relation to Age of Husband, 1953

Present Age of Wife	All Ages	Present Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	14	2	7	3	—	1	—	1	—	—
21-24	167	2	49	79	31	3	2	—	1	—
25-	419	—	9	214	151	40	5	—	—	—
30-	460	—	—	51	195	161	42	8	3	—
35-	356	—	—	3	34	150	126	38	5	—
40-	275	—	—	—	7	34	129	84	19	2
45-	179	—	—	—	1	4	21	79	71	3
50-	115	—	—	—	—	—	2	14	79	20
60 and over	19	—	—	—	—	—	—	1	4	14
TOTAL	2,004	4	65	350	419	393	327	225	182	39

Age of Wife at Time of Marriage in Relation to Age of Husband, 1953

Age of Wife	All Ages	Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	909	305	414	158	24	6	1	1	—	—
21-24	675	66	341	214	45	7	2	—	—	—
25-	282	5	73	120	56	21	6	1	—	—
30-	79	—	8	22	28	13	3	4	1	—
35-	30	—	—	9	5	9	2	3	1	1
40-	15	—	—	—	3	4	5	1	2	—
45-	6	—	—	—	—	—	—	2	4	—
50-	7	—	—	—	—	1	1	1	4	—
60 and over	1	—	—	—	—	—	—	—	1	—
TOTAL	2,004	376	836	523	161	61	20	13	13	1

Present Age of Wife and Duration of Marriage, 1953

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0-2	3-4	5-6	7-9	10-14	15-19	20 and over
16-20	14	10	4	—	—	—	—	—
21-24	167	17	76	59	15	—	—	—
25-	419	8	56	108	182	65	—	—
30-	460	6	14	42	112	262	24	—
35-	356	1	7	12	31	116	158	31
40-	275	1	5	6	10	41	79	133
45-	179	—	1	3	3	16	14	142
50-	115	1	2	5	6	10	5	86
60 and over	19	—	—	1	—	2	—	16
TOTAL	2,004	44	165	236	359	512	280	408

Present Age of Wife in Relation to Age of Husband, 1954

Present Age of Wife	All Ages	Present Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	18	1	13	4	—	—	—	—	—	—
21-24	173	3	50	100	18	—	2	—	—	—
25-	416	—	11	179	177	38	8	1	1	1
30-	431	—	1	43	207	134	34	8	3	1
35-	296	—	—	4	29	117	99	39	8	—
40-	257	—	—	2	5	23	126	80	20	1
45-	168	—	—	—	1	12	17	72	61	5
50-	108	—	—	—	2	1	3	10	77	15
60 and over	18	—	—	—	—	—	2	1	5	10
TOTAL	1,885	4	75	332	439	325	291	211	175	33

Age of Wife at Time of Marriage in Relation to Age of Husband, 1954

Age of Wife	All Ages	Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	836	287	394	131	18	3	2	—	1	—
21-24	614	55	284	199	62	11	2	—	1	—
25-	269	9	57	134	43	16	5	4	1	—
30-	87	1	16	18	28	18	3	1	2	—
35-	35	—	1	4	8	12	5	3	2	—
40-	26	—	—	2	3	8	7	2	4	—
45-	10	—	1	3	—	—	1	1	4	—
50-	8	—	—	—	1	—	1	1	3	2
60 and over	—	—	—	—	—	—	—	—	—	—
TOTAL	1,885	352	753	491	163	68	26	12	18	2

Present Age of Wife and Duration of Marriage, 1954

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0-2	3-4	5-6	7-9	10-14	15-19	20 and over
16-20	18	12	6	—	—	—	—	—
21-24	173	11	85	66	11	—	—	—
25-	416	6	57	116	179	58	—	—
30-	431	5	14	42	105	231	34	—
35-	296	—	5	12	33	117	97	32
40-	257	1	3	4	17	40	70	122
45-	168	1	4	10	6	15	24	108
50-	108	—	4	—	7	6	9	82
60 and over	18	—	1	—	2	4	1	10
TOTAL	1,885	36	179	250	360	471	235	354

Present Age of Wife in Relation to Age of Husband, 1955

Present Age of Wife	All Ages	Present Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	22	2	15	4	1	—	—	—	—	—
21-24	185	1	46	112	25	1	—	—	—	—
25-	415	2	11	171	179	36	7	5	4	—
30-	391	—	—	33	179	122	44	7	6	—
35-	266	—	—	2	29	98	104	27	6	—
40-	235	—	1	2	4	16	100	85	27	—
45-	139	—	—	—	1	2	20	63	51	2
50-	114	—	—	—	—	1	2	5	92	14
60 and over	9	—	—	—	—	—	—	2	3	4
TOTAL	1,776	5	73	324	418	276	277	194	189	20

Age of Wife at Time of Marriage in Relation to Age of Husband, 1955

Age of Wife	All Ages	Age of Husband								
		16-20	21-24	25-	30-	35-	40-	45-	50-	60 and over
16-20	829	241	423	132	23	7	3	—	—	—
21-24	589	49	278	195	47	12	4	3	1	—
25-	234	9	41	108	52	14	6	2	2	—
30-	72	1	8	15	32	10	3	—	3	—
35-	29	1	1	5	8	6	6	1	1	—
40-	12	—	—	1	2	3	1	5	—	—
45-	7	—	—	—	1	—	—	3	2	1
50-	4	—	—	—	—	—	1	1	2	—
60 and over	—	—	—	—	—	—	—	—	—	—
TOTAL	1,776	301	751	456	165	52	24	15	11	1

Present Age of Wife and Duration of Marriage, 1955

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0-2	3-4	5-6	7-9	10-14	15-19	20 and over
16-20	22	10	12	—	—	—	—	—
21-24	185	20	79	75	11	—	—	—
25-	415	11	58	115	185	46	—	—
30-	391	2	19	39	92	196	43	—
35-	266	3	3	5	21	76	136	22
40-	235	—	3	8	17	23	85	99
45-	139	—	1	2	4	13	16	103
50-	114	1	2	6	2	5	5	93
60 and over	9	—	—	—	—	2	—	7
TOTAL	1,776	47	177	250	332	361	285	324

APPENDIX XI

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDING 31st DECEMBER, 1955

Supplied by the Meteorological Office, Edinburgh

Under the heading of "Meteorological Notes" a descriptive account of the weather is given in the "Quarterly Returns" published by authority of the Registrar General, and the notes are accompanied by statistics for some of the Principal Towns.

The present report, for the year 1955, is of a general character as to text, and to it are appended tables summarizing the statistics of the various stations (pages 483-487).

General.—The outstanding features of the year are indicated in the course of the report. The most notable are:—

- (a) An exceedingly hard winter with intense frosts and severe snowstorms.
- (b) A late Spring and, after an unpromising start to the summer, truly brilliant weather in July and August which brought an early harvest and the best holiday season for many years.
- (c) The high sunshine records and unusual dryness for the year as a whole.

Gales.—Gales were reported from one place or another on 118 days, the lowest frequency since 1946. The most disturbed months were January (16 days) and December (21).

Notably high wind speeds, in gusts, were 81 miles per hour at Tiree on 12th January, and 89 at Stornoway on 28th February. The blizzards and high winds in January and February resulted in the island of Foula being cut off for 40 days. High gusts came with the storms in December, wind velocity reaching 87 miles per hour at Millport, Isle of Cumbrae, 78 at Tiree, 76 at Paisley—all on the 28th—and 75 at Lerwick on the 23rd.

Temperature.—Mean temperature for the year, over the country as a whole, was about average. In the first six months, April was the only mild one, but the second half of the year was generally mild, October being the only really cool month. The lowest readings occurred on 22nd/23rd February, *viz.*, an air temperature of -13°F . (45 degrees of frost) and a ground temperature of -18° (50 degrees of frost) at Braemar. The thermometer attained its highest *viz.* 89° at Elgin on 25th August, the warmest day in Scotland since July, 1948.

The opening weeks in January, February and March were mild but were followed by severe frost and snowfall. It was the coldest first quarter since 1947 and the low air reading at Braemar, quoted above, was the lowest in any month since the present "record" (-17°) and was set up at Braemar in February, 1895. April was one of the mildest since 1856, and May opened with fine weather but frost and even snow showers occurred in the second half of the month. June was rather cool, the night minimum (22°) at Dalwhinnie on the 9th, being the lowest in June ever recorded in Scotland.

An outstanding feature of the year was the brilliant weather in July and August, the former month being the warmest since 1934 and, excluding August, 1947, the latter was the warmest one since 1857. In both months temperature

rose to 87°-89°, quite high readings for Scotland. Although cool spells came in September, mean temperature exceeded average and the highest day readings just failed to reach 80°.

October was mild at first with frost and snow later but the month as a whole was a decidedly cold one. Mean temperature exceeded average in November despite several cold periods. December was cold in northern districts but temperature was up to the seasonal average in the south.

Rainfall.—Total precipitation in 1955 was 41.1 inches, or 9.2 below the long period average and 22.0 less than in 1954. Except for May, each of the months up to the end of August had less than the average fall, the overall deficiency for the eight months being about 30 per cent. Total rainfall to the end of November broke the long standing records for dryness set up in 1870 and 1887. In many places 1955 was the driest year "on record". Amongst the largest totals for the year were 92.42 inches at Loch Sloy Dam and 84.49 at Kinlochourn. St. Abbs Head and Dunbar had about 14 inches. The East Coast and Central Scotland had roughly 70 per cent. of average and the Western Seaboard 85 to 95 per cent.

Only some eastern areas received more than the normal rainfall in January and February and the whole country was extremely dry in March. East Scotland was dry in April, in contrast to a fairly large wet area in the west. May was very unsettled except for June weather in the last week. Quite large variations occurred in June, the east being dry and many parts of the west rather wet. Edinburgh had its driest June since 1940, and Wick only two drier (1869 and 1941) in a period of 90 years.

New low "records" were set up in July and August; the drought lasted in places from 4th July to 7th August. In the west July's rainfall gave only 10 per cent. of average in places and some eastern districts were equally dry in August. The drought was maintained in East Scotland through September while the whole of the west received considerably more than the seasonal rainfall. October brought wet conditions to the northwestern half of the country, whereas a shortage occurred southwards. Despite unsettled weather at first, November had a deficiency and the water shortage in East Scotland, resulting from the low rainfalls throughout the year, continued. In Edinburgh, total rainfall for the 11 months was less than in any corresponding period since 1826. December was very wet and unsettled, probably the wettest one since 1929. Gordon Castle, near Fochabers, recorded its highest December total since 1876.

Flooding.—Despite the exceptional dryness of the year, some flooding occurred. Melting snow in January and February led to swollen rivers, especially in the west. On 28th February measurements for 24 hours exceeded three inches of rain over a large area, notably 5.75 at Inverailort, 5.30 at Ardrishaig, 5.04 at Glenbranter, 4.29 at Ardkinglas, 4.15 at Duror of Appin and 4.04 at Kingairloch. Unusually heavy falls occurred in Skye on 10th September when Glenbrittle reported 4.76 inches, Grula 4.16, Loch Harport 3.71 and Tallisker 3.70. In December, 3.15 fell in 24 hours at Dhu Loch (Bute) on the 9th, and 3.07 at Loch Sloy Dam on the 6th.

Snow.—Snowfall in 1955 was heavier than in any recent year. The worst storms occurred in January and February. Following the blizzards in North-east Scotland trains were dug from drifts, and food supplies dropped by aircraft to isolated farms and villages. Drifts up to 30 feet deep were reported in the

storms of 10th-18th January. At Dalwhinnie snow lay 18 inches deep (undrifted) from 19th-21st January. In February, communications were again completely disrupted in the Northeast between the 11th and 24th, when snow fell to a depth of two feet (undrifted). There seems no doubt that these storms were at least as severe as those of 1940, 1941, 1942 and 1947. Blizzards, though not so damaging as in the preceding two months, blocked roads and cut communications in the second half of March. In December snow fell several inches deep at times and frozen snow and ice affected main roads, a number in Shetland being completely blocked.

Thunder.—The frequency of thunder was the lowest since 1942. All the months except August, September and December had less than the normal. Storms occurred in many central and eastern districts on 5th June and thunder with heavy rain was reported fairly widely in the southeast on 3rd July. The outbreaks in the east in the afternoon of 9th August and on 12th August in both the east and west were perhaps the most widespread of the year.

Sunshine.—In all areas 1955 was a very sunny year. At Ruthwell (Dumfriesshire), Oban, Kilmarnock, Edinburgh and N. Berwick, total sunshine exceeded average by over 350 hours. The sunniest places included Dunbar (1,878 hours), West Freugh (1817) and Arbroath (1810).

Except in some eastern districts, January and February were sunny months, the Moray Firth in the former and the north and west in the latter having the best records. In March, the south was much sunnier than the north, Tiree, Helensburgh, Prestwick and Arbroath returning their highest aggregates for over 20 years. The whole country had high records in April. Over 200 hours were recorded at Arbroath and Dunbar. May was exceptionally bright, especially the last week when Stornoway registered 97·7 hours. Records in June exceeded average in the Northwest and Northeast, but the month was disappointingly dull in many southern districts.

July was the sunniest one on "record", the leading totals exceeding 300 hours for the month. The fine sunny weather continued in August to give Scotland its best harvest and holiday weather for many years. Good records were returned from many places in the east and south in September, October and November, while December, despite its high rainfall, had appreciable more than the seasonal sunshine.

Fog.—There was about the normal frequency of fog in 1955, reports from one place or other totalling 179, considerably less than in the preceding two years. November with 23 days and January, February and March, each with 21 days, had the most. Early morning fog was prevalent on the North and East coasts on 22nd-25th August. On 16th November, thick fog held up shipping on the Clyde and the Queensferry service was affected.

Aurora.—The Aurora borealis was seen on 96 nights in contrast to 123 in 1954. The months with the highest frequencies were January (14 nights) and February (15).

(For Statistical Tables see pages 483 to 487)

TABLE 1.—Population of Scotland, estimated in the middle of each year, with the Numbers of Births, Stillbirths, Deaths and Marriages registered in each year, 1855-1955

YEAR	Estimated Mid-Year Population	LIVE-BIRTHS				STILL-BIRTHS	MULTIPLE BIRTHS*		MARRIAGES	DEATHS			
		Total	Males	Fem.	Illegit.		Twins	Triplets		Total	Males	Fem.	Under 1 Year
1855	2,978,065	93,349	47,804	45,545	7,357	—	—	—	19,680	62,004	30,626	31,378	11,691
1856	2,995,771	101,821	52,239	49,582	8,695	—	1,267	12	20,740	58,529	29,418	29,111	12,058
1857	3,012,310	103,415	53,158	50,257	8,859	—	1,300	†16	21,369	61,906	30,937	30,969	12,191
1858	3,027,665	104,018	53,694	50,324	9,354	—	1,262	17	19,655	63,539	31,652	31,887	12,622
1859	3,041,812	106,543	54,628	51,915	9,715	—	1,335	11	21,201	61,714	30,588	31,126	11,523
1860	3,054,738	105,629	54,409	51,220	9,736	—	1,247	23	21,225	68,170	33,610	34,560	13,413
1855-60	3,018,000	102,462	52,655	49,807	8,953	—	1,282	†16	20,645	62,644	31,739	31,505	12,250
1861	3,069,403	107,009	54,606	52,403	9,929	—	1,249	18	20,896	62,341	30,890	31,451	11,869
1862	3,098,008	107,069	55,257	51,812	10,376	—	1,279	18	20,597	67,195	33,179	34,016	12,556
1863	3,126,879	109,341	56,226	53,115	10,948	—	1,267	6	22,234	71,481	35,631	35,850	13,125
1864	3,156,023	112,333	57,374	54,959	11,197	—	1,332	12	22,725	74,416	37,010	37,406	14,180
1865	3,185,439	113,070	58,220	54,850	11,262	—	1,364	9	23,611	70,891	35,190	35,701	14,099
1861-65	3,127,000	109,764	56,336	53,428	10,742	—	1,298	†3	22,013	69,265	34,380	34,885	13,166
1866	3,215,130	113,667	58,360	55,307	11,673	—	1,366	12	23,688	71,348	35,355	35,993	13,915
1867	3,245,101	114,044	58,517	55,527	11,148	—	1,365	†13	22,618	69,068	34,363	34,705	13,521
1868	3,275,353	115,514	59,222	56,292	11,354	—	1,443	15	21,855	69,416	34,662	34,754	13,600
1869	3,305,889	113,354	58,321	55,033	11,086	—	1,407	15	22,144	75,875	37,868	38,007	14,654
1870	3,336,712	115,390	58,959	56,431	11,108	—	1,384	9	23,854	74,165	36,866	37,299	14,166
1866-70	3,276,000	114,394	58,676	55,718	11,270	—	1,393	†13	22,832	71,974	35,823	36,151	13,971
1871	3,368,926	116,128	60,029	56,099	11,077	—	1,299	17	24,019	74,712	36,827	37,885	15,134
1872	3,404,799	118,765	61,293	57,472	10,927	—	1,383	11	25,641	75,794	37,939	37,855	14,720
1873	3,441,057	119,700	61,467	58,233	10,925	—	1,410	15	26,748	76,946	39,037	37,909	14,950
1874	3,477,704	123,711	63,602	60,109	10,991	—	1,512	13	26,390	80,720	40,678	40,042	15,447
1875	3,514,744	123,578	63,432	60,146	10,786	—	1,477	9	25,974	81,767	40,323	41,444	16,320
1871-75	3,441,000	120,376	61,964	58,412	10,941	—	1,416	†3	25,754	77,988	38,961	39,027	15,374
1876	3,552,182	126,534	64,819	61,715	11,029	—	1,463	20	26,579	74,129	37,404	36,725	15,340
1877	3,590,021	126,822	65,089	61,733	10,568	—	1,429	12	25,817	73,937	37,173	36,764	14,571
1878	3,628,268	126,773	65,200	61,573	10,641	—	1,367	12	24,358	76,793	38,389	38,404	15,599
1879	3,666,923	125,730	64,346	61,384	10,727	—	1,452	20	23,519	73,347	36,296	37,051	15,571
1880	3,705,994	124,570	63,786	60,784	10,589	—	1,438	8	24,505	75,803	38,055	37,748	15,523
1876-80	3,629,000	126,086	64,648	61,438	10,711	—	1,430	†4	24,956	74,801	37,463	37,338	14,941
1881	3,742,564	126,171	64,720	61,451	10,484	—	1,418	13	26,004	72,325	36,097	36,228	14,198
1882	3,770,656	126,158	64,505	61,653	10,546	—	1,415	7	26,596	72,989	36,325	36,664	14,883
1883	3,798,961	124,458	63,879	60,579	10,114	—	1,370	18	26,869	76,891	38,296	38,595	14,812
1884	3,827,476	129,157	66,379	62,778	10,439	—	1,457	19	26,106	75,168	37,556	37,612	15,228
1885	3,856,207	126,100	64,543	61,557	10,680	—	1,423	14	25,304	74,607	36,932	37,675	15,200
1881-85	3,799,000	126,409	64,805	61,604	10,453	—	1,417	†4	26,176	74,396	37,041	37,355	14,864
1886	3,885,154	127,890	65,910	61,980	10,506	—	1,331	10	24,515	73,640	36,432	37,208	14,797
1887	3,914,318	124,418	63,842	60,576	10,380	—	1,335	18	24,876	74,546	36,805	37,741	15,202
1888	3,943,701	123,269	63,129	60,140	9,968	—	1,380	12	25,305	71,174	34,953	36,221	13,945
1889	3,973,304	122,783	63,303	59,480	9,770	—	1,423	10	26,344	73,238	36,328	36,910	14,895
1890	4,003,131	121,526	62,187	59,339	9,241	—	1,421	13	27,469	79,004	39,130	39,874	15,877
1886-90	3,944,000	123,977	63,674	60,303	9,973	—	1,378	†3	25,702	74,320	37,729	37,591	14,943
1891	4,036,245	125,986	64,769	61,217	9,647	—	1,372	14	27,969	83,573	41,122	42,451	16,110
1892	4,078,910	125,043	64,356	60,687	9,248	—	1,468	17	28,670	75,545	37,463	38,082	14,693
1893	4,122,029	127,110	65,010	62,100	9,467	—	1,469	10	27,145	79,670	39,585	40,085	17,286
1894	4,165,606	124,367	63,857	60,510	9,064	—	1,450	13	27,604	77,113	35,153	35,960	14,516
1895	4,209,645	126,494	64,799	61,695	9,204	—	1,342	12	28,422	81,852	40,663	41,189	16,874
1891-95	4,122,000	125,800	64,558	61,242	9,326	—	1,420	†3	27,962	78,350	38,797	39,553	15,896
1896	4,254,153	129,172	66,214	62,958	9,393	—	1,493	21	30,270	70,677	35,321	35,356	14,924
1897	4,299,132	128,877	65,817	63,060	9,068	—	1,375	15	31,050	79,144	39,506	39,638	17,773
1898	4,344,589	130,861	66,814	64,047	8,870	—	1,450	14	32,112	78,397	39,344	39,533	17,566
1899	4,390,530	130,733	66,778	63,955	8,486	—	1,463	15	32,978	79,593	39,903	39,990	17,132
1900	4,436,958	131,401	67,147	64,254	8,534	—	1,544	15	32,444	82,296	41,276	41,020	16,888
1896-1900	4,345,000	130,209	66,554	63,655	8,870	—	1,465	†6	31,771	78,021	39,070	38,951	16,857

* Live births only prior to 1939

† Including one case of quadruplets

TABLE 1—continued.

YEAR	Estimated Mid-Year Popula- tion	LIVE-BIRTHS				STILL- BIRTHS	MULTIPLE BIRTHS*			MARRIAGES	DEATHS			
		Total	Males	Fem.	Illegit.		Total	Twins	Triplets		Total	Males	Fem.	Under 1 Year
1901	4,479,104	132,192	67,753	64,439	8,359	—	1,547	13	31,387	80,107	40,213	39,894	17,104	
1902	4,507,220	132,267	67,442	64,825	8,300	—	1,620	25	31,913	77,941	39,183	38,758	15,004	
1903	4,535,513	133,525	68,087	65,438	8,295	—	1,604	†13	32,351	76,002	38,136	37,866	15,693	
1904	4,563,985	132,603	67,794	64,809	9,010	—	1,603	18	32,271	77,981	38,851	39,130	16,329	
1905	4,592,636	131,410	66,750	64,660	9,082	—	1,619	17	31,270	74,536	37,196	37,340	15,275	
1901-05	4,536,000	132,399	67,565	64,834	8,609	—	1,599	†17	31,838	77,313	38,716	38,597	15,881	
1906	4,621,466	132,005	67,461	64,544	9,306	—	1,524	21	33,142	75,635	37,731	37,904	15,174	
1907	4,650,478	128,840	65,901	62,939	8,791	—	1,676	†14	33,298	77,296	38,240	39,056	14,140	
1908	4,679,671	131,362	66,826	64,536	9,111	—	1,675	15	31,606	77,838	38,864	38,974	15,900	
1909	4,709,048	128,669	65,725	62,944	9,370	—	1,627	12	30,108	74,632	37,094	37,538	13,856	
1910	4,738,611	124,059	63,144	60,915	9,049	—	1,541	8	30,902	72,268	36,049	36,219	13,436	
1906-10	4,680,000	128,987	65,811	63,176	9,125	—	1,609	†14	31,811	75,534	37,596	37,938	14,501	
1911	4,751,132	121,850	62,274	59,576	9,200	—	1,552	11	31,844	71,732	35,823	35,909	13,707	
1912	4,741,077	122,790	62,931	59,859	9,989	—	1,524	13	32,506	72,340	36,072	36,268	12,949	
1913	4,728,132	120,516	61,464	59,052	8,548	—	1,527	21	33,676	73,069	36,504	36,565	13,214	
1914	4,747,167	123,934	62,974	60,960	8,879	—	1,634	16	35,028	73,557	36,757	36,800	13,710	
1915	4,770,798	114,181	58,392	55,789	7,875	—	1,451	15	36,233	81,631	41,110	40,521	14,441	
1911-15	4,748,000	120,654	61,607	59,047	8,698	—	1,538	15	33,857	74,466	37,253	37,213	13,604	
1916	4,794,708	109,942	56,471	53,471	7,797	—	1,419	6	31,419	70,640	35,649	34,991	10,674	
1917	4,810,338	97,441	50,011	47,430	7,295	—	1,274	7	30,421	69,483	35,361	34,122	10,473	
1918	4,812,274	98,554	50,373	48,181	7,854	—	1,357	10	34,529	78,372	39,144	39,228	9,836	
1919	4,820,077	106,268	54,771	51,497	8,424	—	1,584	†14	44,060	75,149	37,500	37,649	10,795	
1920	4,864,396	136,546	69,719	66,827	10,204	—	1,822	15	46,754	68,179	34,619	33,560	12,565	
1916-20	4,820,000	109,750	56,269	53,481	8,315	—	1,491	†10	37,437	72,365	36,455	35,910	10,869	
1921	4,882,497	123,201	63,075	60,126	8,757	—	1,596	8	39,243	66,210	33,085	33,125	11,130	
1922	4,898,000	115,085	58,826	56,259	7,881	—	1,498	11	34,375	72,905	36,244	36,661	11,664	
1923	4,888,100	111,902	57,332	54,570	7,477	—	1,491	9	35,200	63,283	31,682	31,601	8,825	
1924	4,862,200	106,900	54,919	51,981	7,088	—	1,400	13	32,328	70,357	35,168	35,189	10,446	
1925	4,867,100	104,137	53,426	50,711	6,831	—	1,309	7	32,456	65,507	33,036	32,471	9,430	
1921-25	4,879,600	112,245	57,516	54,729	7,606	—	1,459	10	34,720	67,652	33,443	33,809	10,299	
1926	4,884,300	102,449	52,362	50,087	7,046	—	1,279	†12	31,244	63,780	32,021	31,759	8,514	
1927	4,853,100	96,672	49,314	47,358	6,978	—	1,237	9	32,553	65,890	33,097	32,733	8,576	
1928	4,847,900	96,822	49,584	47,338	7,158	—	1,201	15	32,948	65,271	32,577	32,694	8,299	
1929	4,832,200	92,880	47,769	45,111	7,165	—	1,157	12	32,967	70,917	35,388	35,531	8,061	
1930	4,828,000	94,549	48,069	46,480	6,950	—	1,265	9	33,315	64,285	32,448	31,837	7,852	
1926-30	4,845,100	96,674	49,419	47,255	7,059	—	1,228	†11	32,605	66,017	33,106	32,911	8,260	
1931	4,842,980	92,220	46,972	45,248	6,661	—	1,117	15	32,652	64,229	32,238	31,991	7,544	
1932	4,883,100	91,000	46,579	44,421	6,456	—	1,106	17	33,157	66,045	32,743	33,302	7,840	
1933	4,912,400	86,546	44,767	41,779	5,964	—	1,067	10	34,201	64,848	32,593	32,255	7,019	
1934	4,934,300	88,836	45,414	43,422	6,119	—	1,034	15	36,934	63,741	32,093	31,648	6,901	
1935	4,952,500	87,928	44,965	42,963	5,777	—	1,058	5	37,988	65,331	32,822	32,509	6,754	
1931-35	4,905,000	89,306	45,739	43,567	6,195	—	1,076	12	34,986	64,839	32,498	32,341	7,212	
1936	4,966,300	88,928	45,323	43,605	5,744	—	1,047	7	37,896	66,749	33,873	32,876	7,315	
1937	4,976,600	87,810	45,035	42,775	5,404	—	1,035	10	38,334	68,942	34,964	33,978	7,050	
1938	4,993,100	88,627	45,447	43,180	5,449	—	1,058	3	38,716	62,953	31,806	31,147	6,163	
1939	5,006,700	86,913	44,687	42,226	5,244	3,832	1,233	14	46,236	64,413	33,002	31,411	5,955	
1940†	4,841,200	86,392	44,234	42,158	5,144	3,799	1,206	5	53,522	72,775	37,649	35,126	6,766	
1936-40	—	87,734	44,945	42,789	5,397	—	1,116	8	42,941	67,166	34,259	32,907	6,650	
1941†	4,819,400	89,748	46,104	43,644	5,948	3,698	1,207	17	47,620	72,558	37,690	34,868	7,426	
1942†	4,751,000	90,703	46,405	44,298	6,516	3,602	1,175	8	47,402	64,963	33,813	31,150	6,283	
1943†	4,661,600	94,669	48,473	46,196	7,219	3,494	1,299	16	38,177	66,733	34,326	32,947	6,174	
1944†	4,653,600	95,920	49,519	46,401	7,612	3,221	1,342	†13	37,017	64,603	33,323	31,280	6,237	
1945†	4,673,900	86,924	44,774	42,150	7,526	2,949	1,243	13	48,642	62,655	32,001	30,654	4,889	
1941-45	4,711,900	91,593	47,955	44,538	6,964	3,393	1,253	†13	43,772	66,302	34,230	32,072	6,202	
1946†	4,900,800	104,413	53,857	50,556	6,948	3,483	1,474	20	45,785	64,605	32,717	31,888	5,621	
1947	5,084,200	113,147	58,010	55,137	6,311	3,563	1,570	19	44,360	66,200	33,801	32,399	6,309	
1948	5,096,900	100,344	51,858	48,486	5,776	2,966	1,360	11	43,718	60,979	30,844	30,135	4,486	
1949	5,110,900	95,674	49,183	46,491	5,223	2,666	1,331	17	41,708	63,488	31,851	31,637	3,961	
1950	5,126,400	92,530	47,822	44,708	4,837	2,557	1,347	16	40,459	63,996	32,191	31,805	3,569	
1946-50	—	101,222	52,146	49,076	5,819	3,047	1,416	17	43,206	63,854	32,281	31,573	4,789	
1951	5,114,400	90,639	46,699	43,940	4,592	2,479	1,283	18	41,361	65,778	33,116	32,662	3,391	
1952	5,114,600	90,422	46,268	44,154	4,306	2,430	1,277	†14	41,154	61,510	31,401	30,109	3,181	
1953	5,117,600	90,913	46,853	44,060	4,231	2,308	1,222	6	40,902	58,878	30,326	28,552	2,800	
1954	5,123,300	92,315	47,414	44,901	4,177	2,401	1,310	14	41,974	61,380	31,493	29,887	2,861	
1955	5,133,300	92,539	47,526	45,013	3,991	2,330	1,269	10	43,212	61,645	31,329	30,316	2,811	
1951-55	5,120,600	91,366	46,952	44,414	4,259	2,390	1,272	†13	41,721	61,838	31,533	30,305	3,009	

* Live Births only prior to 1939

† Mean civilian population for year

† Including one case of quadruplets
(two cases in 1944)

TABLE 2.—Birth-, Stillbirth-, Death-, and Marriage-rates in Scotland, 1855-1955

YEAR	Rates per 1,000 of Population					Natural Increase (excess of Births over Deaths)	Illegit. Births per cent of Live Births	Male Births per 1,000	Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth- rate (Living Children)	Mar- riage- rate	Death-rate									
			Total	Males	Fem.							
1855	31-346	6-608	20-820	21-62	20-03	10-53	7-88	1049	—	—	125-2	—
1856	33-988	6-923	19-537	20-65	18-50	14-45	8-54	1053	1-27	118-4	—	—
1857	34-331	7-094	20-551	21-61	19-58	13-78	8-58	1057	1-29	117-9	—	—
1858	34-356	6-492	20-986	22-02	20-05	13-37	8-99	1066	1-25	121-3	—	—
1859	35-026	6-969	20-288	21-20	19-40	14-74	9-12	1052	1-28	108-2	—	—
1860	35-578	6-948	22-316	23-21	21-50	13-26	9-22	1062	1-22	127-0	—	—
1855-60	34-104	6-839	20-750	21-72	19-84	13-36	8-74	1057	1-26	119-6	—	—
1861	34-863	6-808	20-310	21-25	19-46	14-55	9-28	1042	1-20	110-9	—	—
1862	34-561	6-648	21-690	22-60	20-87	12-87	9-69	1066	1-23	117-3	—	—
1863	34-968	7-160	22-860	24-02	21-81	12-11	10-01	1058	1-18	120-0	—	—
1864	35-594	7-200	23-579	24-70	22-56	12-02	9-97	1044	1-21	126-2	—	—
1865	35-496	7-412	22-255	23-25	21-35	13-24	9-96	1061	1-23	124-7	—	—
1861-65	35-096	7-046	22-139	23-16	21-21	12-96	9-79	1054	1-21	119-9	—	—
1866	35-354	7-367	22-191	23-13	21-34	13-16	10-27	1055	1-23	122-4	—	—
1867	35-063	6-970	21-284	22-26	20-40	13-78	9-78	1054	1-22	118-6	—	—
1868	35-267	6-673	21-193	22-22	20-25	14-07	9-83	1052	1-28	117-7	—	—
1869	34-288	6-698	22-951	24-04	21-96	11-34	9-76	1059	1-27	129-3	—	—
1870	34-582	7-149	22-227	23-17	21-37	12-36	9-63	1044	1-22	122-8	—	—
1866-70	34-911	6-971	21-969	22-96	21-06	12-94	9-85	1053	1-24	122-1	—	—
1871	34-470	7-130	22-177	22-90	21-51	12-29	9-54	1070	1-15	130-3	—	—
1872	34-882	7-531	22-261	23-33	21-00	12-62	9-20	1066	1-19	123-9	—	—
1873	34-786	7-773	22-361	23-72	21-11	12-43	9-13	1055	1-20	124-9	—	—
1874	35-573	7-588	23-211	24-44	22-08	12-36	8-88	1058	1-25	124-9	—	—
1875	35-160	7-390	23-264	23-94	22-63	11-90	8-73	1055	1-22	132-1	—	—
1871-75	34-974	7-482	22-655	23-67	21-67	12-32	9-09	1061	1-20	127-2	—	—
1876	35-621	7-482	20-869	21-96	19-86	14-75	8-72	1050	1-19	121-2	—	—
1877	35-326	7-191	20-595	21-57	19-69	14-73	8-33	1054	1-15	114-9	—	—
1878	34-940	6-713	21-165	22-02	20-37	12-78	8-39	1059	1-10	123-0	—	—
1879	34-288	6-414	20-002	20-58	19-47	14-29	8-53	1048	1-18	107-9	—	—
1880	33-613	6-612	20-454	21-33	19-64	13-16	8-50	1049	1-17	124-6	—	—
1876-80	34-758	6-882	20-617	21-49	19-81	13-94	8-49	1052	1-16	118-3	—	—
1881	33-712	6-948	19-325	20-02	18-68	14-39	8-31	1053	1-15	112-5	—	—
1882	33-458	7-053	19-357	19-98	18-77	14-10	8-36	1046	1-14	118-0	—	—
1883	32-761	7-073	20-240	20-90	19-61	12-52	8-13	1054	1-13	119-0	—	—
1884	33-745	6-821	19-639	20-32	18-97	14-11	8-08	1057	1-16	117-9	—	—
1885	32-700	6-562	19-347	19-83	18-87	13-35	8-47	1049	1-15	120-5	—	—
1881-85	33-275	6-891	19-582	20-21	18-98	13-69	8-27	1052	1-15	117-6	—	—
1886	32-918	6-310	18-954	19-40	18-50	13-96	8-21	1063	1-06	115-7	—	—
1887	31-785	6-355	19-044	19-44	18-63	12-74	8-34	1054	1-10	122-2	—	—
1888	31-257	6-417	18-048	18-32	17-75	13-21	8-09	1050	1-14	113-1	—	—
1889	30-902	6-630	18-433	18-88	17-96	12-47	7-96	1064	1-18	121-3	—	—
1890	30-358	6-862	19-736	20-26	19-25	10-62	7-60	1048	1-19	130-6	—	—
1886-90	31-444	6-515	18-843	19-26	18-42	12-60	8-04	1056	1-13	120-5	—	—
1891	31-214	6-929	20-706	21-11	20-33	10-51	7-66	1058	1-11	127-9	—	—
1892	30-656	7-029	18-521	19-01	18-06	12-14	7-40	1060	1-20	117-5	—	—
1893	30-837	6-585	19-328	19-87	18-82	11-51	7-45	1047	1-18	136-0	—	—
1894	29-856	6-627	17-071	17-45	16-72	12-79	7-29	1055	1-19	116-7	—	—
1895	30-049	6-752	19-444	19-95	18-96	10-61	7-28	1050	1-08	133-4	—	—
1891-95	30-522	6-784	19-074	19-48	18-58	11-51	7-41	1054	1-15	126-4	—	—
1896	30-364	7-115	16-614	17-14	16-12	13-75	7-27	1052	1-19	115-5	—	—
1897	29-977	7-222	18-409	18-96	17-89	11-57	7-04	1044	1-09	137-9	—	—
1898	30-120	7-391	18-045	18-67	17-46	12-08	6-78	1043	1-13	134-2	—	—
1899	29-776	7-511	18-128	18-72	17-57	11-65	6-49	1044	1-14	131-0	—	—
1900	29-615	7-312	18-548	19-15	17-98	11-07	6-49	1045	1-20	128-5	—	—
1896-1900	29-970	7-310	17-949	18-53	17-40	12-02	6-81	1046	1-15	129-5	—	—
1901	29-513	7-007	17-885	18-47	17-33	11-63	6-32	1051	1-19	129-4	—	—
1902	29-346	7-080	17-292	17-89	16-73	12-05	6-28	1040	1-26	113-4	—	—
1903	29-440	7-133	16-757	17-31	16-24	12-68	6-21	1040	1-23	117-5	—	—
1904	29-054	7-071	17-086	17-53	16-67	11-97	6-79	1046	1-24	123-1	—	—
1905	28-613	6-809	16-229	16-68	15-81	12-38	6-91	1032	1-26	116-2	—	—
1901-05	29-193	7-020	17-050	17-58	16-56	12-14	6-50	1042	1-24	119-9	—	—

TABLE 2—continued

YEAR	Rates per 1,000 of Population					Natural Increase (excess of Births over Deaths)	Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births (live and still)†	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth-rate (Living Children)	Marriage-rate	Death-rate								
			Total	Males	Fem.						
1906	28-563	7-171	16-366	16-82	15-94	12-20	7-05	1045	1-18	115-0	—
1907	27-705	7-160	16-621	16-94	16-32	11-08	6-82	1047	1-33	109-7	—
1908	28-071	6-754	16-633	17-11	16-18	11-44	6-94	1035	1-30	121-0	—
1909	27-324	6-394	15-849	16-24	15-48	11-48	7-28	1044	1-29	107-7	—
1910	26-180	6-521	15-251	15-68	14-84	10-93	7-29	1037	1-26	108-3	—
1906-10	27-569	6-800	16-144	16-56	15-75	11-43	7-07	1042	1-27	112-4	—
1911	25-647	6-702	15-098	15-55	14-67	10-55	7-55	1045	1-30	112-5	—
1912	25-899	6-856	15-258	15-68	14-86	10-64	7-32	1051	1-27	105-5	—
1913	25-489	7-122	15-454	15-90	15-04	10-04	7-09	1041	1-30	109-6	—
1914	26-107	7-379	15-495	15-93	15-08	10-61	7-16	1033	1-35	110-6	—
1915	23-933	7-595	17-111	17-77	16-49	6-82	6-90	1047	1-30	126-5	—
1911-15	25-415	7-131	15-683	16-17	15-23	9-73	7-21	1043	1-30	112-8	—
1916	22-930	6-553	14-733	15-37	14-13	8-20	7-09	1056	1-31	97-1	—
1917	20-257	6-324	14-445	15-24	13-71	5-81	7-49	1054	1-33	107-5	—
1918	20-480	7-175	16-286	16-96	15-67	4-19	7-97	1045	1-41	99-8	—
1919	22-047	9-141	15-591	16-20	15-02	6-46	7-93	1064	1-53	101-6	—
1920	28-070	9-611	14-016	14-81	13-28	14-05	7-47	1043	1-36	92-0	—
1916-20	22-757	7-761	15-014	15-72	14-36	7-74	7-58	1052	1-39	99-0	—
1921	25-233	8-037	13-561	14-09	13-07	11-67	7-11	1049	1-32	90-3	—
1922	23-496	7-018	14-885	15-37	14-43	8-61	6-85	1046	1-33	101-4	—
1923	22-892	7-201	12-946	13-47	12-46	9-95	6-68	1051	1-36	78-9	—
1924	21-986	6-649	14-470	15-10	13-89	7-52	6-63	1057	1-34	97-7	—
1925	21-396	6-668	13-459	14-15	12-82	7-94	6-56	1054	1-28	90-6	—
1921-25	23-001	7-114	13-864	14-44	13-34	9-14	6-78	1051	1-33	91-8	—
1926	21-061	6-423	13-112	13-73	12-55	7-95	6-88	1045	1-28	83-1	—
1927	19-919	6-707	13-564	14-22	12-96	6-35	7-22	1041	1-31	88-7	—
1928	19-971	6-796	13-463	14-01	12-96	6-51	7-39	1050	1-28	85-7	—
1929	19-220	6-822	14-675	15-27	14-12	4-54	7-71	1059	1-27	86-8	—
1930	19-583	6-900	13-314	14-01	12-67	6-27	7-35	1034	1-37	83-0	—
1926-30	19-951	6-730	13-626	14-25	13-05	6-32	7-30	1046	1-30	85-4	—
1931	19-042	6-742	13-262	13-86	12-71	5-78	7-22	1038	1-24	81-8	—
1932	18-636	6-790	13-525	13-94	13-14	5-11	7-09	1049	1-25	86-2	—
1933	17-618	6-962	13-201	13-79	12-66	4-42	6-89	1072	1-26	81-1	—
1934	18-004	7-485	12-918	13-51	12-37	5-09	6-89	1046	1-20	77-7	—
1935	17-754	7-670	13-191	13-76	12-66	4-56	6-57	1047	1-23	76-8	—
1931-35	18-207	7-133	13-219	13-77	12-71	4-99	6-94	1050	1-23	80-8	—
1936	17-906	7-631	13-440	14-16	12-77	4-47	6-46	1039	1-20	82-3	—
1937	17-645	7-703	13-853	14-59	13-17	3-79	6-15	1053	1-20	80-3	—
1938	17-749	7-754	12-608	13-22	12-04	5-14	6-15	1053	1-21	69-5	—
1939	17-359	9-235	12-865	13-68	12-11	4-49	6-03	1058	1-39	68-5	42-2
1940*	17-124	10-609	14-863	16-59	13-40	2-26	5-95	1049	1-36	78-3	42-1
1936-40	17-557	8-586	13-526	14-45	12-70	4-03	6-15	1050	1-27	75-8	—
1941*	17-501	9-284	14-741	16-75	13-11	2-76	6-63	1056	1-33	82-7	39-6
1942*	17-632	9-215	13-343	15-24	11-81	4-29	7-18	1048	1-27	69-3	38-2
1943*	18-355	7-402	13-977	15-93	12-43	4-38	7-63	1049	1-36	65-2	35-6
1944*	18-485	7-134	13-574	15-65	11-95	4-91	7-94	1067	1-39	65-0	32-5
1945*	16-855	9-432	13-200	15-11	11-70	3-65	8-66	1062	1-42	56-2	32-8
1941-45	17-766	8-493	13-767	15-14	12-20	4-00	7-61	1056	1-35	67-7	35-7
1946*	20-334	8-917	13-074	14-14	12-15	7-26	6-65	1065	1-40	53-8	32-3
1947	22-254	8-725	13-021	13-86	12-25	9-14	5-58	1052	1-38	55-8	30-5
1948	19-687	8-577	11-964	12-64	11-34	7-62	5-76	1070	1-35	44-7	28-7
1949	18-720	8-161	12-422	12-99	11-90	6-22	5-46	1058	1-39	41-4	27-1
1950	18-050	7-892	12-484	13-09	11-93	5-51	5-23	1070	1-45	38-6	26-9
1946-50	19-806	8-454	—	—	—	7-24	5-75	1063	1-39	47-3	29-2
1951	17-722	8-087	12-861	13-55	12-23	4-86	5-07	1063	1-42	37-4	26-6
1952	17-679	8-046	12-026	12-86	11-26	5-65	4-76	1048	1-41	35-2	26-2
1953	17-765	7-992	11-505	12-41	10-68	6-26	4-65	1063	1-33	30-8	24-8
1954	18-019	8-193	11-980	12-87	11-17	6-04	4-52	1056	1-42	31-0	25-3
1955	18-027	8-418	12-009	12-76	11-32	6-02	4-31	1056	1-37	30-4	24-6
1951-55	17-843	8-148	12-076	12-89	11-33	5-77	4-66	1057	1-39	32-9	25-5

* Death-rates from 1940 to 1946 are based on civilian population and civilian deaths

† Stillbirths not available prior to 1939

TABLE 3.—Births, Stillbirths, Deaths and Marriages in Scotland, 1945-1955

	Numbers						Rates							
	Live Births		Stillbirths	Marriages	Deaths			Per 1,000 of Estimated Population			Illegit. Births per 100 Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality-rate per 1,000 Live Births	Stillbirths per 1,000 Total Births incl.
	Total	Illegitimate			All Ages	Under One Year	Under Four Weeks	Births (living children)	Marriages	Deaths				
1st Quarter, 1945	21,642	1,911	746	9,747	18,674	1,465	658	17.0	7.6	16.0	8.8	68	30	33
2nd " "	22,577	1,971	774	12,362	15,364	1,234	681	17.6	9.6	13.0	8.7	55	30	33
3rd " "	21,342	1,896	671	13,622	13,082	979	533	16.4	10.5	10.9	8.9	46	25	30
4th " "	21,363	1,748	758	12,911	15,535	1,211	606	16.4	10.0	12.9	8.2	57	28	34
Year 1945*	86,924	7,526	2,949	48,642	62,655	4,889	2,478	16.9	9.4	13.2	8.7	56	29	33
1st Quarter, 1946	22,910	1,818	810	9,971	19,741	1,579	759	18.1	7.9	16.3	7.9	69	33	34
2nd " "	25,851	1,887	864	11,466	15,185	1,221	710	20.2	9.0	12.2	7.3	47	27	32
3rd " "	27,033	1,746	854	12,839	13,594	1,222	725	20.9	9.0	10.8	6.5	45	27	31
4th " "	28,619	1,497	955	11,509	16,085	1,599	925	22.1	8.9	12.7	5.2	56	32	32
Year 1946*	104,413	6,948	3,483	45,785	64,605	5,621	3,119	20.3	8.9	13.1	6.7	54	30	32
1st Quarter, 1947	30,479	1,615	1,018	9,497	21,198	1,915	1,006	24.3	7.6	16.9	5.3	63	33	32
2nd " "	30,366	1,700	913	11,241	15,653	1,609	854	24.0	8.9	12.3	5.6	53	28	29
3rd " "	27,028	1,651	853	12,747	13,447	1,353	709	21.1	9.9	10.5	6.1	50	26	31
4th " "	25,274	1,345	779	10,875	15,902	1,432	660	19.7	8.5	12.4	5.3	57	26	30
Year 1947	113,147	6,311	3,563	44,360	66,200	6,309	3,229	22.3	8.7	13.0	5.6	56	29	31
1st Quarter, 1948	25,324	1,417	760	9,959	16,825	1,303	653	20.0	7.9	13.3	5.6	51	26	29
2nd " "	26,561	1,642	775	10,490	14,698	1,144	680	21.0	8.3	11.6	6.2	43	26	28
3rd " "	24,389	1,392	711	13,509	13,652	972	592	19.5	10.0	10.7	5.7	40	24	28
4th " "	24,070	1,325	720	9,760	15,804	1,067	596	18.8	7.6	12.3	5.5	44	25	29
Year 1948	100,344	5,776	2,966	43,718	60,979	4,486	2,521	19.7	8.6	12.0	5.8	45	25	29
1st Quarter, 1949	24,230	1,381	707	10,638	19,222	1,225	632	19.2	8.4	15.3	5.7	51	26	28
2nd " "	25,424	1,442	710	9,209	15,274	913	545	20.0	7.2	12.0	5.7	36	21	27
3rd " "	23,324	1,274	642	12,786	13,119	823	496	18.1	9.9	10.2	5.5	35	21	27
4th " "	22,696	1,126	607	9,075	15,873	1,000	544	17.6	7.0	12.3	5.0	44	24	26
Year 1949	95,674	5,223	2,666	41,708	63,488	3,961	2,217	18.7	8.2	12.4	5.5	41	23	27
1st Quarter, 1950	23,542	1,185	673	11,111	18,647	1,080	580	18.6	8.8	14.8	5.0	46	25	28
2nd " "	24,646	1,359	659	8,680	14,986	841	521	19.3	6.8	11.7	5.5	34	21	26
3rd " "	22,498	1,195	627	11,847	13,341	737	487	17.4	9.2	10.3	5.3	33	22	27
4th " "	21,844	1,098	598	8,821	17,022	911	543	16.9	6.8	13.2	5.0	42	25	27
Year 1950	92,530	4,837	2,557	40,459	63,996	3,569	2,131	18.0	7.9	12.5	5.2	39	23	27
1st Quarter, 1951	23,625	1,195	657	11,560	22,428	1,088	583	18.7	9.2	17.8	5.1	46	25	27
2nd " "	24,310	1,289	658	8,958	15,442	850	530	19.1	7.0	12.1	5.3	35	22	26
3rd " "	21,932	1,126	575	12,048	13,104	698	461	17.0	9.3	10.2	5.1	32	21	26
4th " "	20,772	982	589	8,795	14,804	755	445	16.1	6.8	11.5	4.7	36	21	28
Year 1951	90,639	4,592	2,479	41,361	65,778	3,391	2,019	17.7	8.1	12.9	5.1	37	22	27
1st Quarter, 1952	22,892	1,069	677	12,420	18,394	872	516	18.0	9.8	14.5	4.7	38	23	29
2nd " "	23,531	1,126	598	8,156	14,270	801	518	18.5	6.4	11.2	4.8	34	22	25
3rd " "	22,161	1,126	541	11,894	12,813	663	459	17.2	9.3	10.0	5.1	30	21	24
4th " "	21,838	985	614	8,684	16,033	845	465	17.0	6.8	12.5	4.5	39	21	27
Year 1952	90,422	4,306	2,430	41,154	61,510	3,181	1,958	17.7	8.0	12.0	4.8	35	22	26
1st Quarter, 1953	22,860	1,030	602	12,085	17,264	776	459	18.1	9.6	13.7	4.5	34	20	26
2nd " "	23,791	1,175	586	8,212	14,345	696	444	18.6	6.4	11.2	4.9	29	19	24
3rd " "	22,166	1,022	561	12,069	12,722	614	426	17.2	9.4	9.9	4.6	28	19	25
4th " "	22,096	1,004	559	8,536	14,547	714	427	17.1	6.6	11.3	4.5	32	19	25
Year 1953	90,913	4,231	2,308	40,902	58,878	2,800	1,756	17.8	8.0	11.5	4.7	31	19	25
1st Quarter, 1954	23,456	1,049	612	12,371	18,003	892	560	18.6	9.8	14.3	4.5	38	24	25
2nd " "	24,097	1,086	628	8,553	14,638	728	491	18.9	6.7	11.5	4.5	30	20	25
3rd " "	22,823	1,077	601	12,489	13,327	555	375	17.7	9.7	10.3	4.7	24	16	26
4th " "	21,939	965	560	8,561	15,412	686	478	17.0	6.6	11.9	4.4	31	22	25
Year 1954	92,315	4,177	2,401	41,974	61,380	2,861	1,904	18.0	8.2	12.0	4.5	31	21	25
1st Quarter, 1955	23,111	988	598	12,424	19,078	829	517	18.3	9.8	15.1	4.3	36	22	25
2nd " "	23,942	1,046	566	8,665	14,998	692	462	18.7	6.8	11.7	4.4	29	19	23
3rd " "	22,734	1,037	597	12,970	12,733	588	417	17.6	10.0	9.8	4.6	26	18	26
4th " "	22,752	920	569	9,153	14,836	702	430	17.6	7.1	11.5	4.0	31	19	24
Year 1955	92,539	3,991	2,330	43,212	61,645	2,811	1,826	18.0	8.4	12.0	4.3	30	20	25

* Death-rates for 1945 and 1946 are based on civilian population and civilian deaths

COUNTIES, COUNTIES OF CITIES AND LARGE BURGHs	Estimated Population 1955	Birth- rate	Marriage- rate	RATES PER 1,000 OF POPULATION										Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 (Total Births Live and Still)
				DEATH-RATE								Illigimate Births per cent of Live Births				
				Crude (Corrected for Transfers)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence		Road Transport Accidents			
SCOTLAND	5,133,292	18.0	8.4	12.0	12.0	0.19	0.17	0.05	2.06	0.76	0.57	0.12	4.3	30	20	25
COUNTIES OF CITIES	1,914,652	18.0	9.8	12.4	12.9	0.23	0.21	0.05	2.31	1.05	0.58	0.12	4.9	33	20	25
LARGE BURGHs	848,644	19.2	9.7	11.5	12.4	0.24	0.21	0.04	1.90	0.74	0.53	0.10	3.7	33	20	25
COUNTIES (EX. COUN- TIES OF CITIES AND LARGE BURGHs)	2,369,996	17.6	6.8	11.9	11.3	0.14	0.12	0.06	1.92	0.54	0.57	0.13	4.1	28	19	24
SMALL BURGHs	844,925	17.4	9.1	12.7	11.5	0.15	0.13	0.07	2.14	0.57	0.51	0.10	3.6	26	18	25
LANDWARD	1,525,071	17.8	5.6	11.5	11.1	0.14	0.11	0.06	1.80	0.52	0.60	0.15	4.3	28	19	24
ABERDEEN COUNTY...	329,585	17.4	9.0	11.4	10.9	0.09	0.08	0.04	1.96	0.56	0.59	0.12	5.7	21	14	14
Aberdeen C. of C.	186,352	17.2	10.6	11.5	11.5	0.09	0.08	0.04	2.19	0.62	0.56	0.11	5.4	21	11	12
Remainder of Co.	143,233	17.6	6.8	11.4	10.3	0.08	0.07	0.05	1.66	0.48	0.64	0.13	6.2	22	17	16
ANGUS COUNTY	275,567	16.7	8.3	12.3	11.3	0.15	0.13	0.08	2.33	0.94	0.70	0.12	5.4	33	20	22
Dundee C. of C.	177,944	17.5	9.1	12.4	12.1	0.18	0.15	0.08	2.46	1.10	0.77	0.10	5.9	36	21	24
Arbroath Burgh	19,819	15.5	8.7	11.8	10.2	0.10	0.10	0.10	1.92	0.86	0.35	0.05	1.9	36	23	16
Remainder of Co.	77,804	15.2	6.3	12.2	10.1	0.09	0.08	0.08	2.12	0.58	0.63	0.17	5.1	27	19	21
ARGYLL COUNTY	59,027	14.1	5.1	15.5	11.6	0.29	0.22	0.12	2.05	0.63	0.91	0.24	5.6	31	23	23
AYR COUNTY	328,746	18.0	8.3	11.7	12.1	0.14	0.12	0.09	1.69	0.52	0.51	0.12	3.6	28	19	23
Ayr Burgh	43,146	17.8	11.3	12.7	12.3	0.25	0.23	0.07	1.90	0.70	0.72	0.19	3.8	26	21	12
Kilmarnock Burgh	43,373	18.7	9.4	12.0	13.0	0.14	0.09	0.21	1.78	0.58	0.39	0.09	4.0	27	17	23
Remainder of Co.	242,227	18.0	7.5	11.5	11.9	0.12	0.10	0.08	1.63	0.47	0.50	0.11	3.5	28	19	25
BANFF COUNTY	51,039	16.4	6.5	11.8	10.2	0.16	0.12	0.04	1.72	0.41	0.47	0.14	6.9	25	13	19
BERWICK COUNTY	24,501	13.9	5.5	12.7	10.4	0.16	0.16	—	2.04	0.49	0.49	0.16	4.1	29	21	26
BUTE COUNTY	17,757	13.1	6.0	16.1	11.2	0.17	0.11	0.06	2.36	0.96	0.79	—	5.6	13	4	17

* Includes typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 4.—continued

COUNTIES, COUNTIES OF CITIES AND LARGE BURGHS	Estimated Population 1955	Birth- rate	Marriage- rate	RATES PER 1,000 OF POPULATION										Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 (Total Births Live and Still)		
				DEATH-RATE								PERCENT OF LIVE BIRTHS						
				Crude (Corrected for Transfers)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Neoplasms	Bronchitis and Pneumonia	Violence	Road Accidents Transport						
CAITHNESS COUNTY...	23,909	16.2	6.9	14.6	11.9	0.17	0.17	0.17	0.17	0.17	2.09	0.42	0.88	0.13	7.7	21	15	37
CLACKMANNAN Co. ...	39,145	18.5	6.7	11.4	12.1	0.10	0.08	0.03	1.61	0.84	0.49	0.08	3.0	33	28	12		
DUMFRIES COUNTY ...	87,097	17.2	11.0	12.2	11.5	0.14	0.14	0.02	2.04	0.85	0.45	0.17	6.3	24	15	27		
Dumfries Burgh ...	26,700	18.8	14.4	12.4	12.7	0.15	0.15	—	1.87	1.12	0.22	0.07	7.2	24	14	25		
Remainder of Co.	60,397	16.5	9.5	12.2	11.1	0.13	0.13	0.03	2.12	0.73	0.55	0.22	5.9	24	15	28		
DUNBARTON COUNTY	169,624	19.8	7.0	11.3	12.0	0.23	0.22	0.06	1.83	0.53	0.55	0.10	3.2	30	19	22		
Clydebank Burgh	47,866	21.5	7.5	9.7	11.7	0.33	0.31	0.04	1.42	0.50	0.52	0.04	2.7	33	23	24		
Dumbarton Burgh	25,324	25.1	6.1	12.2	13.4	0.20	0.20	0.04	1.97	0.87	0.63	0.08	3.9	38	20	22		
Remainder of Co.	96,416	17.5	7.1	11.9	11.8	0.19	0.18	0.07	2.00	0.46	0.55	0.13	3.3	26	15	21		
EAST LOTHIAN Co. ...	51,752	17.0	6.8	11.1	11.2	0.06	0.04	0.04	2.24	0.35	0.60	0.19	3.2	23	17	36		
FIFE COUNTY ...	315,788	18.1	7.9	11.1	11.3	0.13	0.11	0.04	1.89	0.45	0.56	0.11	3.7	29	20	29		
Dunfermline Burgh	45,193	17.0	10.2	11.0	11.9	0.15	0.13	0.02	1.73	0.49	0.46	0.13	3.6	29	21	27		
Kirkcaldy Burgh...	51,093	16.8	9.4	10.8	11.1	0.25	0.22	—	2.06	0.49	0.51	0.06	4.0	32	15	31		
Remainder of Co.	219,502	18.6	7.0	11.3	11.4	0.09	0.08	0.06	1.88	0.43	0.60	0.11	3.7	29	21	29		
INVERNESS COUNTY...	85,473	16.7	7.5	12.7	10.4	0.25	0.20	0.15	2.00	0.48	0.58	0.14	5.1	29	22	16		
Inverness Burgh ...	28,358	18.7	15.9	12.3	11.7	0.21	0.21	0.07	2.22	0.56	0.56	0.25	5.5	32	23	15		
Remainder of Co.	57,115	15.7	3.3	12.9	9.9	0.26	0.19	0.19	1.89	0.44	0.60	0.09	4.9	27	21	16		
KINCARDINE COUNTY	27,986	15.9	6.4	12.3	10.4	0.07	0.07	0.04	2.14	0.46	0.61	0.14	3.4	18	9	15		
KINROSS COUNTY ...	7,254	13.6	4.8	14.3	12.5	0.14	0.14	—	3.17	0.55	0.28	0.14	8.1	40	30	—		
KIRKCUDBRIGHT Co.	30,197	17.3	7.1	13.7	12.2	0.13	0.13	—	2.19	0.66	0.50	0.17	5.2	25	23	24		
LANARK COUNTY ...	1,617,263	19.7	9.3	11.9	13.4	0.28	0.25	0.05	2.07	1.00	0.54	0.14	4.0	35	22	26		
Glasgow C. of C. ...	1,082,467	19.4	9.8	12.3	13.8	0.31	0.28	0.05	2.21	1.16	0.56	0.14	4.7	36	23	27		
Airdrie Burgh ...	31,842	19.5	9.5	10.3	12.3	0.19	0.16	0.03	2.04	0.82	0.31	0.03	2.9	35	18	37		
Coatbridge Burgh	50,322	24.9	8.5	10.4	12.6	0.28	0.26	0.02	1.45	0.79	0.52	0.22	1.9	38	30	28		
Hamilton Burgh ...	41,004	20.3	10.4	10.8	12.9	0.32	0.22	0.05	1.61	0.56	0.49	0.12	4.0	35	22	35		

MOTHERWELL AND WISHAW BURGH...	70,107	19.6	9.3	11.1	12.8	0.17	0.14	0.01	1.65	0.86	0.46	0.09	4.7	2.3	4.5	15	21
RUTHERGLEN BURGH	24,433	19.1	8.1	14.0	13.5	0.20	0.12	—	2.54	0.94	0.61	0.08	1.1	3.4	1.1	15	21
REMAINDER OF CO.	317,088	19.7	7.3	11.0	12.4	0.21	0.17	0.05	1.81	0.60	0.54	0.15	2.6	3.1	2.6	20	24
MIDLOTHIAN COUNTY	572,653	16.2	9.2	12.5	11.8	0.11	0.09	0.03	2.44	0.87	0.58	0.11	4.7	2.5	4.7	17	25
EDINBURGH C. OF C.	467,889	15.2	9.7	12.9	11.9	0.12	0.10	0.04	2.52	0.92	0.59	0.10	5.0	2.5	5.0	18	24
REMAINDER OF CO.	104,764	20.7	7.3	10.7	11.7	0.05	0.04	0.01	2.09	0.64	0.55	0.17	3.5	2.3	3.5	16	26
MORAY COUNTY ...	50,337	18.7	7.2	11.0	10.6	0.12	0.08	0.04	1.73	0.56	0.87	0.14	5.1	3.1	5.1	19	30
NAIRN COUNTY ...	8,379	16.4	7.9	14.4	11.3	0.24	0.24	—	3.22	0.60	1.55	0.24	6.6	3.6	6.6	22	7
ORKNEY COUNTY ...	20,434	13.7	5.9	13.8	10.1	—	—	—	1.91	0.44	0.49	0.10	4.7	3.2	4.7	25	31
PEEBLES COUNTY ...	14,326	14.6	7.0	12.4	9.5	0.07	0.07	0.07	2.16	0.35	0.28	0.07	3.8	10	3.8	10	32
PERTH COUNTY ...	126,860	15.8	7.8	13.4	10.9	0.12	0.11	0.06	2.23	0.60	0.70	0.16	5.8	29	5.8	19	21
PERTH BURGH	40,955	16.1	12.3	12.2	11.0	0.20	0.20	0.05	2.32	0.63	0.63	0.10	5.8	32	5.8	15	13
REMAINDER OF CO.	85,905	15.7	5.7	14.0	10.9	0.08	0.07	0.06	2.19	0.58	0.73	0.19	5.9	27	5.9	21	24
RENFREW COUNTY ...	329,471	18.7	8.1	12.0	12.6	0.29	0.27	0.02	2.12	0.81	0.60	0.11	3.7	35	3.7	21	29
GREENOCK BURGH ...	77,499	20.5	9.7	12.5	13.8	0.43	0.40	0.03	2.05	1.02	0.79	0.15	4.8	37	4.8	22	29
PAISLEY BURGH	95,000	18.7	8.9	11.5	12.4	0.21	0.20	0.01	2.02	0.75	0.56	0.02	4.2	38	4.2	24	30
PT. GLASGOW BURGH	22,794	23.0	7.6	10.7	14.0	0.44	0.44	0.04	1.93	1.01	0.53	0.13	2.1	50	2.1	25	22
REMAINDER OF CO.	134,178	17.0	6.8	12.4	12.2	0.25	0.22	0.01	2.27	0.71	0.54	0.14	3.0	27	3.0	18	29
ROSS AND CROMARTY COUNTY	59,601	17.0	4.7	14.0	9.8	0.12	0.10	0.05	1.90	0.49	0.57	0.13	4.5	17	4.5	14	18
ROXBURGH COUNTY	45,463	15.6	7.6	13.9	11.2	0.13	0.11	0.07	2.42	0.31	0.59	0.11	3.4	18	3.4	11	26
SELKIRK COUNTY ...	21,256	14.3	7.1	14.2	11.3	0.05	0.05	—	2.59	0.75	0.24	—	3.6	30	3.6	16	16
STIRLING COUNTY ...	189,718	17.5	7.8	10.9	11.8	0.21	0.18	0.06	1.84	0.65	0.48	0.09	3.3	32	3.3	21	26
FALKIRK BURGH ...	37,021	15.3	9.5	12.3	12.6	0.24	0.22	0.05	2.38	0.92	0.54	0.11	1.4	27	1.4	23	24
STIRLING BURGH	26,777	17.1	9.4	11.4	11.2	0.11	0.07	0.04	1.57	0.60	0.41	0.11	5.4	31	5.4	15	30
REMAINDER OF CO.	125,920	18.3	7.0	10.3	11.6	0.22	0.20	0.06	1.74	0.58	0.48	0.08	3.3	34	3.3	22	26
SUTHERLAND COUNTY	13,006	18.3	4.2	15.8	10.2	—	—	0.31	1.23	0.15	0.77	0.15	7.1	42	7.1	25	25
WEST LOTHIAN CO. ...	90,896	18.3	7.6	9.7	11.3	0.08	0.07	0.07	1.55	0.54	0.37	0.10	3.2	33	3.2	22	31
WIGTOWN COUNTY ...	30,486	19.1	7.2	12.6	12.6	0.03	0.03	0.16	2.16	0.52	0.39	0.10	9.3	33	9.3	22	24
ZETLAND COUNTY ...	18,656	15.8	6.1	15.0	9.8	0.27	0.16	0.32	2.20	0.54	0.59	0.05	3.1	14	3.1	14	13

* Includes typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Small Burghs of Scotland in 1955

SMALL BURGHS	Estimated Popula- tion 1955	RATES PER 1,000 OF POPULATION							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)	
		Birth-rate (Living Children)	Marriage- rate	DEATH-RATE								
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*				
ABERDEEN COUNTY—												
Ballater ...	1,193	22.6	5.0	23.5	14.8	—	—	0.84	22.2	74	—	
Ellon ...	1,497	14.0	36.7	12.7	9.4	—	—	—	9.5	—	—	
Fraserburgh ...	10,446	21.3	9.7	9.9	11.2	0.19	0.19	—	4.1	18	9	
Huntly ...	4,044	15.3	16.6	11.9	9.6	—	—	—	4.8	16	—	
Inverurie ...	5,016	16.3	10.4	10.4	9.4	—	—	0.20	3.7	12	35	
Kintore ...	847	18.9	9.4	10.6	7.5	—	—	—	6.3	—	—	
Old Meldrum ...	1,118	20.6	17.0	15.2	10.2	—	—	—	4.3	87	—	
Peterhead ...	12,812	18.8	9.6	11.3	12.4	0.16	0.16	0.08	4.1	33	24	
Rosehearty ...	1,193	19.3	4.2	10.9	11.1	—	—	—	13.0	—	80	
Turriff ...	2,920	17.1	13.0	15.1	12.8	—	—	—	2.0	—	20	
ANGUS COUNTY—												
Brechin ...	7,365	16.2	11.0	15.3	12.1	0.14	0.14	0.41	5.0	25	17	
Carnoustie ...	5,375	14.1	4.5	14.0	9.2	0.19	0.19	—	6.6	39	13	
Forfar ...	9,998	14.4	9.1	12.5	10.3	0.20	0.20	—	5.6	35	27	
Kirriemuir ...	3,493	12.9	10.6	16.0	10.2	0.29	—	—	—	—	—	
Monifieth ...	3,460	15.0	6.6	13.0	9.0	—	—	—	5.8	19	—	
Montrose...	10,768	16.5	9.5	16.3	12.1	0.19	0.19	—	3.4	28	11	
ARGYLL COUNTY—												
Campbeltown ...	7,152	16.5	8.9	11.5	11.8	0.42	0.42	0.14	6.8	8	25	
Dunoon ...	9,231	12.2	5.8	19.6	13.2	0.22	0.22	0.11	6.2	27	42	
Inverary ...	529	17.0	11.3	20.8	18.3	—	—	—	—	—	—	
Lochgilphead ...	1,217	19.7	6.6	14.8	11.0	—	—	—	4.2	42	—	
Oban ...	6,048	14.6	9.1	12.9	10.9	0.66	0.33	0.50	5.7	68	11	
Tobermory ...	689	14.5	4.4	10.2	6.4	—	—	—	—	—	—	
AYR COUNTY—												
Ardrossan ...	9,270	22.5	7.3	9.4	10.9	0.32	0.32	0.11	4.3	19	9	
Cumnock and Holmhead ...	5,009	15.6	15.0	12.2	13.8	—	—	—	6.4	26	13	
Darvel ...	3,275	15.0	5.8	19.2	15.9	0.31	0.31	—	2.0	—	—	
Galston ...	4,584	16.1	10.5	12.4	12.1	—	—	—	5.4	81	13	
Girvan ...	5,905	15.1	10.7	12.4	10.6	—	—	—	6.7	34	22	
Irvine ...	15,459	21.1	10.3	10.7	13.4	0.06	0.06	0.06	3.7	12	27	
Kilwinning ...	6,988	19.7	7.4	9.3	11.3	—	—	0.14	1.4	7	48	
Largs ...	7,796	10.1	6.7	18.5	10.9	0.13	0.13	0.13	5.1	38	37	
Maybole ...	4,956	16.3	9.7	13.5	14.6	—	—	—	7.4	25	24	
Newmilns and Greenholm ...	4,097	12.9	6.6	11.5	10.2	—	—	—	1.9	38	—	
Prestwick ...	11,389	19.3	9.8	13.4	10.6	0.09	0.09	—	3.2	18	22	
Saltcoats ...	13,475	20.1	10.7	10.9	11.6	0.07	—	0.22	3.7	37	39	
Stevenson ...	9,590	18.5	7.6	10.4	12.1	0.31	0.21	0.10	1.7	28	6	
Stewarton ...	3,301	18.2	6.1	13.9	14.0	—	—	—	1.7	—	63	
Troon ...	9,893	13.0	6.6	12.9	11.1	0.40	0.40	0.10	—	8	8	
BANFF COUNTY—												
Aberchirder ...	781	24.3	11.5	16.6	10.0	—	—	—	10.5	53	—	
Aberlour ...	1,145	9.6	11.4	8.7	8.9	—	—	—	9.1	182	—	
Banff ...	3,280	17.4	9.8	14.3	11.5	0.30	0.30	—	21.1	18	17	
Buckie ...	7,898	18.9	8.1	12.8	11.7	0.13	—	—	7.4	13	13	
Cullen ...	1,638	9.8	6.1	14.7	10.1	—	—	—	12.5	—	111	
Dufftown ...	1,496	20.1	6.7	14.7	11.3	—	—	—	6.7	67	32	
Findochty ...	1,515	14.5	7.3	15.2	12.4	0.66	0.66	—	4.5	136	—	
Keith ...	4,388	16.9	7.5	12.8	10.8	—	—	—	2.7	41	26	
Macduff ...	3,325	15.3	6.9	12.6	9.6	—	—	—	3.9	20	19	
Portknockie ...	1,482	13.5	2.7	14.8	13.0	0.67	—	—	5.0	—	—	
Portsoy ...	1,753	17.7	15.4	17.1	11.7	1.14	1.14	—	3.2	—	61	
BERWICK COUNTY—												
Coldstream ...	1,300	30.0	8.5	12.3	9.4	—	—	—	2.6	—	25	
Duns ...	1,996	14.5	10.0	13.5	11.3	0.50	0.50	—	—	—	—	
Eyemouth ...	2,191	5.5	6.8	14.1	11.7	0.91	0.91	—	8.3	83	—	
Lauder ...	599	15.0	13.4	21.7	13.7	—	—	—	—	—	—	
BUTE COUNTY												
Millport ...	1,730	7.5	2.9	16.8	9.2	0.58	—	—	—	—	—	
Rothsay ...	9,738	13.2	7.5	15.1	12.0	0.21	0.21	—	5.4	—	23	
CAITHNESS COUNTY—												
Thurso ...	3,350	15.8	10.7	14.3	12.5	—	—	—	9.4	19	36	
Wick ...	7,378	19.0	10.8	13.8	13.2	0.27	0.27	0.27	5.7	29	48	
CLACKMANNAN COUNTY—												
Alloa ...	13,378	19.2	9.7	10.9	11.5	0.15	0.15	0.07	4.7	31	8	
Alva ...	4,051	11.1	8.4	12.1	10.6	0.25	—	—	2.2	—	22	
Dollar ...	1,595	8.2	4.4	19.4	15.7	—	—	—	—	—	—	
Tillicoultry ...	3,888	18.3	5.7	15.7	15.3	0.26	0.26	—	2.8	56	27	

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 5.—continued

SMALL BURGHS	Estimated Popula- tion 1955	RATES PER 1,000 OF POPULATION							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)
		Birth-rate (Living Children)	Marriage- rate	DEATH-RATE							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
DUMFRIES COUNTY—											
Annan	4,929	17·9	20·1	13·4	11·7	0·20	0·20	—	2·3	23	74
Langholm ...	2,378	13·0	7·1	13·9	9·5	0·84	0·84	—	3·2	—	—
Lochmaben ...	1,180	18·6	11·0	14·4	11·1	—	—	—	4·5	—	43
Lockerbie ...	2,651	15·1	14·0	14·0	11·4	—	—	—	2·5	—	24
Moffat	2,086	12·9	6·2	22·1	13·7	—	—	0·48	—	74	—
Sanquhar ...	2,498	22·8	5·6	10·4	11·2	—	—	0·40	5·3	70	17
DUNBARTON COUNTY											
Cove & Kilcreggan	842	17·8	11·9	26·1	12·4	—	—	—	—	—	—
Helensburgh ...	8,556	15·8	9·7	18·3	13·5	0·12	0·12	0·23	5·2	30	15
Kirkintilloch ...	15,496	18·6	9·0	10·3	12·5	0·13	0·13	—	1·7	21	27
Milngavie ...	7,999	18·8	6·0	9·3	8·5	0·25	0·25	—	0·7	33	—
EAST LOTHIAN Co.—											
Cockenzie and Port Seton ...	3,336	12·0	3·0	14·7	15·4	0·30	—	—	2·5	50	24
Dunbar	4,228	17·5	8·5	14·2	11·9	—	—	—	4·1	41	51
East Linton ...	953	11·5	5·2	14·7	8·7	—	—	—	—	—	154
Haddington ...	4,628	17·1	9·3	11·9	9·7	—	—	—	2·5	25	37
North Berwick ...	3,820	12·0	8·9	14·4	10·4	—	—	0·26	6·5	43	21
Prestonpans ...	3,111	22·8	18·0	13·8	17·9	—	—	—	2·8	42	14
Tranent	5,928	17·9	9·6	7·4	9·2	—	—	—	0·9	9	45
FIFE COUNTY—											
Auchtermuchty	1,343	14·1	6·7	18·6	12·0	—	—	—	5·3	—	50
Buckhaven and Methil	21,102	22·2	9·2	11·6	13·6	0·05	0·05	0·05	4·9	26	29
Burntisland ...	5,936	17·0	6·4	12·1	10·6	0·17	0·17	—	2·0	50	10
Cowdenbeath ...	13,568	17·1	10·5	11·1	12·8	0·22	0·22	—	3·9	26	41
Craig	1,179	10·2	5·1	15·3	9·7	—	—	—	—	83	77
Culross	603	21·6	38·1	13·3	13·8	—	—	—	7·7	—	—
Cupar	5,649	14·0	11·9	12·0	10·4	—	—	0·35	3·8	—	25
Elie and Earlsferry	933	9·6	4·3	23·6	12·0	—	—	—	—	111	—
Falkland	1,071	13·1	7·5	14·0	10·7	—	—	—	7·1	—	—
Inverkeithing ...	3,865	20·7	14·0	9·3	10·3	—	—	—	1·3	25	59
Kilrenny, Anstruther Easter & Anstruther Wester	3,380	16·0	8·0	12·1	7·6	—	—	—	1·9	37	53
Kinghorn	2,324	16·4	6·9	10·8	10·1	—	—	—	—	—	—
Ladybank	1,186	10·1	5·1	26·1	17·2	—	—	—	—	167	—
Leslie	2,776	17·7	4·0	15·1	15·2	—	—	—	—	—	75
Levern	8,901	14·2	9·5	12·5	11·8	0·11	0·11	0·11	2·4	40	78
Lochgelly	9,381	18·9	9·6	10·4	11·4	0·21	0·21	0·21	3·4	28	33
Markinch	2,395	15·0	8·4	12·9	11·5	—	—	—	—	—	27
Newburgh	2,438	16·8	6·6	7·4	6·4	—	—	—	—	—	—
Newport-on-Tay	3,324	16·2	5·4	18·4	10·8	—	—	—	—	—	36
Pitterweem	1,563	8·3	8·3	15·4	10·6	0·64	0·64	—	—	—	—
St. Andrews ...	9,605	13·4	8·3	13·8	11·8	0·10	0·10	—	2·3	23	8
St. Monace	1,476	6·8	4·7	12·2	9·4	—	—	—	—	—	—
Tayport	3,307	17·5	7·0	15·7	12·2	0·30	—	0·30	5·2	52	17
INVERNESS COUNTY—											
Fort William ...	2,847	16·9	15·1	13·0	13·3	—	—	—	2·1	—	—
Kingussie	1,044	21·1	6·7	16·3	11·6	—	—	0·96	—	—	43
KINCARDINE Co.—											
Banchory	1,931	15·5	16·1	15·0	10·2	—	—	—	6·7	—	—
Inverbervie ...	946	8·5	18·0	19·0	14·5	—	—	—	—	—	—
Laurencekirk ...	1,434	18·1	7·0	18·8	12·6	0·70	0·70	—	11·5	—	—
Stonehaven	4,485	15·2	8·7	14·3	9·9	—	—	—	1·5	—	29
KINROSS COUNTY—											
Kinross	2,520	15·9	7·5	16·7	14·6	—	—	—	10·0	25	—
KIRKCUDBRIGHT Co.—											
Castle Douglas ...	3,218	16·5	9·3	18·6	16·6	—	—	—	1·9	19	19
Dalbeattie	3,272	18·3	9·8	11·3	10·3	—	—	—	1·7	—	63
Gatehouse-of-Fleet	883	14·7	6·8	19·3	12·7	—	—	—	7·7	—	—
Kirkcudbright ...	2,477	16·6	12·1	16·6	14·4	—	—	—	4·9	24	24
New Galloway ...	294	23·8	3·4	27·2	13·0	—	—	—	—	143	—
LANARK COUNTY—											
Biggar	1,465	17·7	10·2	10·2	7·0	—	—	—	3·8	77	—
Linark	8,074	18·7	11·1	10·5	9·6	0·12	0·12	—	2·0	26	13
MIDLOTHIAN Co.—											
Bonnyrigg and Lasswade	5,681	16·2	10·4	9·2	9·4	—	—	—	3·3	11	11
Dalkeith	9,024	19·5	9·9	9·4	9·9	—	—	—	4·0	23	28
Loanhead	5,118	16·6	8·4	12·7	13·9	—	—	—	4·7	35	12
Musselburgh ...	17,939	18·8	8·4	11·2	11·6	0·17	0·11	—	3·6	15	34
Penicuik	5,774	23·4	9·5	12·5	12·7	0·17	0·17	—	3·0	44	22

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 5.—continued

SMALL BURGHS	Estimated Popula- tion 1955	RATES PER 1,000 OF POPULATION							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)
		Birth-rate (Living Children)	Marriage- rate	DEATH-RATE							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
MORAY COUNTY—											
Burghhead ...	1,366	25.6	4.4	13.9	11.4	—	—	—	2.9	29	—
Elgin ...	11,153	21.1	15.0	12.5	10.9	0.09	—	0.09	4.7	30	45
Forres ...	4,952	20.2	11.7	11.7	10.3	—	—	—	4.0	20	10
Grantown-on-Spey	1,554	7.7	4.5	12.2	9.6	—	—	—	8.3	—	143
Lossiemouth and Branderburgh	5,119	24.4	8.6	13.1	13.0	0.59	0.59	—	2.4	48	—
Rothies ...	1,240	11.3	4.8	19.4	16.3	—	—	—	14.3	—	31
NAIRN COUNTY—											
Nairn ...	4,664	18.0	12.0	16.5	12.3	0.43	0.43	—	7.1	48	—
ORKNEY COUNTY—											
Kirkwall ...	4,298	11.9	12.1	12.3	10.8	—	—	—	3.9	20	19
Stromness ...	1,518	13.2	2.6	13.2	9.4	—	—	—	—	—	91
PEEBLES COUNTY—											
Innerleithen ...	2,358	12.7	9.8	11.0	8.1	—	—	0.42	—	33	32
Peebles ...	5,672	14.1	7.4	12.3	8.7	0.18	0.18	—	3.8	—	36
PERTH COUNTY—											
Aberfeldy ...	1,513	19.2	9.3	14.5	10.8	—	—	—	—	—	—
Abernethy ...	666	9.0	19.5	24.0	19.2	—	—	—	—	167	—
Alyth ...	2,022	14.3	10.9	15.8	12.6	—	—	—	3.4	69	—
Auchterarder ...	2,390	14.2	11.3	15.9	10.7	—	—	0.42	5.9	59	—
Blairgowrie and Rattray	5,357	16.1	9.9	17.9	12.3	0.19	0.19	0.19	9.3	47	34
Callander ...	1,650	9.7	10.3	19.4	13.9	—	—	0.61	—	63	—
Coupar Angus ...	2,184	17.9	5.5	11.0	7.7	—	—	—	5.1	26	—
Crieff ...	5,378	16.7	7.4	16.2	10.7	0.19	0.19	—	10.0	22	25
Doune ...	872	16.1	14.9	14.9	11.4	—	—	—	—	—	—
Dunblane ...	2,799	11.4	8.9	16.8	11.1	—	—	—	—	63	125
Pitlochry ...	2,250	15.1	7.6	11.6	8.4	—	—	—	8.8	—	59
RENFREW COUNTY—											
Barhead ...	13,510	21.2	7.2	11.0	12.2	0.22	0.15	—	2.8	31	37
Gourock ...	9,170	14.7	6.8	13.3	11.2	0.65	0.65	—	3.0	22	43
Johnstone ...	16,281	19.1	10.4	11.9	14.7	0.25	0.25	—	2.6	39	43
Renfrew ...	17,589	19.6	6.4	11.7	12.9	0.40	0.34	—	2.0	35	20
ROSS AND CROMARTY COUNTY—											
Cromarty ...	715	11.2	—	25.2	15.4	—	—	—	12.5	—	111
Dingwall ...	3,525	22.4	10.2	10.5	10.3	—	—	—	3.8	—	—
Fortrose ...	839	10.7	4.8	16.7	10.6	—	—	—	—	—	—
Invergorden ...	1,517	21.1	7.3	20.4	15.1	—	—	—	3.1	63	—
Stornoway ...	5,072	18.9	6.1	11.0	9.4	—	—	—	2.1	10	40
Tain ...	1,642	12.2	10.4	16.4	11.8	—	—	1.22	—	—	48
ROXBURGH COUNTY—											
Hawick ...	16,776	14.5	9.4	13.5	11.2	0.24	0.24	0.12	2.9	16	32
Jedburgh ...	4,127	19.6	9.7	10.9	9.9	—	—	—	6.2	12	47
Kelso ...	4,194	20.0	9.5	17.4	13.4	—	—	—	3.6	12	—
Melrose ...	2,137	13.1	6.6	16.8	9.8	—	—	—	3.6	36	—
SELKIRK COUNTY—											
Galashiels ...	12,251	15.8	7.3	14.9	11.7	0.08	0.08	—	3.6	31	10
Selkirk ...	5,837	12.8	7.9	12.0	9.2	—	—	—	1.3	13	—
STIRLING COUNTY—											
Bridge of Allan ...	3,235	15.1	10.2	12.7	9.3	—	—	—	2.0	20	39
Denny and Dunipace	7,221	20.9	7.3	8.7	10.9	0.14	0.14	—	3.3	26	19
Grangemouth ...	16,237	19.1	7.9	10.0	12.2	0.12	0.06	0.06	1.0	29	28
Kilsyth ...	10,264	18.7	7.1	9.7	11.7	0.39	0.29	—	1.6	16	25
SUTHERLAND CO.—											
Dornoch ...	844	14.2	8.3	13.0	10.3	—	—	—	—	—	—
WEST LoTHIAN CO.—											
Armadae ...	6,070	16.3	9.6	11.0	14.8	—	—	0.16	4.0	20	75
Bathgate ...	11,797	20.7	8.7	10.5	11.8	0.25	0.17	—	1.6	45	32
Bo'ness ...	10,177	16.3	8.5	11.2	12.0	—	—	0.29	3.0	48	46
Linlithgow ...	4,194	21.0	11.0	11.7	12.7	—	—	—	2.3	—	11
Queensferry ...	2,694	25.2	11.5	11.5	13.1	0.37	0.37	—	1.5	29	29
Whitburn ...	5,606	21.4	10.5	7.3	11.3	—	—	—	2.5	50	24
WIGTOWN COUNTY—											
Newton Stewart	2,087	14.0	10.6	14.5	13.4	—	—	—	—	103	94
Stranraer ...	8,729	18.2	11.6	12.3	13.3	0.11	0.11	0.34	3.8	31	74
Whithorn ...	1,048	23.9	12.4	12.4	9.6	—	—	—	16.0	—	—
Wigtown ...	1,336	19.5	4.5	9.7	7.3	—	—	—	—	38	—
ZETLAND COUNTY—											
Lerwick ...	5,606	20.5	12.8	13.4	11.1	—	—	0.36	4.3	—	17

NOTE—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 6.—Birth-, Death-, and Marriage-rates in the Landward Areas of Scotland in 1955

COUNTY LANDWARD AREAS	Estimated Popula- tion 1955	RATES PER 1,000 OF POPULATION							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)
		Birth-rate (Living Children)	Marriage- rate	DEATH-RATE							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
Aberdeen	102,147	17·4	4·9	11·3	10·0	0·08	0·06	0·04	6·7	22	16
Angus	37,345	15·3	3·5	9·6	9·1	—	—	0·08	5·8	26	27
Argyll	34,161	13·8	3·3	15·7	11·2	0·23	0·18	0·06	5·5	32	23
Ayr	127,240	18·2	6·2	10·8	12·0	0·10	0·09	0·08	3·5	32	27
Banff	22,338	16·1	4·3	9·4	8·8	0·09	0·09	0·09	5·8	17	14
Berwick	18,415	13·6	4·4	12·1	10·0	0·05	0·05	—	4·8	36	31
Bute	6,329	14·4	4·4	17·4	11·0	—	—	0·16	6·6	33	11
Caithness	13,181	14·8	3·7	15·0	11·0	0·15	0·15	0·15	8·7	15	30
Clackmannan	16,233	20·9	4·4	9·9	12·0	—	—	—	2·1	35	12
Dumfries	44,675	16·4	8·6	11·4	10·9	0·11	0·11	—	6·9	22	25
Dunbarton	63,523	17·3	6·3	11·6	11·9	0·20	0·19	0·08	3·9	26	23
East Lothian	25,748	17·6	4·3	9·9	10·9	0·08	0·08	0·04	3·5	15	34
Fife	112,197	20·2	5·2	10·0	11·0	0·08	0·06	0·05	4·1	31	29
Inverness	53,224	15·5	2·6	12·8	9·7	0·28	0·21	0·19	5·2	29	17
Kincardine	19,190	16·4	4·2	10·8	10·2	0·05	0·05	0·05	2·9	25	16
Kinross	4,734	12·5	3·4	13·1	11·4	0·21	0·21	—	6·8	51	—
Kirkcudbright	20,053	17·4	5·8	12·6	11·5	0·20	0·20	—	6·3	29	20
Lanark	307,549	19·8	7·2	11·0	12·5	0·21	0·17	0·05	2·6	31	24
Midlothian	61,228	21·9	5·9	10·5	11·9	0·02	0·02	0·02	3·4	22	25
Moray	24,953	16·8	3·0	9·2	9·8	0·08	0·04	0·04	6·2	31	26
Nairn	3,715	14·3	2·7	11·8	9·8	—	—	—	5·7	19	19
Orkney	14,618	14·2	4·4	14·4	10·1	—	—	—	5·3	38	28
Peebles	6,296	15·7	5·6	13·0	11·0	—	—	—	5·1	10	29
Perth	58,824	15·9	4·0	13·0	10·7	0·08	0·07	0·03	5·8	23	23
Renfrew	77,628	15·4	6·1	12·8	11·8	0·17	0·14	0·03	3·4	22	24
Ross and Cromarty	46,291	16·6	3·9	14·1	9·5	0·15	0·13	0·02	5·1	18	17
Roxburgh	18,229	15·0	5·1	13·7	11·1	0·11	0·05	0·05	2·9	22	25
Selkirk	3,168	11·4	4·7	15·2	13·5	—	—	—	8·3	56	77
Stirling	88,963	18·0	6·7	10·5	11·7	0·24	0·22	0·08	4·0	39	26
Sutherland	12,162	18·6	3·9	16·0	10·2	—	—	0·33	7·5	44	26
West Lothian	50,358	17·5	6·1	9·1	10·5	0·06	0·06	0·04	3·9	29	25
Wigtown	17,306	19·8	4·4	12·8	12·9	—	—	0·12	12·9	29	26
Zetland	13,050	13·7	3·2	15·7	9·4	0·38	0·23	0·31	2·2	22	11

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 7.—General Registration Summary

Events registered in 1955. (Figures in this table show actual numbers as registered and are not "Corrected for Residence")

COUNTIES, COUNTIES OF CITIES AND LARGE BURGHS	POPULATION* (Enumerated at Census of)		REGISTERED BIRTHS, STILLBIRTHS, DEATHS AND MARRIAGES, 1955					
	1951	1931	LIVE BIRTHS		Still- births	DEATHS		Mar- riages
			Total	Illegi- timate		Total	From Uncer- tified Causes	
SCOTLAND	5,096,415	4,842,980	92,539	3,991	2,330	61,645	15	43,212
COUNTIES OF CITIES	1,916,833	1,879,620	38,423	2,082	1,041	25,796	1	18,766
LARGE BURGHS	829,666	774,705	19,839	636	504	10,350	1	8,238
COUNTIES (ex. Counties of Cities and Large BURGHS)	2,349,916	2,188,655	34,277	1,273	785	25,499	13	16,208
SMALL BURGHS	832,445	753,694	13,273	478	225	8,662	2	7,697
LANDWARD	1,517,471	1,434,961	21,004	795	560	16,837	11	8,511
COUNTIES (ex. Counties of Cities and Large BURGHS)								
Aberdeen	144,746	143,611	2,122	126	23	1,320	—	973
Angus	78,025	75,310	883	37	15	1,008	—	488
Argyll	63,361	63,050	684	31	13	871	—	303
Ayr	236,720	207,619	4,194	139	109	2,497	—	1,817
Banff	50,148	54,907	792	51	8	502	—	333
Berwick	25,068	26,612	221	8	3	203	—	135
Bute	19,283	18,823	214	8	5	272	—	106
Caithness	22,710	25,656	361	18	11	325	—	165
Clackmannan	37,532	31,948	270	8	2	307	—	264
Dumfries... ..	59,338	77,926	364	20	7	654	—	576
Dunbarton	95,923	58,010	1,336	52	31	1,012	—	682
East Lothian	52,258	47,338	614	18	18	492	—	353
Fife	213,009	196,565	2,484	96	51	1,986	—	1,543
Inverness	56,823	58,558	388	7	6	678	5	190
Kincardine	27,882	26,780	167	6	3	248	—	178
Kinross	7,418	7,454	34	1	1	79	—	35
Kirkcudbright	30,725	30,341	202	6	2	351	—	215
Lanark	313,178	293,502	6,268	143	192	3,774	—	2,305
Midlothian	98,792	87,102	1,041	28	15	817	—	760
Moray	48,218	40,806	834	34	24	530	1	362
Nairn	8,719	8,294	134	5	1	107	—	66
Orkney	21,255	22,077	265	11	9	271	—	120
Peebles	15,232	15,051	164	6	2	132	—	100
Perth	87,542	85,733	637	38	12	1,189	1	490
Renfrew	132,157	100,769	2,150	49	77	1,263	—	913
Ross and Cromarty	60,508	62,799	981	30	11	720	4	280
Roxburgh	45,557	45,788	550	15	11	550	—	344
Selkirk	21,729	22,608	398	13	6	434	—	151
Stirling	122,841	105,334	3,195	158	59	1,151	—	886
Sutherland	13,670	16,101	157	10	2	195	—	54
West Lothian	88,577	81,431	1,502	47	47	952	1	689
Wigtown	31,620	29,331	481	45	5	339	1	218
Zetland	19,352	21,421	290	9	4	270	—	114
COUNTIES OF CITIES								
Glasgow	1,089,767	1,093,337	21,670	1,105	612	14,086	1	10,651
Edinburgh	466,943	439,194	9,084	469	262	6,738	—	4,517
Aberdeen	182,783	169,910	3,976	238	74	2,653	—	1,980
Dundee	177,340	177,179	3,693	270	93	2,319	—	1,618
LARGE BURGHS								
Paisley	93,711	88,384	1,643	58	31	1,302	—	847
Greenock	77,174	79,012	1,819	72	60	1,085	—	752
Motherwell and Wishaw	68,806	66,559	1,293	33	18	616	—	650
Kirkcaldy	49,050	44,745	1,508	47	60	567	—	478
Coatbridge	47,541	43,513	529	9	7	372	—	428
Dunfermline	44,719	35,058	1,556	41	51	553	—	459
Clydebank	44,638	47,033	372	16	6	428	—	357
Ayr	42,377	38,905	646	12	9	652	1	489
Kilmarnock	42,140	38,693	1,064	34	16	596	—	408
Perth	40,487	35,060	1,090	32	18	603	—	503
Hamilton	40,174	38,112	1,118	20	21	307	—	427
Falkirk	37,535	36,566	1,101	19	35	604	—	351
Airdrie	30,666	27,442	632	14	17	229	—	302
Inverness	28,107	23,550	1,198	64	35	556	—	451
Stirling	27,151	24,547	1,152	41	42	513	—	252
Dumfries... ..	26,322	23,031	1,530	86	57	511	—	385
Rutherglen	24,231	25,198	129	1	1	192	—	199
Dumbarton	23,708	21,770	886	22	16	278	—	155
Port Glasgow	21,618	19,826	235	8	2	154	—	173
Arbroath... ..	19,511	17,701	338	7	2	232	—	172

* Adjusted for alterations of boundary.

TABLE 8.—Birth-rate among Married and Unmarried Women in Scotland in 1955

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Un- married Women and Widows aged 15-44	Total	Legiti- mate	Illegiti- mate	Total per 1,000 Women aged 15-44	Legiti- mate Births per 1,000 Married Women aged 16-44	Illegiti- mate Births per 1,000 Un- married Women aged 15-44
SCOTLAND ...	1,100,200	659,800	440,400	92,539	88,548	3,991	84.1	134.2	9.1
COUNTIES OF CITIES	424,600	248,700	175,800	34,462	32,763	1,699	81.2	131.7	9.7
LARGE BURGHs ...	186,200	114,000	72,100	16,325	15,728	597	87.7	137.9	8.3
COUNTIES (excluding Counties of Cities & Large Burghs) ...	489,400	297,000	192,400	41,752	40,057	1,695	85.3	134.9	8.8
SMALL BURGHs ...	179,800	110,400	69,500	14,662	14,127	535	81.5	128.0	7.7
LANDWARD ...	309,600	186,600	123,000	27,090	25,930	1,160	87.5	139.0	9.4
ABERDEEN COUNTY									
Aberdeen C. of C.	42,800	25,100	17,700	3,204	3,032	172	74.9	120.8	9.7
Remainder of Co.	28,900	17,400	11,400	2,518	2,361	157	87.3	135.3	13.8
ANGUS COUNTY—									
Dundee C. of C.	38,800	23,400	15,500	3,107	2,925	182	80.0	125.2	11.8
Arbroath Burgh...	4,300	2,700	1,600	308	302	6	71.8	110.7	3.8
Remainder of Co.	16,000	9,500	6,500	1,185	1,124	61	74.3	118.3	9.4
ARGYLL COUNTY ...	11,000	6,300	4,700	834	787	47	76.1	125.5	10.0
AYR COUNTY—									
Ayr Burgh	9,600	5,700	4,000	768	739	29	79.6	129.9	7.3
Kilmarnock Burgh	9,700	6,200	3,600	810	778	32	83.2	126.2	9.0
Remainder of Co.	52,000	32,000	19,900	4,350	4,197	153	83.7	131.0	7.7
BANFF COUNTY ...	10,000	5,800	4,200	839	781	58	84.1	135.2	13.8
BERWICK COUNTY ...	4,700	3,000	1,700	340	328	14	73.1	110.4	8.2
BUTE COUNTY ...	3,300	1,900	1,400	233	220	13	70.4	115.6	9.2
CAITHNESS COUNTY	4,600	2,700	1,900	388	358	30	84.6	131.8	16.0
CLACKMANNAN Co.	8,400	5,600	2,900	725	703	22	85.8	126.4	7.6
DUMFRIES COUNTY—									
Dumfries Burgh...	5,900	3,600	2,300	503	467	36	84.8	128.9	15.6
Remainder of Co.	12,000	7,300	4,700	999	940	59	83.4	129.1	12.6
DUNBARTON Co.—									
Clydebank Burgh	11,000	7,200	3,800	1,031	1,003	28	94.0	139.2	7.4
Dumbarton Burgh	5,500	3,300	2,200	635	610	25	115.1	185.4	11.2
Remainder of Co.	20,100	12,200	7,900	1,689	1,633	56	83.9	133.8	7.1
EAST LoTHIAN Co.	10,800	6,900	3,900	881	853	28	81.4	124.1	7.1
FIFE COUNTY—									
Dunfermline Burgh	9,200	6,100	3,100	768	740	28	83.8	121.7	9.1
Kirkcaldy Burgh	11,200	7,300	3,900	856	822	34	76.7	112.6	8.8
Remainder of Co.	46,400	29,900	16,500	4,086	3,936	150	88.1	131.6	9.1
INVERNESS COUNTY—									
Inverness Burgh	6,300	3,600	2,700	530	501	29	84.4	139.6	10.8
Remainder of Co.	9,800	5,400	4,500	896	852	44	91.1	158.7	9.8

TABLE 8.—continued

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Un- married Women and Widows aged 15-44	Total	Legiti- mate	Illegiti- mate	Total per 1,000 Women aged 15-44	Legiti- mate Births per 1,000 Married Women aged 16-44	Illegiti- mate Births per 1,000 Un- married Women aged 15-44
KINCARDINE Co.—	5,400	3,300	2,100	446	431	15	82.1	129.7	7.1
KINROSS COUNTY ...	1,500	900	600	99	91	8	66.7	102.4	13.4
KIRKCUDBRIGHT Co.	5,900	3,600	2,300	523	496	27	88.5	137.9	11.7
LANARK COUNTY—									
Glasgow C. of C.	240,900	140,900	100,000	21,023	20,036	987	87.3	142.2	9.9
Airdrie Burgh ...	7,100	4,300	2,800	620	602	18	87.6	140.0	6.5
Coatbridge Burgh	11,100	6,600	4,500	1,254	1,230	24	112.8	186.6	5.3
Hamilton Burgh	9,200	5,400	3,800	833	800	33	90.7	147.8	8.8
Motherwell and									
Wishaw Burgh	15,600	9,400	6,100	1,372	1,335	37	88.8	142.1	6.1
Rutherglen Burgh	5,300	3,100	2,200	467	462	5	87.6	146.9	2.3
Remainder of Co.	69,000	40,900	28,000	6,257	6,095	162	90.7	149.1	5.8
MIDLOTHIAN Co.—									
Edinburgh C. of C.	102,100	59,400	42,700	7,128	6,770	358	69.8	114.0	8.4
Remainder of Co.	22,400	14,300	8,100	2,164	2,088	76	96.6	146.2	9.3
MORAY COUNTY ...	9,900	6,000	4,000	941	893	48	94.6	149.5	12.1
NAIRN COUNTY ...	1,700	1,000	700	137	128	9	82.9	130.1	13.5
ORKNEY COUNTY ...	3,800	2,400	1,400	279	266	13	73.8	109.9	9.6
Peebles County ...	2,800	1,700	1,100	209	201	8	73.9	117.8	7.1
PERTH COUNTY—									
Perth Burgh ...	8,900	5,400	3,400	659	621	38	74.4	114.0	11.1
Remainder of Co.	17,100	9,700	7,400	1,346	1,267	79	78.6	130.8	10.7
RENFREW COUNTY—									
Greenock Burgh	16,800	10,000	6,800	1,586	1,510	76	94.3	151.4	11.1
Paisley Burgh ...	20,800	12,700	8,200	1,775	1,700	75	85.2	134.2	9.2
Port Glasgow Burgh	5,000	3,100	1,900	525	514	11	104.2	163.8	5.8
Remainder of Co.	28,800	17,200	11,600	2,275	2,207	68	79.1	128.4	5.9
ROSS AND CROMARTY Co.	10,800	5,800	5,000	1,014	968	46	93.6	166.0	9.2
ROXBURGH COUNTY	9,000	5,500	3,600	711	687	24	78.6	125.0	6.8
SELKIRK COUNTY ...	4,400	2,600	1,800	304	293	11	69.1	111.4	6.2
STIRLING COUNTY—									
Falkirk Burgh ...	8,000	4,900	3,100	566	558	8	70.7	114.1	2.6
Stirling Burgh ...	5,800	3,400	2,400	459	434	25	79.4	127.7	10.5
Remainder of Co.	27,500	16,900	10,700	2,304	2,228	76	83.7	132.1	7.1
SUTHERLAND COUNTY	2,300	1,300	1,000	238	221	17	103.4	166.7	17.4
WEST LOTHIAN Co.	19,700	12,400	7,200	1,667	1,614	53	84.8	129.7	7.3
WIGTOWN COUNTY	6,000	3,600	2,300	581	527	54	97.5	145.1	23.2
ZEILAND COUNTY ...	3,500	2,000	1,500	294	285	9	83.9	143.2	5.9

TABLE 9.—Births by Single Age of Mother, Sex and Legitimacy, Scotland, 1955

Ages	All Births	Males	Females	LEGITIMATE			ILLEGITIMATE		
				Total	Males	Females	Total	Males	Females
13	1	—	1	—	—	—	1	—	1
14	3	2	1	—	—	—	3	2	1
15	20	11	9	—	—	—	20	11	9
16	115	56	59	56	26	30	59	30	29
17	486	239	247	363	182	181	123	57	66
18	1,223	627	596	1,033	534	499	190	93	97
19	2,386	1,192	1,194	2,132	1,051	1,081	254	141	113
Under 20	4,234	2,127	2,107	3,584	1,793	1,791	650	334	316
20	3,491	1,796	1,695	3,223	1,647	1,576	268	149	119
21	4,926	2,535	2,391	4,674	2,410	2,264	252	125	127
22	5,436	2,787	2,649	5,198	2,657	2,541	238	130	108
23	6,275	3,269	3,006	6,045	3,155	2,890	230	114	116
24	6,702	3,422	3,280	6,455	3,292	3,163	247	130	117
20-24	26,830	13,809	13,021	25,595	13,161	12,434	1,235	648	587
25	6,481	3,347	3,134	6,278	3,235	3,043	203	112	91
26	6,136	3,130	3,006	5,955	3,047	2,908	181	83	98
27	5,857	3,040	2,817	5,678	2,958	2,720	179	82	97
28	5,540	2,841	2,699	5,383	2,762	2,621	157	79	78
29	5,351	2,769	2,582	5,197	2,688	2,509	154	81	73
25-29	29,365	15,127	14,238	28,491	14,690	13,801	874	437	437
30	4,667	2,384	2,283	4,516	2,317	2,199	151	67	84
31	4,029	2,092	1,937	3,867	2,011	1,856	162	81	81
32	3,887	2,010	1,877	3,742	1,933	1,809	145	77	68
33	3,516	1,821	1,695	3,407	1,763	1,644	109	58	51
34	3,366	1,755	1,611	3,254	1,692	1,562	112	63	49
30-34	19,465	10,062	9,403	18,786	9,716	9,070	679	346	333
35	3,023	1,524	1,499	2,895	1,467	1,428	128	57	71
36	1,982	1,029	953	1,907	994	913	75	35	40
37	1,587	819	768	1,535	796	739	52	23	29
38	1,494	704	790	1,423	675	748	71	29	42
39	1,385	682	703	1,325	653	672	60	29	31
35-39	9,471	4,758	4,713	9,085	4,585	4,500	386	173	213
40	1,041	554	487	986	524	462	55	30	25
41	769	402	367	735	381	354	34	21	13
42	577	287	290	546	270	276	31	17	14
43	329	152	177	304	136	168	25	16	9
44	210	114	96	204	112	92	6	2	4
40-44	2,926	1,509	1,417	2,775	1,423	1,352	151	86	65
45	96	56	40	89	54	35	7	2	5
46	43	22	21	43	22	21	—	—	—
47	25	14	11	25	14	11	—	—	—
48	6	4	2	5	4	1	1	—	1
49	2	1	1	2	1	1	—	—	—
45-49	172	97	75	164	95	69	8	2	6
50-54*	1	1	—	1	1	—	—	—	—
Not stated	75	36	39	67	33	34	8	3	5
Total	92,539	47,526	45,013	88,548	45,497	43,051	3,991	2,029	1,962

* Age 51

TABLE 10.—Births by Age of Mother and Duration of Marriage, Scotland, 1955

DURATION OF MARRIAGE (Years)	AGE OF MOTHER																	
	All Ages	Under 16	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated
Under one year	12,798	—	56	320	810	1,339	1,569	1,726	1,388	1,189	987	2,312	783	263	49	—	—	7
1	12,701	—	—	43	196	597	1,043	1,494	1,558	1,589	1,313	3,357	1,074	338	91	—	—	8
2	9,759	—	—	—	27	172	433	822	1,037	1,261	1,186	3,469	994	291	61	4	—	2
3	8,741	—	—	—	—	24	150	453	705	973	1,134	3,704	1,181	324	77	6	—	10
4	7,712	—	—	—	—	—	28	142	353	606	890	3,855	1,376	372	81	3	—	6
5	6,570	—	—	—	—	—	—	35	122	289	540	3,611	1,484	409	71	5	—	4
6	5,540	—	—	—	—	—	—	—	35	108	278	2,967	1,610	461	73	1	—	7
7	4,684	—	—	—	—	—	—	*1	—	30	102	2,140	1,802	512	88	5	—	4
8	3,853	—	—	—	—	—	—	†1	—	—	25	1,503	1,704	523	88	6	—	3
9	3,103	—	—	—	—	—	—	—	—	—	—	881	1,543	562	114	2	—	1
10-14	8,885	—	—	—	—	—	—	—	—	—	—	692	4,783	2,821	557	20	1	11
15-19	3,361	—	—	—	—	—	—	—	—	—	—	—	452	2,023	841	41	—	4
20-24	784	—	—	—	—	—	—	—	—	—	—	—	—	186	556	42	—	—
25 and over	57	—	—	—	—	—	—	—	—	—	—	—	—	—	28	29	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All Legitimate Births	88,548	—	56	363	1,033	2,132	3,223	4,674	5,198	6,045	6,455	28,491	18,786	9,085	2,775	164	1	67
Male	45,497	—	26	182	534	1,051	1,647	2,410	2,657	3,155	3,292	14,690	9,716	4,585	1,423	95	1	33
Female	43,051	—	30	181	499	1,081	1,576	2,264	2,541	2,890	3,163	13,801	9,070	4,500	1,352	69	—	34
Illegitimate Births	3,991	24	59	123	190	254	268	252	238	230	247	874	679	386	151	8	—	8
Male	2,029	13	30	57	93	141	149	125	130	114	130	437	346	173	86	2	—	3
Female	1,962	11	29	66	97	113	119	127	108	116	117	437	333	213	65	6	—	5
All Births	92,539	24	115	486	1,223	2,386	3,491	4,926	5,436	6,275	6,702	29,365	19,465	9,471	2,926	172	1	75
Male	47,526	13	56	239	627	1,192	1,796	2,535	2,787	3,269	3,422	15,127	10,062	4,758	1,509	97	1	36
Female	45,013	11	59	247	596	1,194	1,695	2,391	2,649	3,006	3,280	14,238	9,403	4,713	1,417	75	—	39

* Married in India † Married in France

TABLE 11.—Fertility by Age of Mother, Scotland, 1955

	AGE OF MOTHER									Not stated
	All Ages	15-19*	20-24	25-29	30-34	35-39	40-44	45-49	50 and over	
	Births, 1955:—									
Total	92,539	4,234*	26,830	29,365	19,465	9,471	2,926	172	1	75
Legitimate	88,548	3,584	25,595	28,491	18,786	9,085	2,775	164	1	67
Illegitimate	3,991	650*	1,235	874	679	386	151	8	—	8
Rates per annum per 1,000 females:—										
All Births	72·1†	22·5	146·5	160·2	103·6	56·2	15·5	0·9	—	—
Legitimate Births (per 1,000 married females)	111·2†	450·9	305·2	214·6	124·9	66·8	18·7	1·2	—	—
Illegitimate Births (per 1,000 unmarried females, including widowed and divorced)	8·2†	3·6	12·5	17·3	18·1	11·9	3·8	0·2	—	—

† Rates in this column are calculated on the appropriate population of women aged 15-49.

* 1 aged 13 and 3 aged 14.

TABLE 12.—Interval between Present Marriage and Birth of First Child, Scotland, 1955

DURATION OF MARRIAGE	AGE OF MOTHER													50 and over	Not stated
	All Ages	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49
<i>Months.</i>															
Under One	123	4	7	13	16	14	12	13	14	6	13	5	3	3	—
1	173	6	8	19	30	21	13	12	9	7	25	15	6	2	—
2	295	9	18	39	52	34	27	18	20	17	27	18	12	4	—
Under 3	501	19	33	71	98	69	52	43	43	39	65	38	21	9	—
3	442	9	30	55	51	60	52	40	30	26	58	19	12	—	—
4	798	7	45	71	103	117	114	76	72	52	87	36	16	2	—
5	1,169	6	69	130	196	170	161	109	66	65	135	37	18	7	—
3-5	2,409	22	144	256	350	347	327	225	168	143	280	92	46	9	—
6	1,547	7	49	164	229	243	226	149	103	97	191	68	17	4	—
7	1,209	1	42	104	167	176	181	136	89	67	156	61	25	4	—
8	790	6	15	54	97	91	102	88	71	51	145	43	26	1	—
6-8	3,546	14	106	322	493	570	509	373	263	215	492	172	68	9	—
9	1,625	1	16	52	135	176	226	194	183	162	325	126	24	5	—
10	2,410	—	13	61	135	260	330	303	281	207	592	173	49	6	—
11	2,003	—	7	45	116	194	269	232	232	218	500	142	42	6	—
9-11	6,038	1	36	158	386	630	825	729	696	537	1,417	441	115	17	—
12-14	4,087	—	21	76	200	346	472	538	509	430	1,057	328	90	20	—
15-17	2,583	—	9	40	102	195	283	303	328	269	737	232	63	22	—
18-20	1,889	—	3	12	77	117	223	224	241	270	532	179	68	12	—
21-23	1,536	—	1	10	25	82	131	183	211	170	513	143	53	14	—
<i>Years.</i>															
Under One	12,584	56	319	807	1,327	1,556	1,713	1,370	1,170	975	2,254	743	250	44	—
1	10,095	—	34	138	404	740	1,109	1,248	1,289	1,070	2,839	882	274	68	—
2	3,926	—	—	4	35	105	212	337	485	527	1,604	445	139	30	3
3	2,246	—	—	—	5	11	46	130	200	277	1,102	357	85	28	5
4	1,313	—	—	—	—	6	4	38	63	114	745	253	78	12	—
5	836	—	—	—	—	—	5	4	9	30	464	233	76	15	—
6	514	—	—	—	—	—	—	2	1	13	227	196	64	11	—
7	363	—	—	—	—	—	—	—	—	2	136	163	53	8	—
8	242	—	—	—	—	—	1	—	—	2	61	121	49	8	1
9	169	—	—	—	—	—	—	—	—	—	45	88	27	8	—
10-14	349	—	—	—	—	—	—	—	—	—	17	188	116	25	2
15-19	83	—	—	—	—	—	—	—	—	—	—	9	46	27	1
20 and over	18	—	—	—	—	—	—	—	—	—	—	—	5	12	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	32,738	56	353	949	1,771	2,418	3,090	3,129	3,218	3,010	9,494	3,678	1,262	296	13

TABLE 14.—Legitimate Births by Duration of Marriage and Number of Previous Children, Scotland, 1955

NUMBER OF PREVIOUS CHILDREN (Including Stillborn and Dead)	Total Births	DURATION OF PRESENT MARRIAGE—YEARS															Total Children (Including Present Birth)
		Under 1 year	1	2	3	4	5	6	7	8	9	10-14	15-19	20-24	25 and over	Not Stated	
By all Husbands—None	32,109	12,309	9,907	3,871	2,206	1,296	819	505	353	232	167	343	83	18	—	—	32,109
1	24,552	267	2,513	3,693	4,561	3,613	2,637	1,856	1,290	859	577	1,145	167	10	—	—	49,104
2	17,468	120	1,664	1,693	1,671	2,011	1,937	1,886	1,454	1,141	870	2,325	490	35	1	—	43,404
3	7,720	54	267	87	226	655	865	941	876	793	680	1,359	580	81	5	—	30,880
4	4,267	20	25	19	14	22	249	394	457	495	399	1,389	593	97	5	—	21,935
5	2,383	4	9	15	12	10	41	117	170	220	235	1,394	494	110	5	—	14,938
6	1,277	13	5	3	3	4	12	30	59	72	120	520	341	77	8	—	8,939
7	734	2	2	1	1	1	7	2	14	27	40	278	257	91	4	—	3,872
8	388	1	2	1	1	1	2	1	2	4	7	120	163	74	6	—	2,492
9	289	—	—	—	—	—	1	—	1	1	2	28	122	51	9	—	2,680
10	140	—	—	—	—	—	—	—	—	—	—	2	27	34	10	—	1,540
11	85	—	—	—	—	—	—	—	—	—	—	6	16	22	6	—	1,020
12	41	—	—	—	—	—	—	—	—	—	—	—	11	18	—	—	553
13	29	—	—	—	—	—	—	—	—	—	—	—	4	4	2	—	406
14	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	150
15 and over	* 9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	149
Not stated	67	7	8	2	10	6	4	7	4	3	1	11	4	9	—	—	67
TOTAL	88,548	12,798	12,701	9,759	8,741	7,712	6,570	5,540	4,684	3,853	3,103	8,885	3,361	784	57	—	215,988
TOTAL NUMBER OF CHILDREN (Including Present Birth)	215,988	13,679	15,945	16,683	17,648	17,901	17,036	15,963	14,700	13,168	11,328	37,164	18,465	5,802	506	—	—
By Present Husband—None	32,738	12,584	10,095	3,926	2,246	1,313	836	514	363	242	169	349	83	18	—	—	32,738
1	24,544	149	2,461	5,108	4,585	3,638	2,659	1,864	1,306	863	585	1,148	168	10	—	—	49,088
2	14,309	39	104	654	1,665	2,026	1,930	1,690	1,450	1,148	877	2,201	489	35	1	—	42,927
3	7,538	10	19	56	200	626	853	944	874	792	687	1,863	532	81	—	—	30,152
4	4,166	6	9	7	24	206	244	385	456	489	395	1,379	593	98	5	—	20,830
5	2,314	1	2	2	2	6	34	114	164	214	224	925	495	109	5	—	13,884
6	1,220	1	2	2	2	3	5	20	51	73	116	519	339	77	8	—	8,540
7	717	1	1	1	1	2	4	1	12	25	41	276	257	91	4	—	5,736
8	371	—	—	—	—	—	1	1	3	2	4	116	162	74	6	—	3,339
9	258	—	—	—	—	—	—	—	—	—	3	69	123	51	9	—	2,580
10	135	—	—	—	—	—	—	—	—	—	1	20	53	44	10	—	1,485
11	83	—	—	—	—	—	—	—	—	—	1	7	27	43	6	—	996
12	40	—	—	—	—	—	—	—	—	—	—	2	16	22	—	—	520
13	29	—	—	—	—	—	—	—	—	—	—	—	11	18	—	—	406
14	10	—	—	—	—	—	—	—	—	—	—	—	4	4	2	—	150
15 and over	* 9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	149
Not stated	67	7	8	2	10	6	4	7	4	3	1	11	4	9	—	—	67
TOTAL	88,548	12,798	12,701	9,759	8,741	7,712	6,570	5,540	4,684	3,853	3,103	8,885	3,361	784	57	—	213,587
TOTAL CHILDREN BY PRESENT HUSBAND (Including Present Birth)	213,587	13,097	15,492	16,408	17,419	17,732	16,860	15,861	14,579	13,062	11,255	37,061	18,454	5,801	506	—	—
Average Number of Children to Present Husband	2.41	1.02	1.22	1.68	1.99	2.30	2.57	2.86	3.11	3.39	3.63	4.17	5.49	7.40	8.88	—	—

NOTE.—The above numbers indicate that in some cases children born before marriage have been included by informant.

* DURATION OF PRESENT MARRIAGE
20-24 years = 6 with 15 Previous Children, 1 with 16 Previous Children 2 with 17 Previous Children

TABLE 15.—Deaths, by Age-groups, of Women who had been married, and number returned at time of death as having had no Children, Scotland, 1955

CONJUGAL CONDITION AT DATE OF DEATH	AGE OF WOMEN											
	All Ages	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-59	60-69	70 and over	Not stated
All women.*—												
Married ...	8,695	3	45	107	194	235	388	539	1,755	2,526	2,903	—
Widowed ...	13,546	—	—	3	6	6	30	74	501	2,062	10,864	—
Divorced ...	101	—	—	2	4	4	7	7	23	27	27	—
Women stated to have had no children.—												
Married ...	1,482	1	17	34	42	30	62	94	322	373	507	—
Widowed ...	1,988	—	—	2	1	1	6	12	86	298	1,582	—
Divorced ...	23	—	—	—	1	—	2	2	8	5	5	—
No statement as to children.—												
Married ...	46	—	—	—	—	2	1	3	2	16	22	—
Widowed ...	113	—	—	—	—	—	—	—	6	14	93	—
Divorced ...	4	—	—	—	—	—	1	—	1	1	1	—
Not stated ...	—	—	—	—	—	—	—	—	—	—	—	—
Percentage of women* in each group stated to have had no children.—												
Married ...	17·0	33·3	37·8	31·8	21·6	12·8	16·0	17·4	18·3	14·8	17·5	—
Widowed ...	14·7	—	—	66·7	16·7	16·7	20·0	16·2	17·2	14·5	14·6	—
Divorced†	22·8	—	—	—	25·0	—	28·6	28·6	34·8	18·5	18·5	—

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Numbers in age columns too small for the calculation of significant rates.

TABLE 16.—Deaths of Women who had been married, by duration of marriage, and number returned at time of death as having had no Children, Scotland, 1955

DURATION OF MARRIAGE (Years)	DEATHS OF WOMEN* WHO HAD BEEN MARRIED				NUMBER WHO HAD HAD NO CHILDREN				NO STATEMENT AS TO CHILDREN				PERCENTAGE OF WOMEN* IN EACH GROUP WHO HAD HAD NO CHILDREN			
	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced†
Under 1	64	36	27	1	45	27	17	1	—	—	—	—	70.3	75.0	63.0	—
1	121	47	74	—	54	25	29	—	—	—	—	—	44.6	53.2	39.2	—
2	128	45	83	—	53	20	33	—	—	—	—	—	41.4	44.4	39.8	—
3	130	50	79	1	45	21	24	—	—	—	—	—	34.6	42.0	30.4	—
4	150	49	97	4	61	23	36	2	—	—	—	—	40.7	46.9	37.1	—
5	183	68	113	2	62	25	36	1	—	—	—	—	33.9	36.8	31.9	—
6	181	58	121	2	53	18	34	1	—	—	—	—	29.3	31.0	28.1	—
7	201	63	132	6	65	27	38	1	—	—	—	—	32.3	42.9	28.8	—
8	219	71	144	4	65	29	35	1	—	—	—	—	29.7	40.8	24.3	—
9	213	84	126	3	62	26	36	1	—	—	—	—	29.1	31.0	28.6	—
10-14	1,207	410	771	26	319	127	185	7	1	1	—	—	26.4	31.0	24.0	—
15-19	1,441	534	893	14	358	150	203	5	—	—	—	—	24.8	28.1	22.7	—
20-29	3,975	1,458	2,491	26	755	312	440	3	2	1	1	—	19.0	21.4	17.7	—
30-39	5,450	2,209	3,235	6	762	359	402	1	—	—	—	—	14.0	16.3	12.4	—
40-49	5,486	2,249	3,235	2	474	214	260	1	1	1	—	—	8.6	9.5	8.0	—
50-59	2,675	1,144	1,531	—	142	66	76	—	—	—	—	—	5.3	5.8	5.0	—
60-69	270	97	173	—	10	4	6	—	—	—	—	—	3.7	4.1	3.5	—
70 and over	7	—	7	—	1	—	1	—	—	—	—	—	14.3	—	14.3	—
Not Stated	241	23	214	—	107	9	97	1	159	43	112	4	44.4	39.1	45.3	—
TOTAL ...	22,342	8,695	13,546	101	3,493	1,482	1,988	23	163	46	113	4	15.6	17.0	14.7	22.8

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Individual numbers too small for the calculation of significant rates.

Table 17. Deaths from Selected Causes and Age Groups of Women who had been married. — Scotland, 1955

CAUSE OF DEATH	WOMEN WHO HAD CHILDREN						WOMEN WHO HAD NO CHILDREN									
	Total	15—	25—	35—	45—	55—	65—	75+	Total	15—	25—	35—	45—	55—	65—	75+
001-019 Tuberculosis	172	8	40	51	23	18	22	10	47	4	17	12	4	7	3	—
020-029 Syphilis	15	—	—	—	4	2	7	2	9	—	—	—	—	4	3	1
170 Malignant neoplasm of breast ...	494	—	10	45	102	95	131	111	131	—	1	8	30	39	28	25
171-174 Malignant neoplasm of uterus ...	350	—	9	39	72	92	88	50	68	—	1	11	15	15	13	13
175-176 Malignant neoplasm of other and unspecified female genital organs	163	—	1	14	36	46	38	28	58	—	1	2	17	18	14	6
140-165 Malignant neoplasm of all other and unspecified sites	2,318	4	36	93	261	490	705	729	428	1	19	15	60	89	127	117
214-217 Benign neoplasm of female genital organs	15	—	—	3	4	1	4	3	6	—	1	2	1	1	—	1
241 Asthma	86	—	4	16	19	17	19	11	11	—	1	1	3	2	4	—
252 Thyrotoxicosis, with or without goitre	14	—	1	1	3	2	6	1	4	—	1	1	1	—	2	—
260 Diabetes mellitus	235	—	1	2	6	66	99	61	31	1	1	1	2	8	10	8
290-293 Anæmias	92	—	—	1	3	9	32	47	20	—	—	1	1	2	8	8
300-326 Mental, psychoneurotic and personality disorders	37	—	1	3	4	12	5	12	11	—	—	—	1	3	2	4
330-334 Vascular lesions affecting central nervous system	3,676	2	5	33	163	503	1,147	1,823	708	1	2	9	25	80	216	375
353 Epilepsy	17	—	2	6	2	3	2	2	1	—	1	—	—	—	—	—
410-416 Chronic	364	2	30	50	92	90	66	34	61	1	6	9	13	12	11	9
420-422 Arteriosclerotic and degenerative heart disease	5,857	—	4	31	172	621	1,628	3,401	949	—	4	2	30	101	277	535
430-434 Other diseases of heart	280	—	4	7	23	37	100	109	36	—	1	2	2	8	15	15
440-447 Hypertensive disease	775	—	3	6	27	107	271	361	132	—	1	5	3	19	41	64
460-466 Diseases of veins	89	1	2	5	8	17	37	19	12	—	—	2	2	1	6	3
490-493 Pneumonia	457	1	1	2	9	24	115	259	107	—	2	1	5	15	26	58
500-502 Bronchitis	468	—	—	11	23	63	149	222	70	—	—	—	3	7	19	41
560, 561, 570 Intestinal obstruction and hæmia	117	—	1	5	6	22	44	39	25	—	2	—	6	4	6	7
581-586 Diseases of the liver	173	1	1	6	24	43	50	48	30	1	—	—	5	5	11	8
590-609 Diseases of the urinary and genito-urinary system	260	—	10	12	31	63	81	63	64	1	6	4	8	14	13	18
620-637 Diseases of female genital organs	25	1	1	6	3	4	6	4	2	—	—	—	1	—	1	—
640-689 Deliveries and complications of pregnancy and childbirth	28	1	16	10	1	—	—	—	11	6	4	1	—	—	—	—
680-689 All other natural causes	1,705	1	27	61	90	192	333	1,001	337	1	4	7	19	39	70	197
E800-999 Violence	567	8	26	43	51	64	92	283	124	1	5	7	17	19	22	53
TOTAL	18,849	30	236	569	1,277	2,727	5,277	8,733	3,493	18	80	101	278	509	941	1,566

TABLE 18.—Number of Stillbirths and Neo-natal Deaths in Counties of Cities, Large Burghs and Counties of Scotland, 1955

COUNTIES OF CITIES, LARGE BURGHS, AND COUNTIES	Living Births	Stillbirths		Neo- natal Deaths	Rate per 1,000 Total Births		
		Total	Illegiti- mate		Still- births	Neo- natal Deaths	Com- bined Rates
SCOTLAND	92,539	2,330	139	1,826	24·6	19·2	43·8
COUNTIES OF CITIES	34,462	870	57	705	24·6	20·0	44·6
LARGE BURGHS	16,325	415	23	334	24·8	20·0	44·7
COUNTIES (ex. Counties of Cities and Large Burghs)	41,752	1,045	59	787	24·4	18·4	42·8
SMALL BURGHS	14,662	383	26	259	25·5	17·2	42·7
LANDWARD	27,090	662	33	528	23·9	19·0	42·9
NORTHERN DIVISION	16,388	307	20	272	18·4	16·3	34·7
EAST CENTRAL DIVISION	24,711	662	43	482	26·1	19·0	45·1
WEST CENTRAL DIVISION	47,270	1,252	66	1,003	25·8	20·7	46·5
SOUTHERN DIVISION	4,170	109	10	69	25·5	16·1	41·6
ABERDEEN COUNTY	5,722	82	5	78	14	13	28
Aberdeen County of City	3,204	40	—	36	12	11	23
Remainder of County ...	2,518	42	5	42	16	16	33
ANGUS COUNTY	4,600	105	7	94	22	20	42
Dundee County of City...	3,107	75	5	65	24	20	44
Arbroath Burgh...	308	5	—	7	16	22	38
Remainder of County ...	1,185	25	2	22	21	18	39
ARGYLL COUNTY	834	20	2	19	23	22	46
AYR COUNTY	5,928	141	9	111	23	18	42
Ayr Burgh	768	9	1	16	12	21	32
Kilmarnock Burgh	810	19	—	14	23	17	40
Remainder of County ...	4,350	113	8	81	25	18	43
BANFF COUNTY	839	16	—	11	19	13	32
BERWICK COUNTY	340	9	—	7	26	20	46
BUTE COUNTY	233	4	—	1	17	4	21
CAITHNESS COUNTY	388	15	2	6	37	15	52
CLACKMANNAN COUNTY	725	9	—	20	12	27	40
DUMFRIES COUNTY	1,502	42	3	22	27	14	41
Dumfries Burgh	503	13	1	7	25	14	39
Remainder of County ...	999	29	2	15	28	15	43
DUNBARTON COUNTY	3,355	75	4	63	22	18	40
Clydebank Burgh	1,031	25	2	24	24	23	46
Dumbarton Burgh	635	14	1	13	22	20	42
Remainder of County ...	1,689	36	1	26	21	15	36
EAST LoTHIAN COUNTY	881	33	—	15	36	16	53
FIFE COUNTY	5,710	169	9	113	29	19	48
Dunfermline Burgh	768	21	1	16	27	20	47
Kirkcaldy Burgh	856	27	1	13	31	15	45
Remainder of County ...	4,086	121	7	84	29	20	49

TABLE 18.—*continued*

COUNTIES OF CITIES, LARGE BURGHS, AND COUNTIES	Living Births	Stillbirths		Neo- natal Deaths	Rate per 1,000 Total Births		
		Total	Illegiti- mate		Still- births	Neo- natal Deaths	Com- bined Rates
INVERNESS COUNTY ...	1,426	23	—	31	16	21	37
Inverness Burgh ...	530	8	—	12	15	22	37
Remainder of County ...	896	15	—	19	16	21	37
KINCARDINE COUNTY ...	446	7	1	4	15	9	24
KINROSS COUNTY ...	99	—	—	3	—	30	30
KIRKCUDBRIGHT COUNTY...	523	13	—	12	24	22	47
LANARK COUNTY ...	31,826	855	44	697	26	21	47
Glasgow County of City	21,023	578	34	478	27	22	49
Airdrie Burgh ...	620	24	—	11	37	17	54
Coatbridge Burgh ...	1,254	36	3	38	28	29	57
Hamilton Burgh ...	833	30	—	18	35	21	56
Motherwell and Wishaw Burgh ...	1,372	23	1	18	16	13	29
Rutherglen Burgh ...	467	10	—	7	21	15	36
Remainder of County ...	6,257	154	6	127	24	20	44
MIDLOTHIAN COUNTY ...	9,292	234	18	161	25	17	41
Edinburgh County of City	7,128	177	18	126	24	17	41
Remainder of County ...	2,164	57	—	35	26	16	41
MORAY COUNTY ...	941	29	2	18	30	19	48
NAIRN COUNTY ...	137	1	—	3	7	22	29
ORKNEY COUNTY ...	279	9	1	7	31	24	56
PEEBLES COUNTY ...	209	7	3	2	32	9	42
PERTH COUNTY ...	2,005	42	4	38	21	19	39
Perth Burgh ...	659	9	2	10	13	15	28
Remainder of County ...	1,346	33	2	28	24	20	44
RENFREW COUNTY ...	6,161	181	9	132	29	21	49
Greenock Burgh ...	1,586	48	3	35	29	21	51
Paisley Burgh ...	1,775	54	2	42	30	23	52
Port Glasgow Burgh ...	525	12	1	13	22	24	47
Remainder of County ...	2,275	67	3	42	29	18	47
ROSS AND CROMARTY Co. ...	1,014	19	—	14	18	14	32
ROXBURGH COUNTY ...	711	19	1	8	26	11	37
SELKIRK COUNTY ...	304	5	—	5	16	16	32
STIRLING COUNTY ...	3,329	89	8	71	26	21	47
Falkirk Burgh ...	566	14	1	13	24	22	47
Stirling Burgh ...	459	14	3	7	30	15	44
Remainder of County ...	2,304	61	4	51	26	22	47
SUTHERLAND COUNTY ...	238	6	1	6	25	25	49
WEST LoTHIAN COUNTY ...	1,667	53	3	37	31	22	52
WIGTOWN COUNTY ...	581	14	3	13	24	22	45
ZETLAND COUNTY ...	294	4	—	4	13	13	27

TABLE 19.—Stillbirths by Age of Mother and Number of Previous Children, Scotland, 1955

NUMBER OF PREVIOUS CHILDREN (Present or any Previous Husband)	AGE OF MOTHER										
	All Ages	Rate per 1,000 Births	Under 20	20-	25-	30-	35-	40-	45-	50 and over	Not stated
None	804	24	62	340	212	131	46	10	3	—	—
1	440	18	7	122	132	125	44	9	1	—	—
2	347	23	—	39	105	115	63	24	1	—	—
3	203	26	1	18	46	72	46	19	1	—	—
4	134	30	—	4	31	32	54	12	1	—	—
5	100	40	—	—	12	38	34	15	1	—	—
6	54	41	—	—	5	9	29	10	1	—	—
7	38	49	—	—	3	8	17	7	3	—	—
8	27	65	—	—	1	9	9	6	2	—	—
9	16	56	—	—	—	3	4	9	—	—	—
10 and over	26	76	—	—	—	—	6	17	3	—	—
Not stated	2	—	—	—	—	—	—	—	—	—	2
All Legitimate Stillbirths	2,191	24.1	70	523	547	542	352	138	17	—	2
All Illegitimate Stillbirths	139	33.7	17	31	31	28	18	12	—	—	2
ALL STILLBIRTHS	2,330	24.6	87	554	578	570	370	150	17	—	4
Stillbirths per 1,000 Total Births (including Stillbirths)—											
Legitimate	24.1	—	19	20	19	28	37	47	94	—	—
Illegitimate	33.7	—	25	25	35	39	44	74	—	—	—
All Births	24.6	—	20	20	19	28	38	49	90	—	—

Table 20.—Multiple Confinements by Age of Mother (all Births, live and still), Scotland, 1955.

AGE OF MOTHER										50 and over	Not stated				
Live Births		Stillbirths		Total	Legitimate	Illegitimate	Under 20	20—24	25—29			30—34	35—39	40—44	45—49
Male	Female	Male	Female												
Twin Births ...															
2	—	—	—	342	323	19	7 (1)	75 (6)	101 (3)	101 (6)	43 (3)	13	2	—	
1	2	—	—	448	423	25	6	77 (8)	133 (6)	150 (6)	68 (3)	13 (2)	1	—	
—	—	—	—	366	351	15	10	91 (1)	107 (3)	113 (9)	37 (2)	8	—	—	
1	—	1	—	34	33	1	—	8 (1)	12	11	2	1	—	—	
1	—	—	1	21	19	2	—	5 (1)	5	9 (1)	1	1	—	—	
—	—	—	—	10	10	—	—	4	1	5	—	—	—	—	
—	1	1	—	28	28	—	—	8	6	10	3	—	—	—	
—	—	—	1	16	15	1	1 (1)	5	—	6	3	1	—	1	
—	—	—	1	2	1	1	—	—	1	—	—	—	—	—	
—	—	—	2	2	2	—	—	1	—	1	—	—	—	—	
Triplet Births...															
3	—	—	—	1	1	—	—	—	—	1	—	—	—	—	
2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
1	2	—	—	3	3	—	—	—	1	—	1	1	—	—	
—	3	—	—	4	4	—	—	1	2	—	—	—	—	—	
—	1	—	—	1	1	—	—	—	1	—	—	—	—	—	
—	2	—	—	1	1	—	—	—	—	1	—	—	—	—	
Twin Confinements															
...				1,269	1,205	64	25	274	366	406	157	37	3	1	
Triplet Confinements				10	10	—	—	1	4	2	2	1	—	—	
All Multiple Confinements															
...				1,279	1,215	64	25	275	370	408	159	38	3	1	
Illegitimate only ...				64	—	64	3	17	12	22	8	2	—	—	
All mothers				93,580	89,514	4,066	4,296	27,108	29,569	19,625	9,680	3,037	186	78	
Percentage of mothers who had multiple births ...				1.37	1.36	1.57	0.58	1.01	1.25	2.08	1.64	1.25	1.61	—	

NOTE.—The total in each group includes the illegitimate births which are also shown separately in brackets

TABLE 21.—Stillbirths, 1955—Cause, with Age of Mother

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	Sex of Child	AGE OF MOTHER										
			All Ages	Under 20	20-	25-	30-	35-	40-	45-	50 and over	Not stated	
	ALL CAUSES	B.S. M. F. N.S.	2,330 1,229 1,098 3	87 47 40 -	554 297 256 1	578 300 277 1	570 298 271 1	370 195 175 -	150 76 74 -	17 14 3 -	- - - -	4 3 2 -	
	Chronic Disease in Mother ... {	M. F.	41 23	- 1	10 1	5 6	12 7	9 7	4 1	1 -	- -	- -	
30.0	Syphilis {	M. F.	2 -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	
30.1	Tuberculosis {	M. F.	2 -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	
30.2	Diabetes {	M. F.	12 4	- -	3 -	1 1	3 1	2 2	3 -	- -	- -	- -	
30.3	Chronic disease of circulatory system {	M. F.	18 14	- 1	5 1	1 4	5 5	5 3	1 -	1 -	- -	- -	
30.4	Chronic disease of genito-urinary system {	M. F.	- 1	- -	- -	- -	- -	- -	1 -	- -	- -	- -	
30.5	Other chronic disease {	M. F.	7 4	- -	1 -	1 1	3 1	2 2	- -	- -	- -	- -	
	Acute Disease in Mother ... {	M. F.	7 4	- -	3 -	- 3	3 -	1 1	- -	- -	- -	- -	
31.1	Influenza {	M. F.	2 1	- -	1 -	- -	1 -	- 1	- -	- -	- -	- -	
31.2	Pneumonia {	M. F.	2 -	- -	2 -	- -	- -	- -	- -	- -	- -	- -	
31.3	Other acute respiratory disease ... {	M. F.	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	
31.0, 31.4	Other acute disease or condition ... {	M. F.	3 2	- -	- -	- 2	2 -	1 -	- -	- -	- -	- -	
	Diseases and Conditions of Pregnancy and Childbirth ... {	M. F.	88 85	4 -	20 20	27 22	18 27	11 13	7 3	1 -	- -	- -	
32.1	Ectopic gestation {	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
32.3a	Eclampsia {	M. F.	75 69	4 -	20 17	22 15	16 23	7 12	5 2	1 -	- -	- -	
32.3b	Nephritic toxæmia {	M. F.	2 5	- -	- 1	1 1	- 2	1 -	- 1	- -	- -	- -	
32.3c	Toxæmia not stated {	M. F.	7 4	- -	- 1	3 2	- -	3 1	1 -	- -	- -	- -	
32.4a	Acute yellow atrophy of liver ... {	M. F.	2 1	- -	- -	1 1	1 -	- -	- -	- -	- -	- -	
32.4b	Hyperemesis gravidarum ... {	M. F.	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	
32.5a	Pyelitis {	M. F.	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	
32.5b	Infection {	M. F.	1 2	- -	- -	- 1	1 1	- -	- -	- -	- -	- -	
33	Absorption of toxic from mother {	M. F.	1 2	- -	- 1	- -	- 1	- -	1 -	- -	- -	- -	
	Difficult Labour {	M. F.	136 93	6 -	22 13	39 32	37 25	21 13	9 9	2 -	- -	- 1	
34.0a	Abnormality of bones of pelvis with Immaturity {	M. F.	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 21.—continued

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	Sex of Child	AGE OF MOTHER										50 and over	Not stated
			All Ages	Under 20	20-	25-	30-	35-	40-	45-				
	Difficult Labour—continued													
34.0b	Abnormality of bones of pelvis without Immaturity ...	M. F.	5 3	- -	- -	2 1	1 2	- -	1 -	1 -	- -	- -	- -	- -
34.1a	Disproportion with Immaturity ...	M. F.	10 5	2 -	3 -	1 -	2 4	2 -	- 1	- -	- -	- -	- -	- -
34.1b	Disproportion without Immaturity	M. F.	21 20	- -	3 3	9 8	6 6	2 1	1 1	- -	- -	- -	- -	1 -
34.2a	Malposition of foetus, with Im- maturity ...	M. F.	8 7	1 -	2 -	2 4	1 -	1 2	1 1	- -	- -	- -	- -	- -
34.2b	Malposition of foetus, without Immaturity ...	M. F.	46 27	- -	8 7	10 9	15 5	8 4	5 2	- -	- -	- -	- -	- -
34.3a	Abnormality of forces of labour, with Immaturity ...	M. F.	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
34.3b	Abnormality of forces of labour, without Immaturity ...	M. F.	9 7	- -	2 1	3 1	4 1	- 3	- 1	- -	- -	- -	- -	- -
34.4a	Operative delivery, with Im- maturity ...	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
34.4b	Operative delivery, without Im- maturity ...	M. F.	9 7	2 -	2 1	1 1	3 3	1 -	- 2	- -	- -	- -	- -	- -
34.5a	Abnormality of organs or tissues of pelvis, with Immaturity ...	M. F.	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -
34.5b	Abnormality of organs or tissues of pelvis, without Immaturity ...	M. F.	7 1	- -	- 1	1 -	1 -	5 -	- -	- -	- -	- -	- -	- -
34.6a	Difficult labour without mention of condition, but with Immaturity	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
34.6b	Difficult labour without mention of condition, and without Im- maturity ...	M. F.	19 15	- -	2 -	10 7	3 4	2 3	1 1	1 -	- -	- -	- -	- -
	Other Causes in Mother ...	M. F.	13 7	- -	2 -	3 3	5 1	2 2	1 1	- -	- -	- -	- -	- -
35.0	Fall ...	M. F.	3 -	- -	- -	- -	1 -	1 -	1 -	- -	- -	- -	- -	- -
32.0, 35.1	Other accident or violence ...	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
35.2	Over-exertion ...	M. F.	3 1	- -	- -	1 -	2 -	- 1	- -	- -	- -	- -	- -	- -
35.3	Other and ill-defined causes in mother ...	M. F.	7 6	- -	2 -	2 3	2 1	1 1	- 1	- -	- -	- -	- -	- -
	Placental and Cord Conditions	M. F.	463 328	17 14	114 69	108 64	105 85	74 67	37 28	7 1	- -	- -	- -	1 -
36.0a	Prolapse of cord ...	M. F.	71 51	4 1	15 14	19 7	12 13	12 9	7 6	1 1	- -	- -	- -	1 -
36.0b	Torsion of cord ...	M. F.	65 56	2 3	18 9	13 13	19 16	6 13	5 2	2 -	- -	- -	- -	- -
36.1, 36.3	Placenta prævia ...	M. F.	18 19	1 -	2 -	7 3	3 8	4 6	1 2	- -	- -	- -	- -	- -
32.2 36.2, 36.4	Accidental hæmorrhage ...	M. F.	203 120	8 5	50 26	47 21	49 29	34 29	13 10	2 -	- -	- -	- -	- -
36.5	Placental infarct ...	M. F.	52 46	1 2	17 10	10 10	12 10	7 8	4 6	1 -	- -	- -	- -	- -
36.6	Others of placenta and cord ...	M. F.	54 36	1 3	12 10	12 10	10 9	11 2	7 2	1 -	- -	- -	- -	- -

TABLE 21.—continued

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	Sex of Child	AGE OF MOTHER										
			All Ages	Under 20	20-	25-	30-	35-	40-	45-	50 and over	Not stated	
37a	Birth Injury {	M. F.	55 34	- 1	12 11	17 7	13 8	9 6	2 1	2 -	- -	- -	
	Birth injury with Immaturity ... {	M. F.	3 2	- -	1 2	1 -	1 -	- -	- -	- -	- -	- -	
37b	Birth injury without Immaturity {	M. F.	52 32	- 1	11 9	16 7	12 8	9 6	2 1	2 -	- -	- -	
	Congenital Malformation of Fetus {	M. F. N.S.	193 306 3	7 16 -	65 91 1	40 81 1	41 66 1	31 38 -	9 13 -	- 1 -	- -	- -	
38.0	Anencephalus {	M. F.	77 189	4 9	25 59	16 43	12 45	14 27	6 6	- -	- -	- -	
38.1	Hydrocephalus {	M. F. N.S.	72 69 1	3 3 -	23 21 1	18 24 11	20 11 -	8 6 -	2 3 -	- 1 -	- -	- -	
	Spina bifida {	M. F.	9 15	- 1	2 4	1 3	3 5	3 1	- 1	- -	- -	- -	
38.3	Other malformations of the central nervous system ... {	M. F.	6 10	- 1	2 3	1 3	1 -	2 2	- 1	- -	- -	- -	
38.4	Malformation of the cardiovascular system {	M. F.	3 1	- -	1 -	1 -	1 1	- -	- -	- -	- -	- -	
38.5	Malformation of other specified system {	M. F. N.S.	10 8 1	- 1 -	3 1 -	4 2 -	1 2 1	1 2 -	1 2 -	- -	- -	- -	
	Monster {	M. F.	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
38.7	Other and unspecified malformations {	M. F. N.S.	15 14 1	- 1 -	8 3 -	1 6 1	3 2 -	3 - -	- 2 -	- -	- -	- -	
	Diseases of Fetus and Ill-defined Causes {	M. F.	233 218	13 8	49 51	61 59	64 52	37 28	7 18	1 1	- -	1 1	
39.2	Erythroblastosis (Rhesus factor) {	M. F.	35 31	- -	6 7	9 9	7 10	10 4	3 1	- -	- -	- -	
39.0 39.1, 39.3	Other diseases of fetus {	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
39.4	Maceration {	M. F.	53 58	2 3	19 13	9 19	13 10	10 6	- 6	- 1	- -	- -	
	Premature birth (cause not stated) {	M. F.	21 21	- -	5 5	11 6	4 6	1 4	- -	- -	- -	- -	
39.5a	Debility {	M. F.	4 2	- 1	- -	1 -	2 -	1 1	- -	- -	- -	- -	
	Asphyxia {	M. F.	36 22	4 2	4 6	13 5	11 3	3 3	1 3	- -	- -	- -	
39.5d	Other ill-defined {	M. F.	77 75	6 2	14 18	17 18	25 20	12 10	3 7	- -	- -	- -	
39.6	Cause unknown {	M. F.	7 9	1 -	1 2	1 2	2 3	- -	- 1	1 -	- -	1 1	

TABLE 22.—Stillbirths—Cause, by Order of Birth, including Children by any Previous Husband, Scotland, 1955

International List (Y39)	CAUSE OF DEATH	Legitimate Births	NO. OF PREVIOUS CHILDREN (present or any previous husband)											Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over		
	ALL CAUSES	2,191	804	440	347	203	134	100	54	38	27	16	26	2	139
	Chronic Disease in Mother ...	60	21	7	7	9	5	1	2	3	2	-	3	-	4
0	Syphilis	1	-	-	-	1	-	-	-	-	-	-	-	-	1
1	Tuberculosis	2	1	-	-	1	-	-	-	-	-	-	-	-	-
2	Diabetes	15	5	3	2	-	1	-	2	-	-	-	2	-	1
3	Chronic disease of circulatory system... ..	30	14	4	4	4	2	-	-	1	1	-	-	-	2
4	Chronic disease of genito-urinary system... ..	1	-	-	-	-	-	-	-	-	-	-	1	-	-
5	Other chronic disease	11	1	-	1	4	1	1	-	2	1	-	-	-	-
	Acute Disease in Mother ...	9	1	2	4	1	-	1	-	-	-	-	-	-	2
1	Influenza	2	-	1	-	-	-	1	-	-	-	-	-	-	1
2	Pneumonia	2	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Other acute respiratory disease ...	1	-	-	1	-	-	-	-	-	-	-	-	-	-
3.1.4	Other acute disease or condition	4	-	1	2	1	-	-	-	-	-	-	-	-	1
	Diseases and Conditions of Pregnancy and Childbirth	163	79	27	24	12	9	6	3	1	1	1	-	-	10
1	Ectopic gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3a	Eclampsia	136	74	21	17	8	6	6	2	1	-	1	-	-	8
3b	Nephritic toxæmia	6	1	3	1	-	-	-	-	-	1	-	-	-	1
3c	Toxæmia not stated	11	3	2	2	3	1	-	-	-	-	-	-	-	-
4a	Acute yellow atrophy of liver ...	3	1	-	1	-	1	-	-	-	-	-	-	-	-
4b	Hyperemesis gravidarum	1	-	-	-	1	-	-	-	-	-	-	-	-	-
5a	Pylitis	1	-	1	-	-	-	-	-	-	-	-	-	-	-
5b	Infection	2	-	-	1	-	-	-	1	-	-	-	-	-	1
6	Absorption of toxic substance from mother	3	-	-	2	-	1	-	-	-	-	-	-	-	-
	Difficult Labour	215	83	43	24	23	11	13	7	4	1	1	4	1	14
4.0a	Abnormality of bones of pelvis with Immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	1
4.0b	Abnormality of bones of pelvis without Immaturity	7	3	1	1	1	-	-	-	-	-	-	1	-	1
4.1a	Disproportion, with Immaturity	13	8	1	-	2	1	-	-	1	-	-	-	-	2
4.1b	Disproportion, without Imma- turity	41	20	11	2	1	1	2	2	-	-	-	1	1	-
4.2a	Malposition of fœtus, with Im- maturity	14	2	3	1	2	1	4	1	-	-	-	-	-	1
4.2b	Malposition of fœtus, without Im- maturity	69	17	16	10	10	3	6	2	3	-	1	1	-	4
4.3a	Abnormality of forces of labour, with Immaturity	1	-	-	-	-	1	-	-	-	-	-	-	-	-
4.3b	Abnormality of forces of labour, without Immaturity	15	8	1	4	1	1	-	-	-	-	-	-	-	1
4.4a	Operative delivery, with Im- maturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4.4b	Operative delivery, without Im- maturity	12	7	3	-	-	-	-	2	-	-	-	-	-	4
4.5a	Abnormality of organs or tissues of pelvis, with Immaturity ...	1	-	1	-	-	-	-	-	-	-	-	-	-	-

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 22.—continued

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	Legitimate Births	No. of PREVIOUS CHILDREN (present or any previous husband)											Not stated
			None	1	2	3	4	5	6	7	8	9	10 and over	
	Difficult Labour—continued													
34.5b	Abnormality of organs or tissues of pelvis, without Immaturity	8	2	1	2	2	-	1	-	-	-	-	-	-
34.6a	Difficult labour without mention of condition, but with Im- maturity	-	-	-	-	-	-	-	-	-	-	-	-	-
34.6b	Difficult labour without mention of condition, and without Im- maturity	34	16	5	4	4	3	-	-	-	1	-	1	-
	Other Causes in Mother ...	20	4	6	4	-	-	3	1	-	1	-	1	-
35.0	Fall	3	-	-	-	-	-	1	-	-	1	-	1	-
32.0, 35.1	Other accident or violence ...	-	-	-	-	-	-	-	-	-	-	-	-	-
35.2	Over-exertion	4	1	2	-	-	-	-	1	-	-	-	-	-
35.3	Other and ill-defined causes in mother	13	3	4	4	-	-	2	-	-	-	-	-	-
	Placental and Cord Conditions	743	255	142	118	78	51	33	16	16	13	7	13	1
36.0a	Prolapse of cord	116	33	25	17	15	7	5	2	6	3	1	1	1
36.0b	Torsion of cord	117	51	22	14	9	10	6	1	2	1	-	1	-
36.1, 36.3	Placenta prævia	33	5	7	5	6	3	2	1	1	2	-	1	-
32.2, 36.4	Accidental hæmorrhage ...	298	91	60	53	29	20	15	11	4	3	4	8	-
36.5	Placental infarct	91	36	17	13	9	5	4	1	2	1	2	1	-
36.6	Others of placenta and cord ...	88	39	11	16	10	6	1	-	1	3	-	1	-
	Birth Injury	84	33	22	9	3	6	4	3	1	1	2	-	-
37a	Birth injury, with Immaturity ...	4	3	1	-	-	-	-	-	-	-	-	-	-
37b	Birth injury, without Immaturity	80	30	21	9	3	6	4	3	1	1	2	-	-
	Congenital Malformation of Fœtus	476	182	99	83	43	25	18	12	6	3	3	2	-
38.0	Anencephalus	253	86	51	41	27	17	15	7	5	1	1	2	-
38.1	Hydrocephalus	133	58	29	24	11	5	2	3	-	1	-	-	-
38.2	Spina bifida	24	10	3	5	2	-	-	-	-	-	2	-	-
38.3	Other malformations of the central nervous system ...	15	7	1	2	1	1	-	2	1	-	-	-	-
38.4	Malformation of the cardiovas- cular system	4	2	2	-	-	-	-	-	-	-	-	-	-
38.5	Malformation of other specified system	18	5	5	6	-	-	1	-	-	1	-	-	-
38.6	Monster	1	1	-	-	-	-	-	-	-	-	-	-	-
38.7	Other and unspecified malforma- tions	28	13	8	5	2	-	-	-	-	-	-	-	-
	Diseases of Fœtus and Ill- defined Causes	421	146	92	74	34	27	21	10	7	5	2	3	-
39.2	Erythroblastosis (Rhesus factor)	64	3	18	19	9	2	6	3	2	1	-	1	-
39.0,														
39.1, 39.3	Other diseases of fœtus	102	42	19	20	6	6	3	1	3	2	-	-	-
39.4	Maceration	39	11	12	4	3	6	2	1	-	-	-	-	-
39.5a	Premature birth (cause not stated)	5	1	2	-	1	-	1	-	-	-	-	-	-
39.5b	Debility	54	26	8	11	2	2	3	-	-	-	2	-	-
39.5c	Asphyxia	144	58	30	19	11	10	6	4	2	2	-	2	-
39.5d	Other ill-defined	13	5	3	1	2	1	-	1	-	-	-	-	-
39.6	Cause unknown													

TABLE 23.—Stillbirths—Cause by Month of Registration, Scotland, 1955

Inter- national Nos. Y30-Y39)	CAUSE OF DEATH	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	ALL CAUSES	2,330	204	195	199	192	196	178	208	214	175	193	197	179
	Legitimate	2,191	191	187	181	178	185	168	189	204	168	182	183	175
	Illegitimate	139	13	8	18	14	11	10	19	10	7	11	14	4
	Rates per 1,000 total births ...	25	25	27	24	23	24	22	26	27	24	24	27	23
	Chronic Disease in Mother ...	64	5	6	7	6	7	3	10	7	1	6	4	2
30.0	Syphilis	2	—	1	—	—	1	—	—	—	—	—	—	—
30.1	Tuberculosis	2	—	—	1	—	—	—	—	1	—	—	—	—
30.2	Diabetes	16	1	1	2	1	2	2	3	2	—	1	1	—
30.3	Chronic disease of circulatory system	32	2	2	3	4	4	1	5	3	1	4	3	—
30.4	Chronic disease of genito-urinary system	1	—	—	1	—	—	—	—	—	—	—	—	—
30.5	Other chronic disease	11	2	2	—	1	—	—	2	1	—	1	—	2
	Acute Disease in Mother	11	3	1	3	1	—	1	—	—	—	—	1	1
31.1	Influenza	3	2	—	1	—	—	—	—	—	—	—	—	—
31.2	Pneumonia	2	1	—	—	—	—	1	—	—	—	—	—	—
31.3	Other acute respiratory disease ...	1	—	—	—	—	—	—	—	—	—	—	1	—
31.0, 31.4	Other acute disease or condition ...	5	—	1	2	1	—	—	—	—	—	—	—	1
	Diseases and Conditions of Pregnancy and Childbirth ...	173	12	16	21	21	10	10	11	26	8	11	14	13
32.1	Ectopic gestation	—	—	—	—	—	—	—	—	—	—	—	—	—
32.3a	Eclampsia	144	12	13	19	20	8	8	8	19	4	10	13	10
32.3b	Nephritic toxæmia	7	—	1	—	—	1	—	—	4	—	—	—	1
32.3c	Toxæmia not stated	11	—	1	—	1	1	2	1	2	1	—	1	—
32.4a	Acute yellow atrophy of liver ...	3	—	1	—	—	—	—	—	—	2	—	—	—
32.4b	Hyperemesis gravidarum	1	—	—	—	—	—	—	—	—	—	—	—	1
32.5a	Pyelitis	1	—	—	1	—	—	—	—	—	—	—	—	—
32.5b	Infection	3	—	—	—	—	—	—	—	1	1	1	—	—
33	Absorption of toxic substance from mother	3	—	—	1	—	—	—	2	—	—	—	—	—
	Difficult Labour	229	10	22	21	20	16	20	22	15	22	24	20	17
34.0a	Abnormality of bones of pelvis with Immaturity	1	—	1	—	—	—	—	—	—	—	—	—	—
34.0b	Abnormality of bones of pelvis without Immaturity	8	1	1	1	—	1	1	1	1	1	—	—	—
34.1a	Disproportion with Immaturity ...	15	1	1	—	3	1	—	6	2	—	—	1	—
34.1b	Disproportion without Immaturity ...	41	4	5	3	3	2	5	2	1	5	5	3	3
34.2a	Malposition of foetus, with Immaturity	15	2	—	1	2	1	1	1	1	2	2	2	—
34.2b	Malposition of foetus, without Immaturity	73	1	7	9	4	5	7	7	5	7	10	7	4
34.3a	Abnormality of forces of labour, with Immaturity	1	—	—	—	—	—	1	—	—	—	—	—	—
34.3b	Abnormality of forces of labour, without Immaturity	16	—	1	1	3	1	2	1	2	2	1	1	1
34.4a	Operative delivery, with Immaturity ...	—	—	—	—	—	—	—	—	—	—	—	—	—
34.4b	Operative delivery, without Immaturity	16	—	1	1	1	1	1	2	2	2	4	—	1
34.5a	Abnormality of organs or tissues of pelvis with Immaturity	1	—	—	—	1	—	—	—	—	—	—	—	—
34.5b	Abnormality of organs or tissues of pelvis without Immaturity ...	8	—	1	2	—	1	—	—	—	—	1	1	2
34.6a	Difficult labour without mention of condition, but with Immaturity ...	—	—	—	—	—	—	—	—	—	—	—	—	—
34.6b	Difficult labour without mention of condition and without Immaturity ...	34	1	4	3	3	3	2	2	1	3	1	5	6

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 23.—continued

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	Other Causes in Mother	20	3	2	2	1	1	2	2	3	1	1	2	-
35.0	Fall	3	1	-	-	-	-	-	1	-	1	-	-	-
32.0, 35.1	Other accident or violence	-	-	-	-	-	-	-	-	-	-	-	-	-
35.2	Over-exertion	4	1	1	1	-	-	-	-	-	-	-	1	-
35.3	Other and ill-defined causes in mother	13	1	1	1	1	1	2	1	3	-	1	1	-
	Placental and Cord Conditions ...	791	75	71	62	53	67	62	67	82	65	63	66	58
36.0a	Prolapse of cord	122	17	17	6	6	13	9	6	11	13	8	11	5
36.0b	Torsion of cord	121	12	9	14	6	12	4	11	12	12	10	11	8
36.1, 36.3	Placenta prævia	37	2	5	2	4	1	4	1	6	2	3	3	4
32.2,	} Accidental hæmorrhage	323	25	24	27	22	25	34	30	38	21	27	28	22
36.2, 36.4		98	7	10	3	10	8	8	11	4	11	6	7	13
36.5		90	12	6	10	5	8	3	8	11	6	9	6	6
36.6														
	Others of placenta and cord	90	12	6	10	5	8	3	8	11	6	9	6	6
	Birth Injury	89	8	8	10	5	7	5	12	8	6	9	8	3
37a	Birth injury with Immaturity	5	-	1	-	-	-	-	-	2	-	2	-	-
37b	Birth injury without Immaturity	84	8	7	10	5	7	5	12	6	6	7	8	3
	Congenital Malformation of Fœtus	502	49	35	42	49	47	35	43	45	34	37	45	41
38.0	Anencephalus	266	31	18	22	30	14	19	23	21	18	24	23	23
38.1	Hydrocephalus	142	12	8	15	13	18	7	13	12	10	9	12	13
38.2	Spina bifida	24	1	1	-	2	4	4	2	3	1	2	3	1
38.3	Other malformations of the central nervous system	16	-	-	2	1	3	1	-	1	2	1	3	2
38.4	Malformation of the cardiovascular system	4	-	1	-	-	2	-	1	-	-	-	-	-
38.5	Malformation of other specified system	19	2	4	1	-	3	1	2	2	-	1	2	1
38.6	Monster... ..	1	-	-	-	-	-	-	-	1	-	-	-	-
38.7	Other and unspecified malformations	30	3	3	2	3	3	3	2	5	3	-	2	1
	Diseases of Fœtus and Ill-defined Causes	451	39	34	31	36	41	40	41	28	38	42	37	44
39.2	} Erythroblastosis (Rhesus factor)	66	6	6	8	6	3	5	8	3	2	6	5	8
39.0,		-	-	-	-	-	-	-	-	-	-	-	-	-
39.1, 39.3		111	7	15	10	5	8	15	10	8	8	11	5	9
39.4		42	1	3	4	8	1	4	1	3	2	1	4	6
39.5a		6	2	-	1	1	1	-	-	-	1	-	-	-
39.5b		58	7	5	-	6	5	6	2	1	7	3	9	7
39.5c		152	16	5	8	9	22	5	19	9	17	17	12	13
39.5d	Other ill-defined	16	-	-	-	1	1	5	1	4	1	-	2	1
39.6	Cause unknown													

Table 23A.—Place of occurrence of Stillbirths by Cause, Scotland, 1955

International Nos. (Y30-Y39)	CAUSE OF DEATH	Total	At Home	In Institutions
	ALL CAUSES	2,330	457	1,873
	Chronic Disease in Mother	64	8	56
30.0	Syphilis	2	1	1
30.1	Tuberculosis	2	1	1
30.2	Diabetes	16	—	16
30.3	Chronic disease of circulatory system	32	3	29
30.4	Chronic disease of genito-urinary system	1	1	—
30.5	Other chronic disease	11	2	9
	Acute Disease in Mother	11	2	9
31.1	Influenza	3	1	2
31.2	Pneumonia	2	—	2
31.3	Other acute respiratory disease	1	—	1
31.0, 31.4	Other acute disease or condition	5	1	4
	Diseases and Conditions of Pregnancy and Childbirth	173	21	152
32.1	Ectopic gestation	—	—	—
32.3a	Eclampsia	144	10	134
32.3b	Nephritic toxæmia	7	3	4
32.3c	Toxæmia not stated	11	4	7
32.4a	Acute yellow atrophy of liver	3	1	2
32.4b	Hyperemesis gravidarum	1	1	—
32.5a	Pyelitis	1	1	—
32.5b	Infection	3	—	3
33	Absorption of toxic substance from mother	3	1	2
	Difficult Labour	229	63	166
34.0a	Abnormality of bones of pelvis with immaturity	1	1	—
34.0b	Abnormality of bones of pelvis without immaturity	8	2	6
34.1a	Disproportion with immaturity	15	6	9
34.1b	Disproportion without immaturity	41	7	34
34.2a	Malposition of fœtus, with immaturity	15	5	10
34.2b	Malposition of fœtus, without immaturity	73	25	48
34.3a	Abnormality of forces of labour, with immaturity	1	1	—
34.3b	Abnormality of forces of labour, without immaturity	16	6	10
34.4a	Operative delivery, with immaturity	—	—	—
34.4b	Operative delivery, without immaturity	16	3	13
34.5a	Abnormality of organs or tissues of pelvis with immaturity	1	1	—
34.5b	Abnormality of organs or tissues of pelvis without immaturity	8	2	6
34.6a	Difficult labour without mention of condition, but with immaturity	—	—	—
34.6b	Difficult labour without mention of condition, and without immaturity	34	4	30
	Other Causes in Mother	20	11	9
35.0	Fall	3	3	—
32.0, 35.1	Other accident or violence	—	—	—
35.2	Over-exertion	4	2	2
35.3	Other and ill-defined causes in mother	13	6	7
	Placental and Cord Conditions	791	150	641
36.0a	Prolapse of cord	122	26	96
36.0b	Torsion of cord	121	34	87
36.1, 36.3	Placenta prævia	37	2	35
32.2, 36.2, 36.4	Accidental hæmorrhage	323	31	292
36.5	Placental infarct	98	44	54
36.6	Others of placenta and cord	90	13	77
	Birth Injury	89	15	74
37a	Birth injury with immaturity	5	2	3
37b	Birth injury without immaturity	84	13	71
	Congenital Malformation of Fœtus	502	95	407
38.0	Anencephalus	266	41	225
38.1	Hydrocephalus	142	30	112
38.2	Spina bifida	24	9	15
38.3	Other malformations of the central nervous system	16	8	8
38.4	Malformation of the cardiovascular system	4	1	3
38.5	Malformation of other specified system	19	1	18
38.6	Monster	1	—	1
38.7	Other and unspecified malformations	30	5	25
	Diseases of Fœtus and Ill-Defined Causes	451	92	359
39.2	Erythroblastosis (Rhesus factor)	66	7	59
39.0, 39.1, 39.3	Other diseases of fœtus	—	—	—
39.4	Maceration	111	17	94
39.5a	Premature birth (cause not stated)	42	21	21
39.5b	Debility	6	3	3
39.5c	Asphyxia	58	6	52
39.5d	Other ill-defined	152	30	122
39.6	Cause unknown	16	8	8

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List
Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 24.—Causes of Stillbirths in the Public Health Districts of Scotland (Both Sexes), 1955

Inter-national Nos. (Y30-Y39)	Scotland																															
	ALL CAUSES...		
	Chronic Disease in Mother	Total	64	2,330	40	42	75	5	25	20	9	19	113	16	9	4	15	9	13	29	25	14	36	33	21	27	121	8	15	7	1	13
30.0	Syphilis	...	2	4	1	1	4	1	1	2	...	1
30.1	Tuberculosis	...	2	1
30.2	Diabetes	...	16
30.3	Chronic disease of circulatory system	...	32	2	1	4	1	1	2	...	1
30.4	Chronic disease of genito-urinary system	...	1	1
30.5	Other chronic disease	...	11	1
31.1	Acute Disease in Mother	Total	11	1
31.2	Influenza	...	3	1
31.3	Pneumonia	...	2
31.0, 31.4	Other acute respiratory disease	...	1
31.0, 31.4	Other acute disease or condition	...	5
	Diseases and conditions of Pregnancy and Childbirth	Total	173	5	7	9	1	2	2	1	2	6	...	1	3	1	1	5	2	1	3	...	2	...	13	1	2	2	...	2
32.1	Ectopic gestation	5	6	8
32.3a	Eclampsia	...	144
32.3b	Nephritic toxæmia	...	7
32.3c	Toxæmia not stated	...	11	1
32.4a	Acute yellow atrophy of liver	...	3
32.4b	Hyperemesis gravidarum	...	1
32.5a	Pyelitis	...	1
32.5b	Infection	...	3
33	Absorption of toxic substance from mother	...	3	1
34.0a	Difficult Labour	Total	229	6	6	2	1	4	1	2	10	2	3	3	3	2	...	2	2	2	4	6	2	2	12	2
34.0a	Abnormality of bones of pelvis with immaturity...	...	1
34.0b	Abnormality of bones of pelvis without immaturity	...	8
34.1a	Disproportion with immaturity	...	15
34.1b	Disproportion without immaturity	...	41
34.2a	Malposition of fetus, with immaturity	...	15	1	1	1
34.2b	Malposition of fetus, without immaturity	...	73	2	2	1	1	1	6	...	1	3	1
34.3a	Abnormality of forces of labour, with immaturity	...	1
34.3b	Abnormality of forces of labour, without immaturity	...	16	1	1
34.4a	Operative delivery, with immaturity
34.4b	Operative delivery, without immaturity	...	16	2
34.5a	Abnormality of organs or tissues of pelvis with immaturity	...	1
34.5b	Abnormality of organs or tissues of pelvis without immaturity	...	8

TABLE 24.—Causes of Stillbirths in the Public Health Districts of Scotland (both sexes), 1900-1909

Inter-national Nos. (Y30-Y39)	SCOTLAND																									Bright Co.	
	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dumbarton Co.	Dunfermline Co.	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.		Kinross Co.
34.6a	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34.6b	34	2	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	1	1	—	—	—	2	—	—	—	—
35.0	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32.0, 35.1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35.2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35.3	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36.0a	791	14	28	1	8	12	3	4	50	9	3	—	4	4	5	7	5	3	11	10	4	8	38	3	9	3	4
36.0b	122	2	5	—	3	1	2	2	8	2	1	—	—	3	1	1	1	1	1	3	1	2	7	—	—	—	—
36.1, 36.3	121	4	4	—	—	2	1	1	8	—	—	—	2	3	—	2	—	—	—	—	—	6	—	—	—	—	—
32.2	37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36.2, 36.4	323	3	14	1	2	4	—	1	22	4	1	—	1	1	2	1	3	1	4	2	3	5	15	2	3	1	1
36.5	98	1	2	—	1	5	—	—	6	1	—	—	—	—	2	2	1	1	5	2	—	1	6	—	—	—	—
36.6	90	4	6	—	—	—	—	—	4	2	—	—	1	—	1	1	—	—	—	—	—	2	1	—	—	—	—
37a	89	—	6	1	4	—	—	—	3	—	1	—	—	—	1	1	1	—	1	—	1	1	4	—	—	—	—
37b	84	—	6	1	4	—	—	—	3	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
38.0	502	2	14	—	5	3	2	5	25	4	—	—	2	1	4	4	5	4	9	11	8	8	25	4	1	—	3
38.1	266	1	8	—	3	1	2	2	13	1	—	—	1	1	1	1	4	3	6	5	3	6	11	3	—	—	2
38.2	142	2	3	—	2	—	—	3	7	3	—	—	1	—	2	2	1	1	3	3	2	1	10	1	—	—	1
38.3	24	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
38.4	16	—	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
38.5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
38.6	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
38.7	30	—	2	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.2	451	13	12	—	5	1	1	6	12	1	1	—	3	—	1	8	8	3	7	3	2	2	7	27	—	3	2
39.0	66	4	3	—	1	—	—	2	3	1	—	—	1	—	—	2	—	—	2	—	1	—	—	—	—	—	—
39.1, 39.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.4	111	1	4	—	1	—	1	3	4	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.5a	42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.5b	42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.5c	58	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.5d	152	8	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.6	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24.—Causes of Stillbirths in the Public Health Districts of Scotland (Both Sexes), 1955—continued

[illegible]

TABLE 24.—Causes of Stillbirths in the Public Health Districts of Scotland (Both Sexes), 1955—continued

Inter-national Nos. (Y30-Y39)		Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B. Burgh	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Cromarty Co.	Roxburgh Co.	Seikirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
	Difficult Labour—continued																													
34.6a	Difficult labour without mention of condition, but with immaturity of condition, and without immaturity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34.6b	Difficult labour without mention of condition, and without immaturity	9	—	—	1	—	—	1	2	—	2	—	—	1	—	1	1	—	—	1	2	—	—	—	—	—	—	—	—	—
35.0	Other Causes in Mother	4	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35.1	Fall	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35.2	Other accident or violence	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35.3	Over-exertion	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other and ill-defined causes in mother	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35.0a	Placental & Cord Conditions	200	7	9	10	7	50	60	10	8	—	—	3	2	2	8	10	24	4	35	7	6	—	5	9	25	3	18	4	3
35.0b	Protrusion of cord	25	1	1	—	—	6	13	3	1	—	—	1	1	3	3	1	2	1	5	3	3	—	1	2	4	3	1	—	—
35.0c	Torsion of cord	35	1	2	—	—	13	7	2	—	—	—	—	—	—	—	1	1	3	2	1	2	—	1	2	4	—	—	—	—
35.1a	Placenta prævia	7	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35.2a	Accidental hemorrhage	85	2	4	3	4	15	30	5	2	—	—	2	1	2	2	2	11	2	16	4	4	—	1	6	11	2	7	1	3
35.2b	Placental infarct	21	3	—	—	—	9	4	—	4	—	—	—	—	—	—	4	4	1	5	1	—	—	—	1	2	3	3	1	—
35.3	Others of placenta and cord	27	—	2	2	—	5	3	—	—	—	—	—	—	—	—	2	3	1	5	2	—	—	—	—	1	1	1	—	—
35.4	Total	28	—	—	—	—	3	5	4	2	—	—	—	1	1	1	2	—	1	—	2	—	—	—	—	6	—	2	1	—
37a	Birth injury with immaturity	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
37b	Birth injury without immaturity	26	—	—	—	—	1	3	5	4	2	—	—	—	1	1	2	—	1	—	2	—	—	—	—	5	—	2	1	—
	Congenital Malformation	129	7	10	8	5	38	36	14	6	—	—	1	1	2	8	13	10	1	14	4	5	—	2	2	11	2	13	4	—
38.0	Anencephalus	74	3	4	3	2	18	19	9	4	—	—	1	1	2	4	5	5	—	8	1	2	—	2	1	4	2	9	3	—
38.1	Hydrocephalus	34	2	4	3	1	12	5	3	—	—	—	—	—	—	2	4	4	1	3	1	2	—	—	1	3	2	4	1	—
38.2	Spina bifida	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	2	1	—	—	—	—	1	—	—	—	—
38.3	Other malformations of the central nervous system	3	—	—	—	1	1	1	1	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—
38.4	Malformation of the cardiovascular system	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.5	Malformation of other specified system	6	—	—	—	—	—	2	2	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—
38.6	Monster...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.7	Other and unspecified malformations	3	2	1	1	—	1	5	1	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—
	Diseases of Foetus and Ill-Defined Causes	115	3	10	4	2	3	26	51	16	4	—	2	1	3	10	9	7	2	5	1	4	1	2	2	8	1	15	4	—
39.2	Erythroblastosis (Rhesus factor)	13	—	1	—	—	—	4	10	2	—	—	1	—	—	2	3	1	—	2	2	1	—	—	—	3	1	1	—	—
39.0, 39.1, 39.3	Other diseases of foetus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.4	Maceration	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.5a	Premature birth (cause not stated)	14	1	2	1	—	2	3	3	—	—	—	—	—	2	2	2	—	1	1	—	—	—	—	1	1	—	1	1	—
39.5b	Debility	1	—	1	—	—	1	1	6	1	—	—	—	—	—	5	—	—	—	1	1	1	—	—	—	—	—	—	—	—
39.5c	Asphyxia	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.5d	Other ill-defined	38	2	3	2	—	13	16	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.6	Cause unknown	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 25.—Legitimate Stillbirths by Cause and Social Classification, 1955

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	ALL CAUSES	2,191	57	171	1,161	432	370	—
	Chronic Disease in Mother	60	1	4	33	8	14	—
30.0	Syphilis	1	—	—	—	—	1	—
30.1	Tuberculosis	2	—	—	2	—	—	—
30.2	Diabetes	15	1	—	7	2	5	—
30.3	Chronic disease of circulatory system ...	30	—	4	18	3	5	—
30.4	Chronic disease of genito-urinary system	1	—	—	1	—	—	—
30.5	Other chronic disease	11	—	—	5	3	3	—
	Acute Disease in Mother	9	—	2	3	2	2	—
31.1	Influenza	2	—	—	1	1	—	—
31.2	Pneumonia	2	—	—	1	—	1	—
31.3	Other acute respiratory disease ...	1	—	—	—	—	1	—
31.0, 31.4	Other acute disease or condition ...	4	—	2	1	1	—	—
	Diseases and Conditions of Pregnancy and Childbirth ...	163	7	10	83	30	33	—
32.1	Ectopic gestation	—	—	—	—	—	—	—
32.3a	Eclampsia	136	5	7	73	25	26	—
32.3b	Nephritic toxæmia	6	1	1	2	1	1	—
32.3c	Toxæmia not stated	11	—	2	2	3	4	—
32.4a	Acute yellow atrophy of liver ...	3	—	—	2	—	—	—
32.4b	Hyperemesis gravidarum	1	—	—	1	—	1	—
32.5a	Pylitis	1	—	—	—	1	—	—
32.5b	Infection	2	1	—	—	—	1	—
33	Absorption of toxic substance from mother	3	—	—	3	—	—	—
	Difficult Labour	215	3	20	111	47	34	—
34.0a	Abnormality of bones of pelvis with Immaturity	—	—	—	—	—	—	—
34.0b	Abnormality of bones of pelvis without Immaturity	7	—	2	3	1	1	—
34.1a	Disproportion with Immaturity ...	13	—	3	3	4	3	—
34.1b	Disproportion without Immaturity ...	41	1	2	24	9	5	—
34.2a	Malposition of foetus, with Immaturity	14	—	—	8	4	2	—
34.2b	Malposition of foetus, without Im- maturity	69	1	4	42	13	9	—
34.3a	Abnormality of forces of labour, with Immaturity	1	—	—	—	—	1	—
34.3b	Abnormality of forces of labour, without Immaturity	15	—	2	8	3	2	—
34.4a	Operative delivery, with Immaturity ...	—	—	—	—	—	—	—
34.4b	Operative delivery, without Immaturity	12	—	2	4	1	5	—
34.5a	Abnormality of organs or tissues of pelvis with Immaturity	1	—	—	1	—	—	—
34.5b	Abnormality of organs or tissues of pelvis without Immaturity	8	—	1	2	3	2	—
34.6a	Difficult labour without mention of con- dition, but with Immaturity	—	—	—	—	—	—	—
34.6b	Difficult labour without mention of con- dition, and without Immaturity ...	34	1	4	16	9	4	—

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 25.—continued

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	Other Causes in Mother	20	—	3	10	5	2	—
35.0	Fall	3	—	1	1	—	1	—
32.0, 35.1	Other accident or violence	—	—	—	—	—	—	—
35.2	Over exertion	4	—	—	2	2	—	—
35.3	Other and ill-defined causes in mother	13	—	2	7	3	1	—
	Placental and Cord Conditions	743	17	54	396	148	128	—
36.0a	Prolapse of cord	116	1	9	64	27	15	—
36.0b	Torsion of cord	117	2	9	56	25	25	—
36.1, 36.3	Placenta prævia	33	1	1	20	4	7	—
32.2,	} Accidental hæmorrhage	298	6	16	156	65	55	—
36.2, 36.4		91	3	8	51	15	14	—
36.5		88	4	11	49	12	12	—
36.6		—	—	—	—	—	—	—
	Birth Injury	84	4	9	42	17	12	—
37a	Birth injury with Immaturity	4	2	—	1	—	1	—
37b	Birth injury without Immaturity	80	2	9	41	17	11	—
	Congenital Malformation of Fœtus	476	12	31	261	90	82	—
38.0	Anencephalus	253	2	16	143	45	47	—
38.1	Hydrocephalus	133	4	6	71	29	23	—
38.2	Spina biñda	24	1	3	15	2	3	—
38.3	Other malformations of the central nervous system	15	2	1	7	2	3	—
38.4	Malformation of the cardiovascular system	4	2	—	1	1	—	—
38.5	Malformation of other specified system	18	—	1	11	4	2	—
38.6	Monster	1	—	—	1	—	—	—
38.7	Other and unspecified malformations ...	28	1	4	12	7	4	—
	Diseases of Fœtus and Ill-defined Causes	421	13	38	222	85	63	—
39.2	Erythroblastosis (Rhesus factor)	64	3	9	32	16	4	—
39.0, 39.1	} Other diseases of fœtus	—	—	—	—	—	—	—
39.3		—	—	—	—	—	—	—
39.4	Maceration	102	3	5	58	12	24	—
39.5a	Premature birth (cause not stated) ...	39	—	4	21	10	4	—
39.5b	Debility	5	—	1	2	2	—	—
39.5c	Asphyxia	54	1	3	35	10	5	—
39.5d	Other ill-defined	144	6	16	66	31	25	—
39.6	Cause unknown	13	—	—	8	4	1	—

TABLE 26.—Deaths of Legitimate Children under one year from Selected Causes by Social Classification, 1955

International Nos. Detailed List	CAUSE OF DEATH	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
010	Tuberculous meningitis	2	—	—	—	2	—	—
011	Abdominal tuberculosis	—	—	—	—	—	—	—
001-008, 012-019	Other tuberculous diseases	1	—	—	—	—	1	—
020-029	Syphilis	1	—	—	1	—	—	—
055	Diphtheria	—	—	—	—	—	—	—
056	Whooping cough ...	7	1	—	3	1	2	—
057	Meningococcal infections	9	—	1	4	3	1	—
085	Measles	5	—	—	4	1	—	—
340	Meningitis (not meningococcal or tuberculous)	14	—	2	4	5	3	—
490-493	Pneumonia (excluding newborn)	241	2	12	108	44	73	2
500-502	Bronchitis	39	1	3	25	4	6	—
470-483, 510-527	Other respiratory diseases	31	—	5	14	6	6	—
543, 571, 572	Diarrhoea (excluding newborn) Gastritis & duodenitis	104	—	5	56	21	21	1
530-542, 544-570, 573-587	Other digestive diseases	42	1	5	25	5	5	1
750-759	Congenital malformations	457	12	43	245	77	78	2
760-761	Birth injuries	216	8	18	112	39	39	—
762	Asphyxia and atelectasis	435	7	41	239	72	74	2
763	Pneumonia of newborn	110	6	6	52	26	19	1
764	Diarrhoea of newborn	8	2	1	4	—	1	—
765-776	Other infantile diseases	624	23	59	315	112	109	6
780a	Convulsions	43	—	1	25	3	13	1
Remainder	All other natural causes	60	3	7	25	12	13	—
E921-E925	Accidental mechanical suffocation, etc. ...	155	5	4	74	29	40	3
E800-E920, E926-E999	Other violence	15	—	1	10	1	3	—
	TOTAL	2,619	71	214	1,345	463	507	19

No. of Previous Children	AGE OF MOTHER					No. of Previous Children	AGE OF MOTHER					50 and over	Not stated			
	Total	Under 20	20-24	25-29	30-34		35-39	40-44	45-49	Total	Under 20			20-24	25-29	30-34
Social Class I	23	—	6	10	6	1	—	—	—	—	—	—	25	10	1	—
	16	—	2	2	8	3	2	—	—	—	—	20	8	—	3	—
	12	—	—	1	7	2	1	—	—	—	—	22	12	—	—	—
	3	—	—	—	—	—	—	—	—	—	—	20	16	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	14	9	—	—	—
	3	—	—	—	—	—	—	—	—	—	—	11	7	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	3	6	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	5	4	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	2	5	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	57	—	8	13	23	9	4	—	—	—	—	—	107	70	31	—
Legitimate	—	—	—	—	—	—	—	—	—	—	—	—	5	2	2	—
Illegitimate	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Social Class II	71	1	20	29	12	6	3	—	—	—	—	—	15	5	—	—
	40	—	7	10	18	5	2	—	—	—	—	22	15	—	—	—
	34	—	—	8	9	8	7	—	—	—	—	16	17	—	—	—
	11	—	2	3	3	2	1	—	—	—	—	8	7	—	—	—
	3	—	—	1	2	3	1	—	—	—	—	5	11	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	8	11	—	—	—
	3	—	—	—	—	—	—	—	—	—	—	5	5	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	2	12	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	5	7	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	4	3	—	—
10 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	171	1	29	51	46	26	17	1	—	—	—	—	83	56	28	—
Legitimate	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
Illegitimate	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Social Class III	453	36	204	112	73	24	4	—	—	—	—	—	—	—	—	—
	243	5	64	78	64	26	6	—	—	—	—	—	—	—	—	—
	169	—	13	58	56	33	8	—	—	—	—	—	—	—	—	—
	106	—	9	21	46	22	7	—	—	—	—	—	—	—	—	—
	69	—	1	14	15	32	4	—	—	—	—	—	—	—	—	—
	51	—	—	7	16	21	6	—	—	—	—	—	—	—	—	—
	23	—	—	—	4	16	2	—	—	—	—	—	—	—	—	—
	14	—	—	—	3	5	2	—	—	—	—	—	—	—	—	—
	13	—	—	—	5	6	2	—	—	—	—	—	—	—	—	—
	9	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	1,161	41	291	291	283	191	58	4	—	—	—	—	—	13	8	—
Legitimate	—	7	11	5	6	2	—	—	—	—	—	—	—	—	—	—
Illegitimate	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2

TABLE 28.—Live Births by Social Classification, Age of Mother and Number of Previous Children, Scotland, 1955

No. of PREVIOUS CHILDREN	All Ages	AGE OF MOTHER							No. of PREVIOUS CHILDREN	All Ages	AGE OF MOTHER							50 and over	Not stated
		Under 20	20-24	25-29	30-34	35-39	40-44	45-49			Under 20	20-24	25-29	30-34	35-39	40-44	45-49		
Social Class I																			
None	1,509	25	403	726	276	71	7	1		4,420	607	2,207	1,022	402	149	30			
1	1,199	4	129	513	401	125	26			3,540	106	1,323	1,286	605	183	36			
2	549		21	127	241	126	34			2,425	10	544	972	598	238	61			
3	183		2	34	72	57	13	1		1,516		193	547	469	236	70			
4	66			6	21	25	13					40	267	307	192	77			
5	18		1	1	4	8	4					7	125	171	154	52			
6	9				4	5						1	40	105	103	38			
7	2					2							11	62	58	48			
8													1	29	44	26			
9	3						1							12	33	15			
10 and over													2	6	24	36			
Not stated	1																16		
Total	3,539	29	556	1,407	1,019	421	103	3		14,029	723	4,315	4,273	2,766	1,414	489	16		
Illegitimate	3		1		2					968	222	359	199	110	51	24	2		
Social Class II																			
None	3,636	105	1,183	1,446	633	218	51			3,709	566	1,924	769	317	99	31			
1	2,982	12	447	1,169	912	359	83			2,865	90	1,253	934	410	140	37			
2	1,652		102	1,501	573	381	89	5		2,017	11	532	769	476	182	43			
3	720		21	142	300	187	67	3		1,324		170	501	393	205	53			
4	341		7	64	107	113	50					64	276	301	161	42			
5	163		2	18	51	57	32					11	124	192	152	45			
6	92			9	34	30	18					2	58	92	88	35			
7	35			2	9	17	7					1	13	47	27	2			
8	22				4	8	10						3	22	49	21			
9	17				1	2	4							11	32	19			
10 and over														13	40	48			
Not stated	14				1												8		
Total	9,681	117	1,762	3,351	2,629	1,380	415	12		12,013	667	3,957	3,447	2,274	1,230	401	8		
Illegitimate	144	20	160	80	22	7	4	1		355	86	146	70	28	15	10			
Social Class III																			
None	18,832	1,826	9,103	5,405	1,804	571	117	6		Social Class not stated						1			
1	13,866	203	4,238	5,525	2,930	875	189	6		3									
2	7,825	19	1,246	2,865	2,367	1,103	218	7											
3	3,977		329	1,344	1,370	721	199	14											
4	2,127		75	554	809	504	180	5											
5	1,161		11	216	443	338	145	8											
6	607		3	78	211	218	89	8											
7	342			24	99	130	83	6											
8	171			2	30	80	53	7											
9	124				24	55	38	7											
10 and over	123				9	45	55	14											
Not stated	28																		
Total	49,283	2,048	15,005	16,013	10,096	4,640	1,366	87		3				2		1			

TABLE 29.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1955

International Nos. Detailed List	CAUSE OF DEATH	Total (All Ages)	Illegitimate only	AGE									
				Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days - 2 mths.	3-5 months	6-8 months	9-11 months	
010	Tuberculous meningitis ... { M. F.	2	-	-	-	-	-	-	-	1	1	-	
011	Abdominal tuberculosis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	
001-008 012-019	Other tuberculous diseases ... { M. F.	1	-	-	-	-	-	-	-	-	-	1	
020-029	Syphilis ... { M. F.	1	-	-	-	-	-	-	1	-	-	-	
055	Diphtheria ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	
056	Whooping cough ... { M. F.	2 6	- 1	-	-	-	-	-	1 2	- 3	-	1 1	
057	Meningococcal infections ... { M. F.	5 4	-	-	-	-	-	-	1	2	1	1	
085	Measles ... { M. F.	3 3	- 1	-	-	-	-	-	-	-	1	2	
340	Meningitis, not meningococcal or tuberculous ... { M. F.	6 8	-	-	-	1	1	-	3 2	- 1	2 1	1 1	
490-493	Pneumonia (excluding newborn) { M. F.	140 118	6 11	-	-	-	-	-	56 44	47 45	30 18	7 11	
500-502	Bronchitis ... { M. F.	23 17	- 1	-	-	-	-	-	6 7	10 9	4	3	
470-483 510-527	Other respiratory diseases ... { M. F.	19 18	2 4	-	-	1	1	1	8 6	6 10	1 1	2	
543, 571, 572	Diarrhoea (excluding newborn) { M. F.	76 36	4 4	-	-	-	-	-	35 16	30 13	7 3	4 4	
530-542 544-570 573-587	Gastritis and duodenitis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	
	Other digestive diseases ... { M. F.	22 22	- 2	3 -	3 1	1 1	2 1	-	7 2	2 9	3 6	1 1	
750-759	Congenital malformations ... { M. F.	214 264	9 12	47 43	51 72	27 28	9 11	7 8	38 36	20 35	9 16	6 15	
760-761	Birth injuries ... { M. F.	155 80	13 6	71 41	71 31	6 4	1 3	2 1	2 -	1 -	-	1	
762	Asphyxia and atelectasis ... { M. F.	285 177	15 12	165 105	114 63	4 4	1 3	1 -	- 1	- 1	-	-	
763	Pneumonia of newborn ... { M. F.	69 48	2 5	4 2	32 23	8 10	14 6	11 7	-	-	-	-	
764	Diarrhoea of newborn ... { M. F.	8 3	1 2	-	-	1	2	4 1	1 1	-	-	-	
765-776	Other infantile diseases ... { M. F.	380 297	36 17	213 156	126 103	12 17	8 3	5 2	12 9	3 4	1 2	- 1	
780a	Convulsions ... { M. F.	19 24	-	1	2	-	-	-	9 9	5 9	2 2	- 1	
Remainder	All other natural causes ... { M. F.	36 28	4 -	2	1 3	2	1	-	12 7	9 6	6 6	3 6	
E921-E925	Accidental mechanical suffocation, etc. ... { M. F.	101 67	8 5	- 1	5 3	-	1 2	1 1	43 33	36 17	9 5	6 4	
E800-E920 E926-E999	Other violence ... { M. F.	12 12	4 5	4 5	-	-	-	1	1	4	-	2	
	TOTAL—Both Sexes ...	2,811	-	863	705	128	73	57	411	342	143	89	
	Males ...	1,577	-	510	405	81	40	33	235	176	77	40	
	Females ...	1,234	-	353	300	67	33	24	176	166	66	49	
	Illegitimate only—Both Sexes ...	-	192	63	46	7	4	7	34	20	8	3	
	Males ...	-	104	34	32	2	2	5	15	9	4	1	
	Females ...	-	88	29	14	5	2	2	19	11	4	2	

TABLE 30.—Month of Registration of Children aged under one year dying from
Selected Causes in Scotland in 1955

International Nos. Detailed List	CAUSE OF DEATH	Total	MONTH OF REGISTRATION OF DEATH											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
010	Tuberculous meningitis	2	—	—	—	—	—	—	—	1	1	—	—	—
011	Abdominal tuberculosis	—	—	—	—	—	—	—	—	—	—	—	—	—
001-008 012-019	Other tuberculous diseases ...	1	—	—	—	—	—	1	—	—	—	—	—	—
020-029	Syphilis ...	1	—	—	—	1	—	—	—	—	—	—	—	—
055	Diphtheria ...	—	—	—	—	—	—	—	—	—	—	—	—	—
056	Whooping cough ...	8	1	1	1	2	—	2	—	1	—	—	—	—
057	Meningococcal infections	9	1	2	1	—	—	3	—	1	—	1	—	—
085	Measles ...	6	2	1	—	—	—	2	—	—	1	—	—	—
340	Meningitis, not meningococcal or tuberculous	14	3	1	2	1	1	3	—	1	—	—	—	2
490-493	Pneumonia (excluding newborn) ...	258	44	17	30	25	23	15	8	7	9	17	23	40
500-502	Bronchitis ...	40	3	8	5	4	2	1	2	—	3	2	1	9
470-483 510-527	Other respiratory diseases ...	37	7	2	5	1	4	1	2	2	2	4	4	3
543, 571, 572	Diarrhoea (excluding newborn) Gastritis and duodenitis	112	14	8	16	11	9	4	8	7	8	5	11	11
530-542, 544-570, 573-587	Other digestive diseases	44	4	4	1	2	4	1	4	6	4	4	5	5
750-759	Congenital malformations ...	478	40	44	47	36	37	37	30	37	39	34	45	52
760-761	Birth injuries ...	235	23	19	13	17	19	20	22	22	20	16	22	22
762	Asphyxia and atelectasis	462	31	39	45	38	47	36	38	35	40	40	31	42
763	Pneumonia of newborn	117	24	8	12	13	5	6	6	1	13	9	6	14
764	Diarrhoea of newborn ...	11	2	1	—	2	—	—	—	3	—	1	1	1
765-776	Other infantile diseases	677	71	55	79	76	58	42	54	50	46	50	52	44
780a	Convulsions ...	43	—	3	3	4	6	5	2	3	4	5	3	5
Remainder	All other natural causes	64	9	7	11	5	11	2	—	3	2	5	3	6
E921-E925	Accidental mechanical suffocation, etc. ...	168	24	9	17	19	12	10	13	14	7	11	12	20
E800-E920 E926-E999	Other violence ...	24	5	2	2	2	1	3	1	3	2	1	1	1
	TOTAL ...	2,811	308	231	290	259	239	194	190	197	201	205	220	277
	Illegitimate ...	192	25	12	11	23	15	13	6	14	17	16	24	16

TABLE 31. Births, Deaths under one year by Age-Periods, and Death-Rates per 1,000 Births in Scotland, 1955.

	Number of Births (Living Children)	NUMBERS										RATES													
		Under 1 yr.	Under 1 yr. illegitimate	Under 28 days	1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days-2 months	3-5 months	6-8 months	9-11 months	Under 1 yr.	Under 1 yr. illegitimate	Under 28 days	1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days-2 months	3-5 months	6-8 months	9-11 months
SCOTLAND	92,539	2,811	1,826	863	705	128	73	57	411	342	143	89	30.4	—	19.7	9.3	7.6	1.4	0.8	0.6	4.4	3.7	1.5	1.0	1.0
Counties of Cities	34,462	1,121	705	344	263	47	30	21	173	135	69	39	32.5	—	20.5	10.0	7.6	1.4	0.9	0.6	5.0	3.9	2.0	1.1	1.1
Large Burghs	16,325	540	334	154	138	19	17	6	85	78	32	11	33.1	—	20.5	9.4	8.5	1.0	1.0	0.6	5.2	4.0	2.0	0.7	0.7
Counties (ex Co. of C. and L. B.)	41,752	1,150	787	365	304	62	26	3	153	129	42	39	27.5	—	18.8	8.7	7.3	1.5	0.6	0.7	3.7	3.1	1.0	0.9	0.9
LEGITIMATE BIRTHS	88,548	2,619	1,699	800	659	121	69	50	377	322	135	86	29.6	—	19.2	9.0	7.4	1.4	0.8	0.6	4.3	3.6	1.5	1.0	1.2
Counties of Cities	39,763	1,037	619	312	248	43	28	20	160	126	64	38	31.7	—	19.8	9.5	7.5	1.3	0.9	0.6	4.9	3.8	2.0	1.2	1.2
Large Burghs	15,728	511	315	143	133	19	16	4	79	75	32	10	32.5	—	20.0	9.1	8.5	1.2	1.0	0.6	5.0	4.0	2.0	0.6	0.6
Counties (ex Co. of C. and L. B.)	40,057	1,071	785	345	280	59	25	26	138	121	39	38	26.7	—	18.3	8.6	7.0	1.5	0.6	0.6	3.4	3.0	1.0	0.9	0.9
ILLEGITIMATE BIRTHS	3,991	—	127	63	46	7	4	7	34	20	8	3	—	—	48.1	31.8	11.5	1.8	1.0	1.8	8.5	5.0	2.0	0.8	0.8
Scotland	1,699	—	84	56	34	7	4	2	13	9	5	1	—	—	49.4	33.0	18.8	2.4	1.2	3.6	7.7	5.0	2.0	0.6	0.6
Counties of Cities	597	—	29	17	11	5	1	1	6	3	3	1	—	—	48.6	31.8	18.4	8.4	1.7	3.4	10.1	5.0	2.0	1.7	1.7
Large Burghs	1,695	—	79	52	20	3	1	4	15	8	3	1	—	—	46.6	30.7	11.8	1.8	0.6	2.4	8.3	4.7	1.8	0.6	0.6
Counties (ex Co. of C. and L. B.)	122	122	10	78	42	2	2	2	16	11	10	7	21.3	—	30.4	13.6	7.3	0.7	0.5	0.3	2.8	1.9	1.7	1.2	1.2
ABERDEEN COUNTY	3,204	66	5	36	17	15	3	—	12	5	8	5	20.6	—	49.1	11.2	5.3	4.7	0.9	0.9	3.7	1.6	2.5	1.6	1.6
Aberdeen County of City	2,518	58	5	4	2	3	—	2	4	6	2	2	22.2	—	31.8	16.7	9.9	4.8	1.2	—	1.6	2.4	0.8	0.8	0.8
Remainder of County	154	154	17	40	40	4	5	2	15	16	11	10	35.5	—	68.3	20.4	8.7	0.9	1.1	0.6	5.0	3.5	2.4	2.2	2.2
ANGUS COUNTY	3,107	111	17	65	28	3	4	2	15	15	7	9	35.7	—	76.9	20.9	9.0	1.0	1.3	0.6	4.8	4.8	2.3	2.2	2.2
Dundee County of City	3,107	308	11	7	5	2	—	—	3	3	1	1	35.7	—	76.9	20.9	9.0	1.0	1.3	0.6	4.8	4.8	2.3	2.2	2.2
Arbroath Burgh	308	308	22	7	10	1	1	3	5	1	3	1	27.0	—	49.2	18.6	5.9	0.8	0.8	2.5	4.2	0.8	2.5	0.8	0.8
Remainder of County	1,185	11	3	22	7	10	1	3	5	1	3	1	27.0	—	49.2	18.6	5.9	0.8	0.8	2.5	4.2	0.8	2.5	0.8	0.8
ARGYLL COUNTY	834	26	4	19	12	6	1	—	6	1	—	—	31.2	—	83.1	22.8	14.4	7.2	1.2	—	7.2	1.2	—	—	—
Ayr County	5,928	164	8	111	47	52	6	2	22	23	5	3	27.7	—	37.4	18.7	7.9	8.8	1.0	0.3	3.7	3.9	0.8	0.5	0.5
Ayr Burgh	768	20	2	16	9	4	2	1	3	2	2	2	26.0	—	60.6	20.8	11.7	5.2	2.6	1.3	1.3	1.3	2.6	2.6	2.6
Kilmarnock Burgh	810	22	2	14	6	7	—	1	3	2	1	2	27.2	—	31.3	17.3	7.4	8.6	—	—	1.2	3.7	2.5	1.2	1.2
Remainder of County	4,350	122	5	81	32	41	4	1	18	20	2	1	28.0	—	32.7	18.6	7.4	9.4	0.9	0.2	0.7	4.1	4.6	0.5	0.2
BANFF COUNTY	839	21	2	11	5	5	—	—	3	4	2	1	25.0	—	34.5	13.1	6.0	8.0	—	1.2	—	3.6	4.8	2.4	1.2
Bewick County	340	10	1	7	2	4	1	—	3	—	—	—	29.4	—	77.4	20.6	5.9	11.8	2.9	—	—	—	—	—	—
Bute County	233	3	1	—	1	—	—	—	1	—	—	1	12.9	—	76.9	4.3	—	4.3	—	—	—	—	—	—	4.3
CAITHNESS COUNTY	388	8	—	6	2	3	1	—	1	1	—	—	20.6	—	—	15.5	5.2	7.7	2.6	—	2.6	2.6	—	—	—
GLACKMANNAN COUNTY	725	24	1	20	12	6	1	—	3	1	—	—	33.1	—	45.5	27.6	16.6	8.3	1.4	1.4	—	4.1	1.4	—	—
DUMFRIES COUNTY	1,502	36	3	22	11	10	1	—	6	5	2	1	24.0	—	31.6	14.6	7.3	6.7	0.7	—	4.0	3.3	1.3	0.7	0.7
Dumfries Burgh	503	12	1	7	3	1	—	—	3	2	1	1	23.9	—	27.8	13.9	6.0	6.0	2.0	—	6.0	4.0	2.0	1.0	1.0
Remainder of County	999	24	2	15	8	7	—	—	3	3	2	1	24.0	—	33.9	15.0	8.0	7.0	—	—	3.0	3.0	2.0	1.0	1.0
DUNBARTON COUNTY	3,355	102	10	63	34	22	6	—	18	14	4	3	30.4	—	91.7	18.8	10.1	6.6	1.8	—	5.4	4.2	1.2	0.9	0.9
Clydebank Burgh	1,031	94	2	14	13	10	1	—	5	2	2	1	33.0	—	71.4	23.3	12.6	9.7	1.0	—	4.8	1.9	1.9	1.0	1.0
Dunbarton Burgh	635	24	1	13	6	6	1	—	4	6	2	1	37.8	—	40.0	20.5	9.4	9.4	1.6	—	6.3	3.4	1.6	1.6	1.6
Remainder of County	1,689	44	7	26	15	8	4	—	9	6	2	1	26.1	—	125.0	15.4	8.9	3.6	2.4	—	0.6	5.3	3.6	1.2	0.6

**TABLE 32.—Deaths in Scotland of Children aged under One Year
by Selected Age-groups, 1955**

AGE	Total	Males	Females
Under 1 day	863	510	353
1 day	272	162	110
2 days	192	108	84
3 "	83	61	22
4 "	65	35	30
5 "	50	19	31
6 "	43	20	23
7-13 "	128	61	67
14-20 "	73	40	33
21-27 "	57	33	24
28 days-Under 2 months	215	138	77
2 "	196	97	99
3 "	171	96	75
4 "	97	46	51
5 "	74	34	40
6 "	69	38	31
7 "	34	16	18
8 "	40	23	17
9 "	35	18	17
10 "	32	15	17
11 "	22	7	15
TOTAL	2,811	1,577	1,234

TABLE 33.—Ages at Death in 1955

AGE GROUPS	NUMBER OF DEATHS					
	Scotland	Counties of Cities	Large Burghs	Counties <i>ex</i> Counties of Cities and Large Burghs but including Small Burghs and Landward	Small Burghs	Landward
Under 1 —	2,811	1,121	540	1,150	383	767
1— —	411	150	68	193	61	132
5— —	252	92	45	115	34	81
10— —	176	62	26	88	29	59
15— —	576	213	99	264	83	181
25— —	1,068	369	167	532	154	378
35— —	1,949	749	325	875	298	577
45— —	5,138	2,215	838	2,085	742	1,343
55— —	9,773	4,041	1,612	4,120	1,532	2,588
65— —	16,038	6,257	2,572	7,209	2,916	4,293
75— —	17,727	6,439	2,738	8,550	3,321	5,229
85 and over	5,726	1,948	748	3,030	1,188	1,842
Not stated	—	—	—	—	—	—
ALL AGES	61,645	23,656	9,778	28,211	10,741	17,470

TABLE 34.—Deaths, Male and Female, at each year of age.

MALES													
AGES	TOTAL	Single	Married	Widowed	Divorced	Not Stated	AGES	TOTAL	Single	Married	Widowed	Divorced	Not Stated
0 ...	1,577	1,577	—	—	—	—	50 ...	304	49	238	11	4	2
1 ...	94	94	—	—	—	—	51 ...	322	52	258	10	2	—
2 ...	52	52	—	—	—	—	52 ...	395	62	309	19	5	—
3 ...	46	46	—	—	—	—	53 ...	415	68	321	22	4	—
4 ...	48	48	—	—	—	—	54 ...	523	67	428	23	5	—
0-4 ...	1,817	1,817	—	—	—	—	50-54 ...	1,959	298	1,554	85	20	2
5 ...	34	34	—	—	—	—	55 ...	472	73	365	27	4	3
6 ...	34	34	—	—	—	—	56 ...	461	69	362	26	3	1
7 ...	28	28	—	—	—	—	57 ...	525	75	405	41	4	—
8 ...	28	28	—	—	—	—	58 ...	469	69	350	45	4	1
9 ...	23	23	—	—	—	—	59 ...	588	77	455	53	3	—
5-9 ...	147	147	—	—	—	—	55-59 ...	2,515	363	1,937	192	18	5
10 ...	16	16	—	—	—	—	60 ...	542	75	402	63	1	1
11 ...	27	27	—	—	—	—	61 ...	591	80	437	69	5	—
12 ...	23	23	—	—	—	—	62 ...	663	84	487	87	4	1
13 ...	16	16	—	—	—	—	63 ...	661	83	482	91	3	2
14 ...	22	22	—	—	—	—	64 ...	735	102	533	96	2	2
10-14 ...	104	104	—	—	—	—	60-64 ...	3,192	424	2,341	406	15	6
15 ...	27	27	—	—	—	—	65 ...	686	102	474	107	2	1
16 ...	31	31	—	—	—	—	66 ...	735	111	509	112	3	—
17 ...	32	32	—	—	—	—	67 ...	777	106	523	144	3	1
18 ...	26	26	—	—	—	—	68 ...	747	99	519	129	—	—
19 ...	30	30	—	—	—	—	69 ...	833	114	520	191	5	3
15-19 ...	146	146	—	—	—	—	65-69 ...	3,778	532	2,545	683	13	5
20 ...	44	43	1	—	—	—	70 ...	868	156	512	197	3	—
21 ...	31	27	4	—	—	—	71 ...	844	118	487	236	2	1
22 ...	44	39	5	—	—	—	72 ...	842	128	487	224	2	1
23 ...	50	35	15	—	—	—	73 ...	906	149	477	276	2	2
24 ...	35	23	12	—	—	—	74 ...	971	138	487	340	3	3
20-24 ...	204	167	37	—	—	—	70-74 ...	4,431	689	2,450	1,273	12	7
25 ...	50	40	10	—	—	—	75 ...	949	140	470	337	1	1
26 ...	49	32	17	—	—	—	76 ...	895	122	448	323	1	1
27 ...	49	33	16	—	—	—	77 ...	935	133	416	385	—	1
28 ...	60	29	30	—	1	—	78 ...	874	131	368	374	1	—
29 ...	51	26	25	—	—	—	79 ...	974	127	399	444	2	2
25-29 ...	259	160	98	—	1	—	75-79 ...	4,627	653	2,101	1,863	5	5
30 ...	62	26	35	1	—	—	80 ...	831	117	283	431	—	—
31 ...	53	25	28	—	—	—	81 ...	736	85	259	391	—	1
32 ...	68	26	39	2	1	—	82 ...	725	86	243	394	1	1
33 ...	82	39	41	2	—	—	83 ...	628	75	198	353	—	2
34 ...	67	25	42	—	—	—	84 ...	559	66	166	323	3	1
30-34 ...	332	141	185	5	1	—	80-84 ...	3,479	429	1,149	1,892	4	5
35 ...	90	19	68	1	1	1	85 ...	474	48	163	263	—	—
36 ...	74	25	49	—	—	—	86 ...	389	45	101	242	1	—
37 ...	58	14	44	—	—	—	87 ...	296	27	65	203	—	1
38 ...	85	22	59	1	2	1	88 ...	282	26	59	197	—	—
39 ...	106	24	81	—	1	—	89 ...	199	21	40	138	—	—
35-39 ...	413	104	301	2	4	2	85-89 ...	1,640	167	428	1,043	1	1
40 ...	116	34	77	1	3	1	90 ...	133	13	25	95	—	—
41 ...	131	31	92	4	4	—	91 ...	91	6	15	70	—	—
42 ...	142	26	113	3	—	—	92 ...	61	4	8	49	—	—
43 ...	150	30	115	5	—	—	93 ...	40	1	9	30	—	—
44 ...	150	36	110	2	2	—	94 ...	34	2	2	30	—	—
40-44 ...	689	157	507	15	9	1	90-94 ...	359	26	59	274	—	—
45 ...	199	37	157	5	—	—	95 ...	22	2	3	17	—	—
46 ...	229	37	181	9	2	—	96 ...	15	1	2	12	—	—
47 ...	219	42	168	8	—	1	97 ...	8	1	1	6	—	—
48 ...	245	44	194	7	—	—	98 ...	5	—	—	5	—	—
49 ...	293	50	230	10	3	—	99 ...	2	—	—	2	—	—
45-49 ...	1,185	210	930	39	5	1	95-99 ...	52	4	6	42	—	—
							100 and over	1	—	—	1	—	—
							Not stated	—	—	—	—	—	—
							All males	31,329	6,738	16,628	7,815	108	40

FEMALES

AGES	TOTAL	Single	Married	Widowed	Divorced	Not Stated	AGES	TOTAL	Single	Married	Widowed	Divorced	Not Stated
0 ...	1,234	1,234	-	-	-	-	50 ...	186	44	128	14	-	-
1 ...	86	86	-	-	-	-	51 ...	221	51	144	23	3	-
2 ...	36	36	-	-	-	-	52 ...	254	56	160	37	1	-
3 ...	28	28	-	-	-	-	53 ...	250	56	152	40	2	-
4 ...	21	21	-	-	-	-	54 ...	287	53	183	50	1	-
0-4 ...	1,405	1,405	-	-	-	-	50-54 ...	1,198	260	767	164	7	-
5 ...	21	21	-	-	-	-	55 ...	299	59	180	55	5	-
6 ...	22	22	-	-	-	-	56 ...	306	66	189	46	5	-
7 ...	26	26	-	-	-	-	57 ...	320	62	187	67	4	-
8 ...	24	24	-	-	-	-	58 ...	360	79	205	75	1	-
9 ...	12	12	-	-	-	-	59 ...	418	87	229	100	2	-
5-9 ...	105	105	-	-	-	-	55-59 ...	1,703	353	990	343	17	-
10 ...	11	11	-	-	-	-	60 ...	414	84	225	105	-	-
11 ...	18	18	-	-	-	-	61 ...	407	76	212	112	7	-
12 ...	19	19	-	-	-	-	62 ...	489	98	258	131	2	-
13 ...	10	10	-	-	-	-	63 ...	512	108	240	162	2	-
14 ...	14	14	-	-	-	-	64 ...	541	96	248	193	4	-
10-14 ...	72	72	-	-	-	-	60-64 ...	2,363	462	1,183	703	15	-
15 ...	24	24	-	-	-	-	65 ...	616	127	266	221	2	-
16 ...	17	17	-	-	-	-	66 ...	620	122	252	242	4	-
17 ...	15	15	-	-	-	-	67 ...	666	126	285	253	2	-
18 ...	22	22	-	-	-	-	68 ...	722	133	265	323	1	-
19 ...	16	13	3	-	-	-	69 ...	789	160	291	334	4	-
15-19 ...	94	91	3	-	-	-	65-69 ...	3,413	668	1,359	1,373	13	-
20 ...	25	24	1	-	-	-	70 ...	749	152	237	356	4	-
21 ...	16	11	5	-	-	-	71 ...	851	182	283	383	3	-
22 ...	32	17	15	-	-	-	72 ...	872	171	269	430	2	-
23 ...	26	15	11	-	-	-	73 ...	963	209	265	485	4	-
24 ...	33	20	13	-	-	-	74 ...	981	184	260	537	-	-
20-24 ...	132	87	45	-	-	-	70-74 ...	4,416	898	1,314	2,191	13	-
25 ...	32	16	16	-	-	-	75 ...	987	230	208	544	5	-
26 ...	39	17	20	1	1	-	76 ...	1,041	222	231	588	-	-
27 ...	37	15	22	-	-	-	77 ...	1,028	226	224	578	-	-
28 ...	43	17	25	-	1	-	78 ...	1,063	216	196	651	-	-
29 ...	40	14	24	2	-	-	79 ...	1,090	253	167	669	1	-
25-29 ...	191	79	107	3	2	-	75-79 ...	5,209	1,147	1,026	3,030	6	-
30 ...	43	17	24	2	-	-	80 ...	979	218	131	628	2	-
31 ...	53	7	45	1	-	-	81 ...	919	190	100	627	2	-
32 ...	58	20	37	-	1	-	82 ...	880	188	90	602	-	-
33 ...	54	16	35	2	1	-	83 ...	819	170	70	577	2	-
34 ...	78	22	53	1	2	-	84 ...	815	171	66	577	1	-
30-34 ...	286	82	194	6	4	-	80-84 ...	4,412	937	457	3,011	7	-
35 ...	61	10	50	1	-	-	85 ...	661	137	38	486	-	-
36 ...	71	17	48	3	3	-	86 ...	578	133	34	411	-	-
37 ...	50	10	40	-	-	-	87 ...	531	118	30	382	1	-
38 ...	62	19	42	-	1	-	88 ...	437	98	8	331	-	-
39 ...	77	18	57	2	-	-	89 ...	353	78	6	269	-	-
35-39 ...	321	74	237	6	4	-	85-89 ...	2,560	564	116	1,879	1	-
40 ...	80	17	56	7	-	-	90 ...	274	71	7	196	-	-
41 ...	95	22	66	3	4	-	91 ...	221	53	2	166	-	-
42 ...	131	23	103	4	1	-	92 ...	186	50	2	134	-	-
43 ...	98	14	75	8	1	-	93 ...	132	25	-	107	-	-
44 ...	122	23	89	8	2	-	94 ...	98	14	1	83	-	-
40-44 ...	526	99	389	30	8	-	90-94 ...	911	213	12	686	-	-
45 ...	116	21	83	10	2	-	95 ...	82	18	-	63	1	-
46 ...	160	35	107	17	1	-	96 ...	56	10	-	46	-	-
47 ...	167	30	121	15	1	-	97 ...	35	8	-	27	-	-
48 ...	176	43	115	16	2	-	98 ...	14	2	-	12	-	-
49 ...	177	44	116	16	1	-	99 ...	9	3	-	6	-	-
45-49 ...	796	173	542	74	7	-	95-99 ...	196	41	-	154	1	-
							100 and over	7	1	-	6	-	-
							Not stated	-	-	-	-	-	-
							All females	30,316	7,811	8,741	13,659	105	-

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1955

INTERNATIONAL NOS.			Sex	CAUSES OF DEATH	NUMBERS AGED													DEATH-RATE PER 100,000 AT AGES												
Detailed List	Abbre- viated List	All Ages			1- 1	5- 5	10- 10	15- 15	25- 25	35- 35	45- 45	55- 55	65- 65	75- 75	85 and over	Stated and Not over	All Ages	1- 1	5- 5	10- 10	15- 15	25- 25	35- 35	45- 45	55- 55	65- 65	75- 75	85 and over		
001-008	B1	{ M. F.	555 305	2 1	2 1	1 1	15 44	81 99	132 71	140 33	80 29	22 11	2	2	23 11	1 1	1 1	1 1	1 1	4 12	23 27	24 20	40 9	62 10	56 8	35 12	27			
	Tuberculosis of respiratory system ...																													
010-019	B2	{ M. F.	64 58	2 10	2 1	4 4	2 5	10 8	11 5	10 3	8 14	5 4	5	4	3 2	4 6	1 0	1 0	1 2	1 1	3 3	3 2	4 1	3 1	4 7	8 4	12			
	Tuberculosis, other forms																													
020-029	B3	{ M. F.	70 27	1 1	1 1	1 1	1 1	5 1	14 8	23 10	23 4	4	4	4	3 1	2 1	1 1	1 1	1 1	0 0	2 2	4 1	10 2	16 5	6 4	6	4			
	Syphilis and its sequelae ...																													
040	B4	{ M. F.	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1			
	Typhoid fever ...																													
045-048	B6	{ M. F.	7 8	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 2	1	1	0 0	4 5	1 1	1 1	1 1	0 0	0 0	0 0	0 0	1 0	2 2	2	2			
	Dysentery, all forms																													
050-051	B7	{ M. F.	3	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1			
	Scarlet fever and streptococcal sore throat ...																													
055	B8	{ M. F.	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1			
	Diphtheria																													
058	B9	{ M. F.	3 7	2 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 2	1	1	0 0	4 14	1 1	1 1	1 1	0 0	0 0	0 0	0 0	1 0	2 2	2	2			
	Whooping cough																													
057	B10	{ M. F.	18 11	5 4	10 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1	1	0 0	1 9	6 3	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 1	1	1			
	Meningococcal infections																													
080	B12	{ M. F.	17 5	2 2	4 2	1 1	3 2	2 1	2 1	3 1	3 1	3 1	3	3	0 0	1 0	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1	1			
	Acute poliomyelitis																													
085	B14	{ M. F.	8 12	3 3	5 6	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1	1	0 0	7 7	3 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1	1			
	Measles ...																													
030-038, 041-044, 049, 052-054, 056-074, 081-084, 086-138	B17	{ M. F.	59 55	3 1	3 1	2 3	6 2	7 5	8 13	10 12	6 8	5 7	4	4	2 2	7 2	1 2	1 2	1 2	1 2	2 2	2 2	4 4	4 4	8 8	55 14				
	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)* ...																													
140-205	B18	{ M. F.	5462 5123	4 5	21 10	17 13	33 33	64 95	229 733	1455 1131	1572 1450	1106 1140	146	236	222 191	9 12	7 6	6 4	9 26	10 75	18 205	62 393	242 723	1095 1530	1740 1996					
	Malignant neoplasms ...																													
210-239	B19	{ M. F.	41 73	1 2	1 2	1 1	1 3	3 10	8 14	7 15	8 12	9 3	2	2	2 3	2 5	1 1	1 1	1 1	1 1	3 3	4 5	6 6	13 10	27 20	27				
	Benign and unspecified neoplasms ...																													
260	B20	{ M. F.	141 318	2 1	1 1	2 2	6 4	11 7	10 9	15 87	54 122	29 78	7 8	8	6 12	1 1	1 1	1 1	1 1	2 2	3 3	3 3	30 61	84 54	96 54	96				
	Diabetes mellitus...																													
280-293	B21	{ M. F.	79 137	1 1	1 1	1 1	2 2	4 3	5 5	14 49	48 28	14	14	14	3 5	2 1	0 1	1 1	1 1	1 1	1 1	2 3	9 11	22 44	27 27	27				
	Anæmias ...																													
240-254, 270-289, 294-299	B46.1	{ M. F.	190 285	4 3	3 1	3 2	6 14	11 31	51 41	53 80	23 43	5	5	5	8 9	2 7	1 0	1 1	2 4	3 9	22 11	22 44	27 27	52 36	36 34	34				
	Other general diseases ...																													
330-334	B22	{ M. F.	4020 5587	2 2	2 1	2 1	7 6	14 9	184 49	565 251	1333 721	1510 2144	359	678	164 209	4 1	0 0	1 0	2 2	4 12	55 70	249 250	928 862	4908 2313	4908 4578					
	Vascular lesions affecting central nervous system																													
340	B23	{ M. F.	30 30	6 3	3 3	3 3	4 4	8 8	1 1	1 1	1 1	1 1	1 1	1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1	1			
	Non-meningococcal meningitis ...																													

[illegible]

Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1955—continued

INTERNATIONAL NOS.		CAUSES OF DEATH	Sex	NUMBERS AGED										DEATH-RATE PER 100,000 AT AGES																
Detailed List	Abbr- viated List			All Ages	-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over			
610	B39	Hyperplasia of prostate ...	M.	451	-	-	-	-	-	-	-	3	27	124	225	72	18	-	-	-	-	-	-	1	12	86	354	984		
	B46.7	Other diseases of genito- urinary system...	M. F.	150 183	- 1	1 2	- 4	3 6	5 12	13 15	28 43	42 54	36 10	42 54	21 18	4 10	6 7	2 2	0 1	1 1	2 3	4 4	12 15	29 27	66 39	219 68				
	B40.0	Puerperal sepsis including post-abortive sepsis ...	F.	11	-	-	-	1	6	4	-	-	-	-	-	-	0	-	-	0	2	1	-	-	-	-	-			
	B40.1	Other puerperal causes ...	F.	32	-	-	-	6	18	7	1	-	-	-	-	-	1	-	-	-	2	5	2	0	-	-	-			
640-641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689 690-749	B46.8	Diseases of skin and organs of locomotion ...	M. F.	102 205	4 1	2 2	- 4	2 4	5 9	8 13	18 21	33 67	21 70	18 18	4 18	4 10	9 8	1 2	1 1	1 1	2 3	2 4	8 7	23 33	55 76	122				
	B41	Congenital malformations	M. F.	289 333	214 264	8 23	4 6	13 7	8 5	2 4	9 7	2 2	1 7	2 7	1 2	1 2	12 609	474 14	3 3	2 3	4 2	1 1	3 2	3 1	2 3	2 7				
750-759	B42	Birth injuries, post-natal asphyxia and atelectasis	M. F.	440 257	440 257	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	18 10	975 593	- -	- -	- -	- -	- -	- -	- -	- -	- -			
	763	Pneumonia of newborn ...	M. F.	69 48	69 48	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	3 2	153 111	- -	- -	- -	- -	- -	- -	- -	- -	- -			
764	B43.1	Diarrhoea of newborn ...	M. F.	8 3	8 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0 7	18 7	- -	- -	- -	- -	- -	- -	- -	- -	- -			
	B43.2	Other infections of the newborn ...	M. F.	12 7	12 7	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0 0	27 16	- -	- -	- -	- -	- -	- -	- -	- -	- -			
765-768	B43.3	Other diseases peculiar to early infancy ...	M. F.	369 290	368 290	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	15 11	815 669	1 -	- -	- -	- -	- -	- -	- -	- -	- -			
	B44	Senility ...	M. F.	302 537	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	12 20	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -			
794	B45.0	Causes ill-defined and un- known ...	M. F.	173 117	23 30	4 1	- 1	- 5	3 1	19 20	20 30	48 24	39 4	10 4	10 4	7 4	51 69	2 1	0 -	- -	- -	- -	2 1	6 15	9 26	33 27	137 27			
	B45.1	Suicide ...	M. F.	235 159	- -	- -	1 9	22 24	61 29	72 40	30 19	18 1	- -	- -	- -	- -	10 6	- -	- -	1 2	6 8	7 13	32 14	21 9	28 1	- -				
E933, E970-979	BE49	Motor vehicle accidents ...	M. F.	456 141	42 20	40 25	23 5	66 14	51 8	49 10	42 13	33 14	30 18	4 1	4 1	19 5	- -	24 12	17 11	20 3	21 4	15 2	19 4	23 5	47 19	55 7				
	BE47	Other road transport acci- dents ...	M. F.	22 16	- -	1 -	- -	1 1	2 1	6 3	6 5	5 2	- -	- -	- -	- -	1 1	- -	0 -	- -	0 0	1 0	3 4	4 2	8 14	- -				
E810-835	BE48.0	Other violence (BE 50) ...	M. F.	1088 803	113 79	39 26	34 16	94 17	101 21	120 34	152 47	121 118	122 139	122 139	51 18	44 30	250 182	22 16	15 7	12 3	28 5	36 6	46 10	53 16	81 59	192 398				
	BE48.1	ALL CAUSES ...	M. F.	31329 30316	1577 1234	240 171	104 105	350 72	591 226	1102 477	3144 847	5707 1994	8209 4066	8106 9621	2052 3674	- -	1276 1132	3494 2848	137 102	63 47	53 38	104 61	164 128	331 237	948 559	2517 1412	5717 3066	12753 10379	28052 24806	
E800-892, E850- 962, E964-965, E980-999	BE48.1	Both sexes		61645	2811	411	252	176	576	1068	1949	5138	9773	16038	17727	5726	-	1201	3178	120	55	45	81	146	282	746	1899	4662	11344	25879

INTERNATIONAL NOS.		CAUSES OF DEATH	COUNTIES					COUNTIES					COUNTIES				
Detailed List	Abbreviated List		Scotland	Counties of Cities	Large Burghs	Counties of Cities and Large Burghs†	Small Burghs	Landward	Scotland	Counties of Cities	Large Burghs	Counties of Cities and Large Burghs†	Small Burghs	Landward			
001-008 010-019 020-029 040 045-048 050-051 055 056 057 080 085 030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138 140-205 210-239 260 290-293 240-254, 270-289, 294-299 330-334 340 300-326, 341-398 400-402 410-416 420-422 430-434 440-443 444-447 450-468 480-483 490-493 500-502 470-475, 510-527	B1	...	860	397	181	282	107	175	17	21	21	12	13	11			
	B2	Tuberculosis of respiratory system	...	122	48	22	52	18	34	2	3	3	2	2	2		
	B3	Tuberculosis, other forms	...	97	45	15	37	15	22	2	2	2	2	2	2		
	B4	Syphilis and its sequelæ	...	1	1	—	—	—	—	0	0	—	—	—	—		
	B6	Typhoid fever	...	15	9	1	5	2	3	0	0	0	0	0	—		
	B7	Dysentery, all forms	...	3	2	—	1	—	1	0	0	0	0	0	0		
	B8	Scarlet fever and streptococcal sore throat...	...	—	—	—	—	—	—	—	—	—	—	—	0		
	B9	Diphtheria	...	10	5	—	5	—	5	0	0	—	—	—	0		
	B10	Whooping cough	...	29	17	1	11	3	8	1	1	1	0	0	1		
	B12	Meningococcal infections	...	22	6	5	11	4	7	0	0	0	0	0	0		
	B14	Acute poliomyelitis	...	20	8	—	12	6	6	0	0	—	1	1	0		
	B17	Measles	...	114	38	19	57	18	39	2	2	2	2	2	3		
	B18	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	...	10,585	4,422	1,613	4,550	1,812	2,738	206	231	190	192	214	180		
	B19	Malignant neoplasms	...	114	42	17	55	31	24	2	2	2	2	4	2		
	B20	Benign and unspecified neoplasms	...	459	150	62	247	98	149	9	8	7	10	12	10		
	B21	Diabetes mellitus	...	216	84	37	95	32	63	4	4	4	4	4	4		
	B46.1	Anæmias	...	475	187	65	223	75	148	9	10	8	9	9	10		
	B22	Other general diseases	...	9,607	3,575	1,491	4,541	1,795	2,746	187	187	176	192	212	180		
	B23	Vascular lesions affecting central nervous system	...	48	23	5	20	3	17	1	1	1	1	0	1		
	B46.2	Non-meningococcal meningitis	...	905	361	135	409	151	258	18	19	16	17	18	17		
	B24	Other diseases of nervous system	...	54	26	11	17	7	10	1	1	1	1	1	1		
	B25	Rheumatic fever	...	847	361	140	346	116	230	17	19	16	15	14	15		
	B26	Chronic rheumatic heart disease	...	18,014	6,445	2,889	8,680	3,400	5,280	351	337	340	366	402	346		
	B27	Arteriosclerotic and degenerative heart disease	...	722	220	119	383	158	225	14	11	14	16	19	15		
	B28	Other diseases of heart	...	1,307	502	224	581	252	329	25	26	26	25	30	22		
	B29	Hypertension with heart disease	...	710	257	115	338	114	224	14	13	14	14	13	15		
B46.3	Hypertension without heart disease	...	1,662	646	231	785	290	495	32	34	27	33	34	32			
B30	Other circulatory disease	...	212	63	33	116	46	70	4	3	4	5	5	5			
B31	Influenza	...	1,828	928	277	623	224	399	36	48	33	26	27	26			
B32	Pneumonia (except of newborn)	...	2,086	1,075	355	656	258	398	41	56	42	28	31	26			
B46.4	Bronchitis	...	587	153	91	343	96	247	11	8	11	14	11	16			
	Other respiratory diseases	...															

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

† Including Small Burghs and Landward.

TABLE 36.—Deaths and Death-Rates from Selected Causes in Scotland, 1955—continued

INTERNATIONAL NOS.	Detailed List	Abbreviated List	CAUSES OF DEATH					NUMBERS					DEATH-RATE PER 100,000 OF POPULATION				
			Scotland	Counties of Cities	Large Burghs	Counties of Cities and Large Burghs†	Land-ward	Scotland	Counties of Cities	Large Burghs	Counties of Cities and Large Burghs†	Land-ward	Scotland	Counties of Cities	Large Burghs	Counties of Cities and Large Burghs†	Land-ward
540, 541	B33		666	257	91	318	113	205	13	11	13	13	13	13	13	13	13
550-553	B34		87	30	9	48	15	33	2	2	2	2	2	2	2	2	2
560, 561, 570	B35		399	149	70	180	69	111	8	8	8	8	8	8	8	8	8
543	B36.1		16	3	1	12	3	9	0	0	0	0	0	0	0	0	0
571, 572	B36.2		336	144	59	133	42	91	7	7	7	7	7	7	7	7	7
581	B37		167	62	21	84	37	47	3	3	3	3	3	3	3	3	3
580, 582-586	B46.5		240	89	32	119	42	77	5	4	5	5	5	5	5	5	5
530-539, 542, 544, 545, 573-578, 587	B46.6		165	59	23	83	27	56	3	3	3	3	3	3	3	3	3
590-594	B38		530	186	81	263	101	162	10	10	10	10	10	10	10	10	10
610	B39		451	145	81	225	88	137	9	8	9	9	9	9	9	9	9
600-609, 611-637	B46.7		333	128	43	162	57	105	6	7	7	7	7	7	7	7	7
640, 641, 651, 681, 682, 684	B40.0		11	1	3	7	1	6	0	0	0	0	0	0	0	0	0
642-650, 652-680, 683, 685-689	B40.1		32	8	8	16	11	5	0	0	0	0	0	0	0	0	0
690-749	B46.8		307	130	41	136	43	93	6	7	6	7	6	7	5	6	6
750-759	B41		622	239	112	271	81	190	12	13	11	10	12	12	10	12	12
760-762	B42		697	288	134	275	90	185	14	15	12	11	12	12	11	12	12
763	B43.1		117	40	19	58	17	41	2	2	2	2	2	2	2	2	2
764	B43.2		11	3	2	6	2	4	0	0	0	0	0	0	0	0	0
765-768	B43.3		19	6	2	11	5	6	0	0	0	0	0	0	0	0	0
769-776	B44		689	240	122	297	101	196	13	13	13	14	13	12	13	12	13
794	B45.0		839	157	163	519	175	344	16	8	19	22	21	23	21	23	23
780-793, 795	B45.1		290	78	56	156	59	97	6	4	7	7	7	7	7	7	7
E983, E970-979	BE49		394	174	64	156	56	100	8	9	8	7	7	7	7	7	7
E810-835	BE47		597	213	84	300	81	219	12	11	10	10	13	10	14	10	14
E840-845	BE48.0		38	18	4	16	4	12	1	1	1	0	1	0	1	0	1
E800-802, E850-962, E964-965, E980-999	BE48.1		1,891	713	299	879	290	589	37	37	37	34	37	37	34	37	39
			61,645	23,656	9,778	28,211	10,741	17,470	1,201	1,236	1,190	1,271	1,152	1,296	1,190	1,271	1,146
			ALL CAUSES														

TABLE 37.—Deaths from Selected Causes and in Age-groups in Scotland, 1945-1955

International Nos Abbreviated List	CAUSES OF DEATH	1955	1954	1953	1952	1951	1950	1949	1948	1947	1946	1945
B1	Tuberculosis of respiratory system	860	1,010	1,159	1,409	1,886	2,439	3,086	3,418	3,393	3,235	2,936
B2	Tuberculosis, other forms	122	118	182	203	293	336	400	486	705	753	871
B3	Syphilis and its sequelæ	97	109	96	110	149	170	159	156	192	207	219
B4	Typhoid fever	1	1	2	1	1	—	—	1	5	8	6
B6	Dysentery, all forms	15	7	13	6	15	14	15	9	15	14	62
B7	Scarlet fever and streptococcal sore throat	3	1	4	5	1	4	8	12	13	9	19
B8	Diphtheria	—	1	2	8	5	3	14	31	45	91	126
B9	Whooping cough	10	25	41	26	98	61	96	63	223	103	120
B10	Meningococcal infections	29	41	37	45	44	35	32	47	88	102	87
B12	Acute poliomyelitis	22	21	13	12	24	64	14	23	129	15	12
B14	Measles	20	8	29	22	25	38	22	74	57	85	89
B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	114	123	124	151	179	175	209	174	180	228	240
B18	Malignant neoplasms	10,585	10,505	10,125	10,119	9,840	10,029	9,875	9,574	9,299	9,115	9,267
B19	Benign and unspecified neoplasms	114	123	106	145	169	221	175	165	183	196	222
B20	Diabetes mellitus	459	445	439	477	559	565	531	483	481	530	627
B21	Anæmias	216	248	220	269	345	357	324	316	431	355	475
B46.1	Other general diseases	475	480	426	526	614	569	564	559	634	569	535
B22	Vascular lesions affecting central nervous system	9,607	9,562	8,895	9,087	9,122	8,732	8,052	7,536	7,932	7,768	7,694
B23	Nonmeningococcal meningitis	48	59	49	72	59	58	71	69	102	127	132
B46.2	Other diseases of nervous system	905	894	918	960	1,167	1,120	1,192	1,175	1,320	1,340	1,256
B24	Rheumatic fever	54	49	45	44	49	57	71	115	79	89	103
B25	Chronic rheumatic heart disease	847	860	807	878	900	942	809	839	848	865	875
B26	Arteriosclerotic and degenerative heart disease	18,014	17,254	16,362	17,307	18,447	17,312	16,807	15,131	15,927	14,820	13,574
B27	Other diseases of heart	722	1,208	1,195	1,139	1,324	1,249	1,108	1,015	1,103	1,063	1,024
B28	Hypertension with heart disease	1,307	1,068	990	891	831	800	773	688	763	715	681
B29	Hypertension without heart disease	710	833	753	835	648	539	676	596	580	512	561
B46.3	Other circulatory disease	1,662	1,654	1,460	1,424	1,219	1,257	1,007	988	1,048	953	986
B30	Influenza	212	176	272	316	958	386	395	139	342	674	203
B31	Pneumonia (except of newborn)	1,828	1,728	1,694	1,881	2,297	2,117	2,264	1,985	2,573	2,536	2,009
B32	Bronchitis	2,086	1,843	1,752	2,025	2,488	2,259	2,136	1,807	2,360	2,448	2,274
B46.4	Other respiratory diseases	587	583	587	634	657	632	681	645	673	727	675
B33	Ulcer of stomach and duodenum	666	656	561	639	619	629	611	582	574	522	554
B34	Appendicitis	87	106	114	118	118	154	192	190	184	203	257

(a)	(b)	(c)	(a)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)
B35	Intestinal obstruction and hernia	399	408	397	424	394	370	401	471	509	495	500
B36.1	Gastritis and duodenitis	16	17	22	18	34	36	34	38	37	36	40
B36.2	Diarrhea (except of newborn)	336	264	283	310	438	477	536	729	1,169	775	969
B37	Cirrhosis of liver	167	182	170	166	169	163	157	167	165	140	120
B46.5	Other diseases of liver	240	254	253	265	302	271	289	262	259	262	345
B46.6	Other digestive diseases	165	177	167	173	225	172	189	206	192	189	193
B38	Nephritis and nephrosis	530	570	580	568	650	699	760	766	822	821	851
B39	Hyperplasia of prostate	451	430	395	453	425	509	517	540	499	510	579
B46.7	Other diseases of genito urinary system	333	346	333	310	376	339	350	425	352	436	492
B40.0	Puerperal sepsis including post-abortive sepsis	11	15	20	22	28	23	20	27	35	50	69
B40.1	Other puerperal causes	32	55	66	70	71	83	103	132	200	182	178
B46.8	Diseases of skin and organs of locomotion	307	332	260	233	246	240	227	251	254	291	314
B41	Congenital malformations	622	676	618	610	602	613	598	637	758	688	558
B42	Birth injuries, post natal asphyxia and atelectasis	697	710	655	670	628	647	707	746	872	816	596
B43.1	Pneumonia of newborn	117	122	94	113	166	146	155	142	180	184	150
B43.2	Diarrhea of newborn	11	6	16	24	34	35	60	93	170	98	111
B43.3	Other infections of the newborn	19	21	12	10	9	14	8	12	22	17	10
B44	Other diseases peculiar to early infancy	659	690	682	829	884	968	963	1,137	1,508	1,634	1,488
B45.0	Senility	839	925	852	1,025	1,292	1,283	1,336	1,326	1,629	1,787	1,827
B45.1	Cause ill-defined and unknown	290	709	765	898	1,071	997	1,130	1,173	1,453	1,530	1,551
BE49	Suicide	394	302	281	281	276	269	298	343	291	315	323
BE47	Motor vehicle accidents	597	526	563	451	516	489	470	480	505	555	515
BE48.0	Other road transport accidents	38	35	37	32	49	41	49	59	60	39	58
BE48.1	Other violence (BE 50)	1,891	1,809	1,885	1,771	1,743	1,799	1,756	1,726	1,778	1,778	2,047
	ALL CAUSES	61,645	61,380	58,878	61,510	65,778	63,996	63,488	60,979	66,200	64,605	62,655
	AGES AT DEATH											
Under 1	...	2,811	2,861	2,800	3,181	3,391	3,569	3,961	4,486	6,309	5,621	4,889
1-4	...	411	435	499	530	664	694	751	805	995	1,052	1,092
5-9	...	252	229	286	282	309	279	357	388	480	499	534
10-14	...	176	152	189	162	200	207	267	361	375	394	446
15-24	...	576	633	709	787	895	1,148	1,482	1,638	1,803	1,768	2,100
25-34	...	1,068	1,138	1,172	1,213	1,432	1,574	1,816	1,953	2,093	2,263	2,197
35-44	...	1,949	1,978	2,118	2,188	2,426	2,569	2,741	2,852	2,939	3,043	3,081
45-54	...	5,138	5,340	5,078	5,224	5,444	5,350	5,317	5,177	5,425	5,418	5,342
55-64	...	9,773	9,811	9,171	9,500	9,942	9,891	9,556	9,207	9,540	9,462	9,334
65-74	...	16,098	15,705	15,461	16,274	17,282	16,547	16,369	15,245	16,131	15,936	15,469
75-84	...	17,727	17,614	16,446	17,002	18,197	17,014	16,080	14,586	15,449	14,731	14,038
85 and over	...	5,726	5,484	4,947	5,158	5,596	5,152	4,771	4,281	4,661	4,414	4,121
Not stated	...	—	—	2	—	—	2	20	—	—	4	12
	ALL AGES	61,645	61,380	58,878	61,510	65,778	63,996	63,488	60,979	66,200	64,605	62,655

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

NOTE.—Deaths from 1945 to 1949 have been classified as far as possible according to the sixth revision, and in addition amended figures are given for 1950. See footnote Table 35 (page 202).

TABLE 38.—Death-rates from Selected Causes and in Age-Groups in Scotland, 1945-1955

Abbreviated List International Nos.	CAUSES OF DEATH	1955	1954	1953	1952	1951	1950	1949	1948	1947	1946	1945
						Death-rate per	100,000		of population			
B1	Tuberculosis of respiratory system	17	20	23	28	37	48	60	67	67	64	61
B2	Tuberculosis, other forms	2	2	4	4	6	7	8	10	14	15	18
B3	Syphilis and its sequelæ	2	2	2	2	3	3	3	3	4	4	5
B4	Typhoid fever	0	0	0	0	0	—	—	0	0	0	0
B6	Dysentery, all forms	0	0	0	0	0	0	0	0	0	0	1
B7	Scarlet fever and streptococcal sore throat	0	0	0	0	0	0	0	0	0	0	0
B8	Diphtheria	0	0	0	0	0	0	0	1	1	2	3
B9	Whooping cough	0	0	1	1	2	1	2	1	4	2	3
B10	Meningococcal infections	1	1	1	1	1	1	1	1	2	2	2
B12	Acute poliomyelitis	0	0	0	0	0	0	0	0	3	0	0
B14	Measles	0	0	1	0	0	1	0	1	1	2	2
B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	2	2	2	3	3	3	4	3	4	4	5
B18	Malignant neoplasms	206	205	198	198	192	196	193	188	183	185	197
B19	Benign and unspecified neoplasms	2	2	2	3	3	4	3	3	4	4	5
B20	Diabetes mellitus	9	9	9	9	11	11	10	9	9	11	13
B21	Anæmias	4	5	4	5	7	7	6	6	8	7	10
B46.1	Other general diseases	9	9	8	10	12	11	11	11	12	11	11
B22	Vascular lesions affecting central nervous system	187	187	174	178	178	170	158	148	156	158	164
B23	Nonmeningococcal meningitis	1	1	1	1	1	1	1	1	2	3	3
B46.2	Other diseases of nervous system	18	17	18	19	23	22	23	23	26	27	27
B24	Rheumatic fever	1	1	1	1	1	1	1	2	2	2	2
B25	Chronic rheumatic heart disease...	17	17	16	17	18	18	16	16	17	18	19
B26	Arteriosclerotic and degenerative heart disease	351	337	320	338	361	338	329	297	313	302	289
B27	Other diseases of heart	14	24	23	22	26	24	22	20	22	22	22
B28	Hypertension with heart disease	25	21	19	17	16	16	15	13	15	15	15
B29	Hypertension without heart disease	14	16	15	16	13	11	13	12	11	10	12
B46.3	Other circulatory disease	32	32	29	28	24	25	20	19	21	19	21
B30	Influenza	4	3	5	6	19	8	8	3	7	14	4
B31	Pneumonia (except of newborn)	36	34	33	37	45	41	44	39	51	52	42
B32	Bronchitis	41	36	34	40	49	44	42	35	46	50	49
B46.4	Other respiratory diseases	11	11	11	12	13	12	13	13	13	15	14
B33	Ulcer of stomach and duodenum	13	13	11	12	12	12	12	11	11	10	11
B34	Appendicitis	2	2	2	2	2	3	4	4	4	4	5
B35	Intestinal obstruction and hernia	8	8	8	8	8	7	8	9	10	10	10

	1,201	1,198	1,150	1,203	1,286	1,248	1,242	1,196	1,302	1,307	1,320
Gastritis and duodenitis ...	0	0	0	0	0	0	0	0	0	0	0
Diarrhoea (except of newborn) ...	7	5	6	6	9	9	10	14	23	16	21
Cirrhosis of liver ...	3	4	3	3	3	3	6	3	5	3	3
Other diseases of liver ...	5	5	5	5	6	6	5	5	5	5	7
Other digestive diseases ...	3	3	3	3	4	4	3	4	4	4	4
Nephritis and nephrosis ...	10	11	11	11	13	14	15	15	16	17	18
Hyperplasia of prostate ...	9	8	8	9	8	10	10	11	10	10	12
Other diseases of genito-urinary system ...	6	7	7	7	7	7	8	8	7	9	10
Puerperal sepsis including post-abortive sepsis ...	0	0	0	0	1	0	0	1	1	1	1
Other puerperal causes ...	1	1	1	1	1	2	2	3	4	4	4
Diseases of skin and organs of locomotion ...	6	6	5	5	5	5	5	5	5	6	7
Congenital malformations ...	12	13	12	12	12	12	12	12	15	14	12
Birth injuries, post natal asphyxia and atelectasis ...	14	14	13	13	12	13	14	15	17	17	13
Pneumonia of newborn ...	2	2	2	2	3	3	3	3	4	4	3
Diarrhoea of newborn ...	0	0	0	0	1	1	1	2	3	2	2
Other infections of the newborn ...	0	0	0	0	0	0	0	0	0	0	0
Other diseases peculiar to early infancy ...	13	13	13	16	17	19	19	22	30	33	32
Senility ...	16	18	17	20	25	25	26	26	32	36	39
Cause ill-defined and unknown ...	6	14	15	18	21	19	22	23	29	31	33
Suicide ...	8	6	5	5	5	5	6	7	6	6	6
Motor vehicle accidents ...	12	10	11	9	10	10	9	9	10	10	10
Other road transport accidents ...	1	1	1	1	1	1	1	1	1	1	1
Other violence (BE50) ...	37	35	37	35	34	35	34	34	35	34	36
ALL CAUSES	1,201	1,198	1,150	1,203	1,286	1,248	1,242	1,196	1,302	1,307	1,320
AGES AT DEATH					Death-rate per		1,000 of	age-group	population		
Under 1 ...	31.8	32.5	32.2	37.2	38.5	40.1	42.8	46.4	58.9	65.0	56.4
1-4 ...	1.2	1.3	1.4	1.5	1.7	1.8	2.1	2.3	3.1	3.2	3.3
5-9 ...	0.6	0.5	0.6	0.7	0.8	0.7	0.9	1.0	1.2	1.2	1.3
10-14 ...	0.5	0.4	0.5	0.4	0.5	0.5	0.7	0.9	1.0	1.0	1.1
15-24 ...	0.8	0.9	1.0	1.1	1.2	1.5	2.0	2.2	2.3	2.4	2.7
25-34 ...	1.5	1.5	1.6	1.7	2.0	2.2	2.5	2.6	2.8	3.0	3.5
35-44 ...	2.8	2.9	3.0	3.0	3.3	3.4	3.6	3.8	3.9	4.0	4.3
45-54 ...	7.5	7.8	7.5	7.8	8.2	8.2	8.3	8.2	8.7	8.8	8.7
55-64 ...	19.0	19.5	18.5	19.3	20.4	20.3	19.7	19.0	19.9	19.6	19.1
65-74 ...	46.6	45.5	44.9	47.3	50.2	47.9	47.5	44.1	47.0	46.9	45.2
75-84 ...	113.4	113.7	108.4	114.5	125.7	119.0	115.8	107.2	116.8	107.4	104.9
85 and over ...	258.8	247.3	228.6	246.1	277.8	256.0	245.6	230.8	266.4	273.7	266.2
Not stated ...	—	—	—	—	—	—	—	—	—	—	—
ALL AGES	12.01	11.98	11.50	12.03	12.86	12.48	12.42	11.96	13.02	13.07	13.20

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

See footnotes (pages 7, 202 and 207).

NOTE.—Death rates from 1945 to 1946 are calculated on civilian deaths and the estimated civilian population.

TABLE 39.—Deaths in Scotland from Principal Epidemic and certain other Diseases, 1855-1955. Quinquennial Averages

YEAR	NUMBER OF DEATHS FROM													
	Typhoid Fever	Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis		Cancer	Bronchitis *	Pneumonia *	All Diarrheal Diseases †	Violence
								All Forms	Respira- tory					
1855-60	2,573		995	1,223	2,766	2,035	1,226	10,140	7,194	953	3,538	2,104	2,976	2,034
1861-65	3,633		992	1,377	2,423	2,193	2,549	11,171	7,914	1,207	5,768	2,071	2,604	2,216
1866-70	1,346	1,799	99	1,206	3,427	2,064	1,587	11,983	8,472	1,348	7,095	2,284	3,212	2,273
1871-75	1,406	779	1,268	1,311	591	2,015	2,090	12,262	8,535	1,569	8,680	3,072	3,202	2,756
1876-80	1,341	276	20	1,166	1,873	2,347	1,733	12,213	8,338	1,792	8,762	3,135	3,061	2,686
1881-85	1,029	162	17	1,359	1,340	2,273	1,680	11,099	7,998	2,058	7,916	4,075	2,766	2,725
1886-90	765	91	10	1,628	882	2,425	1,623	10,192	7,436	2,441	7,509	4,270	2,734	2,628
1891-95	761	57	51	2,110	811	2,151	1,513	9,935	7,169	2,831	7,600	5,229	3,215	2,842
1896-1900	716	39	14	1,857	756	2,206	921	10,149	7,151	3,351	6,238	5,656	3,825	3,128
1901-05	521	25	118	1,470	403	2,222	770	9,790	6,618	3,845	5,570	6,578	3,166	3,084
1906-10	322	14	2	1,647	399	1,841	839	9,464	6,079	4,663	5,017	6,717	2,697	2,941
1911-15	207	8	5	1,583	649	1,951	857	8,011	5,214	5,207	5,046	6,132	2,502	3,105
1916-20	109	8	31	1,264	287	1,330	734	7,073	4,781	5,574	4,999	8,545	1,820	3,014
1921	87	4	24	289	270	1,478	611	5,737	3,970	5,962	4,135	5,393	1,991	2,702
1922	65	7	—	2,695	247	1,408	536	5,818	4,061	6,133	5,730	8,265	1,244	2,444
1923	67	1	—	1,118	352	989	492	5,790	3,996	6,376	3,635	4,840	1,159	2,469
1924	34	—	—	1,592	410	1,625	442	6,653	3,887	6,498	4,843	7,691	1,147	2,599
1925	52	4	—	512	404	1,737	505	5,390	3,734	6,675	4,191	5,821	1,168	2,817
1921-25	61	3	5	1,237	337	1,447	517	5,678	3,930	6,329	4,507	6,402	1,342	2,606
1926	39	3	—	928	343	506	490	4,881	3,384	6,640	3,771	5,844	1,084	2,657
1927	41	2	—	660	200	850	485	4,868	3,466	6,919	4,231	6,642	976	2,957
1928	29	—	—	1,005	140	1,072	488	4,722	3,318	6,901	3,585	6,098	1,016	2,914
1929	18	—	—	149	109	901	471	4,580	3,288	7,108	5,344	8,778	959	2,994
1930	24	1	2	792	127	628	460	4,286	3,024	7,120	3,869	5,958	854	3,060
1926-30	30	1	0	707	184	791	479	4,663	3,296	6,938	4,160	6,664	978	2,916
1931	20	1	—	641	161	957	356	4,205	3,004	7,158	3,879	5,417	885	2,730
1932	24	—	—	892	250	459	368	4,123	2,991	7,458	3,645	6,163	1,129	2,811
1933	17	—	—	36	310	762	356	3,910	2,930	7,520	3,629	5,435	1,067	2,836
1934	16	1	—	1,014	345	383	583	3,702	2,794	7,661	2,804	4,749	847	2,823
1935	31	—	—	141	199	567	513	3,646	2,812	7,793	3,239	5,222	875	2,705
1931-35	22	0	—	545	253	626	435	3,917	2,906	7,498	3,439	5,397	961	2,781
1936	27	—	—	610	172	411	387	3,665	2,753	7,909	3,411	5,093	1,209	2,826
1937	11	—	—	119	123	717	426	3,663	2,791	7,810	3,650	6,131	1,038	3,020
1938	23	—	—	549	98	219	430	3,432	2,581	8,072	2,494	4,002	960	2,878
1939	19	—	—	15	47	397	395	3,528	2,717	8,045	2,775	3,275	1,005	3,412
1940	14	—	—	262	35	197	676	4,003	3,037	8,260	4,693	4,832	926	4,251
1936-40	19	—	—	311	95	388	463	3,658	2,776	8,019	3,405	4,667	1,028	3,277
1941	7	—	—	103	26	720	517	4,175	3,117	8,436	3,246	3,822	1,118	6,627
1942	20	—	25	144	24	92	290	3,998	3,043	8,557	2,489	2,889	1,058	4,405
1943	14	—	—	88	22	305	231	3,959	2,976	8,659	2,900	3,594	873	4,191
1944	4	—	—	46	18	179	183	3,936	2,978	8,742	2,311	2,745	1,278	3,593
1945	6	—	—	89	15	120	126	3,803	2,932	9,045	2,450	2,233	1,058	2,944
1941-45	10	—	5	94	21	283	269	3,974	3,009	8,688	2,679	3,057	1,077	4,352
1946	8	—	—	85	5	103	91	3,984	3,231	8,873	2,711	3,011	807	2,686
1947	5	—	—	57	8	223	45	4,095	3,390	9,069	2,563	2,874	1,281	2,696
1948	1	—	—	74	7	63	31	3,901	3,415	9,361	1,939	2,174	748	2,610
1949	—	—	—	22	5	96	14	3,484	3,084	9,587	2,344	2,570	528	2,572
1950	—	1	6	38	4	61	3	2,775	2,439	10,029	2,342	2,415	401	2,598
1946-50§	3	0	1	55	5	109	37	3,649	3,111	9,323	2,402	2,609	756	2,620
1951	1	—	—	25	1	98	5	2,179	1,886	9,840	2,711	2,814	354	2,584
1952	1	1	—	22	5	26	8	1,612	1,409	10,119	2,094	2,102	229	2,535
1953	2	—	—	29	4	41	2	1,341	1,159	10,125	1,815	1,881	209	2,766
1954	1	—	—	8	—	25	1	1,128	1,010	10,505	1,869	1,925	143	2,672
1955	1	—	—	20	1	10	—	982	860	10,585	2,126	2,025	214	2,920
1951-55	1	0	—	21	2	40	3	1,448	1,265	10,235	2,123	2,149	230	2,695

NOTE.—For comparability with previous years deaths from pneumonia from 1950 onwards, include International Rubric 763.

* Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given. For 1941 and subsequent years those from Bronchitis include "Influenza with other respiratory complications" (481a, page 244)

† Including Dysentery but excluding ulcerative colitis. From 1950 and subsequent years it excludes "Chronic enteritis"

‡Deaths from 1950 are classified to the Sixth Revision but the averages for 1946-50 are calculated on the Fifth Revision.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 40.—Death-rate per 100,000 of Population in Scotland from the Principal Epidemic and certain other Diseases, 1855-1955. Quinquennial Averages

YEAR	Typhoid Fever		Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis		Cancer	Bronchitis *	Pneumonia *	All Diarrhoeal Diseases †	Violence
									All Forms	Respira- tory					
1855-60	92		38	44	98	72	43	380	255	34	125	75	106	72	
1861-65	122		33	46	81	73	85	375	266	40	194	70	88	74	
1866-70	43	57	3	38	109	66	51	382	270	43	226	73	102	72	
1871-75	42	23	38	39	106	60	62	365	254	47	258	91	95	82	
1876-80	38	8	0	33	52	66	49	343	234	50	246	88	86	76	
1881-85	27	4	0	36	36	61	45	296	213	55	211	109	74	73	
1886-90	20	2	0	41	23	62	41	261	190	62	192	109	70	67	
1891-95	19	1	1	51	20	53	37	243	175	69	186	128	79	70	
1896-1900	17	1	0	43	18	51	22	235	166	78	145	131	89	73	
1901-05	11	0	3	32	9	49	17	218	148	86	124	146	71	69	
1906-10	7	0	0	35	9	40	18	204	131	100	108	144	58	63	
1911-15	5	0	0	33	13	41	18	169	110	110	106	129	53	65	
1916-20	2	0	1	26	6	28	15	147	99	116	104	177	38	63	
1921	2	0	0	6	6	30	13	118	81	122	85	110	41	55	
1922	1	0	—	55	5	29	11	119	83	125	117	169	25	50	
1923	1	0	—	23	7	20	10	118	82	130	74	99	24	51	
1924	1	—	—	33	8	33	9	116	80	134	100	158	24	53	
1925	1	0	—	11	8	36	10	111	77	137	86	120	24	58	
1921-25	1	0	0	26	7	30	11	117	81	130	92	131	28	53	
1926	1	0	—	19	7	10	10	100	70	137	78	120	22	55	
1927	1	0	—	14	4	18	10	100	71	143	87	137	20	61	
1928	1	—	—	21	3	22	10	97	68	142	74	126	21	60	
1929	0	—	—	3	2	19	10	95	68	147	111	182	20	62	
1930	0	0	0	16	3	13	10	89	63	147	80	123	18	63	
1926-30	1	0	—	15	4	16	10	96	68	143	86	137	20	60	
1931	0	0	—	13	3	20	7	87	62	148	80	112	18	56	
1932	0	—	—	18	5	9	8	84	61	153	75	126	23	58	
1933	0	—	—	1	6	16	7	80	60	153	74	111	22	58	
1934	0	0	—	21	7	8	12	75	57	153	57	96	17	57	
1935	1	—	—	3	4	11	10	74	57	157	65	105	18	55	
1931-35	0	0	—	11	5	13	9	80	59	153	70	110	20	57	
1936	1	—	—	12	3	8	8	74	55	159	69	103	24	57	
1937	0	—	—	2	2	14	9	74	56	157	73	123	21	61	
1938	0	—	—	11	2	4	9	69	52	162	50	80	19	58	
1939	0	—	—	0	1	8	8	70	54	161	55	65	20	68	
1940	0	—	—	5	1	4	14	82	62	170	97	99	19	77	
1936-40	0	—	—	6	2	8	10	74	56	162	69	94	21	64	
1941	0	—	—	2	1	15	11	85	63	174	67	79	23	115	
1942	0	—	1	3	1	2	6	82	62	179	52	60	22	69	
1943	0	—	—	2	0	7	5	83	62	185	62	76	19	67	
1944	0	—	—	1	0	4	4	82	62	186	50	59	27	57	
1945	0	—	—	2	0	3	3	79	60	192	52	47	23	53	
1941-45	0	—	0	2	0	6	6	82	62	183	57	64	23	72	
1946	0	—	—	2	0	2	2	79	64	180	55	61	16	51	
1947	0	—	—	1	0	4	1	81	67	178	50	57	25	52	
1948	0	—	—	1	0	1	1	77	67	184	38	43	15	51	
1949	—	—	—	0	0	2	0	68	60	188	46	50	10	50	
1950	—	0	0	1	0	1	0	54	48	196	46	47	8	51	
1946-50	0	0	0	1	0	2	1	72	61	184	47	52	15	52	
1951	0	—	—	0	0	2	0	43	37	192	53	55	7	51	
1952	0	0	—	0	0	1	0	32	28	198	41	41	4	50	
1953	0	—	—	1	0	1	0	26	23	198	35	37	4	54	
1954	0	—	—	0	—	0	0	22	20	205	36	38	3	52	
1955	0	—	—	0	0	0	—	19	17	206	41	39	4	57	
1951-55	0	0	—	0	0	1	0	28	25	200	41	42	4	53	

*, †, §. See footnotes, Table 39. ‡ Civilians only

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 41.—Deaths from Poisoning in Scotland in 1955

ACCIDENTAL POISONING

Inter-
national
Nos.
Detailed
List

	M.	F.	Total
871 Barbituric acid and its derivatives:—			
Carbital	—	1	1
Cyclobarbitone	1	—	1
Nembutal	2	2	4
Phenobarbitone	1	6	7
Seconal	—	1	1
Sodium amytal	3	2	5
Soneryl	—	2	2
Tuinal	—	2	2
Barbiturate (unspecified)	1	4	5
872 Aspirin and salicylates:—			
Aspirin	2	—	2
Salicylate	—	1	1
873 Bromides:—			
Persomnia	1	—	1
874 Analgesic and soporific drugs:—			
Paraldehyde	2	—	2
Physeptone	—	1	1
878 Other and unspecified drugs:—			
Camphorated oil	1	—	1
Carried forward ...	14	22	36

Inter-
national
Nos.
Detailed
List

	M.	F.	Total
Brought forward ...	14	22	36
Dexedrine	1	—	1
Ferrous sulphate (Fersolate)	—	1	1
Quinine sulphate	—	1	1
880 Alcohol:—			
Alcohol	1	1	2
883 Corrosive aromatics, acids and caustic alkalis:—			
Ammonia	1	—	1
Carbolic acid	1	—	1
Phenol	1	—	1
Sodium bicarbonate	1	—	1
888 Other and unspecified solid and liquid substances:—			
Phosphorus	1	—	1
"Rodine" rat poison	1	—	1
Not stated	1	—	1
890 Gases in domestic use	86	109	195
892 Other carbon monoxide gas	2	—	2
894 Other specified gases and vapours:—			
Carbon dioxide	1	—	1
Total	112	134	246

SUICIDAL AND SELF-INFLICTED POISONING

	M.	F.	Total
970 Analgesic and soporific substances:—			
Butobarbitone	—	1	1
Carbital	2	3	5
Cyclobarbitone	1	2	3
Medinal	—	1	1
Methyl pentynol	1	—	1
Nembutal	2	5	7
Pentobarbitone	—	1	1
Persomnia	—	1	1
Phenobarbitone	8	3	6
Seconal	1	3	4
Sodium amytal	2	5	7
Soneryl	—	2	2
Tuinal	—	1	1
Barbiturate (unspecified)	2	3	5
Carried forward ...	14	31	45

	M.	F.	Total
Brought forward ...	14	31	45
971 Other solid and liquid substances:—			
Apiol	—	1	1
Caustic soda	—	1	1
Cresol	2	—	2
Cyanide	2	1	3
Hydrochloric acid	1	—	1
Lysol	2	5	7
Phenol	—	1	1
Phosphorus	1	1	2
Potassium cyanide	1	—	1
Prussic acid	1	—	1
"Rodine" rat poison	—	1	1
Tetrachlorethene	1	—	1
972 Gases in domestic use	107	75	182
973 Carbon monoxide	1	1	2
Total	133	118	251

DEATHS UNDER ANÆSTHETICS (SECONDARY CAUSE)

<i>Name of Anæsthetic</i>	M.	F.	Total
Ether and cyclopropane ...	1	1	2
Ether, and thiopentone* ...	-	1	1
Ether, thiopentone, cyclopropane and flaxedil ...	1	-	1
Ether, thiopentone, curare and flaxedil ...	1	-	1
Ether and nitrous oxide ...	7	11	18
Ether, nitrous oxide and cyclopropane ...	-	1	1
Ether, nitrous oxide and thiopentone	1	1	2
Ether, nitrous oxide, thiopentone and flaxedil ...	1	-	1
Ether, nitrous oxide, thiopentone and curare ...	1	-	1
Ether, nitrous oxide, trichlorethylene and scoline ...	-	1	1
Nitrous oxide ...	12	4	16
Nitrous oxide and cyclopropane ...	1	-	1
Nitrous oxide and flaxedil ...	3	-	3
Nitrous oxide and neothyl ...	-	1	1
Nitrous oxide and nupercaine ...	1	-	1
Nitrous oxide and pethidine ...	1	-	1
Nitrous oxide, pethidine and tubocurarine ...	1	-	1
Nitrous oxide and thiopentone ...	3	2	5
Nitrous oxide, thiopentone and curare	-	2	2
Nitrous oxide, thiopentone, cyclopropane and flaxedil ...	-	1	1
Nitrous oxide, thiopentone, cyclopropane, nupercaine and scoline	-	1	1
Nitrous oxide, thiopentone and flaxedil ...	3	2	5
Nitrous oxide, thiopentone, flaxedil and pethidine ...	1	1	2
Nitrous oxide, thiopentone, flaxedil and trichlorethylene ...	1	-	1
Nitrous oxide, thiopentone, flaxedil trichlorethylene and atropine ...	-	1	1
Nitrous oxide, thiopentone and gallamine (flaxedil) ...	-	1	1
Nitrous oxide, thiopentone, gallamine (flaxedil) and pethidine ...	2	-	2
Nitrous oxide, thiopentone and pethidine ...	1	1	2
Nitrous oxide, thiopentone, pethidine and scoline ...	1	1	2
Nitrous oxide, thiopentone, pethidine and tubarine ...	-	2	2
Nitrous oxide, thiopentone and scoline ...	3	1	4
Carried forward ...	47	37	84

<i>Name of Anæsthetic</i>	M.	F.	Total
Brought forward...	47	37	84
Nitrous oxide, thiopentone and trichlorethylene ...	-	1	1
Nitrous oxide, thiopentone, trichlorethylene and nupercaine ...	-	1	1
Nitrous oxide, thiopentone, trichlorethylene and pethidine ...	-	1	1
Nitrous oxide, thiopentone, trichlorethylene and scoline ...	1	1	2
Nitrous oxide, thiopentone, trichlorethylene and tubarine ...	-	1	1
Nitrous oxide, thiopentone and tubarine ...	1	1	2
Nitrous oxide, thiopentone, tubarine and procaine ...	1	-	1
Nitrous oxide, thiopentone and tubocurarine ...	1	-	1
Nitrous oxide and trichlorethylene	2	4	6
Thiopentone ...	7	4	11
Thiopentone, curare and pethidine	1	-	1
Thiopentone and cyclopropane	1	-	1
Thiopentone, cyclopropane, curare and pethidine ...	1	-	1
Thiopentone, cyclopropane and flaxedil ...	-	1	1
Thiopentone, cyclopropane and scoline ...	-	1	1
Thiopentone, cyclopropane, scoline and tubarine ...	-	1	1
Thiopentone, cyclopropane and tubocurarine ...	2	2	4
Thiopentone and flaxedil ...	1	3	4
Thiopentone, flaxedil and atropine	-	1	1
Thiopentone, flaxedil and pethidine	1	-	1
Thiopentone, flaxedil and scoline	1	-	1
Thiopentone, scoline and neothyl ...	1	-	1
Thiopentone and tubarine ...	-	2	2
Thiopentone, tubarine and pethidine	1	-	1
Thiopentone, tubarine, pethidine, scoline and largactil ...	1	-	1
Amethocaine ...	1	-	1
Curare, flaxedil, pethidine phenergan and largactil ...	1	-	1
Cyclopropane ...	3	3	6
Cyclopropane and curare ...	1	-	1
Cyclopropane and tubarine ...	-	1	1
Procaine ...	1	1	2
Xylocaine ...	2	-	2
Anæsthetic not stated ...	2	1	3
Total ...	82	68	150

* All cases of "pentothal" and "sodium pethothal" where they have been so described, are listed under "thiopentone".

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)

International Nos. Detailed List	CAUSES OF DEATH	All Ages	Ages																85 and over	Not stated				
			1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60			65	70	75	80
			-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-
	ALL CAUSES—Both Sexes	61645	2811	180	88	74	69	252	176	240	336	450	618	734	1215	1981	3157	4218	5555	7191	8847	9836	7891	5726
	Males	31329	1577	94	52	46	48	147	104	146	204	259	332	413	689	1185	1959	2515	3192	3778	4431	4627	3479	2052
	Females	30316	1234	86	36	28	21	105	72	94	132	191	286	321	526	796	1198	1703	2363	3413	4416	5209	4412	3674
	I. INFECTIVE AND PARASITIC DISEASES	802	17	14	8	6	6	9	4	6	14	44	58	50	56	71	95	95	91	64	51	30	7	6
	Total { M. F.	491	18	5	2	2	2	6	8	16	37	65	42	40	47	52	28	32	15	22	28	17	11	2
	TUBERCULOSIS (001-019)	619	2	5	3	2	2	2	1	4	13	40	51	45	46	64	78	75	73	44	40	23	4	2
	Respiratory Tuberculosis (001-008)	303	1	6	4	1	1	1	4	13	35	63	41	37	42	20	18	22	10	15	7	8	—	—
	Total { M. F.	555	1	2	—	—	—	—	1	2	13	36	45	38	42	60	72	72	68	42	38	19	3	
	Respiratory with occupational disease of lung ...	305	1	1	—	—	—	—	—	10	34	61	38	34	37	18	15	19	10	7	9	5	6	
	Respiratory with occupational disease of lung ...	17	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	3	3	4	—	—	
	Total { M. F.	533	—	—	—	—	—	—	1	1	12	36	45	38	42	58	70	69	64	39	34	18	3	
	Pulmonary ...	302	1	1	—	—	—	—	—	9	33	61	38	34	37	18	15	19	10	6	9	5	6	
	Pleural ...	4	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—
	Total { M. F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Primary complex with symptoms ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Tracheobronchial glandular with symptoms ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Total { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other respiratory ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
	Total { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Unspecified site ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Tuberculosis—other forms (010-019)	64	2	5	1	2	2	2	2	2	—	4	6	7	4	4	6	3	5	2	2	4	1	
	Total { M. F.	58	—	4	1	—	—	—	4	3	1	2	3	3	5	2	3	3	8	8	6	2	2	
	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
010	Meninges and central nervous system ... { M. F. ... }	20 17	2 5	5 5	1 2	2 1	2 1	2 1	3 1	1 1	1 1	1 1	1 1	1 1	3 1	1 1	1 2	1 1	1 1	1 1	1 1	1 2	1 1	1 1	1 1
011	Intestines, peritoneum and mesenteric glands ... { M. F. ... }	6 5	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	1 1	— —	2 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1
	<i>Bones and Joints, active or unspecified—</i>																								
012.0	Vertebral column ... { M. F. ... }	12 6	— —	— —	1 1	— —	— —	— —	— —	2 1	1 1	1 1	2 1	2 1	2 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1
012.3	Other bones and joints (012.1 & 2) ... { M. F. ... }	3 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	1 1	1 1	1 1	1 1	1 1	— —	1 1	1 1	1 1	1 1	1 1
	<i>Late effects of Bones and Joints—</i>																								
013.0	Vertebral column ... { M. F. ... }	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —
013.3	Other bones and joints (013.1 & 2) ... { M. F. ... }	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
014	Skin and subcutaneous cellular tissue ... { M. F. ... }	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
015	Lymphatic system ... { M. F. ... }	2 7	— —	— —	1 1	— —	— —	— —	1 1	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	1 1	1 1	— —	— —	— —	— —
016	Genito-urinary system ... { M. F. ... }	17 9	— —	— —	— —	— —	— —	— —	— —	— —	2 1	5 1	4 2	4 2	— —	1 1	1 2	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1
017	Adrenal glands ... { M. F. ... }	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
018	Other organs ... { M. F. ... }	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
019	Disseminated tuberculosis ... { M. F. ... }	1 6	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	1 1	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	<i>Syphilis and its sequelae (020-029)—Total</i> { M. F. ... }	70 27	— 1	— —	— —	— —	— —	— —	— —	— —	— —	1 1	2 1	2 1	3 1	4 4	10 4	10 3	13 5	15 5	8 3	3 1	3 1	3 1	3 1
020	Congenital syphilis ... { M. F. ... }	— 2	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
021	Early syphilis ... { M. F. ... }	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
022	Aneurysm of aorta ... { M. F. ... }	22 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	1 —	2 —	1 —	1 —	4 —	7 —	5 —	1 —	1 —	1 —
023	Other cardiovascular syphilis ... { M. F. ... }	23 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	2 —	4 —	4 —	5 —	4 —	4 —	2 —	2 —	2 —	2 —

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES															85 and over	Not Stated						
			Ages																						
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-			55-	60-	65-	70-	75-	80-
	I. INFECTIVE AND PARASITIC DISEASES—<i>continued</i>																								
	<i>Syphilis and its sequelæ (020-029)—continued</i>																								
024	Tabes dorsalis { M. F.	7 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	1	1	-	-
025	General paralysis of insane ... { M. F.	12 9	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	2	2	2	2	-	-	-
026	Other syphilis of central nervous system { M. F.	3 5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-
027	Other forms of late syphilis ... { M. F.	1 -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
028	Latent syphilis... .. { M. F.	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
029	Syphilis unqualified { M. F.	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	<i>Gonococcal infection and other venereal diseases (030-039)—</i>																								
030	Acute or unspecified gonorrhœa ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
031	Chronic gonococcal infection of genito-urinary system ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
032	Gonococcal infection of joint ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Gonococcal infection of eye ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Gonococcal infection of other sites ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
035	Late effects of gonococcal infection ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
036	Chancroid
037	Lymphogranuloma venereum
038	Granuloma inguinale venereal
039	Other and unspecified venereal diseases
	<i>Infectious Diseases commonly arising in intestinal tract (040-049)—</i>																								
040	Typhoid fever	1
041	Paratyphoid fever	2
042	Other salmonella infections ...	2	1
043	Cholera
044	Brucellosis (undulant fever)
045	Bacillary dysentery	4	2	1
046	Amoebiasis	1
047	Other protozoal dysentery
048	Unspecified forms of dysentery ...	2
049	Food poisoning (infection and intoxication)	1
	<i>Other Bacterial Diseases (050-064)—</i>																								
050	Scarlet fever	1
051	Streptococcal sore throat ...	2
052	Erysipelas

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES															85 and over	Not Stated					
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-			55-	60-	65-	70-	75-
	I. INFECTIVE AND PARASITIC DISEASES—<i>continued</i>																							
	<i>Other Bacterial Diseases (050-064)—continued</i>																							
053	Septicæmia and pyæmia ... { M. F.	8 11	2 1	1	-	-	-	-	-	-	-	-	1	-	1 3	-	2	-	1	-	1	1	-	-
054	Bacterial toxæmia ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
055	Diphtheria ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
056	Whooping cough ... { M. F.	3 7	2 6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
057	Meningococcal infections ... { M. F.	18 11	5 4	3 4	1 1	2 1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
058	Plague ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
059	Tularæmia ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
060	Leprosy... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
061	Tetanus... { M. F.	6	-	-	-	-	-	-	2	1	-	-	-	-	1	-	1	-	-	-	-	1	-	
062	Anthrax ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
063	Gas gangrene ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
064	Other bacterial diseases ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	<i>Spirochetal diseases, except syphilis</i> (070-074)—																								
070	Vincent's infection
071	Relapsing fever
072	Leptospirosis icterohæmorrhagica (Weil's disease)
073	Yaws
074	Other spirochetal and leptospiro- chetal infections
	<i>Diseases attributable to viruses (080-096)</i>																								
080	Acute poliomyelitis ...	17
081	Late effects of acute poliomyelitis ...	5
082	Acute infectious encephalitis ...	3
083	Late effects of acute infectious encephalitis ...	19
084	Smallpox
085	Measles ...	8
086	Rubella (German measles) ...	12
087	Chickenpox
088	Herpes Zoster ...	3
089	Mumps ...	5
090	Dengue ...	1
091	Yellow fever

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																	85 and over	Not Stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-
	I. INFECTIVE AND PARASITIC DISEASES—continued																								
	<i>Diseases attributable to Viruses (080-096)— continued</i>																								
092	Infectious hepatitis ... { M. F. }	7	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	1	1	-	-	-
093	Glandular fever (infectious mono- nucleosis) ... { M. F. }	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
094	Rabies ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
095	Trachoma ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
096	Other diseases attributable to viruses { M. F. }	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Typhus and other rickettsial diseases (100-108)—</i>																								
100	Louse-borne epidemic typhus ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101	Flea-borne endemic typhus (murine) { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102	Brill's disease, not specified as louse- or flea-borne typhus ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
104	Tick-borne typhus ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
105	Mite-borne typhus ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
106	Wolynian fever (trench fever)	M. F.
107	Typhus, unspecified ...	M. F.
108	Other rickettsial diseases	M. F.
110	<i>Malaria</i> (110-117)—																								
	Vivax malaria (benign tertian)	M. F.
111	Malaria malaria (quartan)	M. F.
112	Falciparum malaria (malignant tertian)	M. F.
113	Ovale malaria	M. F.
114	Mixed malarial infections	M. F.
115	Blackwater fever	M. F.
116	Other and unspecified forms of malaria	M. F.
117	Recurrent induced malaria	M. F.
<i>Other infective and parasitic diseases</i> (120-138)—																									
120	Leishmaniasis	M. F.
121	Trypanosomiasis	M. F.
122	Other protozoal diseases	M. F.
123	Schistosomiasis	M. F.
124	Other trematode infestation	M. F.
125	Hydatid disease	M. F.

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not Stated							
			Ages																								
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-	80-		
	I. INFECTIVE AND PARASITIC DISEASES—<i>continued</i> <i>Other infective and parasitic diseases (120-138)— continued</i>																										
126	Other cestode infestation ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127	Filariasis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	Trichiniasis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129	Ankylostomiasis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130	Infestation with worms of other, { mixed and unspecified type ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131	Dermatophytosis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132	Actinomycosis ... { M. F.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133	Coccidioidomycosis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134	Other fungus infections ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135	Scabies ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	Pediculosis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Other arthropod infestation ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	Other infective and parasitic diseases { (b) { M. F.	3 3 (c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	(aa)	(ab)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
II. NEOPLASMS	TOTAL { M. F.	5503 5196	5 7	6 3	4 1	4 5	8 3	17 13	11 9	16 16	18 17	25 29	40 69	86 89	146 190	292 290	520 457	680 500	782 646	797 702	783 760	712 686	402 463	148 239	-
MALIGNANT NEOPLASMS (140-205)	TOTAL { M. F.	5462 5123	4 5	5 3	4 1	4 5	8 1	17 13	11 9	16 16	17 17	25 28	39 67	86 84	143 185	290 284	514 449	677 491	778 640	782 753	797 686	712 686	402 460	146 236	-
<i>Malignant neoplasm of buccal cavity and pharynx (140-148)---</i>																									
140	Lip ...	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	2	-	
141	Tongue ...	46	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	7	16	10	4	-	
142	Salivary gland ...	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	1	1	4	1	-	
143	Floor of mouth ...	24	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	4	9	4	-	-	
144.a	Palate upper alveoli ...	16	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	5	4	1	2	-
144.b	Cheek internal ...	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	-	
145	Oral mesopharynx ...	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	7	2	3	1	-	
146	Nasopharynx ...	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	2	1	1	1	-	
147	Hypopharynx ...	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	4	1	-	-	
148.a	Pharynx ...	21	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	5	1	6	4	3	-	
148.b	Throat ...	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	2	2	-	-	
<i>Malignant neoplasm of digestive organs and peritoneum (150-159)---</i>																									
150	Esophagus ...	178	-	-	-	-	-	-	-	-	-	-	-	2	3	9	8	17	12	42	34	30	16	5	-
151	Stomach ...	926	-	-	-	-	-	-	-	-	-	-	4	12	30	56	76	102	131	157	127	128	73	30	-
		847	-	-	-	-	-	-	-	-	-	4	3	7	15	30	49	65	108	109	150	157	98	52	-

(a)	(b) Malignant neoplasm of respiratory system (160-165)—	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
160	Nose, nasal cavities, middle ear, and accessory sinuses ... { M. F. ... }	11 12	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	1	1	2	1	-
161	Larynx ... { M. F. ... }	64 27	-	-	-	-	-	-	-	-	-	-	1	-	1	1	7	6	11	10	11	11	5	1	-
	<i>Trachea, bronchus, lung specified as primary—</i>																								
162.a	Trachea... { M. F. ... }	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
162.b	Bronchus ... { M. F. ... }	873 159	-	-	-	-	-	1	1	-	-	5	11	29	59	135	172	174	144	83	41	16	3	-	-
162.c	Lung ... { M. F. ... }	641 126	-	-	-	-	-	-	-	1	1	2	7	16	45	75	123	141	105	64	36	22	8	4	-
162.d	Pleura ... { M. F. ... }	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	<i>Lung and bronchus, unspecified as primary or secondary—</i>																								
163.a	Trachea... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163.b	Bronchus ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163.c	Lung ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163.d	Pleura ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	Mediastinum ... { M. F. ... }	20 6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	4	3	1	5	1	1	1	-
165	Thoracic organs secondary ... { M. F. ... }	2 4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	-	-
	<i>Malignant neoplasm of breast and genitourinary organs (170-181)—</i>																								
170	Breast ... { M. F. ... }	6 338	-	-	-	-	-	1	1	3	-	-	8	16	49	73	93	99	91	120	103	84	63	1	-
171	Cervix uteri ... { M. F. ... }	229	-	-	-	-	-	-	-	-	-	-	4	14	32	25	29	27	33	19	24	13	7	2	-
172	Corpus uteri ... { M. F. ... }	39	-	-	-	-	-	-	-	-	-	1	1	2	1	5	3	9	10	2	3	2	-	-	-

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos.	Detailed List	CAUSES OF DEATH	All Ages	AGES																			85 and over	Not stated		
				1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-			80-	
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-
II. NEOPLASMS—continued																										
Malignant neoplasm of breast and genito-urinary organs (170-181)—continued																										
173		Uterus, other parts including chorion-epithelioma	F.	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
174		Uterus, unspecified	F.	220	-	-	-	-	-	-	-	-	3	2	8	17	25	18	35	32	33	28	15	4	-	-
175		Ovary, Fallopian tube, broad ligament	F.	254	-	1	-	-	-	1	1	-	3	6	12	34	34	38	39	34	23	17	5	6	-	-
176		Other and unspecified female genital organs	F.	54	-	-	-	-	-	-	-	-	-	2	-	-	-	3	6	8	9	7	9	1	-	-
177		Prostate	M.	328	-	1	-	-	-	-	-	-	-	-	-	1	6	14	28	41	74	79	60	24	-	-
178		Testis	M.	14	-	-	1	-	-	-	1	3	2	3	-	1	2	-	-	1	-	-	-	-	-	-
179. ^a		Penis	M.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	2	1	-	-	-
179. ^b		Scrotum	M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-
179. ^c		Other male genital organs	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180		Kidney	{ M. F.	107 74	-	1	1	-	-	-	-	-	2	1	6	8	21	11	15	15	8	12	4	2	-	-
181. ^a		Bladder	{ M. F.	161 90	-	-	-	-	-	-	1	-	3	2	3	4	14	19	17	26	22	30	17	3	-	-
181. ^b		Other urinary organs	{ M. F.	5 1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-
Malignant neoplasm of other and unspecified sites (190-199)—																										
190		Melanoma of skin	{ M. F.	22 19	-	-	-	-	-	-	1	2	-	1	2	2	2	3	2	3	1	3	1	1	-	-
191. ^a		Skin of face	{ M. F.	12 17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	1	3	1	-	-
(e)		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
191.b	Anus ...	M. { F. 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-
191.c	Skin, other parts	M. { F. 21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	5	4	2	5	1	-
192	Eye ...	M. { F. 10	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	1	1	3	4	4	-	-
193.a	Brain ...	M. { F. 99	1	-	-	-	1	3	-	-	3	1	1	2	8	19	21	15	12	4	6	1	-	-	-
193.b	Spinal cord	M. { F. 4	-	-	-	-	-	1	-	-	1	1	6	1	1	3	14	7	2	2	3	1	-	-	-
193.c	Other parts of nervous system	M. { F. 8	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-
194	Thyroid gland ...	M. { F. 10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	2	1	-	-
195	Other endocrine glands	M. { F. 5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-
196.a	Jaw ...	M. { F. 19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	7	6	2	1	-
196.b	Spine ...	M. { F. 8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	4	2	1	2	1	-	-
196.c	Other bones	M. { F. 63	-	-	-	-	-	1	1	4	2	2	2	2	2	6	5	10	8	6	4	3	4	1	-
197	Connective tissue	M. { F. 8	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	2	1	2	1	-	-	-	-
198	Lymph nodes, secondary and un- specified	M. { F. 5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	-
199.a	Other sites	M. { F. 23	-	-	-	-	-	-	-	-	-	1	-	1	-	1	4	2	3	4	6	3	4	1	-
199.b	Unspecified	M. { F. 3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	-	-	-	-
<i>Neoplasms of lymphatic and hematopoietic tissues (200-205)—</i>																									
200	Lymphosarcoma and reticulosarcoma	M. { F. 67	1	-	-	-	-	1	-	-	2	1	2	2	4	5	7	3	10	10	5	10	5	-	-
201	Hodgkin's disease	M. { F. 60	-	-	-	-	-	-	1	4	2	5	3	7	6	6	8	5	4	2	6	1	2	1	-
202	Other forms of lymphoma (reticulosis)	M. { F. 16	1	-	-	-	-	-	-	-	-	-	1	1	2	1	2	3	-	2	2	2	1	-	-
		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

International Nos.	Detailed List	CAUSES OF DEATH	All Ages	AGES																	85 and over	Not Stated			
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-
II. NEOPLASMS—continued																									
Neoplasms of lymphatic and hematopoietic tissues (200-205)—continued																									
203		Multiple myeloma (plasmocytoma) ... { M. F.	25 24	-	-	-	-	-	-	-	-	-	-	1	-	1	4	7	3	6	3	2	3	3	1
204.0		Lymphatic leukemia ... { M. F.	50 31	-	2	1	1	2	9	1	2	-	1	1	1	2	5	2	2	4	8	6	2	1	2
204.1		Myeloid leukemia ... { M. F.	43 40	1	-	-	1	-	1	1	2	1	1	3	4	3	3	4	4	4	6	3	2	1	-
204.4		Other and unspecified (204.2 & 3) ... { M. F.	45 38	-	1	-	1	-	3	3	4	2	1	-	1	3	4	3	5	3	1	5	4	2	1
205		Mycosis fungoides ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Benign neoplasm (210-229)—																									
210		Buccal cavity and pharynx ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
211		Other parts of digestive system ... { M. F.	2 6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	3	-
212		Respiratory system ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213		Breast ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214		Uterine fibromyoma ... F.	11	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-	1	-	-	1	1	1	-
215		Other uterus ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
216		Ovary ... F.	13	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	2	-	2	1	-	1
217		Other female genital organs ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
218		Male genital organs ... M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)		
219. ^a	Bladder	M. ... F. ...	9 3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	3	1	1		
219. ^b	Kidney and other urinary organs	M. ... F. ...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-			
220	Melanoma of skin	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
221	Pilonidal cyst	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
222	Other skin	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
223	Brain and other parts of nervous system	M. ... F. ...	6 14	-	-	-	1	-	-	1	1	1	1	1	1	2	1	4	2	1	2	-	-	-			
224	Endocrine glands	M. ... F. ...	4 3	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-			
225	Bone and cartilage	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
226	Lipoma	M. ... F. ...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
227	Other muscular and connective tissue	M. ... F. ...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-			
228	Hamangioma and lymphangioma	M. ... F. ...	2 2	1 1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
229	Other and unspecified organs and tissues	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-			
Neoplasm of unspecified nature (230-239)—																											
230	Digestive organs	M. ... F. ...	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-			
231	Respiratory organs	M. ... F. ...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-			
232	Breast	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
233	Uterus	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
234	Ovary	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
235	Other female genital organs	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	<i>Diseases of thyroid gland (250-254)</i> —																								
250	Simple goitre ... { M. F. }	1 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 3	—	—	—	—
251	Non-toxic nodular goitre ... { M. F. }	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 1	—	—	—
252	Thyrotoxicosis with or without goitre { M. F. }	8 24	1	—	—	—	—	—	—	—	—	—	2 1	1 1	1 1	1 1	3 4	1 2	1 2	—	—	5 1	—	—	—
253	Myxoedema and cretinism ... { M. F. }	8 45	—	—	—	—	—	—	—	—	—	—	1 1	—	—	—	—	1 3	5 8	1 2	1 10	2 9	1 5	—	—
254	Other diseases of thyroid gland ... { M. F. }	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diabetes mellitus (280)</i> —																								
280	Diabetes mellitus ... { M. F. }	141 318	—	1	—	—	—	—	1 1	1 2	1 1	1 1	5 4	4 6	7 1	2 5	8 4	9 30	9 57	24 72	30 50	10 52	19 26	7 8	—
	<i>Diseases of other endocrine glands (270-277)</i> —																								
270	Disorders of pancreatic internal secretion other than diabetes mellitus { M. F. }	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
271	Diseases of parathyroid gland ... { M. F. }	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
272	Diseases of pituitary gland ... { M. F. }	6 16	—	—	—	—	—	—	—	—	—	—	—	1	3	1	3	1 1	1 1	2 —	1 2	—	1 —	—	—
273	Diseases of thymus gland ... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
274	Diseases of adrenal glands ... { M. F. }	5 7	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	1	—	—	2	1	—
275	Ovarian dysfunction ... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
276	Testicular dysfunction ... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
277	Polyglandular dysfunction and other diseases of endocrine glands ... { M. F. }	1 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES														85 and over	Not Stated						
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-	75-
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES—continued <i>Avitaminoses and other metabolic diseases (280-289)—</i>																							
280	Beriberi... .. { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
281	Pellagra... .. { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282	Scurvy... .. { M. F. }	1 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1	-	-	-	-	-
283	Active rickets... .. { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284	Late effects of rickets... .. { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
285	Osteomalacia... .. { M. F. }	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
286	Other avitaminoses and nutritional deficiency states... .. { M. F. }	14 20	-	-	-	-	1	1	-	-	-	-	-	1	1	1	1	1	1	4	1	1	3	3
287	Obesity, not specified as of endocrine origin... .. { M. F. }	2 6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	2	1	1	1
288	Gout... .. { M. F. }	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
289	Other metabolic diseases... .. { M. F. }	12 9	1 1	-	-	-	-	-	1	-	-	-	-	2	1	1	2	4	1	1	1	1	-	-
	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS																							
	Total { M. F. }	98 161	1 1	-	-	-	-	2 1	3 3	1	2	1	2 3	2	3	4	6	10	5	20	18	15	2	2
290. ^a	Pernicious anemia... .. { M. F. }	34 81	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	5	8	8	2	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
290.6	Sub-acute combined degeneration without mention of pernicious anemia	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
291	Iron deficiency anemias (hypochromic anemias) ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
292	Other anemias of specified type ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
293	Anæmia of unspecified type ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
294	Polycythæmia ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
295	Hæmophilia ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
296	Purpura and other hæmorrhagic conditions ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
297	Agranulocytosis ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
298	Diseases of spleen ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
299	Other diseases of blood and blood-forming organs ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS																									
Psychoses (300-309)—																									
300	Schizophrenic disorders (dementia præcox) ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
301	Manic-depressive reaction ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
302	Involutional melancholia ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
303	Paranoia and paranoid states ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
304	Senile psychosis ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total { M. { F.																									
		67 91	2 1	1 5	2 -	-	-	3 1	1 2	1 1	3 1	2 1	3 7	3 5	1 2	3 1	3 5	3 1	5 10	5 13	4 6	10 5	11 12	4 8	4 6

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	Ages																	85 and over	Not Stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS— <i>continued</i>																								
	<i>Psychoses (300-309)—continued</i>																								
305	Presenile psychosis ... { M. F.	2 17	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	9	-	-	-	-	-	-	-
306	Psychosis with cerebral arteriosclerosis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
307	Alcoholic psychosis ... { M. F.	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
308	Psychosis of other demonstrable etiology ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
309	Other and unspecified psychoses ... { M. F.	1 4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1
	<i>Psychoneurotic disorders (310-318)—</i>																								
310	Anxiety reaction without mention of somatic symptoms ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
311	Hysterical reaction without mention of anxiety reaction ... { M. F.	1 5	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
312	Phobic reaction ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
313	Obsessive-compulsive reaction ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
314	Neurotic-depressive reaction ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
316	Psychoneurosis with somatic symptoms (sonatization reaction) affecting digestive system	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
317	Psychoneurosis with somatic symptoms (sonatization reaction) affecting other systems	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
318	Psychoneurotic disorders, other, mixed, and unspecified types	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	<i>Disorders of character, behaviour and intelligence (320-326)</i>																								
320	Pathological personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
321	Immature personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
322	Alcoholism	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	2	1	-	-	-	-
323	Other drug addiction	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-
324	Primary childhood behaviour disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
325	Mental deficiency	16	2	1	2	-	-	-	2	1	3	1	2	1	-	-	-	-	-	1	-	-	-	-	-
326	Other and unspecified disorders	14	1	5	-	-	-	-	1	2	-	-	4	-	-	-	-	-	1	-	-	-	-	-	-
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS																								
	Total	4396	15	8	4	3	3	9	9	13	19	18	14	18	51	90	153	256	378	584	830	904	655	362	-
	<i>Vascular lesions affecting central nervous system (330-334)</i>	6006	14	3	5	1	-	12	7	6	9	9	26	25	55	112	192	302	494	745	1082	1236	977	694	-
	Subarachnoid haemorrhage	4020	2	1	-	-	-	1	1	2	1	6	8	8	33	62	122	226	339	543	790	870	640	359	-
330	Cerebral haemorrhage	5587	-	-	-	-	-	-	-	-	1	5	2	7	36	84	167	273	448	699	1029	1185	959	678	-
331	Cerebral embolism and thrombosis	94	-	1	-	-	-	1	-	1	4	3	5	1	13	9	10	14	10	13	3	4	2	3	-
332	Spasm of cerebral arteries	119	-	-	-	-	-	-	-	-	1	2	-	4	4	14	12	13	17	15	11	13	2	3	-
	Total	1730	2	-	-	-	1	-	1	-	2	3	3	6	15	35	80	122	186	282	333	343	197	119	-
333	Other and unspecified disorders	2451	-	-	-	-	-	-	-	-	3	2	2	8	22	53	112	183	249	366	470	448	322	210	-
	Total	1888	-	-	-	-	-	-	-	-	-	-	-	1	5	18	31	83	129	222	393	445	366	195	-
	Total	2855	-	-	-	-	-	-	-	-	-	-	1	1	6	17	40	72	165	279	493	639	550	392	-
	Total	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International No.	Detailed List	CAUSES OF DEATH	All Ages	AGES														85 and over	Not Stated					
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-
334		VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS— <i>continued</i> <i>Vascular lesions affecting central nervous system (330-334)—continued</i> Other and ill-defined vascular lesions affecting central nervous system { M. F.	306 362	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	13	26	61	77	75
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	17	39	55	85
340		<i>Inflammatory diseases of central nervous system (340-345)—</i> Meningitis, except meningococcal and tuberculous ... { M. F.	30 18	6 8	1 2	- 1	- -	2 1	1 -	3 -	1 -	1 -	2 -	4 -	1 -	2 1	2 1	- 1	- 2	- 1	1 3	- -	2 -	1 -
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
341		Phlebitis and thrombophlebitis of intracranial venous sinuses ... { M. F.	1 2	1 1	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
342		Intracranial and intraspinal abscess { M. F.	4 7	- -	- -	- -	1 2	- -	- -	- -	- -	- -	- -	- 2	- -	2 2	- -	- -	- -	1 1	- -	- -	- -	- -
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
343		Encephalitis, myelitis, and encephalomyelitis (except acute infectious) { M. F.	17 16	2 2	3 2	- 2	- -	1 1	2 1	- -	- -	- -	1 -	2 -	1 1	2 1	- 1	- 1	- 1	2 2	- 2	1 2	- -	1 -
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
344		Late effects of intracranial abscess or pyogenic infection ... { M. F.	3 5	- 1	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- 1	- -	1 1	- 1	- 1	- 1	- -	- -	- -	1 -	- -
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345		Multiple sclerosis ... { M. F.	62 97	- -	- -	- -	- -	- 1	3 1	3 8	1 7	4 7	7 6	11 12	14 15	6 13	6 12	5 10	4 6	- 4	- -	- -	- -	- -
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
350		<i>Other diseases of central nervous system (350-357)—</i> Paralysis agitans ... { M. F.	72 98	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 2	1 3	2 3	14 11	13 14	18 26	3 7	18 25	3 7	7 7	- -
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
351		Cerebral spastic infantile paralysis ... { M. F.	13 11	- 2	- 2	- -	- 3	2 1	- 1	1 1	- -	- -	- -	- 1	- -	- -	- 1	1 1	1 2	2 2	1 1	1 2	1 1	- -
			(d)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
352	Other cerebral paralysis ...	M. { F.	36 49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
353	Epilepsy ...	M. { F.	47 53	2 2	1	-	-	8 5	4 2	3 3	8 3	1 1	3 7	2 5	2 6	3 5	1 2	1 4	3 2	1 1	4 2	6 4	12 1	8 1	7
354	Migraine ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
355	Other diseases of brain ...	M. { F.	23 24	-	-	-	-	-	-	-	-	-	-	1	3	1	1	5	3	2	5	3	1	1	1
356	Motor neurone disease and muscular atrophy ...	M. { F.	45 24	-	-	-	-	1	1	1	-	-	1	1	3	2	6	4	7	6	3	5	4	-	-
357	Other diseases of spinal cord ...	M. { F.	5 6	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	1	1	1	-	-	-	-
<i>Diseases of nerves and peripheral ganglia (360-369)—</i>																									
360	Facial paralysis ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
361	Trigeminal neuralgia ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
362	Brachial neuritis ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
363	Sciatica ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
364	Polynuritis and polyradiculitis ...	M. { F.	1 1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
365	Erythrodema polynuritica ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
366	Other and unspecified forms of neuralgia and neuritis ...	M. { F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
367	Other diseases of cranial nerves ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
368	Other diseases of peripheral nerves except autonomic ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
369	Diseases of peripheral autonomic nervous system ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	Ages														85 and over	Not stated								
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-	75-	80-	
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS— <i>continued</i>																									
	<i>Inflammatory diseases of eye (370-379)—</i>																									
370	Conjunctivitis and ophthalmia ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
371	Blepharitis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
372	Hordeolum (stye) ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
373	Iritis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
374	Keratitis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
375	Choroiditis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376	Other inflammation of uveal tract { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
377	Inflammation of optic nerve and retina ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
378	Inflammation of lachrymal glands and ducts ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
379	Other inflammatory diseases of eye ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Other diseases and conditions of eye (380-389)—</i>																									
380	Refractive errors ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
381 (a)	Corneal ulcer ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
382	Corneal opacity ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
383	Pterygium ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
384	Strabismus ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
385	Cataract ...	M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
386	Detachment of retina ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
387	Glaucoma ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
388	Other diseases of eye ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
389	Blindness ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Diseases of ear and mastoid process (390-398)</i>																									
390	Otitis externa ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
391	Otitis media without mention of mastoiditis ...	M. F.	15 5	3 1	- -	1 -	- -	- -	- -	- -	- -	2 -	- -	1 -	- -	2 -	- -	- -	1 -	- -	- -	- -	1 -	- -	1 -
392	Otitis media with mastoiditis ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
393	Mastoiditis without mention of otitis media ...	M. F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
394	Other inflammatory diseases of ear ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
395	Ménière's disease ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
396	Other diseases of ear and mastoid process ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
397	Deaf mutism ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398	Other deafness ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

International Nos.	Detailed List	CAUSES OF DEATH	All Ages	AGES																		85 and over	Not Stated			
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-	80-
		VII. DISEASES OF THE CIRCULATORY SYSTEM		11729 11587																						
		TOTAL { M. F.																								
		<i>Rheumatic fever (400-402)—</i>																								
		Without mention of heart involvement { M. F.																								
		With heart involvement ... { M. F.																								
		Chorea ... { M. F.																								
		HEART DISEASE (410-443) Total { M. F.																								
		<i>Chronic rheumatic heart disease (410-416)—</i>																								
		Mitral valve ... { M. F.																								
		Aortic valve specified as rheumatic { M. F.																								
		Tricuspid valve ... { M. F.																								
		Pulmonary valve specified as rheumatic ... { M. F.																								
		Other endocarditis specified as rheumatic ... { M. F.																								
		Other myocarditis specified as rheumatic ... { M. F.																								
		Other heart disease specified as rheumatic ... { M. F.																								
		(a)																								

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
420.0	Arteriosclerotic and degenerative heart disease (420-422)—	162 148	—	—	—	—	—	—	—	—	—	—	—	—	—	6	7	10	12	15	33	27	38	14	—
	Arteriosclerotic heart disease ... { M. F.		—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	3	6	16	35	26	28	30	—
420.1	Coronary thrombosis (420.2) ... { M. F.	5296 3133	—	—	—	—	—	—	—	—	—	—	—	46	142	299	509	604	714	875	878	671	372	143	—
421	Chronic endocarditis not specified as rheumatic ... { M. F.	169 193	—	—	—	—	—	—	—	—	—	—	—	3	4	10	9	17	24	30	19	25	13	9	—
422.0	Fatty degeneration of heart ... { M. F.	8 29	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	2	—	2	1	—	—	12	—
422.1	Myocardial degeneration with arteriosclerosis ... { M. F.	2063 2906	—	—	—	—	—	—	—	—	—	—	—	—	3	3	14	37	86	151	304	521	548	395	—
422.2	Other myocardial degeneration ... { M. F.	1669 2238	—	—	—	—	—	—	—	—	—	—	—	8	7	14	45	54	111	168	275	366	356	263	—
	Other diseases of heart (430-434)—		—	—	—	—	—	—	—	—	—	—	—	7	3	11	28	57	98	191	298	527	505	510	—
430	Acute and subacute endocarditis ... { M. F.	16 12	—	—	—	—	—	—	—	—	—	—	—	2	—	1	4	1	2	1	1	2	—	—	—
431	Acute myocarditis not specified as rheumatic ... { M. F.	40 57	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	1	4	5	9	4	6	5	—
432	Acute pericarditis specified as non-rheumatic ... { M. F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—
433	Functional disease of heart ... { M. F.	112 181	—	—	—	—	—	—	—	—	—	—	—	—	—	3	9	6	10	15	21	29	16	10	—
434	Other and unspecified diseases of heart ... { M. F.	153 148	—	—	—	—	—	—	—	—	—	—	—	1	4	6	12	17	19	21	33	34	26	20	—
	Hypertensive disease (440-447)—		—	—	—	—	—	—	—	—	—	—	—	—	3	3	11	8	18	12	32	16	19	13	—
440	Essential benign hypertension with heart disease ... { M. F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
441	Essential malignant hypertension with heart disease ... { M. F.	12 8	—	—	—	—	—	—	—	—	—	—	—	—	1	2	4	2	2	—	—	1	2	—	—
442	Hypertensive heart disease with arteriolar nephrosclerosis ... { M. F.	32 64	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3	3	3	2	10	10	2	—
443	Other and unspecified hypertensive heart disease ... { M. F.	510 679	—	—	—	—	—	—	—	—	—	—	—	1	2	7	18	31	71	80	100	107	66	26	—
444	Essential benign hypertension without mention of heart ... { M. F.	122 168	—	—	—	—	—	—	—	—	—	—	—	1	2	4	9	36	50	101	148	172	101	55	—
			—	—	—	—	—	—	—	—	—	—	—	1	2	1	5	14	20	17	19	25	11	6	—
			—	—	—	—	—	—	—	—	—	—	—	1	1	2	20	20	12	37	35	24	16	15	—

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

TABLE 42.—Causes of Death by Age-Groups																									
International Nos.	Detailed List	All Ages	AGES																85 and over	Not Stated					
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-	80-
	CAUSES OF DEATH																								
	VII. DISEASES OF THE CIRCULATORY SYSTEM—continued																								
	<i>Hypertensive Disease (440-447)—continued</i>																								
445	Essential malignant hypertension without mention of heart ... { M. F.	50 35	-	-	-	-	-	-	-	-	-	-	3	1	4	11	10	7	6	7	1	-	-	-	-
446	Hypertension with arterio- sclerosis without mention of heart ... { M. F.	87 71	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	4	4	9	10	5	16	16	14
447	Other hypertensive disease without mention of heart ... { M. F.	84 93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	11	10	18	22	25	11
	<i>Diseases of arteries (450-456)—</i>																								
450	General arteriosclerosis ... { M. F.	615 623	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	14	49	83	167	149	143	161
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm ... { M. F.	52 38	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	9	8	10	11	8	2	1	4
452	Other aneurysm, except of heart and aorta ... { M. F.	7 1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-
453	Peripheral vascular disease ... { M. F.	6 2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	1	1	-	-
454	Arterial embolism and thrombosis ... { M. F.	11 11	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	2	-	-	2	1	1	1	1
455	Gangrene of unspecified cause ... { M. F.	17 19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	4	5	3
456	Other diseases of arteries ... { M. F.	12 12	-	-	-	-	-	1	1	1	-	-	1	-	2	3	1	1	2	-	1	1	-	-	-
480	<i>Diseases of veins and other diseases of circulatory system (460-468)—</i>																								
	Varicose veins of lower extremities ... { M. F.	17 (c)	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	3	-	3	-	-	2	1
			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
461	Hemorrhoids	1 M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
462	Varicose veins of other specified sites	11 M. F.	—	—	—	—	—	—	—	—	—	—	—	—	2	1	2	1	1	2	—	—	—	—
463	Phlebitis and thrombophlebitis of lower extremities	11 M. F.	—	—	—	—	—	—	—	—	—	—	1	1	—	2	1	2	4	5	—	1	1	—
464	Phlebitis and thrombophlebitis of other sites	3 M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	2	—	—	—
465	Pulmonary embolism and infarction	35 M. F.	1	—	—	—	—	—	—	—	1	1	—	2	1	1	7	5	7	4	4	2	1	—
466	Other venous embolism and thrombosis	26 M. F.	—	—	—	—	—	—	—	—	—	—	—	1	3	1	5	5	2	11	9	7	1	—
467	Other diseases of circulatory system	11 M. F.	—	—	—	—	—	—	—	—	—	—	—	1	1	3	2	2	10	7	8	1	2	—
468	Certain diseases of lymph nodes and lymph channels	1 M. F.	—	1	—	—	—	—	—	—	—	—	—	2	—	1	—	2	2	—	—	1	1	—
VIII. DISEASES OF THE RESPIRATORY SYSTEM																								
		2834	182	24	5	1	3	8	11	8	5	9	29	41	93	176	276	393	404	376	378	264	143	—
		1879	153	18	4	3	2	3	10	5	3	8	19	24	41	55	77	123	199	229	366	296	234	—
<i>Acute upper respiratory infections (470-475)—</i>																								
470	Acute nasopharyngitis (common cold)	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
471	Acute sinusitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
472	Acute pharyngitis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
473	Acute tonsillitis	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
474	Acute laryngitis and tracheitis	5	1	2	1	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—	—
475	Acute upper respiratory infection of multiple or unspecified sites	6	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

International Nos.	Detailed List	CAUSES OF DEATH	All Ages	AGES																		85 and over	Not Stated			
				Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-	80-
480		Influenza (480-483)—	Total { M. F.	96 116	4 6	— —	— —	1 —	— —	2 4	1 —	— —	2 —	— —	3 1	— 1	2 1	4 4	7 3	10 8	12 7	9 28	14 17	17 17	9 24	
				40 40	4 2	— —	— —	1 —	— —	2 3	1 —	— —	1 —	— —	2 1	— —	— —	3 1	2 2	3 3	4 4	2 5	3 8	7 4	8 8	
				17 23	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
				37 51	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
482		With digestive manifestations, but without respiratory symptoms	{ M. F.	2 2	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
				2 2	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
483		With nervous manifestations, but without digestive or respiratory symptoms	{ M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
				— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
490		Pneumonia (490-493)—	Total { M. F.	900 928	140 118	17 13	3 2	2 —	4 3	4 1	5 2	4 2	— 2	4 10	8 4	13 6	25 24	26 26	51 37	73 52	86 91	120 95	143 169	101 157	70 113	
				191 175	9 13	1 —	— —	— —	— —	2 1	1 —	— —	— —	2 5	5 2	8 3	7 7	11 10	13 13	19 16	23 22	25 23	38 28	21 18	7 13	
491		Broncho	{ M. F.	593 654	101 95	14 10	2 1	1 —	3 3	1 3	3 —	4 1	— 1	2 3	4 3	4 3	16 15	13 15	26 19	42 27	56 61	79 66	94 124	69 121	58 86	
				8 5	4 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
492		Primary atypical	{ M. F.	108 94	26 22	2 2	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
				1396 690	23 17	1 2	— —	— —	3 3	3 2	2 —	— —	— —	2 5	13 5	18 9	57 11	122 19	158 27	225 52	229 92	197 109	168 147	120 111	53 85	
493		Other and unspecified	{ M. F.	1396 690	23 17	1 2	— —	— —	3 3	3 2	2 —	— —	— —	2 5	13 5	18 9	57 11	122 19	158 27	225 52	229 92	197 109	168 147	120 111	53 85	
				132 135	23 17	1 1	— —	2 —	3 3	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
500		Acute Bronchitis	{ M. F.	132 135	23 17	1 1	— —	2 —	3 3	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
				132 135	23 17	1 1	— —	2 —	3 3	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	
501.a	Bronchitis, unqualified	35 52	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	8	5	5	8	10	3	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	11	10	18	-	
501.b	Bronchitis unqualified, with heart disease	38 58	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	6	5	6	9	6	2	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	10	15	12	6	-	
502.a	Chronic bronchitis	438 147	-	-	-	-	-	-	-	-	-	-	-	1	5	18	37	63	69	74	63	56	35	17	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	2	4	2	6	5	11	19	25	34	22	16	-	
502.b	Chronic bronchitis with heart disease	753 298	-	-	-	-	-	-	-	1	-	-	2	8	11	35	78	89	131	136	114	78	51	19	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	1	1	3	4	6	12	14	31	52	53	59	40	23	-	
Other diseases of respiratory system (510-527)—																										
510	Hypertrophy of tonsils and adenoids	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
511	Peritonsillar abscess (quinsy)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
512	Chronic pharyngitis and nasopharyngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
513	Chronic sinusitis	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
514	Deflected nasal septum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
515	Nasal polyp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
516	Chronic laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
517	Other diseases of upper respiratory tract	1 5	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
518	Empyema	4 6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	2	1	1	-	-	-	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
519	Pleurisy	12 9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	2	1	3	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
520	Spontaneous pneumothorax	7	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	1	-	-	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
521	Abscess of lung	8	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	1	-	1	-	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
522	Pulmonary congestion and hypostasis	13 20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	6	1	6	
	...	{ M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

International Nos.	CAUSES OF DEATH	All Ages	AGES															85 and over	Not Stated						
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-			55-	60-	65-	70-	75-	80-
523	VIII. DISEASES OF THE RESPIRATORY SYSTEM— <i>continued</i> <i>Other diseases of respiratory system—continued</i>	225	-	-	-	-	-	-	-	-	-	-	-	1	1	11	28	53	50	36	30	12	3	-	
524		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
525		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
526		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
527		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	IX. DISEASES OF THE DIGESTIVE SYSTEM																								
	Diseases of buccal cavity and oesophagus (530-539)—																								
530	Dental caries ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
531	Abscesses of supporting structures of teeth ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
532	Other inflammatory diseases of supporting structures of teeth { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
533	Disorders of occlusion, eruption and tooth development { M. F.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
534	Toothache from unspecified cause ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	
535	Other diseases of teeth and supporting structures ...	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
536	Stomatitis ...	M. ... F. ...	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
537	Diseases of salivary glands ...	M. ... F. ...	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	
538	Other diseases of buccal cavity ...	M. ... F. ...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
539	Diseases of oesophagus ...	M. ... F. ...	13	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	2	1	3	3	-	-	1	
			7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	
<i>Diseases of stomach and duodenum (540-545)—</i>																										
540	Ulcer of stomach ...	M. ... F. ...	181	-	-	-	-	-	-	-	-	1	-	6	4	8	15	20	21	34	29	22	17	4	-	
			103	-	-	1	-	-	-	-	-	-	1	1	4	2	5	6	7	15	19	12	11	-	-	
541	Ulcer of duodenum ...	M. ... F. ...	311	-	-	-	-	-	-	2	3	7	13	8	9	18	26	36	40	49	39	36	18	7	-	
			71	-	-	-	-	-	-	-	-	3	-	1	4	4	2	3	6	10	11	15	11	-	-	
542	Gastrojejunal ulcer ...	M. ... F. ...	7	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	-	-	-	1	-	-	-	
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
543	Gastritis and duodenitis ...	M. ... F. ...	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	-	
			11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
544	Disorders of function of stomach ...	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
545	Other diseases of stomach and duodenum ...	M. ... F. ...	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	2	2	1	-	-	
			7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	
<i>Appendicitis (550-553)—</i>																										
550	Acute appendicitis ...	M. ... F. ...	44	-	-	-	1	-	-	1	1	1	1	2	1	6	7	3	3	2	6	5	3	-	-	
			32	1	-	1	-	3	3	1	-	-	3	-	1	-	1	2	4	1	4	6	1	-	-	
551	Appendicitis unqualified ...	M. ... F. ...	6	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	1	-	-	1	-	
			3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
552	Other appendicitis ...	M. ... F. ...	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
553	Other diseases of appendix ...	M. ... F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos.	CAUSES OF DEATH	All Ages	AGES																	85 and over	Not Stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-
IX. DISEASES OF THE DIGESTIVE SYSTEM— <i>continued</i>																									
<i>Hernia of abdominal cavity (560-561)—</i>																									
560	Without mention of obstruction ...	{ M. 23 F. 24	5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	3	3	2	3	3	3	-	-
	With obstruction ...	{ M. 55 F. 75	2	-	-	-	-	1	-	-	-	-	1	2	1	-	1	4	4	7	7	15	11	2	-
<i>Other diseases of intestines and peritoneum (570-578)—</i>																									
570	Intestinal obstruction, without mention of hernia ...	{ M. 119 F. 103	10	1	1	-	-	-	2	4	5	2	10	16	22	16	2	10	10	15	13	14	10	7	-
	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and over—		8	-	-	-	-	-	1	-	6	4	8	10	13	14	-	8	10	15	13	14	13	4	-
571.0	Between 4 weeks and 2 years ...	{ M. 79 F. 41	75	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2 years and over ...	{ M. 24 F. 44	36	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571.1	Chronic enteritis and ulcerative colitis ...	{ M. 55 F. 93	-	-	-	-	-	-	-	1	2	8	3	6	10	7	2	3	3	4	3	2	3	1	-
	Functional disorders of intestines ...	{ M. 2 F. 1	-	-	-	-	-	-	-	-	-	1	2	6	17	4	1	12	14	14	17	17	4	1	-
573	Anal fissure and fistula ...	{ M. — F. —	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Abscess of anal and rectal regions ...	{ M. 2 F. —	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
575	Peritonitis ...	{ M. 5 F. 6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Peritoneal adhesion ...	{ M. 2 F. —	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
577 (a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
578	Other diseases of intestines and peritoneum { M. F.	24 17	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
<i>Diseases of liver, gall-bladder, and pancreas (580-587)—</i>																									
580	Acute and subacute yellow atrophy... { M. F.	6 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	2 —	— —	— —	— —	— —	— —	— —	— —	— —
581	Cirrhosis of liver { M. F.	84 83	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	6 1	3 10	9 13	10 10	6 9	1 8	— —	— —	— —	— —
582	Suppurative hepatitis and liver abscess { M. F.	5 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
583	Other diseases of liver { M. F.	5 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
584	Cholelithiasis { M. F.	20 57	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
585	Cholecystitis without mention of calculi { M. F.	38 72	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
586	Other diseases of gall-bladder and biliary ducts { M. F.	7 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
587	Diseases of pancreas { M. F.	18 28	4 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —
X. DISEASES OF THE GENITO-URINARY SYSTEM																									
	Total { M. F.	868 446	— 1	1 —	— 2	— —	1 —	8 7	4 4	4 6	10 7	4 9	17 11	19 12	16 17	20 24	35 26	42 51	64 48	75 63	143 55	167 39	140 44	98 20	— —
<i>Nephritis and nephrosis (590-594)—</i>																									
590	Acute nephritis { M. F.	17 21	— —	1 —	— 2	— —	— —	3 2	1 2	1 —	2 —	2 —	1 —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
591	Nephritis with oedema, including nephrosis { M. F.	18 24	— —	— —	— —	— —	— —	3 —	1 —	1 —	1 —	1 —	1 —	1 —	1 —	1 —	2 —	3 —	1 —	1 —	2 —	1 —	— —	— —	— —
592	Chronic nephritis { M. F.	211 200	— —	— —	— —	— —	— —	1 —	2 —	2 4	8 3	2 2	12 7	14 5	8 9	14 10	22 16	18 21	21 22	17 35	27 20	23 15	13 23	6 6	— —
593	Nephritis not specified as acute or chronic { M. F.	21 16	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	2 —	1 —	4 —	3 —	1 —	2 —	1 —	4 —	— —
594	Other renal sclerosis { M. F.	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not stated					
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-	80-
600	X. DISEASES OF THE GENITO- URINARY SYSTEM—continued <i>Other diseases of urinary system (600-609)—</i>																								
	Infections of kidney ...	M. { F. {	74 97	-	-	-	-	1	1	-	-	-	1	1	3	2	4	6	8	7	16	9	11	5	
601	Hydronephrosis ...	M. { F. {	6 6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	14	2	1	2	5	
602	Calculi of kidney and ureter ...	M. { F. {	15 20	-	-	-	-	-	-	-	-	-	-	3	2	2	4	2	1	2	1	-	-	-	
603	Other diseases of kidney and ureter ...	M. { F. {	3 8	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	
604	Calculi of other parts of urinary system ...	M. { F. {	6 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	1	-	
605	Cystitis ...	M. { F. {	16 13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	2	4	3	
606	Other diseases of bladder ...	M. { F. {	9 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	
607	Urethritis (non-venereal) ...	M. { F. {	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
608	Stricture of urethra ...	M. { F. {	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	1	1	
609	Other diseases of urethra ...	M. { F. {	5 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	
610	<i>Diseases of male genital organs (610-617)—</i> Hyperplasia of prostate ...	M.	451	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	20	38	86	121	104	72	
611	Prostatitis ...	M.	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	1	2	
612	Other diseases of prostate ...	M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
613	Hydrocele	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
614	Orchitis and epididymitis	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
615	Redundant prepuce and phimosis	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
616	Sterility, male	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
617	Other diseases of male genital organs	M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
<i>Diseases of breast, ovary, Fallopian tube and parametrium (620-626)</i>																									
620	Chronic cystic disease of breast ...	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
621	Other diseases of breast	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
622	Acute salpingitis and oöphoritis ...	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
623	Chronic salpingitis and oöphoritis ...	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
624	Salpingitis and oöphoritis, unqualified	F.	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
625	Other diseases of ovary and Fallopian tube	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
626	Diseases of parametrium and pelvic peritoneum	F.	6	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1
<i>Diseases of uterus and other female genital organs (630-637)</i>																									
630	Infective disease of uterus, vagina and vulva	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
631	Uterovaginal prolapse	F.	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	1	-
632	Malposition of uterus	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633	Other diseases of uterus	F.	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
634	Disorders of menstruation	F.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
635	Menopausal symptoms	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
636	Sterility, female	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
637	Other diseases of female genital organs	F.	9	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	3	-	-	-	-

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

International Nos	Detailed List	CAUSES OF DEATH	All Ages	Ages																	85 and over	Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD-BIRTH AND THE PUERPERIUM																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	<i>Delivery without complication (660)—</i>																								
660	Delivery without complication ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Delivery with specified complication (670-678)</i>																								
670.a	Placenta praevia ... F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
670.b	Other hemorrhage of pregnancy ... F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
671	Retained placenta ... F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
672	Other postpartum hemorrhage ... F.	5	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-
673	Abnormality of bony pelvis ... F.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
674	Disproportion or malposition of fetus ... F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
675	Prolonged labour of other origin ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
676	Laceration of perineum, without mention of other laceration ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
677	Other trauma ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
678	Other complications of childbirth ... F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Complications of the puerperium (680-689)—</i>																								
680	Puerperal urinary infection without other sepsis ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
681	Sepsis of childbirth and the puerperium ... F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
682	Puerperal phlebitis and thrombosis ... F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
683	Pyrexia of unknown origin during the puerperium ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
684	Puerperal pulmonary embolism ... F.	6	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-
685	Puerperal eclampsia ... F.	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
686	Other forms of puerperal toxæmia ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
687	Cerebral hemorrhage in the puerperium ... F.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
688	Other and unspecified complications of the puerperium ... F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
689	Mastitis and other disorders of lactation ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

International Nos. Detailed List	CAUSES OF DEATH	All Ages	Ages																	85 and over	Not stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-
	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	M. { F. { TOTAL {	28 25	2 1	- -	- -	- -	- -	- -	- -	- -	1 2	- -	- -	2 1	- -	1 2	1 1	3 -	4 -	5 5	2 4	2 6	3 2	
	<i>Infections of skin and subcutaneous tissue (690-698)</i> —																								
690	Boil and carbuncle ...	M. { F. {	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
691	Cellulitis of finger and toe ...	M. { F. {	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
692	Other cellulitis and abscess without mention of lymphangitis	M. { F. {	9 5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	2	2	-	
693	Other cellulitis and abscess with lymphangitis ...	M. { F. {	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
694	Acute lymphadenitis ...	M. { F. {	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
695	Impetigo ...	M. { F. {	1 1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
696	Infectious warts ...	M. { F. {	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
697	Molluscum contagiosum ...	M. { F. {	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
698	Other local infections of skin and subcutaneous tissue ...	M. { F. {	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>Other diseases of skin and subcutaneous tissue (700-716)</i> —																								
700	Seborrhoeic dermatitis ...	M. { F. {	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
701	Eczema ...	M. { F. {	1 -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
702	Occupational dermatitis ... { M. F. ... }	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
703	Other dermatitis ... { M. F. ... }	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
704	Pemphigus ... { M. F. ... }	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2
705	Erythematous conditions ... { M. F. ... }	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	3	2	-	1	1	-
706	Psoriasis and similar disorders ... { M. F. ... }	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
707	Lichen planus ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
708	Pruritus and related conditions ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
709	Corns and callosities ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
710	Other hypertrophic and atrophic conditions of skin ... { M. F. ... }	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
711	Other dermatoses ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
712	Diseases of nail ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
713	Diseases of hair and hair follicles ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
714	Diseases of sweat and sebaceous glands ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
715	Chronic ulcer of skin ... { M. F. ... }	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-
716	Other diseases of skin ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT		74	2	-	-	-	1	-	2	-	2	2	1	-	3	4	3	7	7	14	10	12	3	1	-
Total { M. F. }		180	-	1	-	-	-	1	-	-	-	1	1	5	3	2	9	9	11	24	38	32	27	16	-
720	Arthritis and rheumatism except rheumatic fever (720-727)— Acute arthritis due to pyogenic organisms ... { M. F. ... }	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT— <i>continued</i>																							
	<i>Arthritis and rheumatism except rheumatic fever—continued</i>																							
721	Acute non-pyogenic arthritis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
722	Rheumatoid arthritis and allied conditions ... { M. F.	31 127	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	4	9	4	4	2	1	-
723	Osteo-arthritis (arthrosis) and allied conditions ... { M. F.	4 15	-	-	-	-	-	-	-	-	-	-	-	2	3	1	4	7	8	19	24	22	11	-
724	Other specified forms of arthritis ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	-
725	Arthritis, unspecified ... { M. F.	1 5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
726	Muscular rheumatism ... { M. F.	1 2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
727	Rheumatism, unspecified ... { M. F.	1 9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-
730	<i>Osteomyelitis and other diseases of bone and joint (730-738)—</i>																							
730	Osteomyelitis and periostitis ... { M. F.	9 2	1	-	-	1	-	-	-	-	1	-	-	-	1	1	1	2	-	1	1	-	-	-
731	Osteitis deformans ... { M. F.	9 6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	3	3	-	-	-
732	Osteochondrosis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
733	Other diseases of bone ... { M. F.	1 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
734	Internal derangement of knee joint ... M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
735	Displacement of intervertebral disc ... M. F.	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
736	Affection of sacro-iliac joint ... M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
737	Ankylosis of joint ... M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
738	Other diseases of joint ... M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
<i>Other diseases of musculoskeletal system</i> (740-749)---																									
740	Bunion ... M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
741	Synovitis, bursitis and tenosynovitis without mention of occupational origin M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.	Synovitis, bursitis, and tenosynovitis of occupational origin M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
743	Infective myositis and other inflammatory diseases of tendon and fascia M. F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
744	Other diseases of muscle, tendon and fascia ... M. F.	11 5	1	-	-	-	-	-	1	-	2	-	1	-	2	1	-	-	-	1	-	1	-	-	-
745	Curvature of spine ... M. F.	1 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
746	Flat foot ... M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747	Hallux valgus and varus ... M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748	Clubfoot ... M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
749	Other deformities ... M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(a)	(b) <i>Birth injuries, asphyxia and infections of newborn (760-769)</i>	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
760	Intracranial and spinal injury at birth ... { M. 134 F. 65 }	134 65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761	Other birth injury ... { M. 21 F. 15 }	21 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762	Post-natal asphyxia and atelectasis ... { M. 285 F. 177 }	285 177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763	Pneumonia of newborn ... { M. 69 F. 48 }	69 48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764	Diarrhoea of newborn ... { M. 8 F. 3 }	8 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765	Ophthalmia neonatorum ... { M. - F. - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
766	Pemphigus neonatorum ... { M. 2 F. - }	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767	Umbilical sepsis ... { M. 1 F. 1 }	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768	Other sepsis of newborn ... { M. 9 F. 6 }	9 6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769	Neonatal disorders arising from maternal toxæmia ... { M. 11 F. 16 }	11 16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Other diseases peculiar to early infancy (770-776)</i>																								
770	Hæmolytic disease of newborn (Erythroblastosis) ... { M. 36 F. 19 }	36 19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771	Hæmorrhagic disease of newborn ... { M. 17 F. 13 }	17 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772	Nutritional maladjustment ... { M. - F. 2 }	- 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773. ^a	Congenital debility without immaturity ... { M. 17 F. 6 }	17 6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773. ^b	Congenital debility with immaturity ... { M. 10 F. 9 }	10 9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773. ^c	Other ill-defined diseases peculiar to early infancy ... { M. 7 F. 10 }	7 10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos.	CAUSES OF DEATH	All Ages	Ages														85 and over	Not stated							
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-	75-	80-
774	XV. CERTAIN DISEASES OF EARLY INFANCY—continued Other diseases peculiar to early infancy (770-776)—continued Immaturity with mention of any other subsidiary condition ... { M. F.	7 8	7 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
775	Immaturity subsidiary to some other cause ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776	Immaturity, unqualified ... { M. F.	264 207	264 207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS TOTAL { M. F.	475 654	23 30	4 1	-	-	-	1	-	-	-	6 1	2 1	1 4	7 2	12	11	9	28	43	76	129	123		
	Symptoms referable to systems or organs (780-789)—																								
	Certain symptoms referable to nervous system and special senses:—																								
780.a	Convulsions under 5 ... { M. F.	22 24	19 24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780.b	Other certain symptoms referable to nervous system and special senses ... { M. F.	1 1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
781	Other symptoms referable to nervous system and special senses ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
782.4	Cardiovascular and lymphatic systems—Heart failure ... { M. F.	30 20	- 1	-	-	-	-	-	-	-	-	2	-	-	1 1	4	3	-	3	4	5	6	2		
782.5	Syncope ... { M. F.	4 3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	1	-	-	-	-
782.9	Other symptoms of cardiovascular and lymphatic systems (782.0-3 and 6-8) ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
783	Respiratory system ... { M. F. ... }	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
784	Upper gastro-intestinal tract... { M. F. ... }	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	1	-	-
785	Abdomen and lower gastro-intestinal system ... { M. F. ... }	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
786	Genito-urinary system ... { M. F. ... }	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
787	Limbs and back ... { M. F. ... }	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
788	Other general symptoms ... { M. F. ... }	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
789	Abnormal urinary constituents of unspecified cause ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Senility and ill-defined diseases (790-795)—</i>																									
790	Nervousness and debility ... { M. F. ... }	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
791	Headache ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
792	Uræmia unqualified ... { M. F. ... }	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-
793	Observation, without need for further medical care ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
794	Senility without mention of psychosis { M. F. ... }	302 337	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6 4	17 22	55 84	111 150	113 277
795.0	Other ill-defined (795.1) ... { M. F. ... }	84 51	4 4	-	-	-	-	-	-	-	-	-	2 1	2 1	1 2	3 7	5 4	8 4	14 8	17 11	17 5	11 8	7 8	3 2	-
795.5	Unknown or unspecified (795.2-4) ... { M. F. ... }	12 6	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	1	2	1	1	1	1	1	-
EXVIL. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)																									
Total { M. F. }		1801 1119	113 79	16 13	18 14	23 10	24 9	75 41	48 11	64 17	104 23	108 18	91 24	81 25	116 35	129 39	134 57	122 52	119 51	81 59	105 97	94 139	81 164	55 142	-
<i>Railway accidents (E800-E802)—</i>																									
E800	Railroad employee ... { M. F. ... }	22	-	-	-	-	-	-	-	-	3	1	1	1	2	4	6	-	4	-	-	-	-	-	-

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E819	Collision with fixed or unspecified object ... { M. F. }	10 3	-	-	-	-	-	-	1	1	1	-	1	2	1	2	1	-	-	-	-	-	-	-	-
E820	While boarding and alighting ... { M. F. }	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
E821	Rider of motor cycle not involving collision ... { M. F. }	29 1	-	-	-	1	3	6	1	3	6	8	2	2	3	1	2	-	-	-	-	1	-	-	
E822	Overtaking in roadway ... { M. F. }	7	-	-	-	-	-	1	-	-	1	1	1	1	1	-	1	-	-	-	-	1	-	-	
E823	Running off roadway ... { M. F. }	27 4	-	-	-	-	-	-	-	1	2	7	6	1	4	2	1	1	1	1	1	-	-	-	
E824	Other non-collision motor vehicle traffic accident ... { M. F. }	24 4	-	-	-	1	2	1	1	2	1	-	1	1	3	2	3	2	1	3	3	1	3	-	
E825	Unspecified nature ... { M. F. }	14 3	-	-	-	-	-	-	-	2	1	2	3	2	-	1	-	-	1	2	-	-	1	-	
Motor vehicle non-traffic accidents (E830-E835)---																									
E830	Pedestrian ... { M. F. }	4	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	
E831	Pedal cyclist ... { M. F. }	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
E832	Rider or passenger of motor cycle ... { M. F. }	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
E833	Two or more motor vehicles ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E834	While boarding and alighting ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E835	Other and unspecified nature ... { M. F. }	13 2	-	-	-	-	1	1	-	1	1	1	2	1	1	1	-	2	1	-	1	-	-	-	
Other road vehicle accidents (E840-E845)---																									
E840	Street car accident to pedestrian ... { M. F. }	8 10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	2	3	1	-	
E841	Other street car accident except collision with motor vehicle ... { M. F. }	1 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
E842	Accident to pedestrian caused by pedal cycle ... { M. F. }	2 3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

International Nos.	Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not stated						
				AGES																							
				-1	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55			60	65	70	75	80	
E843		EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)— <i>continued</i> <i>Other road vehicle accidents (E840-E845)—continued</i> Accident to rider of pedal cycle not involving collision with a motor vehicle	11	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3	2	1	2	-	-	-	-		
E844		Accident to pedestrian caused by other non-motor road vehicle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E845		Other non-motor road vehicle accidents ...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E850		<i>Water transport accidents (E850-E858)—</i> Submersion of occupant of small boat	9	-	-	-	-	-	-	3	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-		
E851		Other water transport injury by submersion ...	22	-	-	-	-	-	1	-	3	1	3	3	3	3	4	3	1	-	-	-	-	-	-		
E852		Fall on stairs and ladders in water transport ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E853		Other falls from one level to another in water transport...	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
E854		Falls on same level in water transport	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E855		Unspecified falls in water transport	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E856		Machinery accident in water transport	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
E857	(a)	Other specified accidents in water transport ... (b)	7	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	-	1	-	1	(v)	(w)	(x)	(y)	(z)
			(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)						

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E858	Water transport accident of unspecified cause ... { M. F. ... }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E860	<i>Aircraft accidents (E860-E866)—</i> Accident to personnel in military aircraft ... { M. F. ... }	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E861	Injury to occupant by accident to commercial "transport" aircraft ... { M. F. ... }	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E862	Other injury in commercial "transport" aircraft ... { M. F. ... }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E863	Injury to occupant by accident to other aircraft ... { M. F. ... }	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E864	Aircraft accident at airfield to person not in aircraft ... { M. F. ... }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E865	Aircraft accident elsewhere to person not in aircraft ... { M. F. ... }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E866	Other and unspecified aircraft accidents ... { M. F. ... }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ACCIDENTAL POISONING ... { M. F. ... }	112	—	2	—	1	—	—	1	—	4	4	5	6	10	8	11	9	6	12	12	8	9	6	—
	(E870-E895) ... TOTAL ... { M. F. ... }	134	—	2	—	—	—	—	—	—	1	3	4	4	5	5	7	7	11	13	12	22	25	12	—
	<i>Accidental poisoning by solid and liquid substances (E870-E888)—</i>																								
E870	Morphine and other opium derivatives ... { M. F. ... }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E871	Barbituric acid and derivatives ... { M. F. ... }	8	—	—	—	1	—	—	—	—	—	—	1	1	1	1	—	1	—	2	—	—	—	—	—
E872	Aspirin and salicylates ... { M. F. ... }	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E873	Bromides ... { M. F. ... }	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
E874	Other analgesic and soporific drugs ... { M. F. ... }	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E875	Sulphonamides ... { M. F. ... }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E876	Strychnine ... { M. F. ... }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E877	Belladonna, hyoscine and atropine ... { M. F. ... }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos.	CAUSES OF DEATH	All Ages	Ages																	85 and over	Not stated					
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-	80-		
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-	
E378	Other and unspecified drugs ... { M. F.	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E379	Noxious foodstuffs ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E380	Alcohol ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E381	Petroleum products ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E382	Industrial solvents ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E383	Corrosive aromatics, acids and caustic alkalis ... { M. F.	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
E384	Mercury and its compounds ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E385	Lead and its compounds ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E386	Arsenic, and antimony, and their compounds ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E387	Fluorides ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E388	Other and unspecified solid and liquid substances ... (b) { M. F.	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	

(a)	(b) <i>Accidental poisoning by gases and vapours (E890-E895)—</i>	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E890	Utility (illuminating) gas ... { M. F. }	86 109	—	1	—	—	1	2	4	4	2	4	4	4	6	5	10	6	6	7	9	6	9	6	—
E891	Motor vehicle exhaust gas ... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E892	Other carbon-monoxide gas ... { M. F. }	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
E893	Cyanide gas ... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E894	Other specified gases and vapours ... { M. F. }	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
E895	Unspecified gases and vapours ... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Accidental falls (E900-E904)—</i>																									
E900	On stairs ... { M. F. }	39 22	—	—	—	—	—	—	—	—	—	—	1	1	1	4	2	5	3	1	4	8	6	3	—
E901	From ladders ... { M. F. }	9	—	—	—	—	—	1	—	—	1	—	1	—	1	3	1	—	—	—	2	—	—	—	—
E902	From one level to another ... { M. F. }	98 37	—	2	2	—	3	8	12	4	5	9	9	9	7	6	3	5	7	4	7	5	1	3	—
E903	On same level ... { M. F. }	38 53	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	1	3	1	8	6	11	5	—
E904	Unspecified falls ... { M. F. }	99 302	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	2	2	4	17	15	14	11	—
<i>Other accidents (E910-E936)—</i>																									
E910	Blow from falling object ... { M. F. }	57 2	—	—	—	1	1	3	6	7	5	7	7	5	7	6	10	5	2	1	—	—	—	—	—
E911	Caused by vehicle ... { M. F. }	19	—	—	—	—	—	5	2	3	—	3	3	—	3	1	2	—	—	3	—	—	—	—	—
E912	Caused by machinery ... { M. F. }	15	—	—	—	—	—	1	2	2	—	2	3	2	3	2	1	1	1	—	—	—	—	—	—
E913	Caused by cutting and piercing instruments ... { M. F. }	2 2	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
E914	Caused by electrical current ... { M. F. }	14 1	1	—	—	—	—	1	1	2	1	2	2	2	2	—	—	1	2	—	—	—	—	—	—

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—continued

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																		85 and over	Not stated			
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-	80-
E915	Caused by explosion of pressure vessel ... { M. F. ... }	8	-	-	-	-	-	-	-	-	2	1	1	1	1	2	-	-	-	-	-	-	-	-	
E916	Caused by fire and explosion of combustible material ... { M. F. ... }	54 69	2	1	2	1	2	5	1	1	2	2	4	-	3	1	9	4	2	2	6	3	3	-	
E917	Caused by hot substance, corrosive liquid, and steam ... { M. F. ... }	11 10	1	2	2	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	
E918	Caused by radiation ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E919	Caused by firearm ... { M. F. ... }	15 1	-	-	-	-	-	-	1	-	1	3	2	3	1	2	1	-	1	-	-	-	-	-	
E920	Foreign body entering eye and adnexa ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E921	Inhalation and ingestion of food causing obstruction or suffocation ... { M. F. ... }	83 41	63 38	1	-	-	-	1	-	-	-	3	-	3	1	1	3	2	-	2	2	1	1	-	
E922	Inhalation and ingestion of other object causing obstruction or suffocation ... { M. F. ... }	5 5	2 4	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	
E923	Foreign body entering other orifice ... { M. F. ... }	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
E924	Accidental mechanical suffocation in bed and cradle ... { M. F. ... }	30 21	29 20	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E925	Accidental mechanical suffocation in other and unspecified circumstances ... { M. F. ... }	13 8	7 5	1	1	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E926	Lack of care of infants under 1 year of age ...	1 3	1 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E927	Accidents caused by bites and stings of venomous animals and insects ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E928	Other accidents caused by animals ...	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
E929	Accidental drowning and submersion ...	174 49	1 -	-	3 1	3 1	5 3	19 4	15 3	15 2	9 1	9 3	9 2	8 1	7 1	12 4	12 6	10 4	13 4	4 3	11 3	4 -	4 -	1 -	-
E930	High and low air pressure ...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation ...	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
E932	Excessive cold ...	6 3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	3	1	-	-
E933	Hunger, thirst and exposure ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E934	Cataclysm ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E935	Lightning ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E936	Other and unspecified accidents ...	29 7	-	1	-	-	-	3	2	1	-	1	-	2	1	5	2	1	4	2	2	1	1	2	-
E940	Generalized vaccinia following vaccination ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E941	Post-vaccinal encephalitis ...	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E942	Other complications of smallpox vaccination...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E943	Post-immunization jaundice and hepatitis ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E944	Other complications of prophylactic inoculation ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E945	Complications of anesthesia for non-therapeutic purpose ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Complications due to non-therapeutic medical and surgical procedures (E940-E946)—

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																	85 and over	Not stated			
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-	80-
			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)			(u)	(v)	(w)
EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—<i>continued</i>																								
<i>Complications due to nontherapeutic medical and surgical procedures (E940-E946)—<i>continued</i></i>																								
E946	Other complications due to non- therapeutic medical and surgical procedures { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Therapeutic misadventure and late complica- tions of therapeutic procedures (E950- E959)—</i>																								
E950	In surgical treatment ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E951	In infusion or transfusion ... { M. F.	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E952	In local applications ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E953	In administration of drugs or biologicals ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
E954	In anaesthesia ... { M. F.	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E955	Other and unspecified therapeutic misadventure ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E956	Late complication of surgical operation ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E957	Late complication of amputation stump ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E958	Late complication of irradiation ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E959	Late complications of other forms of treatment ... (b) { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E960	Motor vehicle accident ... { M. F. }	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E961	Accidental poisoning ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E962	Other accidental injury ... { M. F. }	11 8	-	-	-	-	-	2	-	-	-	-	1	-	1	2	1	2	2	1	1	-	1	2	3
E963	Self-inflicted injury ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964	Injury purposely inflicted by another person (not in war) ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965	Injuries due to war operations ... { M. F. }	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	4	-	-	-	-	-
	SUICIDE AND SELF-INFLICTED INJURY (E970-E979) Total { M. F. }	235 159	-	-	-	-	-	1	3	3	4	14	8	7	17	33	28	38	34	16	14	13	5	-	-
E970	Poisoning by analgesic and soporific substances ... { M. F. }	14 31	-	-	-	-	-	-	-	-	-	2	1	-	3	3	4	1	1	2	2	1	-	-	-
E971	Poisoning by other solid and liquid substances ... { M. F. }	11 11	-	-	-	-	-	-	-	1	2	1	-	-	2	2	2	3	1	-	1	-	-	-	-
E972	Poisoning by gases in domestic use ... { M. F. }	107 75	-	-	-	-	-	-	-	1	2	5	4	3	12	17	15	15	16	6	5	3	1	-	-
E973	Poisoning by other gases ... { M. F. }	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E974	Injury by hanging and strangulation ... { M. F. }	34 7	-	-	-	-	-	1	1	-	1	1	-	1	2	5	-	8	5	2	4	1	-	-	-
E975	Injury by submersion (drowning) ... { M. F. }	17 20	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	4	3	3	1	1	1	-	-
E976	Injury by firearms and explosives ... { M. F. }	19 2	-	-	-	-	-	-	-	-	-	2	3	1	-	3	3	1	2	-	2	-	2	-	-
E977	Injury by cutting and piercing instruments ... { M. F. }	18 1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	4	3	2	2	2	-	-	-
E978	Injury by jumping from high place ... { M. F. }	12 8	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	2	-	1	3	-	-	-
E979	Injury by other and unspecified means ... { M. F. }	2 3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-

Table 42.—Causes of Death by Age-groups—Scotland, 1955 (Males and Females)—*continued*

International Nos.	CAUSES OF DEATH	All Ages	Ages																	85 and over	Not stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-
E980	Non-accidental poisoning by another person ... { M. ... { F.	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
E981	Assault by firearm and explosive ... { M. ... { F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
E982	Assault by cutting and piercing instruments ... { M. ... { F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
E983	Assault by other means ... { M. ... { F.	11	4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
E984	Injury by intervention of police ... { M. ... { F.	7	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
E985	Execution ... { M. ... { F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Injury resulting from operations of war (E990-E999)—																									
E990	Gas and chemicals ... { M. ... { F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
E991	Gunshot ... { M. ... { F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
E992	Grenade and land-mine ... { M. ... { F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
E993	Bomb ... { M. ... { F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E984	Marine mine, depth charge, and torpedo ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	Explosion of artillery shell ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E986	Explosion of undetermined origin ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E987	Aircraft destruction ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E988	Other and unspecified means ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E989	Occurring after cessation of hostilities { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 43.—Causes of Death by Months—Scotland, 1955

International Classification		CAUSES OF DEATH	Total	January	February	March	April	May	June	July	August	September	October	November
Detailed List	Intermediate List "A"													
		ALL CAUSES—Both Sexes ...	61645	6822	5777	6479	5351	5027	4621	4366	4178	4188	4519	4758
		<i>All Tuberculosis (001-019) TOTAL</i>	982	114	107	99	95	95	70	58	61	71	64	70
001-008	1	Respiratory system ...	860	98	100	89	86	78	58	50	53	63	53	61
010	2	Meninges and central nervous system ...	37	6	-	4	6	8	3	2	1	3	2	1
011	3	Intestines, peritoneum and mesenteric glands ...	11	2	-	1	-	-	-	2	1	-	4	-
012, 013	4	Bones and joints ...	27	3	4	2	-	4	2	2	1	2	2	2
014-019	5	All other forms ...	47	5	3	3	3	5	7	2	5	3	3	6
		<i>Syphilis (020-029) TOTAL</i>	97	13	4	12	12	9	9	7	4	10	9	3
020	6	Congenital syphilis ...	2	-	-	-	2	-	-	-	-	-	-	-
021	7	Early syphilis ...	-	-	-	-	-	-	-	-	-	-	-	-
024	8	Tabes dorsalis ...	10	2	-	1	-	1	1	1	-	3	-	-
025	9	General paralysis of insane ...	21	4	-	1	3	1	1	2	2	3	3	-
022-023	10	All other syphilis ...	64	7	4	10	7	7	7	4	2	4	6	3
026-029		Gonococcal infection ...	-	-	-	-	-	-	-	-	-	-	-	-
030-035	11	Typhoid fever ...	1	-	-	-	-	-	-	-	1	-	-	-
040	12	Paratyphoid fever and other salmonella infections ...	7	-	-	-	-	1	-	-	2	1	-	1
041, 042	13	Cholera ...	-	-	-	-	-	-	-	-	-	-	-	-
043	14	Brucellosis (undulant fever) ...	-	-	-	-	-	-	-	-	-	-	-	-
044	15	Dysentery, all forms ...	15	1	-	1	-	2	2	1	1	2	1	3
045-048	16	Scarlet fever ...	1	-	-	1	-	-	-	-	-	-	-	-
050	17	Streptococcal sore throat ...	2	1	-	-	-	-	-	1	-	-	-	-
051	18	Erysipelas ...	-	-	-	-	-	-	-	-	-	-	-	-
052	19	Septicæmia and pyæmia ...	19	3	1	4	3	-	1	-	-	1	1	3
053	20	Diphtheria ...	-	-	-	-	-	-	-	-	-	-	-	-
055	21	Whooping cough ...	10	1	3	1	2	-	2	-	1	-	-	-
056	22	Meningococcal infections ...	29	1	3	3	2	2	4	3	1	2	3	3
057	23	Plague ...	-	-	-	-	-	-	-	-	-	-	-	-
058	24	Leprosy ...	-	-	-	-	-	-	-	-	-	-	-	-
060	25	Tetanus ...	6	-	-	-	-	-	1	-	-	1	3	1
061	26	Anthrax ...	-	-	-	-	-	-	-	-	-	-	-	-
062	27	Acute poliomyelitis ...	22	1	-	1	-	-	1	1	3	8	5	2
080	28	Acute infectious encephalitis ...	5	-	-	1	1	2	1	-	-	-	-	-
082	29	Late effects of acute poliomyelitis and acute infectious encephalitis ...	38	1	2	7	2	1	2	5	4	1	5	4
081, 083	30	Smallpox ...	-	-	-	-	-	-	-	-	-	-	-	-
084	31	Measles ...	20	4	4	4	-	1	4	1	2	-	-	-
085	32	Yellow fever ...	-	-	-	-	-	-	-	-	-	-	-	-
091	33	Infectious hepatitis ...	19	1	-	2	2	1	2	2	2	-	2	2
092	34	Rabies ...	-	-	-	-	-	-	-	-	-	-	-	-
094	35	Typhus and other rickettsial diseases ...	-	-	-	-	-	-	-	-	-	-	-	-
100-108	36	Malaria ...	-	-	-	-	-	-	-	-	-	-	-	-
110-117	37	Schistosomiasis ...	-	-	-	-	-	-	-	-	-	-	-	-
123	38	Hydatid disease ...	1	-	-	-	-	1	-	-	-	-	-	-
125	39	Filariasis ...	-	-	-	-	-	-	-	-	-	-	-	-
127	40	Ankylostomiasis ...	-	-	-	-	-	-	-	-	-	-	-	-
129	41	Other diseases due to helminths ...	-	-	-	-	-	-	-	-	-	-	-	-
124, 126, 128, 130	42													
036-039, 049, 054, 059, 063, 074, 086-090, 093, 095, 096, 120-122, 131-138		All other diseases classified as infective and parasitic ...	19	2	-	1	1	2	1	2	3	1	-	3
		<i>Malignant neoplasms (140-205) TOTAL</i>	10585	956	843	888	840	811	909	858	883	903	862	880
140-148	44	Buccal cavity and pharynx ...	268	27	19	31	16	14	23	20	24	24	18	19
150	45	Esophagus ...	325	27	18	29	23	27	22	31	30	31	30	27
151	46	Stomach ...	1773	151	143	160	147	141	168	142	140	142	148	143
152, 153	47	Intestine (except rectum) ...	1431	118	120	111	134	102	125	115	121	118	128	119
154	48	Rectum ...	537	45	39	53	36	40	51	34	33	46	43	52
161	49	Larynx ...	91	11	6	10	2	10	7	14	6	4	9	4
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	1802	151	155	141	127	128	132	141	187	155	144	164
170	51	Breast ...	844	100	77	74	73	53	69	70	69	73	55	61
171	52	Cervix uteri ...	229	24	17	21	18	17	16	16	17	23	20	19
172-174	53	Other and unspecified parts of uterus ...	262	16	24	19	18	22	26	25	25	25	15	19
177	54	Prostate ...	328	32	26	22	25	32	26	23	31	21	33	30
190-191	55	Skin ...	117	11	7	13	6	12	14	9	7	13	11	7

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 43—continued

International Classification		CAUSES OF DEATH	Total	January	February	March	April	May	June	July	August	September	October	November	December
Scottish List	Intermediate List "A"														
0-197	56	Malignant neoplasms (140-205) —continued													
5-160,		Bone and connective tissue ...	154	12	11	9	9	11	12	13	19	15	14	14	15
4, 165,															
5, 176,	57	All other and unspecified sites...	1894	179	143	159	169	144	176	167	134	159	158	154	152
8-181,															
2-195,															
8, 199,															
204	58	Leukæmia and aleukæmia ...	247	26	16	20	15	29	18	16	16	25	24	17	25
0-203,		Lymphosarcoma and other neo-													
205	59	plasms of lymphatic and													
		hematopoietic system ...	283	28	22	16	22	29	24	22	24	29	12	31	26
0-239	60	Benign neoplasms and neoplasms													
		of unspecified nature ...	114	11	8	17	9	10	7	11	7	11	9	5	9
0, 251	61	Non-toxic goitre ...	9	—	1	2	2	—	1	2	—	—	—	—	1
252	62	Thyrotoxicosis with or without													
		goitre ...	32	2	3	3	3	5	1	4	2	—	1	3	5
260	63	Diabetes mellitus ...	459	45	39	57	47	34	32	26	31	31	39	31	47
0-286	64	Avitaminosis and other deficiency													
		states ...	39	7	2	6	3	3	4	4	2	3	1	1	3
290	65a	Pernicious and other hyperchromic													
		anæmias ...	121	17	14	7	11	10	12	13	3	9	9	7	9
1-293	65b	Other anæmias ...	95	10	6	14	7	6	5	5	10	5	8	7	12
0-245,															
3, 254,															
0-277,	66	Allergic disorders; all other endo-	395	53	37	50	40	29	14	16	33	36	31	28	28
7-289,		crine, metabolic and blood diseases													
1-299															
0-309	67	Psychoses ...	100	13	3	12	6	8	5	18	6	6	13	5	5
0-324,		Psychoneuroses and disorders of													
326	68	personality ...	28	6	3	1	3	3	2	2	—	2	—	3	3
325	69	Mental deficiency ...	30	5	3	6	4	—	2	1	3	2	2	1	1
0-330	70a	Subarachnoid hæmorrhage ...	213	14	20	25	21	21	18	17	18	11	14	20	14
0-331	70b	Cerebral hæmorrhage ...	4181	440	374	421	350	386	315	271	272	296	338	320	398
0-332	70c	Cerebral embolism and thrombosis	4543	485	431	484	412	373	318	330	321	320	301	370	398
0-334	70d	Other vascular lesions affecting													
		central nervous system ...	670	91	63	69	55	59	45	45	45	45	49	59	45
0-40	71	Non-meningococcal meningitis ...	48	11	5	7	6	3	4	1	2	2	1	2	4
0-45	72	Multiple sclerosis ...	159	16	9	21	21	11	7	8	8	10	21	10	17
0-53	73	Epilepsy ...	100	13	9	11	7	16	6	7	9	6	6	5	5
0-379	74	Inflammatory diseases of eye ...	1	—	—	—	—	—	—	—	—	—	—	—	—
0-85	75	Cataract ...	1	—	—	—	—	—	1	—	—	—	—	—	—
0-87	76	Glaucoma ...	1	—	—	—	—	—	—	—	—	1	—	—	—
0-393	77	Otitis media and mastoiditis ...	22	3	5	2	1	1	1	1	2	1	2	1	2
0-50	78a	Paralysis agitans ...	170	22	15	16	14	12	11	16	10	13	6	16	19
0-344,															
0-352,															
0-369,															
0-384,	78b	All other diseases of the nervous	294	31	28	26	25	23	27	21	18	21	22	26	26
0-388,		system and sense organs ...													
0-394,															
0-402	79	Rheumatic fever ...	54	3	2	7	5	2	8	4	5	3	8	4	3
0-416	80	Heart disease (410-443) ...	20890	2407	2035	2215	1807	1710	1549	1421	1316	1358	1529	1600	1943
0-20	81a	Chronic rheumatic heart disease	847	77	88	82	83	68	67	54	57	61	48	79	83
		Arteriosclerotic heart disease (in-													
		cluding coronary disease) ...	8739	971	786	810	721	726	668	638	595	609	703	685	827
0-21	81b	Chronic endocarditis not speci-													
		fied as rheumatic ...	362	41	52	37	25	26	21	26	27	28	18	25	36
0-22.0	81c	Fatty degeneration of heart ...	37	2	5	5	2	4	2	2	5	1	2	5	2
0-22.1	81d	Myocardial degeneration with													
		arteriosclerosis ...	4969	598	509	599	445	380	338	317	310	278	369	375	451
0-22.2	81e	Other myocardial degeneration	3907	479	371	463	349	319	308	249	203	250	255	296	365
0-432	82a	Acute non-rheumatic heart													
		disease ...	128	19	13	16	6	14	15	7	6	6	12	5	9
0-434	82b	Other and unspecified diseases of													
		heart ...	594	78	65	69	51	62	39	42	35	37	33	33	50
0-443	83	Hypertension with heart disease	1307	142	146	134	125	111	91	86	78	88	89	97	120
0-447	84	Hypertension without mention of													
		heart ...	710	82	77	90	64	58	47	54	38	36	49	56	59
0-50	85a	General arteriosclerosis ...	1238	152	107	136	101	125	109	74	75	78	85	92	104
0-456	85b	Other diseases of arteries ...	158	17	15	23	9	19	19	11	11	19	15	11	19
0-468	86	Other diseases of circulatory system	236	23	29	35	21	16	17	12	17	23	12	10	10
0-475	87	Acute upper respiratory infections	27	4	4	2	2	1	1	1	2	1	1	4	4

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 43—continued

International Classification		CAUSES OF DEATH	Total	January	February	March	April	May	June	July	August	September	October	November	December
Detailed List	Intermediate List "A"														
480-483	88	Influenza	212	69	50	32	20	5	6	1	—	2	4	9	14
490	89	Lobar pneumonia	366	50	48	54	41	28	20	15	15	14	21	26	34
491	90	Bronchopneumonia	1247	206	145	171	126	91	63	63	57	48	59	84	134
492, 493	91	Primary atypical, other and unspecified pneumonia	215	22	22	28	18	17	21	18	11	4	17	15	22
		<i>Bronchitis</i> (500-502)	2086	342	282	338	227	126	104	62	67	65	100	169	204
500	92	Acute	267	44	41	58	29	13	13	5	5	6	11	16	26
501b, 502b	93a	Chronic and unqualified with heart disease secondary ...	1147	187	138	165	133	84	59	38	44	39	55	91	114
501a, 502a	93b	Chronic and unqualified—otherwise defined	672	111	103	115	65	29	32	19	18	20	34	62	64
510	94	Hypertrophy of tonsils and adenoids	2	—	—	—	—	—	—	—	—	—	—	—	2
518, 521	95	Empyema and abscess of lung ...	19	1	2	2	2	2	1	1	1	3	1	1	2
519	96	Pleurisy	21	3	2	7	2	—	2	1	—	2	—	2	—
511-517, 520, 522-527	97	All other respiratory diseases ...	518	63	53	67	45	46	40	33	23	28	31	45	44
530-535	98	Diseases of teeth and supporting structures	1	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	284	31	27	39	28	15	24	20	24	17	19	21	19
541	100	Ulcer of duodenum	382	49	28	46	41	32	39	26	16	20	22	23	40
543	101	Gastritis and duodenitis	16	1	2	1	2	1	2	1	1	1	1	2	1
550-553	102	Appendicitis	87	9	10	6	10	6	4	11	7	4	8	4	8
560, 561, 570	103	Intestinal obstruction and hernia ...	399	38	42	34	28	34	26	50	36	27	32	25	27
571.0	104a	Gastro-enteritis between 4 weeks and 2 years	120	15	8	17	12	9	5	8	9	8	5	7	11
571.1	104b	Gastro-enteritis over 2 years ...	68	8	4	8	6	6	3	2	7	6	6	13	5
572	104c	Chronic enteritis and ulcerative colitis	148	12	7	15	11	15	9	12	13	11	15	11	17
581	105	Cirrhosis of liver	167	14	14	14	17	16	15	16	12	12	9	12	16
584, 585	106	Cholelithiasis and cholecystitis ...	187	10	15	15	10	14	17	19	16	18	20	21	12
580, 582, 583, 586	107a	Other diseases of liver	53	6	1	3	2	9	6	7	6	3	5	2	3
536-539, 542, 544, 545, 573-578, 587	107b	Other diseases of digestive system ...	164	15	18	10	11	15	15	16	11	8	14	15	16
590	108	Acute nephritis	38	4	3	4	3	4	5	2	4	2	2	4	1
591-594	109	Chronic, other and unspecified nephritis	492	56	38	58	43	35	41	30	34	32	39	38	48
600	110	Infections of kidney	171	17	23	14	13	9	14	16	12	8	15	14	16
602, 604	111	Calculi of urinary system	43	3	3	2	3	5	3	9	4	2	5	1	3
610	112	Hyperplasia of prostate	451	43	34	51	37	43	33	43	37	39	31	28	32
620, 621	113	Diseases of breast	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114a	Diseases of bladder	41	—	6	1	2	8	5	1	2	6	3	5	2
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system	78	7	5	5	6	8	6	4	7	9	7	7	7
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	9	1	1	—	—	—	—	1	—	1	2	2	1
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	12	1	2	—	1	—	2	1	1	2	1	—	1
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth	3	—	—	—	—	—	—	1	1	—	—	—	—
671, 672	117b	Postpartum hæmorrhage	6	—	2	2	—	1	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	3	—	1	—	—	—	—	—	1	—	1	—	—
651	119	Abortion with sepsis	2	—	—	—	2	—	—	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium ...	8	1	—	—	—	—	—	1	1	—	3	1	1
690-698	121	Infections of skin and subcutaneous tissue	19	1	—	3	1	3	1	2	2	1	1	3	1
720-725	122	Arthritis and spondylitis	187	19	21	17	12	24	15	19	8	8	12	16	16

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 43—continued

International Classification		CAUSES OF DEATH	Total	January	February	March	April	May	June	July	August	September	October	November	December
Detailed List	Intermediate List "A"														
26, 727	123	Muscular rheumatism and rheumatism unspecified...	13	1	—	4	—	2	—	2	—	—	3	1	—
730	124	Osteomyelitis and periostitis ...	11	3	1	1	1	1	1	2	—	—	—	1	—
37, 745-749	125	Ankylosis and acquired musculoskeletal deformities ...	4	1	2	1	—	—	—	—	—	—	—	—	—
00-716, 31-736, 38-744	126	All other diseases of skin and musculoskeletal system ...	73	9	2	7	6	8	9	3	8	2	5	5	9
		<i>Congenital malformations and certain diseases of early infancy (750-776)</i> TOTAL	2125	207	180	215	192	176	157	165	155	166	158	167	187
751	127	Spina bifida and meningocele ...	152	11	14	13	10	11	14	11	7	13	13	17	18
754	128	Congenital malformations of circulatory system ...	209	22	20	19	18	19	16	12	19	12	12	14	26
50, 752, 53, 755-759	129	All other congenital malformations ...	261	22	24	34	18	17	23	22	18	22	17	24	20
60, 761	130	Birth injuries ...	235	23	19	13	17	19	20	22	22	20	16	22	22
762	131	Post-natal asphyxia and atelectasis ...	462	31	39	45	38	47	36	38	35	40	40	31	42
763	132a	Pneumonia of newborn ...	117	24	8	12	13	5	6	6	1	13	9	6	14
764	132b	Diarrhoea of newborn ...	11	2	1	—	2	—	—	—	3	—	1	1	1
65-768	132c	Other infections of newborn ...	19	1	2	3	1	1	1	1	1	3	2	3	—
770	133	Hæmolytic disease of newborn ...	55	7	6	6	3	6	3	7	5	4	2	3	3
69, 771	134	All other defined diseases of early infancy ...	59	2	5	12	9	6	2	10	1	—	4	5	3
772	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified ...	545	62	42	58	63	45	36	36	43	39	42	41	38
73-776		Senility without mention of psychosis ...	839	99	117	93	87	57	61	52	48	49	55	52	69
794	136	Ill-defined and unknown causes ...	290	36	26	35	23	24	21	24	18	10	18	23	32
80-793	137	"E" code alternative classification of accidents, poisonings and violence (external causes)													
795		<i>Violence (800-999)</i> TOTAL	2920	267	218	269	244	258	228	271	265	205	231	207	257
810-835	138	Motor vehicle accidents ...	597	36	31	37	42	56	39	56	63	50	67	56	64
840-845	139a	Other road transport accidents ...	38	3	—	7	4	4	2	3	4	3	4	2	2
800-802	139b	Other transport accidents ...	113	8	8	10	17	10	8	11	6	13	8	3	11
850-856															
870-879	140	Accidental poisoning ...	246	28	31	34	17	18	9	11	24	13	18	17	26
E895	141	Accidental falls ...	697	70	75	52	68	64	58	54	58	49	49	41	59
E904	142	Accident caused by machinery ...	15	1	—	1	2	2	3	1	—	2	2	1	—
E912	143	Accident caused by fire and explosion of combustible material ...	123	15	19	26	6	11	5	5	8	9	1	5	13
917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	21	2	—	3	—	3	—	6	—	1	3	2	1
E919	145	Accident caused by firearm ...	16	2	—	4	1	1	1	—	4	1	—	1	1
E929	146	Accidental drowning and submersion ...	223	14	7	13	14	20	20	48	35	10	19	15	8
921-E925	147a	Accidental mechanical suffocation, etc. ...	207	27	11	25	21	15	18	15	15	8	14	16	22
910-E911, 913-E915, 920, 926-E928, 930-E962	147b	All other accidental causes ...	195	16	12	17	15	13	14	16	24	17	16	14	21
963, 970-E979	148	Suicide and self-inflicted injury ...	394	42	23	36	36	38	49	39	20	25	29	30	27
964, 980-E985	149	Homicide and injury purposely inflicted by other persons (not in war) ...	25	2	1	3	—	2	2	6	4	4	—	1	—
965, 990-E999	150	Injury resulting from operations of war ...	10	1	—	1	1	1	—	—	—	—	1	3	2

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44A.—Deaths in Scotland by Sex and Age Groups—1955

International Classification	Detailed List	Intermediate List "A"	CAUSES OF DEATH	All Ages	Ages										75 and over	Not stated
					-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75		
			ALL CAUSES—Both Sexes ..	61,645	2,811	411	252	176	576	1,068	1,949	5,138	9,773	16,038	23,453	
			Males ..	31,329	1,577	240	147	104	350	591	1,102	3,144	5,707	8,209	10,158	
			Females ..	30,316	1,234	171	105	72	226	477	847	1,994	4,066	7,829	13,295	
			<i>All Tuberculosis (001-019)</i>	619	12	2	2	1	17	91	91	142	148	84	29	
			Respiratory system ..	363	1	1	1	4	48	104	79	132	38	32	15	
			Meninges and central nervous system ..	555	1	1	1	1	15	81	132	140	32	80	24	
			Intestines, peritoneum and mesenteric glands ..	308	1	1	1	44	22	99	71	33	29	16	11	
			Bones and joints ..	20	2	2	2	3	1	2	3	1	1	1	2	
			All other forms ..	17	8	1	1	3	1	3	1	3	1	1	2	
			<i>Syphilis (020-029)</i>	6	—	—	—	—	—	—	—	—	—	—	—	
			Congenital syphilis ..	5	—	—	—	—	2	1	1	5	3	2	1	
			Early syphilis ..	17	1	—	—	—	1	2	2	2	3	3	2	
			Tabes dorsalis ..	10	—	—	—	—	1	7	5	2	3	2	2	
			General paralysis of insane ..	21	1	—	—	1	4	2	5	14	23	23	4	
			<i>Syphilis (020-029)</i>	28	1	—	—	—	1	1	1	8	3	10	4	
			<i>Syphilis (020-029)</i>	70	1	—	—	—	—	—	—	—	—	—	—	
			<i>Syphilis (020-029)</i>	27	1	—	—	—	—	—	—	—	—	—	—	
			Congenital syphilis ..	2	1	—	—	—	—	1	1	—	—	—	—	
			Early syphilis ..	—	—	—	—	—	—	—	—	—	—	—	—	
			Tabes dorsalis ..	7	—	—	—	—	—	—	—	—	—	—	—	
			General paralysis of insane ..	3	—	—	—	—	—	—	—	—	—	—	—	
			<i>Syphilis (020-029)</i>	12	—	—	—	—	—	—	—	—	—	—	—	
			<i>Syphilis (020-029)</i>	9	—	—	—	—	—	—	—	—	—	—	—	
			All other syphilis ..	51	—	—	—	—	—	—	—	—	—	—	—	
			Gonococcal infection ..	13	—	—	—	—	—	—	—	—	—	—	—	
			Typhoid fever ..	1	—	—	—	—	—	—	—	—	—	—	—	
			Paratyphoid fever and other salmonella infections ..	4	1	—	—	—	—	—	—	—	—	—	—	
			Cholera ..	3	—	—	—	—	—	—	—	—	—	—	—	
			Brucellosis (undulant fever) ..	7	—	—	—	—	—	—	—	—	—	—	—	
			Dysentery, all forms ..	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	2	1	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1	—	—	—	—	—	—	—	—	
			(c)	7	2	1	1	—	—	—	—	—	—	—	—	
			(c)	8	2	1	1</									

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	Scarlet fever	...	M.	1	—	—	—	—	—	—	—	—	—	—	—
051	Streptococcal sore throat	...	F.	2	—	—	1	—	—	—	—	—	1	—	—
052	Erysipelas	...	F.	—	—	—	—	1	—	—	—	—	—	—	—
053	Septicæmia and pyæmia	...	F.	8	—	—	—	—	—	—	—	2	—	—	—
055	Diphtheria	...	F.	11	—	—	2	—	1	—	4	—	—	1	—
056	Whooping cough	...	F.	—	—	—	—	—	—	—	—	—	—	—	—
057	Meningococcal infections	...	F.	3	—	—	—	—	—	—	—	—	—	—	—
058	Plague	...	F.	7	—	—	—	—	—	—	—	—	—	—	—
060	Leprosy	...	F.	18	—	—	—	—	—	—	—	—	—	—	—
061	Tetanus	...	F.	11	—	—	—	—	—	—	—	—	—	—	—
062	Anthrax	...	F.	—	—	—	—	—	—	—	—	—	—	—	—
080	Acute poliomyelitis	...	F.	6	—	—	—	—	—	—	—	—	—	—	—
082	Acute infectious encephalitis	...	F.	—	—	—	—	—	—	—	—	—	—	—	—
081, 083	Late effects of acute poliomyelitis and acute infectious encephalitis	...	F.	17	—	—	—	—	—	—	—	—	—	—	—
084	Smallpox	...	F.	5	—	—	—	—	—	—	—	—	—	—	—
085	Measles	...	F.	3	—	—	—	—	—	—	—	—	—	—	—
091	Yellow fever	...	F.	2	—	—	—	—	—	—	—	—	—	—	—
092	Infectious hepatitis	...	F.	19	—	—	—	—	—	—	—	—	—	—	—
094	Rabies	...	F.	—	—	—	—	—	—	—	—	—	—	—	—
100-108	Typhus and other rickettsial diseases	...	F.	8	—	—	—	—	—	—	—	—	—	—	—
110-117	Malaria	...	F.	12	—	—	—	—	—	—	—	—	—	—	—
123	Schistosomiasis	...	F.	—	—	—	—	—	—	—	—	—	—	—	—
125	Hydatid disease	...	F.	7	—	—	—	—	—	—	—	—	—	—	—
127	Filariasis	...	F.	12	—	—	—	—	—	—	—	—	—	—	—
129	Ankylostomiasis	...	F.	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	Other diseases due to helminths	...	F.	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44A.—continued

International Classification	Detailed List	CAUSES OF DEATH	All Ages	AGES										65-75 and over	Not stated
				-1	1-5	10-15	25-35	45-55	65-						
43	138	All other diseases classified as infective and parasitic ...	11	1	1	1	3	1	3	1	—	—	3		
		Malignant neoplasms (140-205)	5,462	4	21	33	64	229	804	1,455	1,572	1,252	5		
		...	5,123	5	10	33	95	269	733	1,131	1,450	1,376	89		
		...	178	1	1	2	1	5	8	25	51	51	27		
		Buccal cavity and pharynx ...	190	1	1	2	1	5	17	29	76	51	54		
		Esophagus ...	178	1	1	2	1	3	10	30	50	54	54		
		Stomach ...	147	1	1	2	1	4	12	23	284	231	231		
		Intestine, except rectum ...	926	1	1	2	7	22	79	173	259	307	307		
		Rectum ...	847	1	1	2	2	14	65	129	188	226	226		
		Larynx ...	626	1	1	3	11	25	86	141	246	283	283		
50	163	Trachea, bronchus and lung not specified as secondary	805	1	1	3	5	11	28	58	123	110	110		
		...	335	1	1	2	3	6	11	28	39	58	68		
		...	202	1	1	1	1	3	8	17	21	16	16		
		...	64	1	1	1	1	3	8	17	21	16	16		
		...	94	1	1	1	1	3	8	17	21	16	16		
		...	1,515	1	1	3	8	16	314	611	396	122	8		
		...	287	1	1	3	6	16	50	63	87	61	3		
		...	6	1	1	2	11	65	166	190	223	181	181		
		...	838	1	1	2	11	65	166	190	223	181	181		
		...	F.	1	1	2	11	65	166	190	223	181	181		
52	171	Cervix uteri ...	229	1	1	1	4	46	54	60	43	22	22		
		...	F.	1	1	1	4	46	54	60	43	22	22		
		Other and unspecified parts of uterus	262	1	1	1	6	13	48	65	77	52	52		
		...	F.	1	1	1	6	13	48	65	77	52	52		
		Prostate ...	328	1	1	1	2	7	42	115	163	163	163		
		...	M.	1	1	1	2	7	42	115	163	163	163		
		Skin ...	58	1	1	1	4	5	12	18	29	17	17		
		...	M.	1	1	1	4	5	12	18	29	17	17		
		Bone and connective tissue ...	59	1	1	1	4	6	15	28	18	19	19		
		...	M.	1	1	1	4	6	15	28	18	19	19		
56	196, 197	...	98	1	1	3	1	3	4	12	20	10	10		
		...	F.	1	1	3	1	3	4	12	20	10	10		
		...	56	1	1	3	1	3	4	12	20	10	10		
		...	56	1	1	3	1	3	4	12	20	10	10		
		...	56	1	1	3	1	3	4	12	20	10	10		
		...	56	1	1	3	1	3	4	12	20	10	10		
		...	56	1	1	3	1	3	4	12	20	10	10		
		...	56	1	1	3	1	3	4	12	20	10	10		
		...	56	1	1	3	1	3	4	12	20	10	10		
		...	56	1	1	3	1	3	4	12	20	10	10		
57	(a)	All other and unspecified sites	843	2	9	4	20	43	148	214	223	174	174		
		...	M	2	9	4	20	43	148	214	223	174	174		
		...	F.	1,051	4	6	1	24	45	156	277	296	234		
		...	F.	1,051	4	6	1	24	45	156	277	296	234		
		...	F.	1,051	4	6	1	24	45	156	277	296	234		
		...	F.	1,051	4	6	1	24	45	156	277	296	234		
		...	F.	1,051	4	6	1	24	45	156	277	296	234		
		...	F.	1,051	4	6	1	24	45	156	277	296	234		
		...	F.	1,051	4	6	1	24	45	156	277	296	234		
		...	F.	1,051	4	6	1	24	45	156	277	296	234		
(b)	199	...	1,051	4	6	1	24	45	156	277	296	234	234		
		...	1,051	4	6	1	24	45	156	277	296	234	234		
		...	1,051	4	6	1	24	45	156	277	296	234	234		
		...	1,051	4	6	1	24	45	156	277	296	234	234		
		...	1,051	4	6	1	24	45	156	277	296	234	234		
		...	1,051	4	6	1	24	45	156	277	296	234	234		
		...	1,051	4	6	1	24	45	156	277	296	234	234		
		...	1,051	4	6	1	24	45	156	277	296	234	234		
		...	1,051	4	6	1	24	45	156	277	296	234	234		
		...	1,051	4	6	1	24	45	156	277	296	234	234		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(m)	(n)	(o)	(p)
200-203, 205	58	Leukemia and aleukemia	M. 138 F. 109	1	11	5	14	20	29	9	—	—
210-239	59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system	M. 169 F. 114	1	10	3	7	17	25	15	—	—
250, 251	60	Benign neoplasms and neoplasms of unspecified nature	M. 141 F. 73	1	3	1	23	34	30	22	—	—
252	61	Non-toxic goitre	M. 8 F. 8	2	1	2	8	14	7	15	12	12
260	62	Thyrototoxicosis with or without goitre	M. 24 F. 14	1	—	—	10	14	2	4	2	—
280-286	63	Diabetes mellitus	M. 318 F. 16	—	2	—	11	2	12	12	1	—
290	64	Avitaminosis and other deficiency states	M. 23 F. 36	1	1	—	7	9	87	86	—	—
291-293	65a	Pernicious and other hyperchromic anemias	M. 83 F. 43	1	—	—	—	2	2	6	4	—
240-245, 253, 254, 270-277, 287-289, 294-299	65b	Other anemias	M. 52 F. 32	1	2	—	4	3	9	31	41	—
300-309	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M. 165 F. 230	3	3	3	10	25	47	45	19	—
310-324, 326	67	Psychoses	M. 63 F. 14	—	—	—	27	35	53	57	37	—
325	68	Psychoneuroses and disorders of personality	M. 16 F. 14	—	—	1	2	2	6	11	14	—
330	69	Mental deficiency	M. 94 F. 119	2	3	2	1	4	2	3	—	—
331	70a	Subarachnoid hemorrhage	M. 1730 F. 2,451	1	5	1	14	—	1	—	—	—
332	70b	Cerebral hemorrhage	M. 1,888 F. 2,655	2	1	1	12	19	24	16	6	—
333, 334	70c	Cerebral embolism and thrombosis	M. 308 F. 362	—	—	—	36	185	308	615	18	—
340	70d	Other vascular lesions affecting central nervous system	M. 30 F. 18	—	—	—	7	57	212	836	659	—
345	71	Non-meningococcal meningitis	M. 62 F. 97	6	3	—	—	21	432	980	980	—
353	72	Multiple sclerosis	M. 47 F. 53	2	11	6	21	169	237	615	1,008	—
370-379	73	Epilepsy	M. 1 F. 1	2	6	2	3	3	72	772	1,581	—
385	74	Inflammatory diseases of eye	M. 1 F. 1	1	1	—	—	3	21	87	198	—
387	75	Cataract	M. 1 F. 1	—	—	—	—	1	22	94	243	—
391-393	76	Glaucoma	M. 17 F. 5	3	1	—	—	6	3	1	3	—
350	77	Otitis media and mastoiditis	M. 72 F. 98	1	—	—	—	1	1	1	1	—
	78a	Paralysis agitans	M. 5 F. 3	1	—	—	—	2	3	—	—	—

TABLE 44A.-continued

International Classification	Detailed List	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	Ages										75 and over	Not stated
					-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	400-402	78b	All other diseases of the nervous system and sense organs	148 F. 146 M. 27	2	10	2	3	6	4	9	20	33	35	24	
		79	Rheumatic fever	27 F. 27 M. 27	—	1	3	4	2	5	7	13	29	33	38	
			Heart disease (410-443)	10,540 F. 10,350 M. 293	1	2	—	2	23	71	263	1,047	1,900	3,088	4,145	
410-416		80	Chronic rheumatic heart disease	554 F. 554 M. 548	—	—	—	1	15	18	36	68	134	2,874	5,635	
420		81a	Arteriosclerotic heart disease (including coronary disease)	3,281 F. 3,281 M. 169	—	—	—	—	4	39	70	141	122	94	69	
421		81b	Chronic endocarditis not specified as rheumatic	193 F. 193 M. 8	—	—	—	—	2	6	28	182	1,340	1,801	1,263	
422.0		81c	Fatty degeneration of heart	29 F. 29 M. 2	—	—	—	—	1	5	7	19	41	1,307	1,143	
422.1		81d	Myocardial degeneration with arteriosclerosis	2,063 F. 2,063 M. 2,906	—	—	—	—	—	—	10	15	33	63	69	
422.2		81e	Other myocardial degeneration	1,669 F. 1,669 M. 2,238	—	—	—	—	—	—	3	5	10	2	3	
430-432		82a	Acute non-rheumatic heart disease	59 F. 59 M. 69	—	—	—	—	2	3	4	7	9	17	18	
433, 434		82b	Other and unspecified diseases of heart	265 F. 265 M. 329	1	2	—	1	1	4	5	22	52	77	103	
440-443		83	Hypertension with heart disease	556 F. 556 M. 751	—	—	—	—	2	3	4	26	44	111	136	
444-447		84	Hypertension without mention of heart disease	343 F. 343 M. 367	—	—	—	—	—	—	3	18	110	167	222	
450		85a	General arteriosclerosis	615 F. 615 M. 105	—	—	—	—	—	—	11	31	70	263	374	
451-456		85b	Other diseases of arteries	83 F. 83 M. 99	—	—	—	—	—	—	1	2	21	132	459	
460-468		86	Other diseases of circulatory system	137 F. 137 M. 15	—	—	—	—	—	—	5	11	26	91	30	
470-475		87	Acute upper respiratory infections	12 F. 12 M. 96	1	1	1	—	—	3	5	13	25	24	38	
480-483		88	Influenza	191 F. 191 M. 175	6	4	—	2	—	2	6	11	26	50	39	
490		89	Lobar pneumonia	191 F. 191 M. 175	2	2	—	—	—	—	2	—	—	—	—	
(a)		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M. ...	393	101	18	1	7	4	8	29	68	135	221	—
492, 493	91	Primary atypical, other and unspecified pneumonia	F. M. ...	654	90	1	3	1	2	4	30	46	127	331	—
		Bronchitis (500-502)	F. M. ...	116	30	4	—	1	—	3	4	24	14	27	—
			F. M. ...	89	10	4	—	2	—	31	179	383	426	341	—
			F. M. ...	1,396	23	2	3	2	2	14	30	79	201	343	—
			F. M. ...	690	17	2	3	1	1	3	8	16	18	54	—
500	92	Acute	F. M. ...	132	23	3	—	1	1	3	3	11	23	77	—
			F. M. ...	135	17	3	—	1	2	20	115	227	261	165	—
501b, 502b	93a	Chronic and unqualified with heart disease secondary	F. M. ...	791	—	—	—	—	1	7	19	51	123	155	—
501a, 502a	93b	Chronic and unqualified otherwise defined	F. M. ...	356	—	—	—	—	1	8	56	140	147	122	—
			F. M. ...	473	—	—	—	—	1	7	8	17	55	111	—
510	94	Hypertrophy of tonsils and adenoids	F. M. ...	199	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	F. M. ...	12	1	—	—	1	1	1	2	4	1	2	—
			F. M. ...	12	7	—	—	—	—	—	—	—	—	1	—
519	96	Pleurisy	F. M. ...	12	—	—	—	—	—	—	—	—	—	6	—
			F. M. ...	9	—	—	—	—	—	—	—	—	—	3	—
511-517, 520, 522-527	97	All other respiratory diseases	M. ...	402	7	2	1	—	5	14	30	138	121	82	—
			F. M. ...	116	8	5	3	4	4	7	7	19	22	37	—
530-535	98	Diseases of teeth and supporting structures	F. M. ...	1	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	F. M. ...	181	—	—	—	—	—	—	—	—	—	—	—
541	100	Ulcer of duodenum	F. M. ...	103	—	—	—	—	—	—	—	—	—	—	—
543	101	Gastritis and duodenitis	F. M. ...	311	—	—	—	5	20	17	44	76	88	61	—
			F. M. ...	71	—	—	—	—	3	5	6	2	21	27	—
550-553	102	Appendicitis	F. M. ...	5	1	—	—	—	—	—	—	—	—	—	—
			F. M. ...	11	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	103	Intestinal obstruction and hernia	F. M. ...	51	1	—	—	3	2	4	14	6	10	9	—
			F. M. ...	36	—	—	—	2	2	2	8	6	6	8	—
571.0	104a	Gastro-enteritis, between 4 weeks and 2 years	F. M. ...	197	17	2	3	2	2	5	14	36	67	61	—
571.1	104b	Gastro-enteritis over 2 years	F. M. ...	202	11	4	2	1	5	—	—	—	—	—	—
572	104c	Chronic enteritis and ulcerative colitis	F. M. ...	79	36	5	—	—	—	—	—	—	—	—	—
581	105	Cirrhosis of liver	F. M. ...	24	41	—	—	—	—	—	—	—	—	—	—
584-585	106	Cholelithiasis and cholecystitis	F. M. ...	44	—	—	—	—	—	—	—	—	—	—	—
			F. M. ...	55	—	—	—	—	—	—	—	—	—	—	—
580, 582, 583, 586, 586-539, 542, 544, 545, 573-578, 587	107a	Other diseases of liver	M. ...	93	—	—	—	—	—	—	—	—	—	—	—
			F. M. ...	84	—	—	—	—	—	—	—	—	—	—	—
590	107b	Other diseases of digestive system	M. ...	83	—	—	—	—	—	—	—	—	—	—	—
			F. M. ...	58	—	—	—	—	—	—	—	—	—	—	—
591-594	108	Acute nephritis	M. ...	129	—	—	—	—	—	—	—	—	—	—	—
			F. M. ...	23	—	—	—	—	—	—	—	—	—	—	—
			F. M. ...	30	—	—	—	—	—	—	—	—	—	—	—
			F. M. ...	86	5	2	1	1	3	10	17	12	19	16	—
			F. M. ...	78	9	6	3	1	3	3	7	20	18	17	—
			F. M. ...	17	—	1	3	3	3	4	—	5	1	—	—
			F. M. ...	21	—	2	2	2	2	2	39	49	51	50	—
			F. M. ...	250	—	1	4	15	15	27	15	31	63	56	—
			F. M. ...	242	—	1	5	12	12	15	31	51	83	56	—

TABLE 44A.—continued

[illegible]

130	760-781	Birth injuries</
-----	---------	----------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-------

TABLE 44B.—Deaths in Aggregate of Counties of Cities in Scotland by Sex and Age Groups
(Glasgow, Edinburgh, Aberdeen and Dundee)—1955

International Classification	Detailed List	Inter- mediate List "A"	CAUSES OF DEATH	All Ages	AGES								65- 75 and over	Not stated	
					-1	1- 5	10- 15	25- 35	45- 55	65-					
			ALL CAUSES—Both Sexes	23,656	1,121	150	92	213	369	749	2,215	4,041	6,257	8,387	
			Males	11,985	637	93	52	124	194	424	1,362	2,407	3,160	3,495	
			Females	11,671	484	57	40	89	175	325	853	1,634	3,097	4,892	
			ALL CAUSES (001-019)												
			ALL Tuberculosis (001-019)												
			Respiratory system	291	2	6	1	6	39	35	73	72	43	14	
			Meninges and central nervous system	154	—	3	1	21	40	33	18	17	13	6	
			Intestines, peritoneum and mesenteric glands	267	—	1	1	5	37	31	69	69	42	12	
			Bones and joints	130	—	1	1	19	37	29	15	16	9	4	
			All other forms	7	2	5	1	—	—	—	—	—	—	—	
			Syphilis (020-029)	7	2	2	1	1	2	—	1	—	—	—	
			Congenital syphilis	1	—	—	—	—	—	—	—	—	—	—	
			Early syphilis	10	—	—	—	1	1	2	3	3	1	1	
			Tabes dorsalis	4	—	—	—	1	2	2	8	11	4	1	
			General paralysis of insane	6	—	—	—	—	—	2	1	1	1	3	
			All other syphilis	11	—	—	—	—	—	2	—	—	—	—	
			Gonococcal infection	12	—	—	—	—	—	—	—	—	—	—	
			Typhoid fever	1	—	—	—	—	—	—	—	—	—	—	
			Paratyphoid fever and other salmonella infections	3	—	—	—	—	—	—	—	—	—	—	
			Cholera	2	—	—	—	—	—	—	—	—	—	—	
			Brucellosis (undulant fever)	2	—	—	—	—	—	—	—	—	—	—	
			Dysentery, all forms	3	—	—	—	—	—	—	—	—	—	—	
				6	2	—	—	—	1	—	1	—	—	1	
				(a)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	Scarlet fever	...	M.	1
051	Streptococcal sore throat	...	F.	1
052	Erysipelas	...	M.
053	Septicæmia and pyæmia	...	F.	5
055	Diphtheria	...	M.	4
056	Whooping cough	...	F.	1
057	Meningococcal infections	...	M.	4
058	Plague	...	F.	12
060	Leprosy	...	M.	5
061	Tetanus	...	F.	3
062	Anthrax	...	M.	1
080	Acute poliomyelitis	...	F.
082	Acute infectious encephalitis	...	M.	2
081, 083	Late effects of acute poliomyelitis and acute infectious encephalitis	...	F.	6
084	Smallpox	...	M.	5
085	Measles	...	F.	3
091	Yellow fever	...	M.	5
092	Infectious hepatitis	...	F.	1
094	Rabies	...	M.	5
100-108	Typhus and other rickettsial diseases	...	F.
110-117	Malaria	...	M.
123	Schistosomiasis	...	F.
125	Hydatid disease	...	M.
127	Filariasis	...	F.
129	Ankylostomiasis	...	M.
124, 126, 128, 130	Other diseases due to helminths	...	F.

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44B.—continued

[illegible]

(#)	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system ...	M.	65	—	—	—	—	—	—	—	—	—	—	—	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	F.	52	—	—	—	—	—	—	—	—	—	—	—	—
250, 251	61	Non-toxic goitre ...	M.	27	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyroticosis with or without goitre ...	M.	3	—	—	—	—	—	—	—	—	—	—	—	—
260	63	Diabetes mellitus ...	F.	9	—	—	—	—	—	—	—	—	—	—	—	—
280-286	64	Avitaminosis and other deficiency states ...	M.	50	—	—	—	—	—	—	—	—	—	—	—	—
290	65a	Pernicious and other hyperchromic anemias ...	M.	100	—	—	—	—	—	—	—	—	—	—	—	—
291-293	65b	Other anemias ...	F.	10	—	—	—	—	—	—	—	—	—	—	—	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases ...	M.	37	—	—	—	—	—	—	—	—	—	—	—	—
300-309	67	Psychoses ...	F.	14	—	—	—	—	—	—	—	—	—	—	—	—
310-324, 326	68	Psychoneuroses and disorders of personality ...	M.	23	—	—	—	—	—	—	—	—	—	—	—	—
325	69	Mental deficiency ...	F.	1	—	—	—	—	—	—	—	—	—	—	—	—
330	70a	Subarachnoid hemorrhage ...	M.	6	—	—	—	—	—	—	—	—	—	—	—	—
331	70b	Cerebral hemorrhage ...	F.	42	—	—	—	—	—	—	—	—	—	—	—	—
332	70c	Cerebral embolism and thrombosis ...	M.	50	—	—	—	—	—	—	—	—	—	—	—	—
333, 334	70d	Other vascular lesions affecting central nervous system	F.	598	—	—	—	—	—	—	—	—	—	—	—	—
340	71	Non-meningococcal meningitis ...	M.	872	—	—	—	—	—	—	—	—	—	—	—	—
345	72	Multiple sclerosis ...	F.	692	—	—	—	—	—	—	—	—	—	—	—	—
353	73	Epilepsy ...	M.	998	—	—	—	—	—	—	—	—	—	—	—	—
370-379	74	Inflammatory diseases of eye ...	F.	150	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract ...	M.	173	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma ...	F.	11	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis ...	M.	12	—	—	—	—	—	—	—	—	—	—	—	—
350	78a	Paralysis agitans ...	F.	22	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44B.—continued

International Classification	Detailed List	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	AGES										75 and over	Total
					-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75		
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398			All other diseases of the nervous system and sense organs	55	1	4	1	1	1	1	2	10	12	15	7	(a)
400-402		78b	Rheumatic fever	61	2	5	1	2	1	1	3	6	7	15	18	(b)
410-416		79	Heart disease (410-443)	14	—	—	1	1	1	1	1	1	3	1	—	(c)
420		80	Chronic rheumatic heart disease	12	—	—	1	1	1	1	1	1	1	—	—	(d)
421		81a	Arteriosclerotic heart disease (including coronary disease)	3,747	—	—	2	1	5	22	111	436	743	1,112	1,310	(e)
422.0		81b	Chronic endocarditis not specified as rheumatic	3,781	—	—	2	1	12	51	201	475	1,074	1,951	—	(f)
422.1		81c	Fatty degeneration of heart	121	—	—	1	1	4	18	23	34	18	10	—	(g)
422.2		81d	Myocardial degeneration with arteriosclerosis	240	—	—	1	1	16	27	82	58	31	21	—	(h)
430-432		82a	Other myocardial degeneration	2,032	—	—	—	—	13	77	339	500	660	440	—	(i)
433, 434		82b	Acute non-rheumatic heart disease	1,316	—	—	—	—	4	11	74	251	346	434	—	(j)
440-443		83	Other and unspecified diseases of heart	68	—	—	—	—	1	5	9	12	24	16	—	(k)
444-447		84	Hypertension without mention of heart disease	11	—	—	—	—	—	1	1	2	2	—	—	(l)
450		85a	General arteriosclerosis	3	—	—	—	—	—	—	—	—	—	—	—	(m)
451-456		85b	Other diseases of arteries	667	—	—	—	—	—	—	—	—	—	—	—	(n)
460-468		86	Other diseases of circulatory system	991	—	—	—	—	—	—	—	—	—	—	—	(o)
470-475		87	Acute upper respiratory infections	540	—	—	—	—	—	—	—	—	—	—	—	(p)
480-483		88	Influenza	745	—	—	—	—	—	—	—	—	—	—	—	(q)
490		89	Lobar pneumonia	16	—	—	—	—	—	—	—	—	—	—	—	(r)
		(a)		89	—	—	—	—	—	—	—	—	—	—	—	(s)
		(b)		3	—	—	—	—	—	—	—	—	—	—	—	(t)
		(c)		15	—	—	—	—	—	—	—	—	—	—	—	(u)
		(d)		100	—	—	—	—	—	—	—	—	—	—	—	(v)
		(e)		207	—	—	—	—	—	—	—	—	—	—	—	(w)
		(f)		295	—	—	—	—	—	—	—	—	—	—	—	(x)
		(g)		126	—	—	—	—	—	—	—	—	—	—	—	(y)
		(h)		131	—	—	—	—	—	—	—	—	—	—	—	(z)
		(i)		227	—	—	—	—	—	—	—	—	—	—	—	(aa)
		(j)		234	—	—	—	—	—	—	—	—	—	—	—	(ab)
		(k)		39	—	—	—	—	—	—	—	—	—	—	—	(ac)
		(l)		50	—	—	—	—	—	—	—	—	—	—	—	(ad)
		(m)		35	—	—	—	—	—	—	—	—	—	—	—	(ae)
		(n)		61	—	—	—	—	—	—	—	—	—	—	—	(af)
		(o)		4	—	—	—	—	—	—	—	—	—	—	—	(ag)
		(p)		6	—	—	—	—	—	—	—	—	—	—	—	(ah)
		(q)		31	—	—	—	—	—	—	—	—	—	—	—	(ai)
		(r)		32	—	—	—	—	—	—	—	—	—	—	—	(aj)
		(s)		91	—	—	—	—	—	—	—	—	—	—	—	(ak)
		(t)		32	—	—	—	—	—	—	—	—	—	—	—	(al)
		(u)		88	—	—	—	—	—	—	—	—	—	—	—	(am)
		(v)		88	—	—	—	—	—	—	—	—	—	—	—	(an)
		(w)		88	—	—	—	—	—	—	—	—	—	—	—	(ao)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Broncho-pneumonia	M. 314	40	2	2	2	4	4	2	4	21	43	75	117
492, 493	91	Primary atypical, and other unspecified pneumonia	F. 330	39	2	2	2	1	1	2	1	17	31	60	176
			M. 61	14	1	1	1	1	1	1	1	3	12	15	13
			F. 44	2	1	1	1	2	3	1	1	103	9	8	22
		TOTAL	M. 725	10	3	3	3	1	1	1	1	18	210	225	154
			F. 350	8	1	1	1	1	1	1	1	5	39	114	166
500	92	Acute	M. 66	10	1	1	1	1	1	1	1	4	10	8	23
			F. 61	8	—	—	—	—	—	—	—	3	5	10	38
501b, 502b	93a	Chronic and unqualified with heart disease secondary	M. 404	—	—	—	—	1	1	1	1	68	117	136	73
501a, 502a	93b	Chronic and unqualified otherwise defined	F. 186	—	—	—	—	—	—	—	—	13	24	71	73
			M. 255	—	—	—	—	—	—	—	—	33	83	81	56
510	94	Hypertrophy of tonsils and adenoids	F. 103	—	—	—	—	—	—	—	—	5	10	33	53
518, 521	95	Empyema and abscess of lung	M. 7	1	—	—	—	1	1	1	1	1	2	—	—
			F. 5	—	—	—	—	—	—	—	—	3	1	—	—
519	96	Pleurisy	M. 2	—	—	—	—	—	—	—	—	—	—	—	—
			F. —	—	—	—	—	—	—	—	—	—	—	—	—
511-517, 520, 522-527	97	All other respiratory diseases	M. 86	5	1	1	1	1	2	4	4	9	33	21	11
530-535	98	Diseases of teeth and supporting structures	F. 43	3	2	2	2	1	2	3	3	3	7	7	13
540	99	Ulcer of stomach	M. 65	—	—	—	—	—	—	—	—	—	—	—	—
541	100	Ulcer of duodenum	F. 32	—	—	—	—	—	1	1	1	9	19	22	14
543	101	Gastritis and duodenitis	M. 134	—	—	—	—	3	5	6	6	16	40	43	16
550-553	102	Appendicitis	F. 26	—	—	—	—	—	2	1	1	2	1	10	10
580, 561, 570	103	Intestinal obstruction and hernia	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
			F. 15	1	—	—	—	1	1	—	—	4	3	4	1
571.0	104a	Gastro-enteritis between 4 weeks and 2 years	M. 71	7	2	2	2	1	1	1	1	4	16	14	27
571.1	104b	Gastro-enteritis over 2 years	F. 78	6	—	—	—	—	—	—	—	7	12	33	17
572	104c	Chronic enteritis and ulcerative colitis	M. 38	37	1	1	1	—	—	—	—	—	—	—	—
581	105	Cirrhosis of liver	F. 20	19	—	—	—	—	—	—	—	—	—	—	—
584, 585	106	Cholelithiasis and cholecystitis	M. 9	—	—	—	—	—	—	—	—	—	—	—	—
580, 582, 583, 586	107a	Other diseases of liver	F. 12	—	—	—	—	—	—	—	—	1	4	1	3
536-539, 542, 544, 545, 573-578, 587	107b	Other diseases of digestive system	M. 22	—	—	—	—	—	—	—	—	2	3	8	2
580	108	Acute nephritis	F. 43	—	—	—	—	2	3	3	3	2	6	17	11
591-594	109	Chronic, other and unspecified nephritis	M. 33	—	—	—	—	1	1	1	1	9	10	6	2
			F. 16	—	—	—	—	—	—	—	—	1	9	16	21
			M. 10	—	—	—	—	—	—	—	—	5	2	6	3
			F. 16	—	—	—	—	—	—	—	—	2	3	—	—
596-599, 542, 544, 545, 573-578, 587	107b	Other diseases of digestive system	M. 30	1	1	1	1	—	2	4	4	4	8	7	3
590	108	Acute nephritis	F. 28	3	—	—	—	2	2	—	—	1	11	6	6
591-594	109	Chronic, other and unspecified nephritis	M. 7	—	—	—	—	1	1	1	1	3	3	1	—
			F. 6	—	—	—	—	4	4	12	18	14	21	21	12
			M. 89	—	—	—	—	5	2	9	17	22	15	15	12
			F. 84	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44B.—continued

International Classification		CAUSES OF DEATH	All Ages	AGES								pages
Detailed List	Inter-mediate List "A"			-1	1-5	10-15	25-35	45-55	65-75	and over		
600	110	Infections of kidney ...	24 M.	—	—	—	2	1	—	6	9	—
602, 604	111	Calculi of urinary system...	6 M.	—	—	—	1	3	—	12	17	—
610	112	Hyperplasia of prostate ...	7 F.	—	—	—	—	1	—	—	—	—
620, 621	113	Diseases of breast ...	145 M.	—	—	—	—	2	—	12	33	98
605, 608	114a	Diseases of bladder ...	5 M.	—	—	—	—	—	—	—	—	—
			5 F.	—	—	—	—	—	—	1	3	1
				—	—	—	—	—	—	2	2	3
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system ...	13 M.	—	—	—	1	1	—	4	7	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium ...	1 F.	—	—	—	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium ...	3 F.	—	—	—	1	2	—	—	—	—
643, 644, 670	117a	Hamorrhage of pregnancy and childbirth ...	2 F.	—	—	—	1	—	—	—	—	—
671, 672	117b	Postpartum hamorrhage ...	1 F.	—	—	—	1	—	—	—	—	—
650	118	Abortion without mention of toxæmia ...	— F.	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis ...	— F.	—	—	—	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium ...	2 F.	—	—	—	1	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue ...	7 M.	—	—	—	—	—	—	3	2	—
720-725	122	Arthritis and spondylitis ...	13 M.	—	—	—	—	—	—	4	1	—
726, 727	123	Muscular rheumatism and rheumatism unspecified ...	63 M.	—	—	—	1	2	—	5	19	36
730	124	Osteomyelitis and periostitis ...	3 M.	—	—	—	1	—	—	2	1	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities ...	5 M.	—	—	—	1	—	—	1	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system ...	1 F.	—	—	—	—	—	—	—	—	—
751	127	Congenital malformations and certain diseases of early infancy (750-778)	14 M.	1	—	—	1	2	—	2	3	4
754	128	Spina bifida and meningocele ...	14 F.	—	—	—	—	—	—	—	—	—
750, 752, 753, 755-759	129	Congenital malformations of circulatory system ...	472 M.	11	3	1	6	3	—	3	2	1
			344 F.	11	2	2	4	1	—	—	—	—
			17 M.	16	1	—	—	—	—	—	—	—
			39 F.	40	40	40	40	40	—	—	—	—
			42 M.	29	3	1	5	1	—	1	1	—
			55 F.	40	6	2	1	2	—	2	1	—
			46 M.	35	7	—	—	—	—	—	—	—

[illegible]

TABLE 44C.—Deaths in Aggregate of Large Burghs in Scotland by Sex and Age Groups—1955

International Classification		CAUSES OF DEATH	All Ages	AGES								75 and over	Not stated	
Detailed List	Inter-mediate List "A"			-1	1-5	10-15	25-35	45-55	65-75					
		ALL CAUSES—Both Sexes ... Males ... Females	9,778 5,134 4,644	540 317 223	68 46 22	45 26 13	26 13 13	99 62 37	167 92 75	325 174 151	838 534 304	1,612 963 649	2,572 1,367 1,205	3,486 1,540 1,946
		All Tuberculosis (001-019)	130	—	4	1	—	2	16	20	26	37	20	4
	001-008	Respiratory system ...	73	—	4	—	—	10	22	16	8	3	6	3
	010	Meninges and central nervous system	120	—	1	—	—	2	14	18	25	36	20	4
	011	Intestines, peritoneum and mesenteric glands	61	—	3	1	—	9	22	16	8	3	2	1
	012, 013	Bones and joints ...	5	—	—	—	—	—	—	1	—	—	—	—
	014-019	All other forms ...	4	—	—	—	—	—	—	—	1	1	1	—
		Syphilis (020-029)	2	—	—	—	—	1	2	—	—	—	2	1
	020	Congenital syphilis ...	9	—	—	—	—	1	1	1	2	4	1	1
	021	Early syphilis ...	6	—	—	—	—	—	—	—	—	—	—	—
	024	Tabes dorsalis ...	1	—	—	—	—	—	—	—	—	—	—	—
	025	General paralysis of insane ...	2	—	—	—	—	—	—	1	—	—	—	1
	022, 023, 026-029	All other syphilis ...	3	—	—	—	—	—	—	—	1	3	—	—
	030-035	Gonococcal infection ...	5	—	—	—	—	—	—	—	1	1	1	—
	040	Typhoid fever ...	2	—	—	—	—	—	—	—	—	—	—	—
	041, 042	Paratyphoid fever and other salmonella infections	1	—	—	—	—	—	—	1	—	—	—	—
	043	Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—
	044	Brucellosis (undulant fever) ...	—	—	—	—	—	—	—	—	—	—	—	—
	045-048	Dysentery, all forms ...	1	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	Scarlet fever
051	Streptococcal sore throat
052	Erysipelas	1	...
053	Septicæmia and pyæmia
055	Diphtheria
056	Whooping cough
057	Meningococcal infections
058	Plague
060	Leprosy
061	Tetanus
062	Anthrax
080	Acute poliomyelitis
082	Acute infectious encephalitis
081, 083	Late effects of acute poliomyelitis and acute infectious encephalitis
084	Smallpox
085	Measles
091	Yellow fever
092	Infectious hepatitis
094	Rabies
100-109	Typhus and other rickettsial diseases
110-117	Malaria
123	Schistosomiasis
125	Hydatid disease
127	Filariasis
129	Ankylostomiasis
124, 126, 128, 130	Other diseases due to helminths

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44C.—continued

International Classification	Detailed List	Intermediate List "A"	CAUSES OF DEATH	All Ages	AGES								75 and over	Not stated
					1-	5-	10-	15-	25-	35-	45-	55-	65-	
036-038, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43		All other diseases classified as infective and parasitic...	2	—	—	—	—	1	—	1	—	—	—
			Malignant neoplasms (140-205)	1	6	2	1	7	11	37	131	227	256	189
			Buccal cavity and pharynx	744	1	3	2	3	12	44	110	162	205	202
			Esophagus	20	—	—	—	—	—	—	—	2	5	12
140-148	44		Stomach	11	—	—	—	—	—	—	—	1	3	4
			Intestines, except rectum	28	—	—	—	—	—	—	—	3	15	6
			Rectum	18	—	—	—	—	—	—	—	4	4	3
			Larynx	149	—	—	—	—	—	—	—	7	31	7
150	45		Trachea, bronchus and lung not specified as secondary...	137	—	—	—	—	—	—	—	39	49	31
			Breast	186	—	—	—	—	—	—	—	27	38	48
			Cervix uteri	119	—	—	—	—	—	—	—	30	24	24
			Other and unspecified parts of uterus	54	—	—	—	—	—	—	—	42	37	42
152, 153	46		Prostate	32	—	—	—	—	—	—	—	10	23	18
			Skin	11	—	—	—	—	—	—	—	7	10	10
			Bone and connective tissue	3	—	—	—	—	—	—	—	4	4	2
			All other and unspecified sites	8	—	—	—	—	—	—	—	1	1	2
154	47		Leukemia and aleukemia	248	—	—	—	—	—	—	—	97	70	18
			Other and unspecified parts of uterus	30	—	—	—	—	—	—	—	8	8	—
			Prostate	109	—	—	—	—	—	—	—	30	29	18
			Skin	32	—	—	—	—	—	—	—	6	6	3
161	48		Other and unspecified parts of uterus	35	—	—	—	—	—	—	—	6	9	11
			Prostate	56	—	—	—	—	—	—	—	4	18	30
			Skin	4	—	—	—	—	—	—	—	1	1	3
			Bone and connective tissue	7	—	—	—	—	—	—	—	1	1	4
170	49		All other and unspecified sites	17	—	—	—	—	—	—	—	5	1	2
			Leukemia and aleukemia	7	—	—	—	—	—	—	—	1	1	4
			Other and unspecified parts of uterus	35	—	—	—	—	—	—	—	6	9	11
			Prostate	56	—	—	—	—	—	—	—	4	18	30
171	50		Skin	4	—	—	—	—	—	—	—	1	1	3
			Bone and connective tissue	7	—	—	—	—	—	—	—	5	1	4
			All other and unspecified sites	17	—	—	—	—	—	—	—	1	1	4
			Leukemia and aleukemia	7	—	—	—	—	—	—	—	1	1	4
172-														

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system	M. 32 F. 19	—	1	1	—	1	5	4	4	3	9	4	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M. 9 F. 8	1	—	—	—	—	2	1	4	3	2	2	—
250, 251	61	Non-toxic goitre	M. — F. 3	—	—	—	—	—	—	—	—	1	—	1	—
252	62	Thyrototoxicosis with or without goitre	M. 3 F. 14	—	—	—	—	—	—	—	1	—	1	—	—
260	63	Diabetes mellitus	M. 48 F. 3	1	—	—	—	1	—	1	—	2	23	4	—
280-286	64	Avitaminosis and other deficiency states	M. 3 F. 4	—	—	1	—	—	—	—	1	1	—	—	—
290	65a	Pernicious and other hyperchromic anæmias	M. 15 F. 9	—	—	—	—	—	—	—	—	1	2	1	—
291-293	65b	Other anæmias	M. 9 F. 9	—	—	—	—	2	—	1	2	1	3	4	—
240-245, 253, 254, 270-277, 287-289, 294, 299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M. 18 F. 38	1	—	1	1	1	1	1	—	5	4	3	—
300-309	67	Psychoses	M. 5 F. 7	—	—	—	—	—	—	—	—	8	6	5	—
310-324, 326	68	Psychoneuroses and disorders of personality	M. 1 F. 2	—	—	—	—	—	—	—	—	1	1	3	—
325	69	Mental deficiency	M. 1 F. 16	—	1	—	1	1	—	—	—	—	—	—	—
330	70a	Subarachnoid hæmorrhage	M. 14 F. 293	—	—	—	—	—	1	1	1	8	3	1	—
331	70b	Cerebral hæmorrhage	M. 26 F. 360	—	—	—	—	2	3	3	16	60	101	108	—
332	70c	Cerebral embolism and thrombosis	M. 312 F. 412	—	—	—	—	2	1	1	7	66	115	143	—
333, 334	70d	Other vascular lesions affecting central nervous system	M. 47 F. 37	—	—	—	—	—	—	—	10	38	104	166	—
340	71	Non-meningococcal meningitis	M. 3 F. 43	1	—	—	—	—	—	—	1	3	12	24	—
345	72	Multiple sclerosis	M. 2 F. 9	1	—	—	—	—	—	1	4	2	1	—	—
353	73	Epilepsy	M. 18 F. 6	2	—	—	—	1	1	3	2	9	1	1	—
370-379	74	Inflammatory diseases of eye	M. 11 F. —	—	—	—	—	—	2	3	—	—	3	—	—
385	75	Cataract	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M. 3 F. 13	—	—	—	—	2	—	1	—	—	—	6	—
350	78a	Paralysis agitans	M. 14 F. —	—	—	—	—	—	—	—	1	—	—	3	—

TABLE 44C.—continued

International Classification	Detailed List	Inter-mediate List "A."	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
					1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78b		All other diseases of the nervous system and sense organs	M. 20 F. 22	2	1	—	1	1	1	4	2	6	2		
400-402	79		Rheumatic fever	M. 4 F. 7	1	—	1	1	1	1	3	5	1	3		
			Heart disease (410-443)	1,740 1,632	1	—	1	6	16	39	185	327	526	640		
410-416	80		Chronic rheumatic heart disease...	M. 19 F. 49	—	—	—	6	15	24	65	214	472	840		
420	81a		Arteriosclerotic heart disease (including coronary disease)	M. 91 F. 908	—	—	—	2	7	13	16	21	23	9		
421	81b		Chronic endocarditis not specified as rheumatic	M. 488 F. 18	—	—	—	—	8	29	153	232	317	169		
422.0	81c		Fatty degeneration of heart ...	M. 24 F. 3	—	—	—	—	2	6	26	112	175	165		
422.1	81d		Myocardial degeneration with arteriosclerosis	M. 35 F. 459	—	—	—	—	1	1	4	3	9	10		
422.2	81e		Other myocardial degeneration	M. 278 F. 363	—	—	—	—	—	2	11	26	87	238		
430-432	82a		Acute non-rheumatic heart disease	M. 9 F. 21	—	—	2	2	2	—	2	2	5	3		
433, 434	82b		Other and unspecified diseases of heart	M. 35 F. 54	1	—	2	2	1	—	4	9	10	13		
440-443	83		Hypertension with heart disease	M. 130 F. 51	—	—	—	—	—	1	6	16	31	20		
444-447	84		Hypertension without mention of heart disease	M. 66 F. 96	—	—	—	—	1	2	3	12	18	59		
450	85a		General arteriosclerosis	M. 78 F. 16	—	—	—	—	1	—	2	5	22	62		
451-456	85b		Other diseases of arteries	M. 17 F. 7	—	—	—	—	1	—	2	2	3	7		
460-468	86		Other diseases of circulatory system	M. 23 F. 5	—	—	—	—	1	4	1	5	3	3		
470-475	87		Acute upper respiratory infections	M. 16 F. 17	—	—	—	—	—	1	1	—	—	8		
480-483	88		Influenza ...	M. 30 F. 27	2	—	—	—	2	—	2	—	—	—		
490	89		Lobar pneumonia ...	M. 4 F. 2	1	1	1	—	1	—	1	7	4	1		
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	92	1	1	1	1	1	1	4	7	22	28	—
492, 493	91	Primary atypical, other and unspecified pneumonia	F.	96	—	—	—	—	—	—	5	5	4	45	—
			M.	12	1	—	—	—	—	—	3	3	19	3	—
			F.	17	—	—	—	—	—	—	5	5	8	8	—
		Total	M.	255	—	—	—	—	—	—	38	72	79	55	—
		Bronchitis (500-502)	F.	100	—	—	—	—	—	—	5	15	24	49	—
500	92	Acute	M.	2	—	—	—	—	—	—	2	1	1	4	—
			F.	13	—	—	—	—	—	—	2	3	1	8	—
501b, 502b	93a	Chronic and unqualified with heart disease secondary	M.	16	—	—	—	—	—	—	27	54	51	33	—
501a, 502a	93b	Chronic and unqualified otherwise defined	F.	170	—	—	—	—	—	—	2	8	19	25	—
510	94	Hypertrophy of tonsils and adenoids	M.	57	—	—	—	—	—	—	9	17	27	18	—
518, 521	95	Empyema and abscess of lung	F.	72	—	—	—	—	—	—	1	4	4	16	—
519	96	Pleurisy	M.	27	—	—	—	—	—	—	1	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	—
			M.	2	—	—	—	—	—	—	—	2	—	—	—
			F.	3	—	—	—	—	—	—	1	1	1	1	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	58	—	—	—	—	—	—	6	19	12	12	—
			F.	18	—	—	—	—	—	—	1	3	4	5	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	F.	25	—	—	—	—	—	—	3	3	14	5	—
541	100	Ulcer of duodenum	M.	15	—	—	—	—	—	—	1	1	6	7	—
			F.	37	—	—	—	—	—	—	9	7	11	5	—
543	101	Gastritis and duodenitis	M.	14	—	—	—	—	—	—	2	3	1	6	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
550-553	102	Appendicitis	M.	1	—	—	—	—	—	—	—	—	3	1	—
560, 561, 570	103	Intestinal obstruction and hernia	F.	7	—	—	—	—	—	—	—	2	—	—	—
			M.	2	—	—	—	—	—	—	2	5	10	11	—
571.0	104a	Gastro-enteritis, between 4 weeks and 2 years	F.	37	—	—	—	—	—	—	1	7	6	15	—
571.1	104b	Gastro-enteritis over 2 years	M.	20	—	—	—	—	—	—	—	—	—	—	—
572	104c	Chronic enteritis and ulcerative colitis	F.	9	—	—	—	—	—	—	—	—	3	1	—
581	105	Cirrhosis of liver	M.	4	—	—	—	—	—	—	1	1	3	1	—
584-585	106	Cholelithiasis and cholecystitis	F.	8	—	—	—	—	—	—	2	2	3	2	—
			M.	10	—	—	—	—	—	—	2	3	5	4	—
580, 582, 583, 586	107a	Other diseases of liver	F.	9	—	—	—	—	—	—	—	3	6	6	—
536-539, 542, 544, 545, 573-578, 587	107b	Other diseases of digestive system	M.	18	—	—	—	—	—	—	—	—	—	—	—
590	108	Acute nephritis	F.	5	—	—	—	—	—	—	1	1	2	3	—
591-594	109	Chronic, other and unspecified nephritis	M.	4	—	—	—	—	—	—	2	3	2	1	—
			F.	38	—	—	—	—	—	—	4	7	14	6	—

TABLE 44C.—continued

International Classification	Detailed List	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
					-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
600		110	Infections of kidney ...	{ M. F. }	—	—	—	—	—	1	1	2	1	9	2	—
602, 604		111	Calculi of urinary system...	{ M. F. }	—	—	—	—	—	—	1	2	2	1	1	—
610		112	Hyperplasia of prostate ...	M.	—	—	—	—	—	—	—	—	1	2	—	—
620, 621		113	Diseases of breast ...	M.	—	—	—	—	—	—	—	—	4	29	48	—
605, 606		114a	Diseases of bladder ...	{ M. F. }	—	—	—	—	—	—	—	—	—	—	—	—
601, 603, 607-609, 611-617, 622-637		114b	Other diseases of genito-urinary system ...	{ M. F. }	—	—	—	—	—	—	—	—	1	2	2	—
640, 641, 681, 682, 684, 642, 652, 685,		115	Sepsis of pregnancy, childbirth and the puerperium ...	F.	—	—	—	—	1	—	—	—	—	—	—	—
643, 644, 670		116	Toxæmias of pregnancy and the puerperium ...	F.	—	—	—	—	1	—	—	—	—	—	—	—
671, 672		117a	Hæmorrhage of pregnancy and childbirth ...	F.	—	—	—	—	—	1	—	—	—	—	—	—
650		117b	Postpartum hæmorrhage ...	F.	—	—	—	—	—	1	—	—	—	—	—	—
681		118	Abortion without mention of sepsis or toxæmia ...	F.	—	—	—	—	1	1	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689		119	Abortion with sepsis ...	F.	—	—	—	—	—	1	1	—	—	—	—	—
690-698		120	Other complications of pregnancy, childbirth and puerperium ...	F.	—	—	—	—	—	1	1	1	—	—	—	—
720-725		121	Infections of skin and subcutaneous tissue ...	{ M. F. }	—	—	—	—	—	—	—	—	—	—	1	—
726, 727		122	Arthritis and spondylitis ...	{ M. F. }	—	—	—	—	1	—	—	1	2	3	1	—
730		123	Muscular rheumatism and rheumatism unspecified ...	{ M. F. }	—	—	—	—	—	—	3	2	1	6	7	—
737, 745-749		124	Osteomyelitis and periostitis ...	{ M. F. }	—	—	—	—	—	—	—	1	—	—	1	—
700-716, 731-736, 738-744		125	Ankylosis and acquired musculoskeletal deformities ...	{ M. F. }	—	—	—	—	—	—	—	—	—	—	—	—
		126	All other diseases of skin and musculoskeletal system ...	{ M. F. }	—	—	—	—	—	2	—	—	—	1	1	—
751		127	Congenital malformations and certain diseases of early infancy (750-776)	{ M. F. }	215	5	2	3	1	2	—	2	—	—	—	—
754		128	Spina bifida and meningocele ...	{ M. F. }	149	2	1	—	2	—	1	3	—	3	—	—
			Congenital malformations of circulatory system ...	{ M. F. }	11	1	—	—	—	—	—	—	—	—	—	—
			Congenital malformations of circulatory system ...	{ M. F. }	20	19	1	1	—	—	—	—	—	—	—	—
			Congenital malformations of circulatory system ...	{ M. F. }	15	2	—	—	1	2	—	—	—	—	—	—
			Congenital malformations of circulatory system ...	{ M. F. }	10	1	—	—	—	—	—	—	—	—	1	—

TABLE 44D.—Deaths in Aggregate of Small Burghs in Scotland by Sex and Age Groups—1955

International Classification	Detailed List	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
					-1	5-	10-	15-	25-	35-	45-	55-	65-			
			ALL CAUSES—Both Sexes	10,741	383	61	34	29	83	154	298	742	1,532	2,916	4,509	
			Males	5,183	207	34	21	19	48	82	178	443	860	1,458	1,833	
			Females	5,558	176	27	13	10	35	72	120	299	672	1,458	2,676	
			<i>All Tuberculosis (001-019)</i>	82	—	—	—	—	5	14	15	14	21	7	6	
	001-008	1	Respiratory system	43	—	—	—	—	7	15	7	3	6	2	1	
	010	2	Meninges and central nervous system	73	—	—	—	—	4	14	12	13	18	7	4	
	011	3	Intestines, peritoneum and mesenteric glands	34	—	—	—	—	6	14	4	3	5	1	1	
	012, 013	4	Bones and joints	2	—	—	—	—	1	—	—	—	—	—	—	
	014-019	5	All other forms	2	—	—	—	—	—	—	—	—	—	—	—	
			<i>Syphilis (020-029)</i>	11	—	—	—	—	1	2	2	1	4	1	1	
	020	6	Congenital syphilis	4	—	—	—	—	—	—	—	—	—	—	—	
	021	7	Early syphilis	—	—	—	—	—	—	—	—	—	—	—	—	
	024	8	Tabes dorsalis	—	—	—	—	—	—	—	—	—	—	—	—	
	025	9	General paralysis of insane	—	—	—	—	—	—	—	—	—	—	—	—	
	022, 023, 026-029		All other syphilis	11	—	—	—	—	—	—	—	—	—	—	—	
	030-035	11	Gonococcal infection	3	—	—	—	—	—	1	1	1	4	4	1	
	040	12	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	
	041, 042	13	Paratyphoid fever and other salmonella infections	1	—	—	—	—	—	—	—	—	—	—	—	
	043	14	Cholera	—	—	—	—	—	—	—	—	—	—	—	—	
	044	15	Brucellosis (undulant fever)	—	—	—	—	—	—	—	—	—	—	—	—	
	045-048	16	Dysentery, all forms	1	—	—	—	—	—	—	—	—	—	—	—	
	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	Scarlet fever
051	Streptococcal sore throat
052	Erysipelas
053	Septicæmia and pyæmia
055	Diphtheria
056	Whooping cough
057	Meningococcal infections
058	Plague
060	Leprosy
061	Tetanus
062	Anthrax
080	Acute poliomyelitis
082	Acute infectious encephalitis
081, 083	Late effects of acute poliomyelitis and acute infections encephalitis
084	Smallpox
085	Measles
091	Yellow fever
092	Infectious hepatitis
094	Rabies
100-108	Typhus and other rickettsial diseases
110-117	Malaria
123	Schistosomiasis
125	Hydatid disease
127	Filariasis
129	Ankylostomiasis
124, 126, 128, 130	Other diseases due to helminths

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system ...	M. 24 F. 21	1 1	4 2	3 1	2 1	...	6 3	4 3	4 3	4	...
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M. 11 F. 20	1 1	1 1	2 2	1 1	...	3 2	2 3	3 3	1 2	...
250, 251	61	Non-toxic goitre ...	M. 1 F. 1	3 3	5 5	3	...
252	62	Thyrototoxicosis with or without goitre ...	M. 4 F. 4
260	63	Diabetes mellitus ...	M. 32 F. 66	1 1	2 2	2 2	2 2	...	3 3	15 12	24 24	1 1	...
280-286	64	Avitaminosis and other deficiency states ...	M. 1 F. 3	1 1	1 1	1 1
290	65a	Pernicious and other hyperchromic anemias ...	M. 10 F. 12	1 1	1 1	5 5	4 4	...
291-293	65b	Other anemias ...	M. 5 F. 5	1 1	1 1	1 1	2 2	1 1	...
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases ...	M. 25 F. 41	1 1	3 3	2 2	7 6	9 14	3 7	...
300-309	67	Psychoses ...	M. 7 F. 7	1 1	1 1	1 1	3 3	1 1	...
310-324, 326	68	Psychoneuroses and disorders of personality ...	M. 3 F. 3	1 1	1 1	1 1
325	69	Mental deficiency ...	M. 2 F. 2
330	70a	Subarachnoid hemorrhage ...	M. 14 F. 29	3 3	5 5	3 3	2 2	5 5	...
331	70b	Cerebral hemorrhage ...	M. 319 F. 466	1 1	2 2	29 29	4 4	114 114	6 6	...
332	70c	Cerebral embolism and thrombosis ...	M. 348 F. 513	1 1	4 4	28 28	75 75	171 171	187 187	...
333, 334	70d	Other vascular lesions affecting central nervous system	M. 44 F. 62	2 2	4 4	38 38	119 119	174 174	...
340	71	Non-meningococcal meningitis ...	M. 3 F. 13	1 1	1 1	3 3	14 14	27 27	...
345	72	Multiple sclerosis ...	M. 12 F. 6	1 1	2 2	5 5	4 4
353	73	Epilepsy ...	M. 7 F. 7	3 2	1 1	1 1	1 1	2 2	1 1	...
370-379	74	Inflammatory diseases of eye ...	M. 1 F. 1
385	75	Cataract ...	M. 1 F. 1
387	76	Glaucoma ...	M. 1 F. 1
391-393	77	Otitis media and mastoiditis ...	M. 3 F. 13
350	78a	Paralysis agitans ...	M. 18 F. 18	2 2	5 5	9 9	...

TABLE 44D.—continued

International Classification		CAUSES OF DEATH	All Ages	Ages										75 and over	Not stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78b	All other diseases of the nervous system and sense organs	M. 33 F. 24	1	2	—	1	3	—	—	3	2	9	6	5
400-402	79	Rheumatic fever	M. 3 F. 4	1	1	1	—	1	1	1	1	—	—	6	7
410-416	80	Heart disease (410-443)	M. 1,918 F. 2,008	—	—	—	—	—	9	41	146	306	600	815	—
420	81a	Chronic rheumatic heart disease...	M. 37 F. 79	—	—	—	—	—	16	20	58	173	544	1,204	—
421	81b	Arteriosclerotic heart disease (including coronary disease)	M. 943 F. 592	—	—	—	—	—	5	10	11	10	9	18	—
422.0	81c	Chronic endocarditis not specified as rheumatic	M. 31 F. 35	—	—	—	—	—	3	34	113	211	342	240	—
422.1	81d	Fatty degeneration of heart	M. 2 F. 5	—	—	—	—	—	1	1	3	26	92	228	—
422.2	81e	Myocardial degeneration with arteriosclerosis	M. 421 F. 616	—	—	—	—	—	—	—	—	—	—	12	14
430-432	82a	Other myocardial degeneration	M. 307 F. 448	—	—	—	—	—	—	2	10	21	16	99	—
433, 434	82b	Acute non-rheumatic heart disease	M. 19 F. 8	—	—	—	—	—	1	1	4	28	96	316	—
440-443	83	Other and unspecified diseases of heart	M. 48 F. 83	—	—	—	—	—	—	—	—	—	—	7	2
444-447	84	Hypertension with heart disease	M. 110 F. 142	—	—	—	—	—	1	1	4	8	13	22	—
450	85a	Hypertension without mention of heart disease	M. 59 F. 55	—	—	—	—	—	—	—	—	—	—	37	—
451-456	85b	General arteriosclerosis	M. 106 F. 127	—	—	—	—	—	—	—	—	—	—	45	—
460-468	86	Other diseases of arteries	M. 14 F. 16	—	—	—	—	—	—	—	—	—	—	87	—
470-475	87	Other diseases of circulatory system	M. 15 F. 3	—	—	—	—	—	—	—	—	—	—	24	—
480-483	88	Acute upper respiratory infections	M. 13 F. 33	—	—	—	—	—	—	—	—	—	—	108	—
490	89	Influenza	M. 24 F. 16	—	—	—	—	—	—	—	—	—	—	3	—
(a)	(b)	Lobar pneumonia	M. 16 F. 1	—	—	—	—	—	—	—	—	—	—	6	—
		(c)		(a)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	67	13	2	1	1	1	1	1	4	19	25	—
492, 493	91	Primary atypical, other and unspecified pneumonia ...	F.	83	7	2	1	1	1	2	5	4	16	46	—
			M.	15	5	1	—	—	—	1	—	1	4	3	—
			F.	19	1	1	—	—	—	1	—	2	4	9	—
		Total	M.	169	4	4	—	—	—	6	15	37	55	50	—
		Bronchitis (500-502)	F.	89	2	2	—	—	—	1	4	5	26	50	—
	92	Acute	M.	19	4	1	—	—	—	—	1	1	3	9	—
			F.	20	2	2	—	—	—	—	1	1	4	11	—
501b, 502b	93a	Chronic and unqualified with heart disease secondary	M.	89	—	—	—	—	—	3	10	19	32	24	—
501a, 502a	93b	Chronic and unqualified otherwise defined ...	F.	39	—	—	—	—	—	2	4	4	13	20	—
			M.	61	—	—	—	—	—	3	4	17	20	17	—
510	94	Hypertrophy of tonsils and adenoids ...	F.	30	—	—	—	—	—	1	1	1	9	19	—
518, 521	95	Empyema and abscess of lung ...	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	—	—
519	96	Pleurisy	M.	1	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	—	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	64	1	—	—	—	—	1	5	24	21	10	—
530-535	98	Diseases of teeth and supporting structures	F.	22	3	1	—	—	—	—	—	5	7	5	—
540	99	Ulcer of stomach	M.	32	—	—	—	—	—	—	—	7	10	6	—
541	100	Ulcer of duodenum	M.	51	—	—	—	—	—	2	7	1	7	6	—
543	101	Gastritis and duodenitis	F.	13	—	—	—	—	—	4	2	1	6	4	—
550-553	102	Appendicitis	M.	2	—	—	—	—	—	—	—	1	—	—	—
			F.	9	—	—	—	—	—	—	3	2	—	—	—
560, 561, 570	103	Intestinal obstruction and hernia ...	M.	33	—	—	—	—	—	—	1	4	1	2	—
571.0	104a	Gastro-enteritis, between 4 weeks and 2 years	F.	36	4	—	—	—	—	1	1	1	10	13	—
571.1	104b	Gastro-enteritis over 2 years	M.	4	4	1	—	—	—	1	1	6	11	16	—
572	104c	Chronic enteritis and ulcerative colitis ...	F.	4	3	1	—	—	—	—	—	—	—	—	—
581	105	Cirrhosis of liver	M.	10	—	—	—	—	—	—	—	3	1	4	—
584, 585	106	Cholelithiasis and cholecystitis	F.	17	—	—	—	—	—	—	1	1	2	3	—
580, 582, 583, 586	107a	Other diseases of liver	M.	15	—	—	—	—	—	2	2	5	4	4	—
586-539, 542, 544, 545, 573-578, 587	107b	Other diseases of digestive system	F.	21	—	—	—	—	—	1	8	5	4	3	—
590	108	Acute nephritis	M.	11	—	—	—	—	—	1	1	3	4	3	—
591-594	109	Chronic, other and unspecified nephritis	F.	22	—	—	—	—	—	1	1	3	4	3	—
			M.	4	—	—	—	—	—	—	1	2	6	11	—
			F.	5	—	—	—	—	—	1	1	1	—	2	—
			M.	9	2	—	—	—	—	1	3	4	2	3	—
			F.	18	1	2	—	—	—	2	—	—	1	5	—
			M.	1	—	—	—	—	—	—	1	—	—	—	—
			F.	5	—	—	—	—	—	—	1	—	1	1	—
			M.	44	—	—	—	—	—	6	4	10	7	14	—
			F.	51	—	—	—	—	—	2	6	11	15	16	—

TABLE 44D.—continued

International Classification	Detailed List	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
					-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
	600	110	Infections of kidney ...	M. 14 F. 13	—	—	—	—	—	—	—	3	3	3	5	—
	602, 604	111	Calculi of urinary system...	M. 5 F. 5	—	—	—	—	—	—	—	2	1	2	2	—
	610	112	Hyperplasia of prostate ...	M. 88	—	—	—	—	—	—	—	—	1	28	59	—
	620, 621	113	Diseases of breast ...	F. —	—	—	—	—	—	—	—	—	—	—	—	—
	605, 606	114a	Diseases of bladder ...	M. 6 F. 4	—	—	—	—	—	—	—	—	1	3	2	—
	601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system ...	M. 2 F. 8	—	—	—	—	—	—	1	1	3	1	2	—
	640, 641, 681, 682, 684	115	Septis of pregnancy, childbirth and the puerperium ...	F. 1	—	—	—	—	—	1	—	—	—	—	—	—
	642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium ...	F. 7	—	—	—	—	1	5	1	—	—	—	—	—
	643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth ...	F. 1	—	—	—	—	—	1	—	—	—	—	—	—
	671, 672	117b	Postpartum hæmorrhage ...	F. 1	—	—	—	—	—	—	—	—	—	—	—	—
	680	118	Abortion without mention of sepsis or toxæmia ...	F. —	—	—	—	—	—	—	—	—	—	—	—	—
	651	119	Abortion with sepsis ...	F. —	—	—	—	—	—	—	—	—	—	—	—	—
	645-649, 680, 673, 680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium ...	F. 2 M. — F. —	—	—	—	—	—	—	2	—	—	—	—	—
	690-698	121	Infections of skin and subcutaneous tissue ...	M. 4 F. 22	—	—	—	—	—	—	—	—	1	2	1	—
	720-725	122	Arthritis and spondylitis ...	F. 1 M. 1	—	—	—	—	—	—	—	—	1	10	11	—
	726, 727	123	Muscular rheumatism and rheumatism unspecified ...	F. 1 M. 1	—	—	—	—	—	—	—	1	1	1	1	—
	730	124	Osteomyelitis and periostitis ...	F. — M. —	—	—	—	—	—	—	—	—	—	—	—	—
	737, 745-749	125	Ankylosis and acquired musculoskeletal deformities ...	F. — M. —	—	—	—	—	—	—	—	—	—	—	—	—
	700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system ...	M. 7 F. 6	—	—	—	—	—	1	1	2	1	2	3	—
	751	127	Congenital malformations and certain diseases of early infancy (750-776) ...	M. 147 F. 149	142 139	1	—	2	1	1	1	1	2	1	1	—
	754	128	Spina bifida and meningocele ...	M. 5 F. 12	5	—	—	1	—	—	—	—	—	—	—	—
	750, 752, 753,		Congenital malformations of circulatory system ...	M. 12 F. 12	11 7	—	—	1	—	1	—	—	—	1	—	—
				M. 16 F. 14	14 14	—	—	—	—	—	—	—	—	2	—	—

TABLE 44E.—Deaths in Aggregate of Landward Areas in Scotland by Sex and Age Groups—1955

International Classification	Detailed List "A"	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
		ALL CAUSES—Both Sexes	17,470	767	132	81	59	181	378	577	1,343	2,588	4,293	7,071	
		Males	9,077	416	67	48	35	116	223	326	805	1,477	2,224	3,290	
		Females	8,443	351	65	33	24	65	155	251	538	1,111	2,069	3,781	
		All Tuberculosis (001-019)	116	—	2	1	—	4	22	21	29	18	14	5	
	001-008	Respiratory system	93	1	2	—	—	10	27	23	9	6	9	5	
	010	Meninges and central nervous system	95	1	—	—	—	4	16	19	24	17	11	4	
	011	Intestines, peritoneum and mesenteric glands	80	—	2	1	—	10	26	22	7	5	4	5	
	012, 013	Bones and joints	6	—	2	—	—	—	2	1	—	—	—	—	
	014-019	All other forms	2	—	—	—	—	—	—	—	2	1	—	—	
		Syphilis (020-029)	2	—	—	—	—	—	1	—	—	—	—	—	
	020	Congenital syphilis	2	—	—	—	—	—	—	—	—	—	—	—	
	021	Early syphilis	5	—	—	—	—	—	1	—	—	—	—	—	
	024	Tabes dorsalis	1	—	—	—	—	—	3	1	2	1	2	2	
	025	General paralysis of insane	8	—	—	—	—	—	1	1	3	4	7	1	
		Total	17	—	—	—	—	—	1	1	1	1	3	1	
	020	Congenital syphilis	5	—	—	—	—	—	—	—	—	—	—	—	
	021	Early syphilis	—	—	—	—	—	—	—	—	—	—	—	—	
	024	Tabes dorsalis	—	—	—	—	—	—	—	—	—	—	—	—	
	025	General paralysis of insane	—	—	—	—	—	—	—	—	—	—	—	—	
	022, 023, 026-029	All other syphilis	2	—	—	—	—	—	—	—	—	—	—	—	
	030-035	Gonococcal infection	4	—	—	—	—	—	—	1	1	1	2	1	
	040	Typhoid fever	2	—	—	—	—	—	—	—	—	—	—	—	
	041, 042	Paratyphoid fever and other salmonella infections	11	—	—	—	—	—	1	—	2	3	5	—	
	043	Cholera	3	—	—	—	—	—	—	—	1	1	1	—	
	044	Brucellosis (undulant fever)	—	—	—	—	—	—	—	—	—	—	—	—	
	045-048	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	
	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
040	Scarlet fever	...	1
051	Streptococcal sore throat	...	1
052	Erysipelas	...	2
053	Septicæmia and pyæmia	...	6
055	Diphtheria	...	2
056	Whooping cough	...	3
057	Meningococcal infections	...	3
058	Plague	...	5
060	Leprosy
061	Tetanus	...	4
062	Anthrax
080	Acute poliomyelitis	...	4
082	Acute infectious encephalitis	...	3
081, 083	Late effects of acute poliomyelitis and acute infectious encephalitis	...	2
084	Smallpox	...	4
085	Measles	...	9
091	Yellow fever	...	3
092	Infectious hepatitis	...	3
094	Rabies	...	2
100-108	Typhus and other rickettsial diseases	...	3
110-117	Malaria
123	Schistosomiasis
125	Hydatid disease	...	1
127	Filariasis
129	Ankylostomiasis
124, 126, 128, 130	Other diseases due to helminths
	

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44E.—continued

International Classification	Detailed List	Inter-mediate List "A."	CAUSES OF DEATH	All Ages	Ages								75 and over	Total
					-1	1-	5-	10-	15-	25-	35-	45-		
038-039, 049-054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-136	43		All other diseases classified as infective and parasitic ... <i>Malignant neoplasms</i> (140-205) Total M. 3 F. 2 1,423 1,315 53 32 50 39 266 203 202 207 101 53 12 7 286 57 1 222 53 77 112 22 19 19 19 M. 209 F. 283 M. 42 F. 22	3 2 1,423 1,315 53 32 50 39 266 203 202 207 101 53 12 7 286 57 1 222 53 77 112 22 19 19	— 									

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system ...	M. 48	1	—	—	—	—	—	—	—	—	—	4	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	F. 22	—	—	—	—	—	—	—	—	—	—	2	—
250, 251	61	Non-toxic goitre ...	M. 6	1	—	—	—	—	—	—	—	—	—	10	—
252	62	Thyrototoxicosis with or without goitre ...	F. 18	—	—	—	—	—	—	—	—	—	—	1	—
280	63	Diabetes mellitus ...	M. 2	—	—	—	—	—	—	—	—	—	—	—	—
280-286	64	Avitaminosis and other deficiency states	F. 4	1	—	—	—	—	—	—	—	—	—	4	—
290	65a	Pernicious and other hyperchromic anemias	M. 45	—	—	—	—	—	—	—	—	—	—	19	—
291-293	65b	Other anemias ...	F. 104	—	—	—	—	—	—	—	—	—	—	40	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases ...	M. 5	—	—	—	—	—	—	—	—	—	—	1	—
300-309	67	Psychoses ...	F. 7	—	—	—	—	—	—	—	—	—	—	4	—
310-324, 328	68	Psychoneuroses and disorders of personality ...	M. 12	—	—	—	—	—	—	—	—	—	—	1	—
325	69	Mental deficiency ...	F. 15	—	—	—	—	—	—	—	—	—	—	1	—
330	70a	Subarachnoid hemorrhage ...	M. 4	—	—	—	—	—	—	—	—	—	—	—	—
331	70b	Cerebral hemorrhage ...	F. 3	—	—	—	—	—	—	—	—	—	—	—	—
332	70c	Cerebral embolism and thrombosis ...	M. 6	—	—	—	—	—	—	—	—	—	—	—	—
333, 334	70d	Other vascular lesions affecting central nervous system	F. 5	—	—	—	—	—	—	—	—	—	—	—	—
340	71	Non-meningococcal meningitis ...	M. 22	—	—	—	—	—	—	—	—	—	—	—	—
345	72	Multiple sclerosis ...	F. 26	—	—	—	—	—	—	—	—	—	—	—	—
353	73	Epilepsy ...	M. 520	—	—	—	—	—	—	—	—	—	—	—	—
370-379	74	Inflammatory diseases of eye	F. 753	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract ...	M. 732	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma ...	F. 77	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M. 80	—	—	—	—	—	—	—	—	—	—	—	—
350	78a	Paralysis agitans ...	F. 13	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44E.—continued

International Classification	Detailed List	CAUSES OF DEATH	All Ages	Ages									
				1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78b	All other diseases of the nervous system and sense organs	40	—	—	—	—	—	—	—	—	—	—
400-402	79	Rheumatic fever	39	2	3	1	1	2	3	3	10	8	10
		Heart disease (410-443)	3	1	—	1	—	1	—	—	—	—	—
410-416	80	Chronic rheumatic heart disease...	7	—	—	—	—	—	—	—	—	—	—
420	81a	Arteriosclerotic heart disease (including coronary disease)	3,135	—	—	—	—	24	72	280	524	850	1,380
421	81b	Chronic endocarditis not specified as rheumatic	2,929	—	—	—	—	6	39	120	317	784	1,640
422.0	81c	Fatty degeneration of heart	86	—	—	—	—	3	8	24	20	21	—
422.1	81d	Myocardial degeneration with arteriosclerosis	144	—	—	—	—	2	32	33	33	18	21
422.2	81e	Other myocardial degeneration	1,575	—	—	—	—	15	48	56	397	482	416
430-432	82a	Acute non-rheumatic heart disease	887	—	—	—	—	1	3	4	11	12	16
433, 434	82b	Other and unspecified diseases of heart	48	—	—	—	—	1	3	4	11	12	16
440-443	83	Hypertension with heart disease	66	—	—	—	—	—	—	—	—	—	—
444-447	84	Hypertension without mention of heart	3	—	—	—	—	—	—	—	—	—	—
450	85a	General arteriosclerosis	10	—	—	—	—	—	—	—	—	—	—
451-456	85b	Other diseases of arteries	624	—	—	—	—	—	—	—	—	—	—
460-468	86	Other diseases of circulatory system	840	—	—	—	—	—	—	—	—	—	—
470-475	87	Acute upper respiratory infections	546	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	681	—	—	—	—	—	—	—	—	—	—
490	89	Lobar pneumonia	15	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M. 120	5	1	—	—	—	—	—	—	—	—	51	—
492, 493	91	Primary atypical, other and unspecified pneumonia ...	F. 145	7	—	3	—	—	—	2	3	14	19	64	—
		<i>Bronchitis</i> (500-502)	M. 23	1	—	—	—	—	—	—	—	6	32	7	—
			F. 21	1	—	—	—	—	—	—	—	3	1	10	—
			M. 247	4	—	—	—	—	—	6	23	64	67	82	—
			F. 151	5	—	—	—	—	—	5	—	20	37	78	—
			M. 34	4	—	—	—	—	—	—	1	4	6	18	—
500	92	Acute	F. 38	1	—	—	—	—	—	—	—	3	8	20	—
501b, 502b	93a	Chronic and unqualified with heart disease secondary	M. 128	5	—	—	—	—	—	—	—	37	42	33	—
501a, 502a	93b	Chronic and unqualified otherwise defined ...	F. 74	—	—	—	—	—	—	—	—	15	20	35	—
510	94	Hypertrophy of tonsils and adenoids ...	M. 85	—	—	—	—	—	—	—	—	23	19	31	—
518, 521	95	Empyema and abscess of lung ...	F. 39	1	—	—	—	—	—	3	10	23	31	23	—
519	96	Pleurisy	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
			F. 6	—	—	—	—	—	—	—	—	—	—	—	—
			M. 5	—	—	—	—	—	—	—	—	—	—	—	—
511-517, 520, 522-527	97	All other respiratory diseases	F. 194	2	—	—	—	—	—	5	10	62	67	49	—
530-535	98	Diseases of teeth and supporting structures	M. 33	—	—	—	—	—	—	—	—	4	4	14	—
540	99	Ulcer of stomach	F. 59	—	—	—	—	—	—	—	—	—	—	—	—
541	100	Ulcer of duodenum	M. 89	—	—	—	—	—	—	7	4	12	17	18	—
543	101	Gastritis and duodenitis	F. 18	—	—	—	—	—	—	6	12	16	22	22	—
550-553	102	Appendicitis	M. 3	1	—	—	—	—	—	3	—	4	4	7	—
560, 561, 570	103	Intestinal obstruction and hernia	F. 20	—	—	—	—	—	—	—	—	—	—	—	—
571.0	104a	Gastro-enteritis, between 4 weeks and 2 years ...	M. 56	2	—	—	—	—	—	—	—	2	3	1	—
571.1	104b	Gastro-enteritis over 2 years	F. 55	3	—	—	—	—	—	1	1	15	17	16	—
572	104c	Chronic enteritis and ulcerative colitis ...	M. 17	14	3	—	—	—	—	2	5	11	17	13	—
581	105	Cirrhosis of liver	F. 8	7	1	—	—	—	—	—	—	—	—	—	—
584-585	106	Cholelithiasis and cholecystitis	M. 9	—	—	—	—	—	—	1	—	—	—	—	—
580, 582, 583, 586	107a	Other diseases of liver	F. 14	—	—	—	—	—	—	1	1	2	2	3	—
536-539, 542, 544, 545-573, 576, 587	107b	Other diseases of digestive system	M. 18	—	—	—	—	—	—	1	4	3	5	4	—
590	108	Acute nephritis	F. 25	—	—	—	—	—	—	2	6	6	8	6	—
591-594	109	Chronic, other and unspecified nephritis	M. 26	—	—	—	—	—	—	1	6	12	4	4	—
			F. 21	1	—	—	—	—	—	—	—	6	4	3	—
			M. 28	—	—	—	—	—	—	—	—	—	—	—	—
			F. 42	—	—	—	—	—	—	—	—	—	—	—	—
			M. 4	—	—	—	—	—	—	—	—	13	10	14	—
			F. 5	—	—	—	—	—	—	3	2	—	1	16	—
			M. 34	—	—	—	—	—	—	—	—	—	—	—	—
			F. 22	2	—	—	—	—	—	4	11	2	8	7	—
			M. 9	3	—	—	—	—	—	1	2	2	6	5	—
			F. 7	—	—	—	—	—	—	1	—	2	—	—	—
			M. 77	—	—	—	—	—	—	6	10	13	15	20	—
			F. 69	—	—	—	—	—	—	4	4	11	19	22	—

TABLE 44E.—continued

[illegible]

762	131	Post-natal asphyxia and atelectasis ...	M.	72	29	21	70	91	73	83	86	53
763	132a	Pneumonia of newborn ...	F.	53	11	5	17	53	23	22	21	103
764	132b	Diarrhœa of newborn ...	M.	23	16	5	29	34	26	18	16	8
765-768	132c	Other infections of newborn ...	M.	18	7	1	8	3	4	2	4	7
770	133	Hemolytic disease of newborn ...	M.	3	—	—	—	—	1	—	5	1
771, 772	134	All other defined diseases of early infancy ...	M.	4	—	—	—	—	1	—	1	—
773-778	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified ...	M.	1	—	—	—	—	1	—	—	—
784	136	Senility without mention of psychosis ...	M.	135	—	—	—	—	—	—	—	124
780-793, 795	137	Ill-defined and unknown causes ...	M.	209	—	—	—	—	—	—	—	201
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)	M.	59	2	—	—	—	2	7	8	14
		Violence (E800-E999)	F.	38	—	—	—	—	2	—	7	20
		Total	F.	3	—	—	—	—	1	—	—	12
E810-E885	138	Motor vehicle accidents ...	M.	624	35	23	70	91	73	83	86	53
E840-E845	138a	Other road transport accidents ...	F.	296	20	10	17	53	23	22	21	103
E800-E802, E850-E866	138b	Other transport accidents ...	M.	175	16	5	29	34	26	18	16	8
E870-E895	140	Accidental poisonings ...	M.	44	7	1	8	3	4	2	4	7
E900-E904	141	Accidental falls ...	F.	3	—	—	—	—	1	—	5	1
E912	142	Accident caused by machinery ...	M.	50	—	—	10	10	13	—	—	—
E916	143	Accident caused by fire and explosion of combustible material ...	F.	12	—	—	—	—	2	4	1	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	M.	26	—	—	—	—	4	2	1	—
E919	145	Accident caused by firearm ...	F.	79	1	—	7	4	2	5	12	33
E929	146	Accidental drowning and submersion ...	M.	110	—	—	—	—	3	2	4	19
E921-E925	147a	Accidental mechanical suffocation, etc. ...	F.	8	—	—	—	—	—	1	—	—
E910, E911, E913-E915, E920, E928-E928, E930-E962	147b	All other accidental causes ...	M.	20	4	1	1	2	2	3	4	2
E963, E970-E979	148	Suicide and self-inflicted injury ...	F.	19	1	2	—	—	2	1	1	3
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war) ...	M.	5	—	—	—	—	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war ...	F.	4	—	—	—	—	—	—	—	—

TABLE 44F.—Deaths in Central Clydeside Conurbation Area in Scotland by Sex and Age Groups—1955

International Classification	Detailed List	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	Ages										75 and over	Not Stated
					-1	1-5	10-	15-	25-	35-	45-	55-	65-	75 and over		
			ALL CAUSES—Both Sexes	20,931	1,208	142	91	66	214	406	764	2,030	3,683	5,589	6,738	—
			Males	11,098	687	86	60	38	128	206	422	1,296	2,200	2,915	3,060	—
			Females	9,833	521	56	31	28	86	200	342	734	1,483	2,674	3,678	—
(a)	001-008	1	All Tuberculosis (001-019)	330	2	9	1	1	6	51	44	84	111	42	7	—
	010	2	Respiratory system	169	—	5	1	2	22	53	43	18	11	11	3	—
	011	3	Meninges and central nervous system	298	—	2	—	1	6	45	40	77	80	41	6	—
	012, 013	4	Intestines, peritoneum and mesenteric glands	143	2	7	1	—	21	51	39	15	10	5	2	—
	014-019	5	Bones and joints	11	—	3	1	—	—	1	—	—	—	—	—	—
			All other forms	4	—	—	—	—	—	—	—	—	—	—	—	—
			Syphilis (020-029)	10	—	—	—	—	—	—	—	—	—	—	—	—
	020	6	Con genital syphilis	27	—	—	—	—	—	—	—	—	—	—	—	—
	021	7	Early syphilis	10	—	—	—	—	—	—	—	—	—	—	—	—
	024	8	Tabes dorsalis	2	—	—	—	—	—	—	—	—	—	—	—	—
	025	9	General paralysis of insane	4	—	—	—	—	—	—	—	—	—	—	—	—
	022, 023, 026-029	10	All other syphilis	21	—	—	—	—	—	—	—	—	—	—	—	—
	030-035	11	Gonococcal infection	3	—	—	—	—	—	—	—	—	—	—	—	—
	040	12	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
	041, 042	13	Paratyphoid fever and other salmonella infections	1	—	—	—	—	—	—	—	—	—	—	—	—
(b)	043	14	Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
	044	15	Brucellosis (undulant fever)	—	—	—	—	—	—	—	—	—	—	—	—	—
	045-048	16	Dysentery, all forms	2	—	—	—	—	—	—	—	—	—	—	—	—
	(a)	(b)	(c)	3	1	(f)	(d)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	Scarlet fever
051	Streptococcal sore throat
052	Erysipelas
053	Septicæmia and pyæmia
055	Diphtheria
056	Whooping cough
057	Meningococcal infections
058	Plague
060	Leprosy
061	Tetanus
062	Anthrax
080	Acute poliomyelitis
082	Acute infectious encephalitis
081, 083	Late effects of acute poliomyelitis and acute infectious encephalitis
084	Smallpox
085	Measles
091	Yellow fever
092	Infectious hepatitis
094	Rabies
100-108	Typhus and other rickettsial diseases
110-117	Malaria
123	Schistosomiasis
125	Hydatid disease
127	Filariasis
129	Ankylostomiasis
124, 126, 128, 130	Other diseases due to helminths

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44F—continued

International Classification	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	Ages										75 and over	Not stated
				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic... <i>Malignant neoplasms</i> (140-205)	M. 3 F. 1 Total 1,988 1,672	1	4	5	3	14	19	89	320	588	564	411	—
140-148	44	Buccal cavity and pharynx ...	M. 49 F. 29	2	1	4	3	10	36	2	108	400	474	375	—
150	45	Esophagus ...	M. 56 F. 33	—	—	—	—	1	—	2	5	7	12	22	—
151	46	Stomach ...	M. 329 F. 304	—	—	—	—	—	—	2	4	6	26	15	—
152, 153	47	Intestine, except rectum ...	M. 208 F. 258	—	—	—	—	1	2	19	45	89	94	11	—
154	48	Rectum ...	M. 124 F. 63	—	—	—	—	1	3	10	28	62	108	96	—
161	49	Larynx ...	M. 11 F. 28	—	—	—	—	1	1	11	33	50	76	84	—
162, 163	50	Trachea, bronchus and lung not specified as secondary	M. 883 F. 122	—	—	—	—	1	5	28	143	289	178	61	—
170	51	Breast ...	M. 3 F. 258	—	—	—	—	2	2	6	25	35	31	23	—
171	52	Cervix uteri ...	M. 71 F. 71	—	—	—	—	2	7	27	59	60	57	46	—
172-174	53	Other and unspecified parts of uterus	F. 81	—	—	—	—	1	2	4	11	24	28	11	—
177	54	Prostate ...	M. 95	—	—	—	—	—	—	—	6	17	36	36	—
180, 191	55	Skin ...	M. 13 F. 21	—	—	—	—	—	4	3	1	5	3	4	—
186, 197	56	Bone and connective tissue ...	M. 33 F. 17	—	—	1	—	3	1	2	5	13	4	4	—
153-180, 184, 185, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M. 293 F. 333	1	2	3	1	1	6	18	50	76	86	52	—
204	58	Leukemia and aleukemia ...	M. 34 F. 31	2	1	3	2	4	8	17	54	101	92	55	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	58	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system ...	M. 52 F. 40	—	1	1	—	—	—	—	—	—	—	8	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M. 18 F. 20	—	—	—	—	—	—	—	—	—	—	5	—
250, 251	61	Non-toxic goitre ...	—	1	1	1	—	—	—	—	—	—	—	2	—
252	62	Thyrototoxicosis with or without goitre ...	F. 3	—	—	—	—	—	—	—	—	—	—	3	—
260	63	Diabetes mellitus ...	F. 9	—	—	—	—	—	—	—	—	—	—	—	—
280-286	64	Avitaminosis and other deficiency states	M. 40 F. 110	1	1	1	—	—	—	—	—	—	—	16	—
290	65a	Pernicious and other hyperchromic anemias ...	M. 11 F. 9	—	—	—	—	—	—	—	—	—	—	51	—
291-293	65b	Other anemias ...	M. 11 F. 30 M. 10 F. 24	1	—	—	—	—	—	—	—	—	—	19	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases ...	M. 55 F. 70	1	1	—	—	—	—	—	—	—	—	4	—
300-309	67	Psychoses ...	M. 14 F. 22	—	—	—	—	—	—	—	—	—	—	2	—
310-324, 326	68	Psychoneuroses and disorders of personality	M. 5 F. 5	—	—	—	—	—	—	—	—	—	—	3	—
325	69	Mental deficiency ...	M. 6 F. 6	—	2	1	—	—	—	—	—	—	—	1	—
330	70a	Subarachnoid hemorrhage ...	M. 36 F. 39	—	—	—	—	—	—	—	—	—	—	—	—
331	70b	Cerebral hemorrhage ...	M. 554 F. 799	1	1	1	—	—	—	—	—	—	—	2	—
332	70c	Cerebral embolism and thrombosis	M. 623 F. 792	—	—	—	—	—	—	—	—	—	—	3	—
333, 334	70d	Other vascular lesions affecting central nervous system	M. 134 F. 125	—	—	—	—	—	—	—	—	—	—	7	—
340	71	Non-meningococcal meningitis ...	M. 9 F. 7	4	—	—	—	—	—	—	—	—	—	29	—
345	72	Multiple sclerosis ...	M. 22 F. 32	—	—	—	—	—	—	—	—	—	—	3	—
353	73	Epilepsy ...	M. 20 F. 26	1	—	—	—	—	—	—	—	—	—	4	—
370-379	74	Inflammatory diseases of eye	M. 26 F. 26	—	—	—	—	—	—	—	—	—	—	1	—
385	75	Cataract ...	M. 26 F. 26	—	—	—	—	—	—	—	—	—	—	2	—
387	76	Glaucoma ...	M. 26 F. 26	—	—	—	—	—	—	—	—	—	—	2	—
391-393	77	Otitis media and mastoiditis	M. 4 F. 1	—	—	—	—	—	—	—	—	—	—	1	—
350	78a	Paralysis agitans ...	M. 23 F. 27	—	—	—	—	—	—	—	—	—	—	13	—

TABLE 44F.—continued

International Classification	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	Ages										75 and over	Not stated
				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
341-344, 351, 352, 354, 369, 380-384, 386, 388-393, 394-398	78b	All other diseases of the nervous system and sense organs	M. 48 F. 51	1	5	2	1	1	1	2	12	8	11	4	
400-402	79	Rheumatic fever	M. 14 F. 11	—	3	—	2	1	5	1	2	2	2	18	
		Heart disease (410-443)	M. 3,506 F. 3,223	—	—	2	2	16	26	106	416	729	1,036	1,175	
410-416	80	Chronic rheumatic heart disease	M. 121 F. 238	—	—	—	2	11	25	55	180	456	969	1,525	
420	81a	Arteriosclerotic heart disease (including coronary disease)	M. 1,797 F. 1,013	—	—	—	1	7	19	28	30	51	14	12	
421	81b	Chronic endocarditis not specified as rheumatic	M. 67 F. 60	—	—	—	1	1	2	2	61	238	422	276	
422.0	81c	Fatty degeneration of heart	M. 3 F. 7	—	—	—	—	—	—	1	1	2	—	17	
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 656 F. 818	—	—	—	—	—	—	1	7	47	160	442	
422.2	81e	Other myocardial degeneration	M. 591 F. 735	—	—	—	—	1	1	7	27	34	174	605	
430-432	82a	Acute non-rheumatic heart disease	M. 16 F. 17	—	—	—	—	2	1	4	18	63	183	299	
433, 434	82b	Other and unspecified diseases of heart	M. 78 F. 100	—	—	—	1	1	1	1	2	3	4	7	
440-443	83	Hypertension with heart disease	M. 131 F. 197	—	—	—	—	—	—	2	9	17	26	25	
444-447	84	Hypertension without mention of heart disease	M. 160 F. 33	—	—	—	—	—	—	3	14	21	33	33	
450	85a	General arteriosclerosis	M. 25 F. 19	—	—	—	—	—	—	1	7	44	62	54	
451-456	85b	Other diseases of arteries	M. 28 F. 4	—	—	—	—	—	—	1	9	33	99	96	
460-468	86	Other diseases of circulatory system	M. 28 F. 4	—	—	—	—	—	—	1	6	12	23	48	
470-475	87	Acute upper respiratory infections	M. 28 F. 4	—	—	—	—	—	—	1	1	5	11	133	
480-483	88	Influenza	M. 82 F. 79	—	—	—	—	—	—	1	1	5	26	129	
490	89	Lobar pneumonia	M. 28 F. 4	—	—	—	—	—	—	1	7	6	5	11	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M. 233	...	44	16	1	4	25	56	74
492, 493	91	Primary atypical, other and unspecified pneumonia ...	F. 225	...	45	4	1	1	11	21	89
		<i>Bronchitis</i> (500-502)	M. 60	...	16	2	2	2	11	13	15
			M. 48	...	5	2	2	14	6	8	25
		Total	M. 700	...	12	2	1	106	188	234	138
500	92	Acute	F. 309	...	18	2	...	7	44	100	134
			M. 52	...	12	4	...	2	6	10	12
501b, 502b	93a	Chronic and unqualified with heart disease secondary	F. 46	...	8	8	10	20
501a, 502a	93b	Chronic and unqualified otherwise defined ...	M. 428	1	10	119	154	73
510	94	Hypertrophy of tonsils and adenoids ...	F. 183	4	12	26	65
518, 521	95	Chronic and unqualified otherwise defined ...	M. 220	32	63	70	53
			F. 80	3	4	10	25
		Hypertrophy of tonsils and adenoids ...	M. 1	1	38
		Empyema and abscess of lung ...	F. 5	1	...	1	2
			M. 2	1	...	1
519	96	Pleurisy	F. 2
			M. 133
511-517, 520, 522-527	97	All other respiratory diseases	F. 40	...	2	8	3	4	52	39	22
530-535	98	Diseases of teeth and supporting structures ...	M. 1	2	1	3	6	8	9
540	99	Ulcer of stomach	F. 61
541	100	Ulcer of duodenum	M. 28	4	15	21	13
543	101	Gastritis and duodenitis	F. 96	1	1	26	11	11
			M. 26	3	2	17	25	15
			F. 1	1	2	4	5	12
550-553	102	Appendicitis	M. 17	1	1	1
560, 561, 570	103	Intestinal obstruction and hernia	F. 10	1	2	4	2	4
			M. 62	2	1	1	13	12	23
			F. 59	1	1	8	25	14
571.0	104a	Gastro-enteritis between 4 weeks and 2 years ...	M. 38
			F. 20
571.1	104b	Gastro-enteritis over 2 years	M. 8
572	104c	Chronic enteritis and ulcerative colitis ...	F. 16	1	1	2	3	3
581	105	Cirrhosis of liver	M. 17	1	3	4	6	2
584-585	106	Cholelithiasis and cholecystitis	F. 38	1	3	8	14	7
			M. 29	2	3	13	3	3
			F. 20	1	2	5	7	4
			M. 9	2	1	1	5
			F. 34	6	14	12
580, 582, 583, 586	107a	Other diseases of liver	M. 7	2	1	1
			F. 10	1	...	3	2	4
586-589, 542, 544, 545, 573-578, 587	107b	Other diseases of digestive system	M. 30	1	3	7	6	3
590	108	Acute nephritis	F. 28	2	1	3	9	6
			M. 5	1
			F. 6	3	5	1	1	17
591-594	109	Chronic, other and unspecified nephritis	M. 77	1	11	14	13	17
			F. 75	3	8	9	16	18

TABLE 44F.—continued

International Classification	Detailed List	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	Ages										75 and over	Deaths 10N
					-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
	600	110	Infections of kidney ...	M. { ... F. {	—	—	1	—	—	1	1	2	3	8	12	—
	602, 604	111	Calculi of urinary system...	M. { ... F. {	—	—	—	—	—	2	2	4	8	7	3	—
	610	112	Hyperplasia of prostate ...	M. { ... F. {	—	—	—	—	—	—	—	1	5	5	1	—
	620, 621	113	Diseases of breast ...	M. { ... F. {	—	—	—	—	—	—	—	—	7	44	85	—
	605, 606	114a	Diseases of bladder ...	M. { ... F. {	—	—	—	—	—	—	—	—	—	3	2	—
	601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system ...	M. { ... F. {	—	—	—	—	1	2	3	1	2	1	4	—
	640, 641, 681, 682, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000	115	Sepsis of pregnancy, childbirth and the puerperium ...	F. { ... M. {	—	—	—	—	1	3	1	—	—	—	—	—
	616	116	Toxæmias of pregnancy and the puerperium ...	F. { ... M. {	—	—	—	—	—	3	—	—	—	—	—	—
	617a	117a	Hæmorrhage of pregnancy and childbirth ...	F. { ... M. {	—	—	—	—	—	2	1	—	—	—	—	—
	617b	117b	Postpartum hæmorrhage ...	F. { ... M. {	—	—	—	—	—	1	—	—	—	—	—	—
	618	118	Abortion without mention of toxæmia ...	F. { ... M. {	—	—	—	—	—	1	—	—	—	—	—	—
	619	119	Abortion with sepsis ...	F. { ... M. {	—	—	—	—	—	—	—	—	—	—	—	—
	645-649, 680, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium ...	F. { ... M. {	—	—	—	—	1	1	—	—	2	1	2	—
	690-698	121	Infections of skin and subcutaneous tissue ...	F. { ... M. {	—	—	—	—	—	—	—	—	3	1	3	—
	720-725	122	Arthritis and spondylitis ...	F. { ... M. {	—	—	—	1	—	—	3	2	3	14	25	—
	726, 727	123	Muscular rheumatism and rheumatism, unspecified ...	F. { ... M. {	—	—	—	—	—	—	—	—	1	1	1	—
	730	124	Osteomyelitis and periostitis ...	F. { ... M. {	—	—	—	—	—	—	—	—	2	2	—	—
	737, 745-749	125	Ankylosis and acquired musculoskeletal deformities ...	F. { ... M. {	—	—	—	—	—	—	—	—	—	—	—	—
	700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	F. { ... M. {	1	1	—	1	2	1	1	2	1	3	3	—
	751	127	Congenital malformations and certain diseases of early infancy (750-776)	F. { ... M. {	482	7	4	1	4	6	1	5	2	—	1	—
	754	128	Spina bifida and meningocele ...	F. { ... M. {	24	2	—	—	—	4	1	—	—	—	—	—
	750, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000	128	Congenital malformations of circulatory system	F. { ... M. {	43	2	2	2	1	4	2	1	1	—	—	—

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1955.—continued

International Classification		CAUSES OF DEATH	Districts																																	
Detailed List	Inter-mediate List "A"		Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Burgh	Renfrew Co.	Ross and Cromarty Co.	Knoxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Suberland Co.	West Lothian C.	Wigtown Co.	Zetland Co.				
ALL CAUSES			13274	327	523	444	779	342	3481	6049	1116	556	121	283	178	498	1200	969	1090	243	1661	835	630	301	454	305	1300	206	883	385	280					
001-008 010 011 012, 013 014-019	Total Respiratory system Meninges and central nervous system Intestines, peritoneum and mesenteric glands Bones and joints All other forms	...	339	57	67	12	5	57	67	57	5	6	2	2	1	8	7	33	20	10	33	7	6	1	9	3	28	—	—	7	1	5				
			306	53	64	13	10	54	67	57	5	6	2	2	1	8	6	31	19	10	29	6	5	1	8	2	25	—	—	6	1	3				
			12	—	1	1	—	1	6	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			
			3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			8	1	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			10	—	2	—	1	1	3	4	1	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		
			TOTAL		20	—	2	—	1	7	14	2	—	—	—	—	—	—	1	2	1	—	5	1	1	1	1	—	—	—	—	—	—	—		
			020 021 024 025 022, 023, 026-029 030-035 040 041, 042 043 044 045-048	Total Congenital syphilis Early syphilis Tabes dorsalis General paralysis of insane	...	13	—	—	—	—	1	6	9	2	—	—	—	—	—	—	—	—	—	2	1	1	1	1	—	—	—	—	—	—	—	—
						1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
						1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5	—	1				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
13	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
1	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
4	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
18	—	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
051 052 053 054 055 056 057 058 059 060 061 062 063 080 082 081, 083	Total Scarlet fever Dysentery, all forms Brucellosis (undulant fever) Typhoid fever Paratyphoid fever & other salmonella infections Cholera Erysipelas Septicæmia and pyæmia Diphtheria Whooping cough Meningococcal infections Plague Leprosy Tetanus Anthrax Acute poliomyelitis Acute infectious encephalitis Late effects of acute poliomyelitis and acute infectious encephalitis	...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
084 085 091 092 094 100-108 110-117	Total Smallpox Measles Yellow fever Infectious hepatitis Rabies Typhus and other rickettsial diseases Malaria	...	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
			5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1955.—continued

International Classification	Detailed List	CAUSES OF DEATH	SCOTLAND																													
			Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Blackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarrow B.	Remainder of Dunbarton Co.	East Lothian Co.	Dunfrieline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy Co.			
38	123	Schistosomiasis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
39	125	Hydatid disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
40	127	Filaria	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
41	129	Ankylostomiasis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
42	124, 126, 128, 130	Other diseases due to helminths	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
035-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-133																																
43		All other diseases classified as infective and parasitic	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
44	140-148	Malignant neoplasms (140-205)	10585	408	238	438	39	165	121	82	77	395	88	50	42	50	63	50	128	68	50	193	116	73	105	413	63	108	60	23	66	
150	151	Buccal cavity and pharynx	268	12	13	16	2	10	2	1	1	8	4	1	2	1	2	1	3	3	1	5	2	1	1	12	3	3	2	1	2	
45	152	Esophagus	298	13	18	22	1	7	6	3	6	10	5	1	2	1	2	1	5	3	1	5	2	1	1	13	3	6	2	1	1	
46	153	Stomach	1723	69	37	72	9	22	23	16	12	78	17	7	9	2	13	7	27	14	8	39	12	12	25	66	9	17	10	5	10	
47	154	Intestine (except rectum)	1431	60	53	54	3	26	16	9	11	63	13	2	6	7	19	10	23	10	5	30	21	12	53	8	21	5	1	9	1	
48	154	Rectum	337	23	16	21	2	12	4	4	1	17	7	2	3	1	2	2	5	5	2	13	10	3	5	31	3	3	4	2	3	
49	161	Larynx	91	1	1	4	1	3	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	2	2	3	3	1	1	1	
50	162, 163	Trachea, bronchus and lung not specified as secondary	1802	83	10	82	5	16	19	11	11	45	7	3	11	3	8	7	13	14	10	28	18	11	16	51	12	14	8	3	3	
51	170	Breast	844	37	20	30	3	18	9	5	37	6	2	1	10	7	1	11	3	6	16	9	6	1	36	6	8	5	2	2	2	
52	171	Cervix uteri	229	7	4	15	1	5	3	3	12	2	2	2	2	1	3	1	2	1	1	6	2	4	2	12	2	2	2	1	1	
53	172-174	Other and unspecified parts of uterus	262	12	9	12	1	5	5	3	3	14	2	2	2	5	2	1	2	1	1	6	2	2	2	8	2	2	5	2	2	
54	177	Prostate	328	8	11	12	5	2	4	4	3	1	1	1	1	1	1	1	1	1	3	3	2	1	16	3	7	5	2	1	2	
55	190, 191	Skin	117	2	2	2	3	4	2	4	2	3	1	1	1	1	1	1	1	1	3	3	2	1	5	2	2	5	2	2	2	
56	196, 197	Bone and connective tissue	154	3	2	3	1	3	2	2	1	8	1	1	1	1	1	1	2	1	1	3	1	1	1	3	2	2	2	2	2	
155-160, 164, 165, 175, 176, 178-181, 182-185, 189-199, 204																																
200-203, 205																																
57		All other and unspecified sites	1894	64	40	73	5	26	20	15	12	61	15	17	6	14	12	15	24	8	15	31	21	15	28	79	10	17	9	3	16	
58		Leukæmia and aleukæmia	247	14	5	6	1	5	3	1	3	13	4	1	1	1	1	2	5	3	1	3	7	2	2	17	3	3	1	1	3	
59		Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system	283	9	9	7	1	3	2	5	2	13	1	1	2	1	1	1	4	3	1	6	1	5	4	9	4	2	1	2	1	2
60	210-239	Benign neoplasms and neoplasms of unspecified nature	114	3	3	6	1	2	1	1	1	2	9	4	1	1	1	1	3	1	1	5	1	1	1	2	4	1	1	1	1	1
61	250-251	Nontoxic goitre	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
62	252	Thyroticosis with or without goitre	32	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1955.—continued

International Classification	CAUSES OF DEATH		Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.	
	Detailed List	Inter-mediate List "A"																														
123	124, 126, 127, 128, 130, 049, 054, 059, 083-074, 086-090, 093, 095, 096, 120-122, 131-138	
38		Schistosomiasis	
39		Hydatid disease	
125		Filariasis	
40		Ankylostomiasis	
41	124, 126, 127, 128, 130, 049, 054, 059, 083-074, 086-090, 093, 095, 096, 120-122, 131-138	
42		Other diseases due to helminths		
43		All other diseases classified as infective and parasitic		
44		Malignant neoplasms (140-205)	
45		Buccal cavity and pharynx	
150	151, 152, 153, 154, 155, 161, 162, 163, 170, 171, 172-174, 177, 180, 191, 196, 197, 188-190, 164, 165, 175, 176, 178-181, 192-195, 198, 199, 204, 200-203, 205	Gsophagus	
46		Stomach	
47		Intestine (except rectum)	
151		Rectum	
48		Larynx	
161	162, 163, 170, 171, 172-174, 177, 180, 191, 196, 197, 188-190, 164, 165, 175, 176, 178-181, 192-195, 198, 199, 204, 200-203, 205	Trachea, bronchus and lung not specified	
49		as secondary	
50		Breast	
170		Cervix uteri	
51		Other and unspecified parts of uterus
171	172-174, 177, 180, 191, 196, 197, 188-190, 164, 165, 175, 176, 178-181, 192-195, 198, 199, 204, 200-203, 205	Prostate	
52		Skin	
53		Bone and connective tissue	
172-174		
54		
177	180, 191, 196, 197, 188-190, 164, 165, 175, 176, 178-181, 192-195, 198, 199, 204, 200-203, 205
55		
56		
180, 191	
196, 197	
188-190	210-239, 250-251, 252
164, 165		
175, 176		
178-181	
192-195	
198, 199	210-239, 250-251, 252
204		
200-203	
205	
210-239		Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system
60	250-251, 252	Benign neoplasms and neoplasms of unspecified nature
250-251		Nontoxic goitre
61		Thyrototoxicosis with or without goitre
252	
62	

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1955.—continued

International Classification	CAUSES OF DEATH		Scotland	Detailed List																													
	Inter-mediate List "A"	Detailed List		Aberdeen	Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Cathness Co.	Blackman's Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunbarton Co.	East Lothian Co.	Dunfmline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.		
260	63	Diabetes mellitus	459	20	10	16	—	8	7	3	1	34	3	2	3	1	3	2	2	2	3	5	9	7	4	2	35	3	10	3	1	5	
280-286	64	Avitaminosis and other deficiency states	39	—	2	1	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	
290	65a	Pernicious and other hyperchromic anæmias	121	7	2	7	—	2	2	1	1	5	1	—	—	—	—	—	—	—	—	—	—	2	2	1	5	1	5	1	—	—	1
291-293	65b	Other anæmias	95	2	3	3	—	1	1	1	1	6	—	—	—	—	—	—	—	—	—	—	—	2	2	1	1	—	2	—	—	—	—
240-245,																																	
253, 254,																																	
270-277,																																	
287-289,																																	
294-299,																																	
300-309	66	Allergic disorders; all other endocrine, metabolic and blood diseases	395	16	18	15	2	7	11	3	5	20	2	3	—	2	5	—	4	4	1	5	10	7	4	4	12	2	8	2	1	3	
310-324,	67	Psychoses	100	—	4	2	—	1	2	—	—	6	—	—	—	—	—	—	—	—	—	—	2	1	1	—	3	—	1	1	1	1	
325	68	Psychoneuroses and disorders of personality	28	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
326	69	Mental deficiency	30	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
330	70a	Subarachnoid hæmorrhage	213	8	10	6	2	7	5	2	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
331	70b	Cerebral hæmorrhage	4181	137	102	118	16	78	63	35	43	208	31	18	36	23	40	23	54	32	25	77	31	21	34	203	20	62	29	8	30		
332	70c	Cerebral embolism and thrombosis	4543	210	166	161	29	67	67	44	37	208	43	16	20	15	49	38	55	16	18	99	53	61	17	186	19	53	23	16	37		
333, 334	70d	Other vascular lesions affecting central nervous system	670	12	13	33	3	6	9	7	6	24	3	2	6	1	2	4	6	5	3	11	3	8	8	29	4	5	3	1	3	1	
340	71	Non-meningococcal meningitis	48	4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
345	72	Multiple sclerosis	159	4	8	—	—	1	3	2	—	4	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
353	73	Epilepsy	100	2	4	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
370-379	74	Inflammatory diseases of eye	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
385	75	Cataract	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
387	76	Glaucoma	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
391-393	77	Otitis media and mastoiditis	22	—	3	2	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
390	78a	Paralysis agitans	170	6	3	5	1	4	5	3	2	10	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
341-344,																																	
341, 352,																																	
351, 352,																																	
354-369,																																	
380-384,																																	
386,388-390,																																	
394-398																																	
400-402	78b	All other diseases of the nervous system and sense organs	294	11	7	9	—	5	9	2	4	19	3	3	1	3	4	—	5	1	2	—	6	5	1	2	7	—	4	2	1	—	
79		Rheumatic fever	54	4	2	2	—	1	2	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
410-416	80	Heart Disease (410-443)	20890	717	568	647	68	294	343	208	191	1075	254	120	82	140	122	118	266	174	82	442	182	164	232	849	119	224	133	24	154		
420	81a	Chronic rheumatic heart disease	847	26	11	35	1	1	13	3	10	39	3	6	5	3	6	6	10	9	4	11	6	8	5	27	4	7	5	1	2		
421	81b	Arteriosclerotic heart disease (including coronary disease)	8739	400	296	294	35	151	121	78	84	411	91	48	23	40	50	65	109	70	44	167	92	78	89	301	48	84	70	13	56		
421	81b	Chronic endocarditis not specified as rheumatic	362	4	14	7	2	5	5	5	2	13	7	6	—	5	4	1	6	2	1	—	2	1	—	—	—	—	—	—	—	—	
422.0	81c	Fatty degeneration of heart	37	—	1	3	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1955.—continued

International Classification		CAUSES OF DEATH	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	
Detailed Nos.	Inter-mediate List "A."																															
63 260 280-286 290 291-293 240-243, 253, 254, 270-277, 287-289, 284-289	63	Diabetes mellitus	85	3	3	4	5	2	33	29	8	2	—	1	2	4	3	4	10	1	12	7	2	4	3	—	15	4	9	2	—	
	64	Avitaminosis and other deficiency states	16	—	—	—	—	1	2	3	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
	65a	Pernicious and other hyperchromic anemias	26	1	—	—	3	1	5	7	1	—	—	—	—	—	—	2	—	—	3	1	—	—	—	—	—	—	—	—	—	
	65b	Other anemias	22	1	—	—	1	1	10	10	2	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	
	66	Allergic disorders; all other endocrine, metabolic and blood diseases	85	—	2	4	4	4	—	16	35	9	2	—	1	1	3	10	5	6	3	10	4	2	2	2	1	6	2	4	2	2
	67	Psychoses	28	—	1	—	1	1	1	17	1	—	—	—	2	—	3	3	—	2	—	1	5	1	—	—	—	—	—	—	—	
	68	Psychoneuroses and disorders of personality	6	—	—	—	—	—	—	2	8	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	69	Mental deficiency	6	—	—	—	1	1	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	70a	Subarachnoid hemorrhage	48	—	2	—	4	2	4	7	30	3	1	—	—	—	—	—	5	7	1	7	3	2	1	—	—	—	—	—	—	—
	70b	Cerebral hemorrhage	829	17	23	28	62	29	244	386	74	47	9	15	13	18	73	69	69	15	116	78	38	16	38	36	88	13	83	28	30	
70c 331 332 70d 333, 334	70c	Cerebral embolism and thrombosis	890	22	27	27	72	17	209	429	100	48	9	28	12	49	103	45	98	15	128	57	59	24	44	29	69	11	43	29	27	
	70d	Other vascular lesions affecting central nervous system	190	1	2	3	6	5	28	88	8	3	3	—	6	2	13	3	6	—	17	6	16	6	5	3	10	3	7	3	7	
	71	Nonmeningococcal meningitis	13	1	—	—	—	2	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	72	Multiple sclerosis	37	2	—	1	3	—	7	19	3	2	—	3	—	2	—	2	2	—	3	—	—	—	—	—	—	—	—	—	—	—
	73	Epilepsy	30	—	2	—	2	—	11	11	2	1	—	1	—	1	2	3	4	—	2	—	—	—	—	—	—	—	—	—	—	—
	74	Inflammatory diseases of eye	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	75	Cataract	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	76	Glaucoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	77	Otitis media and mastoiditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	78a	Paralysis agitans	34	1	—	—	1	1	1	9	15	5	—	1	1	—	2	1	7	—	—	—	3	2	—	—	—	—	—	—	—	—
78b 341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78b	All other diseases of the nervous system and sense organs	69	1	2	3	2	2	12	27	4	4	—	2	—	2	—	5	4	6	3	3	5	3	3	1	4	5	2	2	—	
	79	Rheumatic fever	18	—	—	1	1	—	2	2	2	1	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	80	Heart Disease (410-443)	4104	118	192	149	263	117	1143	2060	362	183	31	102	83	179	462	310	371	70	575	310	250	105	132	95	480	77	306	156	89	
	81a	Chronic rheumatic heart disease	225	4	9	8	16	4	62	75	13	2	—	5	2	10	9	9	24	—	—	30	4	5	1	6	—	28	3	9	6	1
	81b	Arteriosclerotic heart disease (including coronary disease)	1741	40	65	80	110	46	442	913	150	69	14	44	23	83	197	98	143	34	232	102	93	40	52	52	194	20	154	63	37	
	81c	Chronic endocarditis not specified as rheumatic	91	—	1	—	—	—	38	4	2	2	2	2	2	—	2	11	5	2	2	9	10	1	3	1	2	10	4	—	3	2
	422.0	Fatty degeneration of heart	10	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1955.—continued

International Classification	CAUSES OF DEATH		Scotland																															
	Detailed List	Inter-mediate List "A"		Aberdeen Co. of C.	Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Cathness Co.	Blackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunbarton Co.	East Lothian Co.	Dumf'line B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcubright Co.			
422.1	81d		4969	172	156	146	7	47	55	33	40	267	82	23	23	52	31	20	72	40	11	118	23	70	241	34	47	40	6	35				
422.2	81e		3907	53	51	120	13	49	102	62	22	10	48	26	28	33	17	10	39	34	21	100	34	42	165	17	55	11	2	43				
430-432	82a		128	1	2	2	2	15	23	4	8	35	12	1	1	4	5	5	1	10	1	1	13	15	4	23	12	1	1	11				
433, 434	82b		594	12	14	25	4	15	21	19	25	62	10	9	1	3	8	15	19	9	10	15	16	17	25	63	14	13	3	1	5			
440-443	83		1307	49	23	25	4	15	21	19	23	62	11	7	1	4	9	17	11	3	10	15	17	15	28	8	10	9	1	1	11			
444-447	84		1307	31	18	28	8	21	19	4	16	54	12	7	1	8	9	17	24	3	7	14	19	4	13	60	4	13	11	1	10			
450	85a		1238	65	43	26	4	19	19	4	16	37	3	5	1	1	4	1	4	4	1	5	1	3	18	3	4	1	1	1	1			
451-456	85b		236	12	6	24	2	2	2	3	1	8	1	1	1	1	1	1	3	1	1	1	5	1	3	18	3	4	1	1	1	1		
460-463	86		27	1	7	10	2	5	7	3	9	17	1	1	1	1	1	1	1	1	1	1	5	1	1	7	2	10	3	1	1	1		
470-475	87		366	6	5	19	1	8	2	1	4	14	9	2	3	4	14	12	7	7	1	1	5	3	2	3	8	7	1	1	1	1		
480-483	88		1247	59	31	93	11	17	18	9	7	30	9	4	3	4	14	12	17	4	4	6	3	4	—	4	2	4	1	1	1	1		
490	89		215	1	5	7	—	4	2	1	—	3	3	—	1	1	5	1	3	4	6	3	4	—	—	—	—	—	—	—	—	—	1	
491	90		2086	49	28	77	5	16	15	19	14	68	9	6	13	5	14	14	16	12	11	19	6	14	14	62	6	9	5	2	14	1		
492, 493	91		267	6	6	7	—	2	—	—	—	13	1	3	2	1	2	—	2	—	—	—	3	—	2	—	—	—	—	—	—	—	1	
500	92		1147	21	10	34	3	5	7	13	11	36	3	1	5	3	7	13	11	8	6	13	4	3	10	27	4	5	1	3	5	4	1	
501a, 502a	93b		672	22	12	36	2	9	8	5	3	19	5	2	6	1	5	1	3	4	5	3	2	9	4	22	4	2	3	3	1	2	4	1
510	94		19	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
518, 521	95		21	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
519	96		518	8	9	13	2	4	5	3	4	39	3	1	1	2	6	—	4	2	1	8	7	4	5	27	1	2	2	—	—	—	1	
511-517, 520,			284	12	8	5	1	—	3	2	3	13	4	3	3	1	2	1	2	1	2	6	5	4	15	3	5	1	1	1	1	1	1	
522-527	97		382	20	9	8	1	11	4	1	4	16	4	2	1	1	2	2	3	2	2	6	5	4	15	3	5	1	1	1	1	1	1	
530-535	98		16	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
540	99		87	1	3	5	—	5	3	6	4	5	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
541	100		399	18	12	13	—	3	1	1	—	19	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
543	101		120	—	6	2	—	3	1	1	4	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
550-553	102		389	18	12	13	—	3	1	1	—	19	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
560, 561, 570	103		120	—	6	2	—	3	1	1	4	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
571.0	104a		138	9	7	3	—	2	1	1	—	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
571.1	104b		138	9	7	3	—	2	1	1	—	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
572	104c		148	9	7	3	1	1	2	1	—	9	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
581	105		167	6	10	4	1	2	2	1	—	12	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
584-585			187	8	8	7	4	6	2	2	1	8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
580, 582,			53	1	1	3	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
583, 586			164	3	8	4	1	4	4	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
586-589			38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
542, 544, 545,			164	3	8	4	1	4	4	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
573-578, 587			38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
590			38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1955.—*continued*

International Classification	CAUSES OF DEATH		Scotland	SCOTLAND																												
	Detailed List	Inter-mediate List "A"		Aberdeen Co. of C.	Remainder of Aberdeen	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Blackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunbarton Co.	East Lothian Co.	Dunfmline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcaldy Co.	
591-594	109	Chronic, other and unspecified nephritis	492	8	9	18	—	8	10	3	6	28	3	8	6	3	6	3	9	4	5	9	1	2	1	15	4	6	2	4	3	
600	110	Infections of kidney	171	2	3	10	—	2	1	1	2	7	1	1	1	—	—	—	3	1	1	3	2	2	1	10	1	1	1	3	—	
602, 604	111	Calculi of urinary system	43	3	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
610	112	Hyperplasia of prostate	451	19	17	25	—	9	7	1	2	15	14	4	1	3	3	4	4	—	—	4	2	2	3	16	4	5	5	1	4	
620, 621	113	Diseases of breast	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
605, 606	114a	Diseases of bladder	41	—	5	—	—	—	1	—	—	2	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
601, 603, 607, 609, 611-617, 622-637	114b	Other diseases of genito-urinary system	78	3	1	3	—	1	1	2	—	2	—	1	—	1	—	1	—	—	—	—	2	2	—	6	—	1	1	—	1	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	9	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	12	—	—	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
643, 644, 670	117a	Hamorrhage of pregnancy and childbirth	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
671, 672	117b	Postpartum hæmorrhage	6	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
650	118	Abortion without mention of sepsis or toxæmia	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
651	119	Abortion with sepsis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	2	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	19	1	4	6	1	1	3	2	8	1	2	4	2	—	—	—	—	1	2	2	5	2	1	1	16	1	4	1	—	—
720-725	122	Arthritis and spondylitis	187	11	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	13	—	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
730	124	Osteomyelitis and periostitis	11	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
731, 745-749	125	Ankylosis and acquired musculoskeletal deformities	4	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	73	4	2	4	—	—	1	2	—	1	—	—	—	1	4	—	1	—	—	2	1	1	—	3	—	—	—	—	—	1
751	127	Congenital malformations and certain diseases of early infancy (750-776)	2125	41	49	79	10	29	20	18	14	90	16	9	2	7	20	5	16	30	17	32	19	19	18	94	13	19	4	3	12	
754	128	Spina bifida and meningocele	152	1	3	7	1	—	—	4	—	6	2	—	—	—	3	2	4	1	1	1	2	—	—	5	—	1	—	—	1	—
		Congenital malformations of circulatory system	209	3	4	13	3	4	1	1	1	10	3	2	—	—	2	2	—	1	—	3	3	—	4	5	1	2	—	—	—	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1955.—continued

International Classification		CAUSES OF DEATH	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Kern. Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	
Detailed List	Inter-mediate List "A"																															
591-594 600 602, 604 610 620, 621 605, 606	109	Chronic, other and unspecified nephritis	101	1	2	2	8	3	28	46	6	8	1	10	1	6	8	7	8	2	12	4	4	2	2	5	1	9	3	7	2	2
	110	Infections of kidney	35	1	1	1	1	1	7	26	4	2	1	1	1	4	5	1	3	1	6	1	1	3	1	1	1	3	2	1	2	
	111	Calculi of urinary system	9	1	2	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	3	
	112	Hyperplasia of prostate	76	5	3	7	9	7	29	25	10	3	2	2	2	5	18	15	4	1	7	5	9	2	2	1	2	5	3	6	4	
	113	Diseases of breast	7	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	
	114a	Diseases of bladder	7	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	
	601, 603, 607, 609, 611-617, 622-637, 640, 641, 681, 682, 684	114b	Other diseases of genito-urinary system	16	—	1	—	1	2	10	2	1	—	1	—	2	3	—	1	—	3	2	—	1	—	—	2	1	—	—	—	—
	642, 652, 685, 686 643, 644, 670 671, 672 650	115	Sepsis of pregnancy, childbirth and the puerperium	1	1	—	—	—	2	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—
	642, 652, 685, 686 643, 644, 670 671, 672 650	116	Toxæmias of pregnancy and the puerperium	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
	642, 652, 685, 686 643, 644, 670 671, 672 650	117a	Hamorrhage of pregnancy and childbirth	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
	642, 652, 685, 686 643, 644, 670 671, 672 650	118	Postpartum hæmorrhage	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
642, 652, 685, 686 643, 644, 670 671, 672 650	119	Abortion without mention of sepsis or toxæmia	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
642, 652, 685, 686 643, 644, 670 671, 672 650	120	Abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
645-649, 660, 673-680, 683, 687-689	121	Other complications of pregnancy, childbirth and the puerperium	2	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
690-698 720-725 726, 727	121	Infections of skin and subcutaneous tissue	9	—	—	—	—	—	—	15	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
720-725 726, 727	122	Arthritis and spondylitis	44	—	1	3	1	1	6	15	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
726, 727	123	Muscular rheumatism and unspecified rheumatism	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
730	124	Osteomyelitis and pericostitis	5	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	14	—	1	—	1	—	5	6	2	2	1	—	—	—	2	3	3	—	1	1	1	—	—	—	—	—	—	1	—	—
751	127	Congenital malformations and certain diseases of early infancy (750-776)	561	12	39	18	23	10	161	135	34	24	4	9	2	16	34	44	46	12	51	14	11	6	14	9	61	6	39	16	5	
754	128	Spina bifida and meningocele	40	—	5	—	2	—	17	9	1	—	1	1	—	2	5	4	3	—	3	—	1	1	1	3	—	5	—	2	2	1
754	128	Congenital malformations of circulatory system	56	—	1	2	2	1	20	9	5	4	1	—	—	4	4	2	6	—	6	1	2	—	—	4	5	—	2	3	—	—

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1955.—continued

International Classification		CAUSES OF DEATH	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.			
Detailed List	Inter-mediate List "A"																																	
750, 752, 753, 755-759	129	All other congenital malformations	66	1	1	3	4	3	21	21	1	4	—	1	1	—	2	6	10	3	1	4	1	1	1	1	11	4	3	5	4	1	1	
760, 761	130	Birth injuries	65	2	4	2	9	2	13	15	8	2	—	1	1	1	2	6	4	12	3	1	1	1	1	1	1	11	4	3	5	4	1	1
762	131	Postnatal asphyxia and atelectasis	143	6	10	5	1	2	24	22	5	3	—	2	2	—	1	6	11	12	3	15	5	1	1	1	11	4	3	5	4	1	1	
763	132a	Pneumonia of newborn	27	—	4	1	1	—	14	5	1	1	—	—	—	—	—	1	2	1	—	2	1	1	1	1	—	11	6	7	7	1	1	
764	132b	Diarrhoea of newborn	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
765-768	132c	Other infections of newborn	1	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
770	133	Hæmolytic disease of newborn	13	1	1	1	1	—	6	4	1	1	—	—	—	—	—	1	1	1	2	3	2	1	1	1	—	—	—	—	—	—	—	
769, 771, 772	134	All other defined diseases of early infancy	137	2	11	4	2	2	42	44	12	8	2	3	1	4	5	9	16	4	13	3	3	3	3	2	6	2	17	1	7	3	10	
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	104	3	12	17	13	—	73	33	6	8	—	13	5	4	29	17	5	9	9	31	7	5	4	10	2	21	14	6	3	1	2	
794	136	Senility without mention of psychosis	70	3	7	2	4	1	15	6	1	2	—	2	1	4	5	12	4	2	7	3	2	2	—	—	—	—	—	—	—	—	—	
780-793, 795	137	Ill-defined and unknown causes	70	3	7	2	4	1	15	6	1	2	—	2	1	4	5	12	4	2	7	3	2	2	—	—	—	—	—	—	—	—	—	
E Code		Alternative classification of accidents poisonings and violence (external cause)																																
E810-E835	138	Violence (800-999) ...	601	10	26	20	32	15	172	276	58	44	13	10	4	26	63	61	53	12	72	34	27	5	20	11	60	10	34	12	11			
E840-E845	139	Motor vehicle accidents ...	132	1	9	5	6	2	48	43	16	7	2	2	1	4	16	11	2	3	17	7	7	5	—	4	3	10	2	9	3	—		
E800-E802, 139a		Other road transport accidents ...	15	—	2	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		
E850-E866	139b	Other transport accidents ...	13	1	—	—	1	1	5	6	2	10	—	—	—	3	1	4	3	—	4	2	—	—	—	—	1	—	1	—	—	—		
E870-E895	140	Accidental poisoning ...	55	1	—	—	2	1	11	35	1	1	—	—	—	5	6	6	9	1	4	1	—	—	—	—	1	—	1	—	—	—		
E900-E904	141	Accidental falls ...	155	—	4	3	9	5	31	96	14	11	1	2	2	5	19	19	13	1	15	10	7	2	9	2	11	5	7	3	7	—		
E912	142	Accident caused by machinery ...	3	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
E916	143	Accident caused by fire and explosion of combustible material ...	24	—	3	4	1	3	11	15	1	2	—	—	—	—	2	3	2	1	5	1	1	—	2	—	2	—	—	—	—	—		
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	4	—	1	—	—	—	2	3	—	—	—	—	—	—	1	—	—	1	1	1	1	—	—	—	1	—	—	—	—	—		
E919	145	Accident caused by firearm ...	37	—	—	—	1	—	14	8	3	3	9	2	—	4	8	1	4	1	3	6	7	1	2	1	8	—	—	—	—	—		
E929	146	Accidental drowning and submersion ...	48	—	—	—	5	—	14	15	2	4	1	—	—	—	—	—	—	—	7	2	2	2	1	—	1	—	—	—	—	—		
E921-E925	147a	Accidental mechanical suffocation, etc. ...	48	—	—	—	—	—	14	15	2	4	1	—	—	—	—	—	—	—	10	2	7	2	1	—	1	—	—	—	—	—		
E910, E911, E913-E915, E920,		All other accidental causes	32	3	5	—	2	—	11	6	13	3	—	1	—	—	5	4	2	2	5	1	1	1	—	—	8	1	5	1	—	—		
E926-E928, E930-E962	147b	Suicide and self-inflicted injury	69	4	2	4	7	1	20	52	3	2	—	2	1	4	8	5	8	—	11	2	1	—	2	1	3	1	8	1	1	—		
E970-E979	148	Homicide and injury purposefully inflicted by other persons (not in war)	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
E980-E985	149	Injury resulting from operations of war	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
E985, E990-E995	150																																	

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955

International Classification	Detailed List	CAUSES OF DEATH	ABERDEEN Co. of C. (inc. part in Kincardine Co.)												ABERDEEN COUNTY (excluding County of City)														
			under 4 wks—												under 4 wks—														
			All Ages	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85	85 and over	All Ages	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85	85 and over			
Abbreviated List "B"		ALL CAUSES—Both Sexes	2135	30	13	10	3	12	32	54	166	371	574	603	231	1634	42	14	9	7	13	36	46	98	199	399	551	213	
		Males	1018	26	15	9	4	2	4	17	33	90	226	273	237	82	834	19	6	4	5	4	8	22	32	54	108	196	288
List "B"		Females	1117	15	4	6	1	8	15	21	76	145	301	366	149	800	23	8	5	2	3	5	14	14	44	91	203	263	125
		M. F.	11 4	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—
001-008		Tuberculosis of respiratory system	F. 4	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019		Tuberculosis, other forms	F. 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029		Syphilis and its sequelae	F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040		Typhoid fever	F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048		Dysentery, all forms	F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051		Scarlet fever and streptococcal sore throat	F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055		Diphtheria	F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056		Whooping cough	F. 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057		Meningococcal infections	F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080		Acute poliomyelitis	F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085		Measles	F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138		Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	F. 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205		Malignant neoplasms	F. 200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239		Benign and unspecified neoplasms	F. 208	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260		Diabetes mellitus	F. 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293		Anæmias	F. 11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299		Other general diseases	F. 6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334		Vascular lesions affecting central nervous system	F. 10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340		Non-meningococcal meningitis	F. 139	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398		Other diseases of nervous system	F. 228	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402		Rheumatic fever	F. 11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416		Chronic rheumatic heart disease	F. 14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422		Arteriosclerotic and degenerative heart disease	F. 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434		Other diseases of heart	F. 18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443		Hypertension with heart disease	F. 305	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
444-447		Hypertension without heart disease	F. 324	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

			DUNDEE COUNTY OF CITY										ARBROATH BURGH															
International Classification	Detailed List	CAUSES OF DEATH	All Ages	under 4 wks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 wks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
			under 4 wks	4 wks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	under 4 wks	4 wks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
	Abbreviated List "B"	ALL CAUSES—Both Sexes	2198	46	12	7	5	20	27	56	184	365	531	682	196	234	7	4	1	1	1	1	1	1	1	1	1	
		Males	1026	23	5	4	7	14	34	118	198	248	286	47	110	5	3	1	1	1	1	1	1	1	1	1	1	
		Females	1172	23	7	2	13	13	24	66	167	283	396	149	124	2	1	1	1	1	1	1	1	1	1	1	1	
		Tuberculosis of respiratory system	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Tuberculosis, other forms	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Syphilis and its sequelæ	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Typhoid fever	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Dysentery, all forms	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Scarlet fever and streptococcal sore throat	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Diphtheria	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Whooping cough	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Meningococcal infections	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Acute poliomyelitis	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Measles	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Malignant neoplasms	18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Benign and unspecified neoplasms	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Diabetes mellitus	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Anæmias	21	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Other general diseases	46.1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Vascular lesions affecting central nervous system	22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Non-meningococcal meningitis	23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Other diseases of nervous system	46.2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Rheumatic fever	24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Chronic rheumatic heart disease	25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Arteriosclerotic and degenerative heart disease	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Other diseases of heart	27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Hypertension with heart disease	28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification			ANGUS COUNTY (ex. Co. of City and Large Burgh)										ARGYLL COUNTY																
CAUSES OF DEATH			All Ages	under 4 wks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 wks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
Abbreviated List "B"			946	22	10	4	4	1	7	14	20	65	125	252	295	127	913	19	7	1	3	8	16	23	54	142	216	312	105
Detailed List			445	9	6	4	2	1	3	7	13	36	76	113	135	40	460	13	1	1	3	4	14	34	78	115	144	39	66
ALL CAUSES—Both Sexes			501	13	4	—	—	—	—	—	—	—	—	—	—	—	453	6	1	1	5	4	2	10	20	64	101	168	66
Males			5	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—
Females			1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system			1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis, other forms			1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis and its sequelæ			4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Typhoid fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery, all forms			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever and streptococcal sore throat			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute poliomyelitis			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases (BS, 11, 13, 15, 16)*			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malignant neoplasms			69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Benign and unspecified neoplasms			96	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes mellitus			2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anæmias			4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other general diseases			2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Vascular lesions affecting central nervous system			61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Non-meningococcal meningitis			97	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of nervous system			8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic fever			5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chronic rheumatic heart disease			1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arteriosclerotic and degenerative heart disease			6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of heart			130	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hypertension with heart disease			122	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hypertension without heart disease			9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hypertension without heart			8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1935—continued

			AYR BURGH															KILMARNOCK BURGH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
International Classification	Detailed List	Abbreviated List "B"	CAUSES OF DEATH															All Ages	under 4 weeks	1-4 yrs	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			ALL CAUSES—Both Sexes	Males	Females	Tuberculosis of respiratory system	Tuberculosis, other forms	Syphilis and its sequelæ	Typhoid fever	Dysentery, all forms	Scarlet fever and streptococcal sore throat	Diphtheria	Whooping cough	Meningococcal infections	Acute poliomyelitis	Measles	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*														Malignant neoplasms	Benign and unspecified neoplasms	Diabetes mellitus	Anæmias	Other general diseases	Vascular lesions affecting central nervous system	Non-meningococcal meningitis	Other diseases of nervous system	Rheumatic fever	Chronic rheumatic heart disease	Arteriosclerotic and degenerative heart disease	Other diseases of heart	Hypertension with heart disease																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			1	001-008	1	M.	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification	Detailed List	CAUSES OF DEATH	AYR COUNTY (excluding Large Burghs)													BANFF COUNTY													
			All Ages	under 4 weeks	1-4 w'ks.	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over	All Ages	under 4 weeks	1-4 w'ks.	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over			
	Abbreviated List "B"	ALL CAUSES—Both Sexes	2780	81	41	15	12	8	29	58	90	203	449	747	792	255	11	10	4	3	3	8	10	15	32	93	138	193	80
		Males	1408	49	22	11	8	6	16	30	56	119	245	393	354	99	5	3	2	2	1	5	5	8	16	51	67	100	39
		Females	1372	32	19	4	4	2	13	28	34	84	204	354	438	156	6	7	2	1	2	3	5	7	16	42	71	93	41
001-008		Tuberculosis of respiratory system	15	—	—	—	—	—	1	2	4	3	4	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
010-019		Tuberculosis, other forms	10	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029		Syphilis and its sequelae	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040		Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048		Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051		Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055		Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056		Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057		Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080		Acute poliomyelitis	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085		Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	140-205	Malignant neoplasms	200	—	—	—	—	—	3	11	29	48	63	38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19	210-239	Benign and unspecified neoplasms	195	—	—	—	—	—	3	5	11	32	47	52	39	4	41	—	—	—	—	—	—	—	—	—	—	—	—
20	260	Diabetes mellitus	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	280-293	Anæmias	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
46.1	240-254, 270-289, 294-299	Other general diseases	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	330-334	Vascular lesions affecting central nervous system	189	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23	340	Non-meningococcal meningitis	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
46.2	300-326, 341-398	Other diseases of nervous system	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	400-402	Rheumatic fever	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25	410-416	Chronic rheumatic heart disease	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26	420-422	Arteriosclerotic and degenerative heart disease	25	—	—	—	—	—	5	4	5	4	3	3	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
27	430-434	Other diseases of heart	479	—	—	—	—	—	2	13	46	85	148	136	51	120	—	—	—	—	—	—	—	—	—	—	—	—	—
28	440-443	Hypertension with heart disease	20	—	—	—	—	—	2	3	57	121	169	86	108	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			25	—	—	—	—	—	1	3	2	5	8	2	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification	Detailed List	Abbreviated List "B"	CAUSES OF DEATH	BERWICK COUNTY										BUTE COUNTY											
				All Ages	under 4 weeks	1-4 w'ks-	5-10-	15-25-	35-45-	45-55-	55-65-	65-75-	75-and over	All Ages	under 4 weeks	1-4 w'ks-	5-10-	15-25-	35-45-	45-55-	55-65-	65-75-	75-and over		
				310	7	3	—	2	6	8	16	44	97	286	1	2	—	1	1	11	8	41	78	103	39
			ALL CAUSES—Both Sexes	154	4	1	—	2	6 <td>8</td> <td>16</td> <td>44</td> <td>97</td> <td>127</td> <td>1</td> <td>2</td> <td>—</td> <td>1</td> <th>11</th> <th>8</th> <th>41</th> <th>78</th> <th>103</th> <th>39</th>	8	16	44	97	127	1	2	—	1	11	8	41	78	103	39	
			Males	156	3	2	—	2	4	6	8	28	44	11	—	—	—	—	1	1	7	16	40	41	10
			Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	25	38	62	29	
			Tuberculosis of respiratory system	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—
	001-008	1	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	010-019	2	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	020-029	3	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	040	4	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	045-048	6	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	050, 051	7	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	055	8	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	056	9	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	057	10	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	080	12	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	085	14	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Malignant neoplasms	22	—	—	—	—	1	1	4	11	5	—	20	—	—	—	—	—	—	—	—	—	—
	140-205	18	Benign and unspecified neoplasms	28	—	—	—	—	—	4	8	9	7	—	22	—	—	—	—	—	—	—	—	—	—
	210-239	19	Diabetes mellitus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	260	20	Anæmias	2	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
	280-293	21	Other general diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	240-254, 270-289, 294-299	46.1	Vascular lesions affecting central nervous system	19	—	—	—	—	—	—	—	—	—	21	—	—	—	—	—	—	—	—	—	—	—
	330-334	22	Non-meningococcal meningitis	18	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	340	23	Other diseases of nervous system	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	300-326, 341-398	46.2	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	400-402	24	Chronic rheumatic heart disease	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	410-416	25	Arteriosclerotic and degenerative heart disease	54	—	—	—	—	—	—	—	—	—	37	—	—	—	—	—	—	—	—	—	—	—
	420-422	26	Other diseases of heart	49	—	—	—	—	—	—	—	—	—	27	—	—	—	—	—	—	—	—	—	—	—
	430-434	27	Heart-disease with heart	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	440-443	28	Heart-disease with heart	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification	Detailed List	CAUSES OF DEATH	CAITHNESS COUNTY												CLACKMANNAN COUNTY											
			All Ages	under 4 w'ks	1-5	10-15	25-35	45-55	65-75	85 and over	under 4 w'ks	1-5	10-15	25-35	45-55	65-75	85 and over									
			348	6	3	2	6	15	28	45	82	105	52	447	20	4	1	1	7	9	14	30	71	114	135	37
	Abbreviated List 'B'	ALL CAUSES—Both Sexes	184	4	2	1	2	4	8	17	22	47	49	29	205	12	1	1	3	5	16	40	53	59	9	
		Males	164	2	1	1	2	7	11	23	35	56	23	242	8	3	1	4	9	14	31	61	76	28		
		Females	184	2	1	1	2	7	11	23	35	56	23	242	8	3	1	4	9	14	31	61	76	28		
001-008	1	Tuberculosis of respiratory system	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
010-019	2	Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
050, 051	7	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
140-205	18	Malignant neoplasms	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
210-239	19	Benign and unspecified neoplasms	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
260	20	Diabetes mellitus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
290-293	21	Anæmias	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
330-334	22	Vascular lesions affecting central nervous system	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
340	23	Non-meningococcal meningitis	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
300-326, 341-398	46.2	Other diseases of nervous system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
400-402	24	Rheumatic fever	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
410-416	25	Chronic rheumatic heart disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
420-422	26	Arteriosclerotic and degenerative heart disease	69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
430-434	27	Other diseases of heart	61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
440-443	28	Hypertension with heart disease	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification	Detailed List	CAUSES OF DEATH	DUMFRIES BURGH														DUMFRIES COUNTY (excluding Large Burgh)													
			All Ages	under 4 wks-	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All Ages	under 4 wks-	1-4	5-9	10-14	15-24	35-44	45-54	55-64	65-74	75-84	85 and over			
Abbr- viated List "B"		ALL CAUSES—Both Sexes	330	7	1	1	1	8	3	25	53	93	93	39	735	15	9	5	3	6	12	22	58	91	199	223	87			
		Males	162	2	3	1	1	8	3	21	31	45	37	11	357	9	4	5	3	6	2	15	37	52	92	97	34			
		Females	168	5	2	1	1	1	4	22	48	56	28	378	6	5	2	2	2	2	10	7	21	39	107	126	53			
	001-008	Tuberculosis of respiratory system	4					1	1	1	1	1	1	3	5						1	1	2	1	1	1	1			
	010-019	Tuberculosis, other forms																												
	020-029	Syphilis and its sequelæ																												
	040	Typhoid fever																												
	045-048	Dysentery, all forms																												
	050, 051	Scarlet fever and streptococcal sore throat																												
	055	Diphtheria																												
	056	Whooping cough																												
	057	Meningococcal infections													1															
	080	Acute poliomyelitis																												
	085	Measles																												
	030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	22												2															
	140-205	Malignant neoplasms	28					2	1	4	4	4	6	1	58			2	1	1	3	4	6	9	23	21	3			
	210-239	Benign and unspecified neoplasms													70															
		Diabetes mellitus													2															
	260	Anæmias													1															
	290-293	Other general diseases													3															
	240-254, 270-289, 294-299	Vascular lesions affecting central nervous system	29												47															
	330-334	Non-meningococcal meningitis	36												68															
	340	Other diseases of nervous system													5															
	300-376, 341-398	Rheumatic fever													5															
	400-402	Chronic rheumatic heart disease													10															
	410-416	Arteriosclerotic and degenerative heart disease	59					1	1	9	12	19	14	3	120															
	420-422	Other diseases of heart	37												107															
	430-434	Hypertension with heart	3												4															
	440-443		2												10															

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification			CAUSES OF DEATH	CLYDEBANK BURGH												DUMBARTON BURGH											
Detailed List	Abbreviated List "B"	All Ages		4 wks-4	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	4 wks-4	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	
			ALL CAUSES—Both Sexes	462	10	4	2	7	10	15	39	77	123	122	25	309	11	2	1	4	10	16	34	46	79	74	19
			Males	260	5	4	2	7	10	15	39	77	123	122	25	309	11	2	1	4	10	16	34	46	79	74	19
			Females	202	5	2	1	2	5	2	2	26	47	60	14	150	3	6	2	3	3	9	17	24	41	34	10
			Tuberculosis of respiratory system	10	—	—	—	1	1	2	3	2	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—
			Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
			Syphilis and its sequelæ	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Typhoid fever	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Dysentery, all forms	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Scarlet fever and streptococcal sore throat	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Diphtheria	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Whooping cough	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Meningococcal infections	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Acute poliomyelitis	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Measles	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Malignant neoplasms	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Benign and unspecified neoplasms	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Diabetes mellitus	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Anæmias	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Other general diseases	46.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Vascular lesions affecting central nervous system	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Non-meningococcal meningitis	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Other diseases of nervous system	46.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Rheumatic fever	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Chronic rheumatic heart disease	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Arteriosclerotic and degenerative heart disease	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Other diseases of heart	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Inter-ventricular with heart	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

TABLE 40.—Causes of Death by Sex and 5-year Age-groups		DUNBARTON COUNTY (excluding Large Burghs)										EAST LOTHIAN COUNTY																	
International Classification	Detailed List	CAUSES OF DEATH		DUNBARTON COUNTY (excluding Large Burghs)										EAST LOTHIAN COUNTY															
		Abbreviated List "B"	All Ages	under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All Ages	under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
		ALL CAUSES—Both Sexes	1151	18	9	2	12	22	45	104	156	200	372	93	574	15	5	4	2	—	5	9	18	47	91	153	185	40	
		Males	581	16	12	7	1	1	3	13	26	67	84	142	309	8	3	4	2	—	3	4	13	30	51	84	88	19	
		Females	570	10	6	2	1	1	9	19	37	72	148	213	49	265	7	2	—	—	2	5	5	17	40	69	97	21	
	001-008	Tuberculosis of respiratory system	13	—	—	—	—	1	3	4	3	2	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—
	010-019	Tuberculosis, other forms	4	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	020-029	Syphilis and its sequelæ	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	040	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	045-048	Dysentery, all forms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	050, 051	Scarlet fever and streptococcal sore throat	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	055	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	056	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	057	Meningococcal infections	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	080	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	085	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	090-099, 041-044, 049, 052-054, 058-074, 081-084, 086-138	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	140-205	Malignant neoplasms	92	—	—	—	—	2	7	10	21	24	30	5	1	60	1	1	1	—	1	1	11	13	19	12	12	1	1
	210-239	Benign and unspecified neoplasms	101	—	—	—	—	2	7	10	21	24	30	5	1	56	1	—	—	—	1	1	8	17	12	12	1	1	1
	260	Diabetes mellitus	3	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	260	Diabetes mellitus	6	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	290-293	Anæmias	3	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	240-254, 270-289, 294-299	Other general diseases	5	1	—	—	—	1	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	330-334	Vascular lesions affecting central nervous system	7	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	340	Non-meningococcal meningitis	118	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	300-326, 341-398	Other diseases of nervous system	5	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	400-402	Rheumatic fever	9	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	410-416	Chronic rheumatic heart disease	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	420-422	Arteriosclerotic and degenerative heart disease	202	—	—	—	—	—	—	—	—	—	—	—	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	430-434	Other diseases of heart	5	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	440-443	Hypertension with heart	17	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification	Detailed List	Causes of Death	DUNFERMLINE BURGH												KIRKCALDY BURGH											
			All Ages	under 4 weeks	1-4 w'ks	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	under 4 weeks	1-4 w'ks	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over
			496	16	6	4	2	2	5	13	35	90	122	154	553	13	14	6	4	1	4	11	16	40	81	138
		ALL CAUSES—Both Sexes	243	8	5	2	2	2	7	22	51	63	64	14	297	9	9	3	1	2	7	4	28	42	83	91
		Males	253	8	5	2	2	2	7	22	51	63	64	14	297	9	9	3	1	2	7	4	28	42	83	91
		Females
001-008	1	Tuberculosis of respiratory system	2	6
010-019	2	Tuberculosis, other forms	4	5
020-029	3	Syphilis and its sequelæ	1	1
040	4	Typhoid fever
045-048	6	Dysentery, all forms
050, 051	7	Scarlet fever and streptococcal sore throat
055	8	Diphtheria
056	9	Whooping cough
057	10	Meningococcal infections
080	12	Acute poliomyelitis	2
085	14	Measles
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*
140-205	18	Malignant neoplasms	41
210-239	19	Benign and unspecified neoplasms	37
260	20	Diabetes mellitus	4
290-293	21	Anemias
240-254, 270-289, 294-299	46.1	Other general diseases	2
330-334	22	Vascular lesions affecting central nervous system	42
340	23	Non-meningococcal meningitis	49
300-326, 341-398	46.2	Other diseases of nervous system
400-402	24	Rheumatic fever	3
410-416	25	Chronic rheumatic heart disease
420-422	26	Arteriosclerotic and degenerative heart disease	71
430-434	27	Other diseases of heart	72
440-443	28	Hypertension with heart disease	12

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification		CAUSES OF DEATH	FIFE COUNTY (excluding Large Burghs)													INVERNESS BURGH													
			All Ages	under 4 wks—	1—5	5—10	10—15	25—35	35—45	45—55	55—65	65—75	75—over	All Ages	under 4 wks—	1—5	5—10	10—15	15—25	25—35	35—45	45—55	55—65	65—75	75—over				
Abbreviated List "A"	Detailed List	ALL CAUSES—Both Sexes	2470	84	34	18	12	10	21	43	72	199	354	650	742	231	350	12	5	4	1	5	7	7	27	43	98	107	34
		Males	1250	48	21	6	6	4	11	22	42	117	216	341	538	78	180	7	3	3	3	4	4	4	18	28	58	42	9
		Females	1220	36	13	12	6	6	10	21	30	82	138	309	404	153	170	5	2	1	1	1	3	3	9	15	40	65	25
001-008	1	Tuberculosis of respiratory system	8	—	—	—	—	—	1	1	1	1	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019	2	Tuberculosis, other forms	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelae	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	218	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239	19	Benign and unspecified neoplasms	195	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
280-293	21	Anæmias	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	170	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340	23	Non-meningococcal meningitis	256	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402	24	Rheumatic fever	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434	27	Other diseases of heart	374	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443	28	Hypertension with heart	350	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification			Detailed List	CAUSES OF DEATH	INVERNESS COUNTY (excluding Large Burgh)													INSULAR PORTION OF INVERNESS COUNTY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
					All Ages	under 4 wks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All Ages	under 4 wks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				Abbreviated List "B"	ALL CAUSES—Both Sexes	737	19	5	4	3	5	9	23	18	34	84	178	233	122	299	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification	Detailed List	CAUSES OF DEATH	KINCARDINE COUNTY												KINROSS COUNTY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			All Ages	under 4 wks	1-5	10-15	25-35	45-55	65-75	85 and over	under 4 wks	1-5	10-15	25-35	45-55	65-75	85 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			345	4	2	1	5	4	13	21	26	95	127	42	104	55	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

[illegible]

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification		Detailed List	CAUSES OF DEATH													AIRDRIE BURGH													COATBRIDGE BURGH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			All Ages	under 4 wks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 wks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 wks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
	Abbreviated List "B"		ALL CAUSES—Both Sexes</

[illegible]

Norw.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification			CAUSES OF DEATH		HAMILTON BURGH										MOTHERWELL AND WISHAW BURGH													
					All Ages	under 4 wks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 wks	1-	5-	10-	15-	25-	35-	45-	55-	65-
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	444	11	3	2	—	8	12	20	46	75	112	114	23	779	18	4	1	2	10	9	20	77	143	204	224	50
		Males	237	7	2	—	5	7	11	32	40	62	51	12	405	13	11	2	1	—	6	5	8	41	83	105	113	17
		Females	207	4	1	1	—	3	5	9	14	35	50	63	11	374	5	6	2	—	4	12	36	60	99	111	33	
001-008	1	Tuberculosis of respiratory system	4	—	—	—	—	—	1	—	—	—	—	—	—	7	—	1	—	—	—	—	—	—	—	—	—	—
010-019	2	Tuberculosis, other forms	5	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	3	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	41	—	—	—	—	—	—	—	—	—	—	—	—	57	—	—	—	—	—	—	—	—	—	—	—	—
210-239	19	Benign and unspecified neoplasms	25	—	—	—	—	—	—	—	—	—	—	—	—	59	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
290-293	21	Anæmias	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	3	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—
340	23	Non-meningococcal meningitis	25	—	—	—	—	—	—	—	—	—	—	—	—	58	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	35	—	—	—	—	—	—	—	—	—	—	—	—	86	—	—	—	—	—	—	—	—	—	—	—	—
400-402	24	Rheumatic fever	2	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	2	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease	1	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—
430-434	27	Other diseases of heart	70	—	—	—	—	—	—	—	—	—	—	—	5	126	—	—	—	—	—	—	—	—	—	—	—	—
440-443	28	Hypertension with heart	65	—	—	—	—	—	—	—	—	—	—	—	4	97	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

[illegible]

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

[illegible]

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

[illegible]

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification	Detailed List	CAUSES OF DEATH	PERTH BURGH										PERTH COUNTY (excluding Large Burgh)																
			All Ages	under 4 weeks	1-4 wks	5-10	10-15	25-35	35-45	45-55	55-65	65-75	75-and over	All Ages	under 4 weeks	1-4 wks	5-10	10-15	25-35	35-45	45-55	55-65	65-75	75-and over					
			Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes			
	Abbreviated List "B"	ALL CAUSES—	498	10	11	6	1	—	4	7	16	45	90	112	141	55	1200	28	9	3	8	17	25	64	145	302	411	176	
	001-008	Tuberculosis of respiratory system	257	5	8	3	1	—	3	5	9	31	51	58	63	20	570	17	5	4	1	4	9	14	35	93	150	181	56
	010-019	Tuberculosis, other forms	241	5	3	3	—	—	1	2	7	14	39	54	78	35	630	11	4	5	2	4	8	11	29	52	152	230	120
	020-029	Syphilis and its sequelae	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	040	Typhoid fever	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	045-048	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	050, 051	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	055	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	056	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	057	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	060	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	085	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	140-205	Malignant neoplasms	47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	210-239	Benign and unspecified neoplasms	48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	260	Diabetes mellitus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	290-293	Anæmias	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	240-254, 270-289, 294-299	Other general diseases	46, 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	330-334	Vascular lesions affecting central nervous system	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	340	Non-meningococcal meningitis	41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	300-326, 341-398	Other diseases of nervous system	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	400-402	Rheumatic fever	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	410-416	Chronic rheumatic heart disease	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	420-422	Arteriosclerotic and degenerative heart disease	84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	430-434	Other diseases of heart	75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	440-443	Hypertension with heart disease	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	444-447	Hypertension without heart disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification			CAUSES OF DEATH			GREENOCK BURGH										PAISLEY BURGH										
Detailed List	Abbreviated List "B"	All Ages	under 4 weeks	1-	5-10	15-25	35-45	55-65	75-85 and over	All Ages	under 4 weeks	1-	5-10	15-25	35-45	55-65	75-85 and over	All Ages	under 4 weeks	1-	5-10	15-25	35-45	55-65	75-85 and over	
001-008 010-019 020-029 040 045-048 050,051 055 056 057 080 085 090-099, 041-044, 049, 052-054, 058-074, 081-084, 086-138 140-205 210-239 260 290-293 240-254, 270-289, 294-299 330-334 340 300-326, 341-398 400-402 410-416 420-422 430-434 440-443 444-447	ALL CAUSES—Both Sexes Males Females Tuberculosis of respiratory system Tuberculosis, other forms Syphilis and its sequelae Typhoid fever Dysentery, all forms Scarlet fever and streptococcal sore throat Diphtheria Whooping cough Meningococcal infections Acute poliomyelitis Measles Other infectious and parasitic diseases (B5, 11, 13, 15, 16)* Malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anemias Other general diseases Vascular lesions affecting central nervous system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arteriosclerotic and degenerative heart disease Other diseases of heart Hypertension with heart disease Hypertension without heart disease	969	35	5	15	45	74	161	262	240	78	1090	42	5	3	12	17	39	92	176	316	269	90			
		531	20	13	8	14	26	49	115	138	115	19	542	23	4	4	7	6	24	53	105	148	120	35		
		438	15	10	7	5	19	25	46	124	125	59	548	19	1	3	5	11	15	39	71	168	149	55		
		21	10	1	5	2	5	4	3	1	1	10	1	1	1	1	3	4	2	1	1	1	1	1	1	
		2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification	Detailed List	Abbreviated List 'B'	CAUSES OF DEATH	PORT GLASGOW BURGH													RENFREW COUNTY (excluding Large Burghs)																
				All Ages	under 4 weeks	4 w'/ks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 weeks	4 w'/ks-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over		
			ALL CAUSES—Both Sexes	243	13	13	2	4	—	1	6	11	23	35	66	51	18	1661	42	20	13	11	5	10	32	56	141	296	438	413	154		
			Males	128	10	10	7	2	—	1	5	8	14	22	33	17	9	816	22	8	5	9	3	6	18	35	88	164	235	176	47		
			Females	115	3	3	6	—	—	—	1	3	9	13	33	34	9	845	20	12	8	2	2	4	14	21	53	132	203	267	107		
	001-008	1	Tuberculosis of respiratory system	9	—	—	—	—	—	—	2	1	1	4	1	—	—	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F.	1	—	—	—	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	050, 051	7	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	140-205	18	Malignant neoplasms	25	—	—	—	—	1	—	2	6	4	9	2	1	154	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	260	20	Diabetes mellitus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	290-293	21	Anæmias	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	240-254, 270-289, 294-299	46.1	Other general diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	330-334	22	Vascular lesions affecting central nervous system	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	300-326, 341-398	46.2	Other diseases of nervous system	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	410-416	25	Chronic rheumatic heart disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	420-422	26	Arteriosclerotic and degenerative heart disease	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	430-434	27	Other diseases of heart	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	440-443	28	Hypertension with heart	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification		CAUSES OF DEATH	ROSS & CROMARTY COUNTY												INSULAR PORTION OF ROSS AND CROMARTY COUNTY												
			All Ages	under 4 wks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 wks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	835	388
		Males
Detailed List	Abbreviated List "B"	Females
		ALL CAUSES—Both Sexes	835	388
Detailed List	Abbreviated List "B"	Males
		Females
Detailed List	Abbreviated List "B"	Tuberculosis of respiratory system	1	5
		Tuberculosis, other forms	2	1
Detailed List	Abbreviated List "B"	Syphilis and its sequelæ	3	1
		Typhoid fever	4
Detailed List	Abbreviated List "B"	Dysentery, all forms	6
		Scarlet fever and streptococcal sore throat	7
Detailed List	Abbreviated List "B"	Diphtheria	8
		Whooping cough	9
Detailed List	Abbreviated List "B"	Meningococcal infections	10
		Acute poliomyelitis	12
Detailed List	Abbreviated List "B"	Measles	14
		Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	17
Detailed List	Abbreviated List "B"	Malignant neoplasms	18	55
		Benign and unspecified neoplasms	19	58
Detailed List	Abbreviated List "B"	Diabetes mellitus	20	3
		Anæmias	21
Detailed List	Abbreviated List "B"	Other general diseases	46.1
		Vascular lesions affecting central nervous system	22	58
Detailed List	Abbreviated List "B"	Non-meningococcal meningitis	23	86
		Other diseases of nervous system	46.2
Detailed List	Abbreviated List "B"	Rheumatic fever	24
		Chronic rheumatic heart disease	25
Detailed List	Abbreviated List "B"	Arteriosclerotic and degenerative heart disease	26	136
		Other diseases of heart	27	134
Detailed List	Abbreviated List "B"	Hypertension with heart	28
			28

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

			ROXBURGH COUNTY														SELKIRK COUNTY																																																																																																																													
International Classification	Detailed List	Abbreviated List "B"	CAUSES OF DEATH														All Ages																																																																																																																													
			Males														Females														All Ages																																																																																																															
			ALL CAUSES—Both Sexes														ALL CAUSES—Both Sexes														ALL CAUSES—Both Sexes																																																																																																															
			Males														Females														Males														Females														Males														Females																																																																					
			Tuberculosis of respiratory system														Tuberculosis of respiratory system														Tuberculosis of respiratory system														Tuberculosis of respiratory system														Tuberculosis of respiratory system														Tuberculosis of respiratory system																																																																					
			Tuberculosis, other forms														Tuberculosis, other forms														Tuberculosis, other forms														Tuberculosis, other forms														Tuberculosis, other forms														Tuberculosis, other forms																																																																					
			Syphilis and its sequelae														Syphilis and its sequelae														Syphilis and its sequelae														Syphilis and its sequelae														Syphilis and its sequelae														Syphilis and its sequelae																																																																					
			Typhoid fever														Typhoid fever														Typhoid fever														Typhoid fever														Typhoid fever														Typhoid fever																																																																					
			Dysentery, all forms														Dysentery, all forms														Dysentery, all forms														Dysentery, all forms														Dysentery, all forms														Dysentery, all forms																																																																					
			Scarlet fever and streptococcal sore throat														Scarlet fever and streptococcal sore throat														Scarlet fever and streptococcal sore throat														Scarlet fever and streptococcal sore throat														Scarlet fever and streptococcal sore throat														Scarlet fever and streptococcal sore throat																																																																					
			Diphtheria														Diphtheria														Diphtheria														Diphtheria														Diphtheria														Diphtheria														Diphtheria																																																							
			Whooping cough														Whooping cough														Whooping cough														Whooping cough														Whooping cough														Whooping cough														Whooping cough																																																							
			Meningococcal infections														Meningococcal infections														Meningococcal infections														Meningococcal infections														Meningococcal infections														Meningococcal infections														Meningococcal infections																																																							
			Acute poliomyelitis														Acute poliomyelitis														Acute poliomyelitis														Acute poliomyelitis														Acute poliomyelitis														Acute poliomyelitis														Acute poliomyelitis																																																							
			Measles														Measles														Measles														Measles														Measles														Measles														Measles														Measles																																									
			Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*														Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*														Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*														Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*														Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*														Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*														Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*																																																							
			Malignant neoplasms														Malignant neoplasms														Malignant neoplasms														Malignant neoplasms														Malignant neoplasms														Malignant neoplasms														Malignant neoplasms														Malignant neoplasms																																									
			Benign and unspecified neoplasms														Benign and unspecified neoplasms														Benign and unspecified neoplasms														Benign and unspecified neoplasms														Benign and unspecified neoplasms														Benign and unspecified neoplasms														Benign and unspecified neoplasms														Benign and unspecified neoplasms																																									
			Diabetes mellitus														Diabetes mellitus														Diabetes mellitus														Diabetes mellitus														Diabetes mellitus														Diabetes mellitus														Diabetes mellitus														Diabetes mellitus																																									
			Anaemias														Anaemias														Anaemias														Anaemias														Anaemias														Anaemias														Anaemias														Anaemias														Anaemias																											
			Other general diseases														Other general diseases														Other general diseases														Other general diseases														Other general diseases														Other general diseases														Other general diseases														Other general diseases														Other general diseases																											
			Vascular lesions affecting central nervous system														Vascular lesions affecting central nervous system														Vascular lesions affecting central nervous system														Vascular lesions affecting central nervous system														Vascular lesions affecting central nervous system														Vascular lesions affecting central nervous system														Vascular lesions affecting central nervous system														Vascular lesions affecting central nervous system																																									
			Non-meningococcal meningitis														Non-meningococcal meningitis														Non-meningococcal meningitis														Non-meningococcal meningitis														Non-meningococcal meningitis														Non-meningococcal meningitis														Non-meningococcal meningitis														Non-meningococcal meningitis														Non-meningococcal meningitis																											
			Other diseases of nervous system														Other diseases of nervous system														Other diseases of nervous system														Other diseases of nervous system														Other diseases of nervous system														Other diseases of nervous system														Other diseases of nervous system														Other diseases of nervous system														Other diseases of nervous system																											
			Rheumatic fever														Rheumatic fever														Rheumatic fever														Rheumatic fever														Rheumatic fever														Rheumatic fever														Rheumatic fever														Rheumatic fever														Rheumatic fever																											
			Chronic rheumatic heart disease														Chronic rheumatic heart disease														Chronic rheumatic heart disease														Chronic rheumatic heart disease														Chronic rheumatic heart disease														Chronic rheumatic heart disease														Chronic rheumatic heart disease														Chronic rheumatic heart disease														Chronic rheumatic heart disease																											
			Arteriosclerotic and degenerative heart disease														Arteriosclerotic and degenerative heart disease														Arteriosclerotic and degenerative heart disease														Arteriosclerotic and degenerative heart disease														Arteriosclerotic and degenerative heart disease														Arteriosclerotic and degenerative heart disease														Arteriosclerotic and degenerative heart disease														Arteriosclerotic and degenerative heart disease														Arteriosclerotic and degenerative heart disease																											
			Other diseases of heart														Other diseases of heart														Other diseases of heart														Other diseases of heart														Other diseases of heart														Other diseases of heart														Other diseases of heart														Other diseases of heart														Other diseases of heart														Other diseases of heart													
			Hypertension with heart														Hypertension with heart														Hypertension with heart														Hypertension with heart														Hypertension with heart														Hypertension with heart														Hypertension with heart														Hypertension with heart														Hypertension with heart														Hypertension with heart													

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification		CAUSES OF DEATH	FALKIRK BURGH										STIRLING BURGH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			All Ages	under 4 wks-	1-5	10-15	25-35	45-55	65-75	85 and over	under 4 wks-	1-5	10-15	25-35	45-55	65-75	85 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	454	13	2	2	4	3	16	38	86	117	137	31	305	7	7	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

			STIRLING COUNTY (excluding Large Burghs)														SUTHERLAND COUNTY													
International Classification	CAUSES OF DEATH	Abbreviated List "B"	All Ages	under 4 w'ks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 w'ks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over		
			1300	51	28	12	1	2	11	30	54	125	210	320	347	109	206	6	4	1	1	3	2	13	21	52	62	41		
Detailed List	ALL CAUSES—Both Sexes	...	678	19	13	7	1	1	10	14	35	73	122	163	175	45	100	3	4	1	1	3	1	5	11	30	31	11		
	Males	...	622	32	15	5	1	1	16	19	52	88	157	172	64	106	3	4	1	1	3	1	8	10	22	31	30			
	Females	...																												
	Tuberculosis of respiratory system	M.	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Tuberculosis, other forms	F.	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Syphilis and its sequelæ	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Typhoid fever	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Dysentery, all forms	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Scarlet fever and streptococcal sore throat	M.	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Diphtheria	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Whooping cough	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Meningococcal infections	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Acute poliomyelitis	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Measles	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Malignant neoplasms	F.	113	—	—	—	—	—	—	2	10	19	27	30	20	6	7	—	—	—	—	—	—	—	—	—	—	—	—	
	Benign and unspecified neoplasms	F.	104	—	—	—	—	—	—	3	5	18	23	29	19	6	9	—	—	—	—	—	—	—	—	—	—	—	—	
	Diabetes mellitus	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Anæmias	F.	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other general diseases	F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Vascular lesions affecting central nervous system	M.	90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Non-meningococcal meningitis	F.	80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other diseases of nervous system	M.	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Rheumatic fever	F.	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Chronic rheumatic heart disease	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Arteriosclerotic and degenerative heart disease	F.	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other diseases of heart	M.	230	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Hypertension with heart disease	F.	184	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

International Classification	Detailed List	Abbreviations List "B"	CAUSES OF DEATH		WEST LOTHIAN COUNTY													WIGTOWN COUNTY												
			All Ages	under 4 wks- weeks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	All Ages	under 4 wks- weeks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over				
001-008	001-008	1	ALL CAUSES—Both Sexes	883	37	6	2	2	11	13	31	67	157	238	242	59	385	6	4	2	1	2	11	6	28	64	96	115	37	
	010-019	2	Males	492	14	2	1	2	10	6	18	43	102	133	124	26	198	7	2	2	1	2	8	3	14	38	52	58	11	
	020-029	3	Females	391	23	4	1	1	1	7	13	24	55	105	118	33	187	6	2	1	1	1	3	3	14	26	44	57	26	
	040	4	Tuberculosis of respiratory system	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	045-048	6	Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	050,051	7	Syphilis and its sequelae	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	055	8	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	056	9	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	057	10	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	080	12	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	085	14	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	17	17	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	18	18	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	19	19	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	20	20	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	210-239	19	Malignant neoplasms	83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	260	20	Benign and unspecified neoplasms	58	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	280	20	Diabetes mellitus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	290-293	21	Anemias	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	240-254, 270-289, 294-299	46.1	Other general diseases	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
300-326, 341-398	330-334	22	Vascular lesions affecting central nervous system	63	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	340	23	Non-meningococcal meningitis	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	46.2	23	Other diseases of nervous system	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	400-402	24	Rheumatic fever	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	410-416	25	Chronic rheumatic heart disease	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	420-422	26	Arteriosclerotic and degenerative heart disease	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	430-434	27	Other diseases of heart	151	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	440-443	28	Hypertension with heart	118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1955—continued

CAUSES OF DEATH			ZETLAND COUNTY											
		All Ages	under 4 weeks	4 wks.-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over
ALL CAUSES—Both Sexes		280	4	3	—	1	1	2	15	29	59	105	61	
Males		127	2	2	—	1	1	1	8	15	33	43	22	
Females		153	2	1	—	—	—	1	7	14	26	62	39	
001-008	1	Tuberculosis of respiratory system	3	—	—	—	—	—	—	—	—	—	—	
010-019	2	Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	
050, 051	7	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	
080-089, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	
140-205	18	Malignant neoplasms	22	—	—	—	—	—	—	—	—	—	—	
210-239	19	Benign and unspecified neoplasms	1	—	—	—	—	—	—	—	—	—	—	
260	20	Diabetes mellitus	—	—	—	—	—	—	—	—	—	—	—	
290-293	21	Anæmias	—	—	—	—	—	—	—	—	—	—	—	
240-254, 270-289, 294-299	46.1	Other general diseases	1	—	—	—	—	—	—	—	—	—	—	
330-334	22	Vascular lesions affecting central nervous system	20	—	—	—	—	—	—	—	—	—	—	
340	23	Non-meningococcal meningitis	45	—	—	—	—	—	—	—	—	—	—	
300-326, 341-398	46.2	Other diseases of nervous system	2	—	—	—	—	—	—	—	—	—	—	
400-402	24	Rheumatic fever	3	—	—	—	—	—	—	—	—	—	—	
410-416	25	Chronic rheumatic heart disease	—	—	—	—	—	—	—	—	—	—	—	
420-422	26	Arteriosclerotic and degenerative heart disease	1	—	—	—	—	—	—	—	—	—	—	
430-434	27	Other diseases of heart	40	—	—	—	—	—	—	—	—	—	—	
440-443	28	Hypertension with heart disease	41	—	—	—	—	—	—	—	—	—	—	

(b)	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)
29	444-447 450-468 480-483 490-493 500-502 470-475, 510-527 540, 541 550-553 560, 561, 570 571, 572 581 580, 582-586 590-593, 542, 544 545, 573-578, 587 590-594	Hypertension without heart disease ... Other circulatory disease ... Influenza ... Pneumonia (except of newborn) ... Bronchitis ... Other respiratory diseases ... Ulcer of stomach and duodenum ... Appendicitis ... Intestinal obstruction and hernia ... Gastritis and duodenitis ... Diarrhoea (except of newborn) ... Cirrhosis of liver ... Other diseases of liver ... Other digestive diseases ...	710 1,662 212 1,828 2,086 2,887 666 87 399 16 336 167 240 165	257 646 63 928 1,075 153 257 30 149 3 144 62 89 59	115 231 33 277 355 91 91 9 70 1 59 21 32 23	285 290 116 623 338 343 318 48 180 12 133 84 119 83	114 220 26 274 258 196 113 15 69 3 42 37 42 27	224 455 136 399 330 247 205 33 111 9 91 47 77 56	49 33 8 107 77 19 58 4 30 1 16 18 9 3	31 33 1 66 49 9 41 1 18 — — 9 6 9 3
38	600-609, 611-637 640, 641, 651, 681-682, 684 642-650, 652-680, 683, 685-689 690-749 750-759 760-762 763 764 765-768 769-776 794 780-793, 795 E963, E970-E979 E810-E835 E840-E845 E800-E802, E850-E962, E964, E965, E980-E999	Nephritis and nephrosis ... Hyperplasia of prostate ... Other diseases of genito-urinary system ... Puerperal sepsis including post-abortive sepsis ... Other puerperal causes ... Diseases of skin and organs of locomotion ... Congenital malformations ... Birth injuries, postnatal asphyxia and atelectasis ... Pneumonia of newborn ... Diarrhoea of newborn ... Other infections of the newborn ... Other diseases peculiar to early infancy ... Senility ... Cause ill-defined and unknown ... Suicide ... Motor vehicle accidents ... Other road transport accidents ... Other violence (BE50) ...	530 451 333 11 32 307 622 697 117 11 19 659 839 290 394 597 38 1,891	186 145 128 1 8 130 239 288 40 3 6 240 157 78 174 213 18 713	81 81 43 1 8 41 112 134 19 2 2 122 163 56 64 84 4 299	263 225 162 7 16 136 271 275 58 6 11 297 519 156 56 300 16 879	101 225 57 1 11 43 81 90 17 2 5 30 175 59 38 81 4 290	162 137 105 6 5 93 271 185 41 4 6 196 344 97 219 100 12 589	17 36 17 1 3 23 26 26 — — 1 40 5 38 38 120	8 19 8 — 1 17 12 12 4 — 13 9 1 23 20 61
39	610	Other diseases of liver ...	451	145	81	225	57	17	36	19
40	640, 641, 651, 681-682, 684	Other diseases of liver ...	333	128	43	162	7	1	16	8
40.1	642-650, 652-680, 683, 685-689	Other puerperal causes ...	11	1	3	7	1	1	3	—
46.8	690-749	Diseases of skin and organs of locomotion ...	307	130	41	136	43	23	17	17
41	750-759	Congenital malformations ...	622	239	112	271	81	26	26	12
42	760-762	Birth injuries, postnatal asphyxia and atelectasis ...	697	288	134	275	90	26	26	12
43.1	763	Pneumonia of newborn ...	117	40	19	58	17	41	7	4
43.2	764	Diarrhoea of newborn ...	11	3	2	6	2	4	—	—
43.3	765-768	Other infections of the newborn ...	19	6	2	11	5	1	—	—
44	769-776	Other diseases peculiar to early infancy ...	659	240	122	297	101	30	30	13
45.0	794	Senility ...	839	157	163	519	175	40	40	13
45.1	780-793, 795	Cause ill-defined and unknown ...	290	78	56	156	59	5	5	9
49	E963, E970-E979	Suicide ...	394	174	64	156	38	38	38	23
47	E810-E835	Motor vehicle accidents ...	597	213	84	300	81	219	219	20
48.0	E840-E845	Other road transport accidents ...	38	18	4	16	4	12	12	61
48.1	E800-E802, E850-E962, E964, E965, E980-E999	Other violence (BE50) ...	1,891	713	299	879	290	589	120	—
		ALL CAUSES ...	61,645	23,656	9,778	28,211	10,741	17,470	3,769	2,135
		AGES AT DEATH								
	Under 1	...	2,811	1,121	540	1,150	383	767	122	66
	1-4	...	411	150	68	193	61	132	22	13
	5-9	...	252	92	45	115	34	81	17	10
	10-14	...	176	62	26	88	29	59	10	3
	15-24	...	576	213	99	264	83	181	25	12
	25-34	...	1,068	369	167	532	154	378	68	32
	35-44	...	1,949	749	325	875	298	577	100	54
	45-54	...	2,215	973	412	2,085	742	1,343	264	166
	55-64	...	5,138	2,215	1,612	4,208	1,532	2,588	570	371
	65-74	...	16,038	6,257	4,041	12,093	4,293	2,916	973	574
	75-84	...	17,727	6,439	2,738	8,550	3,321	5,229	1,154	603
	85 and over	...	5,726	1,948	748	3,030	1,188	1,842	444	231
	Not stated	...	—	—	—	—	—	—	—	—
	ALL AGES	...	61,645	23,656	9,778	28,211	10,741	17,470	3,769	2,135

*Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

See footnote Table 35 (Page 202)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
444-447	29	Hypertension without heart disease	...	2	4	1	1	1	1	4	1	1	16
450-463	46.3	Other circulatory disease	...	1	1	1	1	1	1	2	1	1	38
480-483	30	Influenza	2	3	1	29
490-493	31	Pneumonia (except of newborn)	1	1	1	3	1	1	18
500-502	32	Bronchitis	1	1	1	7	1	...	19
470-475, 510-527	46.4	Other respiratory diseases	1	1	1	2	...	14
540, 541	33	Ulcer of stomach and duodenum	1	1	2	1	...	3
550-553	34	Appendicitis	2	1	1	1	1	...	4
560, 561, 570	35	Intestinal obstruction and hernia	1	1	1	1	...	10
571, 572	36.1	Gastritis and duodenitis	2	1	1	1	1	...	8
580, 582-586	36.2	Diarrhoea (except of newborn)	2	1	1	1	1	...	8
590-594	37	Cirrhosis of liver	2	1	...	1	1	1	1	...	4
545, 573-578, 587	46.5	Other diseases of liver	1	1	1	1	...	10
580-594	46.6	Other digestive diseases	1	1	1	1	...	8
600-609, 611-637	38	Nephritis and nephrosis	1	1	2	1	...	6
640, 641, 651, 681-682, 684	39	Hyperplasia of prostate	2	1	1	1	1	...	12
642-650, 652-680, 683, 685-689	46.7	Other diseases of genito-urinary system	1	1	1	1	...	7
690-749	40.0	Puerperal sepsis including post-abortive sepsis	1	1	1	1	...	1
750-759	40.1	Other puerperal causes	1	1	1	1	...	2
760-762	46.8	Diseases of skin and organs of locomotion	1	1	1	2	1	...	4
763	41	Congenital malformations	2	1	1	1	1	...	9
764	42	Birth injuries, postnatal asphyxia and atelectasis	1	1	1	1	...	12
765-768	43.1	Pneumonia of newborn	1	1	1	1	...	1
769-776	43.2	Diarrhoea of newborn	1	1	1	1	...	13
780-793, 795	43.3	Other infections of the newborn	1	1	2	6	...	22
E963, E970-E979	44	Other diseases peculiar to early infancy	2	2	2	2	6	...	9
E810-E835	45.0	Senility	1	1	1	1	1	...	16
E840-E845	45.1	Cause ill-defined and unknown	1	1	1	1	1	2	2	...	4
E800-E802, E830-E862, E864, E965, E980-E999	49	Suicide	1	1	1	1	...	1
	47	Motor vehicle accidents	1	1	1	1	...	9
	48.0	Other road transport accidents	1	1	1	1	...	16
	48.1	Other violence (BE50)	4	2	2	6	6	...	43
		ALL CAUSES	28	19	103	48	52	9	17	145	13	44	1,156
		AGES AT DEATH											
Under 1		...	2	...	4	1	1	...	2	8	38
1-4		...	1	...	1	1	1	1	7
5-9		1	1	1	2	2	5
10-14		2	1	1	1	3
15-24		2	2	1	1	8
25-34		4	2	1	1	31
35-44		8	2	3	2	33
45-54		19	5	5	8	67
55-64		31	13	19	...	2	22	131
65-74		24	16	16	...	5	42	269
75-84		8	9	6	...	3	41	411
85 and over		4	4	6	15	153
Not stated	
		ALL AGES	28	19	103	48	52	9	17	145	13	44	1,156

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1955—continued

International Classification	Detailed List	Abbreviated List "B"	ANGUS COUNTY										ARGYLL COUNTY			
			Angus County	Dundee County of City	Arbroath Burgh	Brechin Burgh	Carnoustie Burgh	Forfar Burgh	Kirkcubright Burgh	Monkaleith Burgh	Montrose Burgh	Landward	Argyll County	Campbeltown Burgh	Dunoon Burgh	
			275,567	177,944	19,819	7,365	5,375	9,998	3,493	3,460	10,768	37,345	59,027	7,152	9,231	
			4,914	3,693	338	13	3	403	4	4	14	442	684	153	181	
			4,600	3,107	308	119	76	144	45	52	178	571	834	118	113	
			2,337	1,593	165	51	36	67	18	24	100	283	450	60	57	
			2,263	1,514	143	68	40	77	27	28	78	288	384	58	56	
			249	182	6	6	5	8	—	3	6	33	47	8	7	
			110	93	2	2	1	9	—	—	—	5	13	3	4	
			105	75	5	2	1	4	—	—	2	16	20	3	5	
			2,278	1,618	172	81	24	91	37	23	102	130	303	64	54	
			3,559	2,319	232	89	39	110	31	23	107	609	871	73	153	
			3,378	2,198	234	113	75	125	56	45	175	357	913	82	181	
			1,581	1,026	110	39	38	65	23	19	98	168	460	40	65	
			1,797	1,172	124	74	37	60	33	26	82	189	453	42	116	
			35	27	2	1	1	2	—	—	2	—	13	3	2	
			6	5	—	—	—	—	—	—	—	—	4	—	—	
			10	6	—	1	—	—	—	—	1	2	2	1	—	
			2	2	—	—	—	—	—	—	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	—	—	—	—	
			1	1	—	—	—	—	—	—	—	—	—	—	—	
			2	1	—	1	—	—	—	—	—	—	2	—	—	
			2	2	—	—	—	—	—	—	—	—	—	—	—	
			13, 15, 16*	1	—	—	—	—	—	—	—	1	—	—	—	
			Other infectious and parasitic diseases (B5, 11, 13, 15, 16*)	438	38	25	15	18	8	8	29	62	121	12	19	
			Malignant neoplasms	641	—	—	—	—	—	—	—	—	—	—	—	
			Benign and unspecified neoplasms	8	6	—	—	1	—	—	1	3	7	1	1	
			Diabetes mellitus	24	16	3	—	1	—	—	—	2	3	—	—	
			Anæmia	13	10	—	—	2	1	—	1	2	13	—	—	
			Other general diseases	27	17	2	2	2	—	—	—	2	2	—	—	
			Vascular lesions affecting central nervous system	318	50	17	11	22	9	10	28	61	144	17	33	
			Nonmeningococcal meningitis	526	318	4	—	—	—	—	—	—	—	—	—	
			Other diseases of nervous system	5	4	—	—	3	1	—	4	—	22	1	6	
			Rheumatic fever	35	20	2	—	—	—	—	—	—	—	—	—	
			Chronic rheumatic heart disease	47	35	—	—	1	—	—	—	—	13	—	2	
			Arteriosclerotic and degenerative heart disease	880	570	1	—	38	20	10	51	91	284	24	61	
			Other diseases of heart	38	17	5	—	2	4	—	6	3	25	3	8	
			Hypertension with heart disease	44	25	4	3	1	—	2	2	4	21	3	10	
				(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(p)	
			001-008													
			010-019													
			020-029													
			040													
			045-048													
			050, 051													
			056													
			057													
			080													
			085													
			090-039, 041-044, 049, 052-054, 056-074, 081-084, 086-138													
			210-239													
			260													
			290-293													
			240-254, 270-289, 294-299													
			340													
			300-326, 341-398													
			400-402													
			410-416													
			420-422													
			430-434													
			440-443													
			(e)													
			(b)													

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	47	18	8	4	1	1	3	2	5	8	4	—	—
450-468	46.3	Other circulatory disease	90	62	6	4	1	4	—	—	2	7	22	1	5
480-483	30	Infuenza	17	10	2	2	—	—	—	—	3	3	7	3	1
490-493	31	Pneumonia (except of newborn)	160	119	12	1	2	1	—	—	3	17	22	1	5
500-502	32	Bronchitis	98	77	5	1	1	2	2	—	3	19	15	3	3
470-475, 510-527	46.4	Other respiratory diseases	23	16	2	1	1	1	1	—	2	—	5	—	—
540, 541	33	Ulcer of stomach and duodenum	26	13	2	2	1	1	—	—	5	2	7	—	1
550-553	34	Appendicitis	10	5	—	—	—	—	—	—	—	3	3	—	—
560, 561, 570	35	Intestinal obstruction and hernia	32	19	5	1	1	1	—	—	2	2	6	—	—
571, 572	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	3	3	—	—
581	36.2	Diarrhoea (except of newborn)	24	18	1	1	1	1	—	—	2	2	6	—	—
580, 582-586	37	Girrhosis of liver	10	4	1	1	1	1	—	—	2	2	4	—	—
530-539, 542, 544	46.5	Other diseases of liver	20	10	4	3	—	—	—	—	1	2	2	—	—
545, 573-578, 587	46.6	Other digestive diseases	9	4	1	—	—	—	—	—	—	2	4	—	—
590-594	38	Nephritis and nephrosis	27	19	—	—	—	—	—	—	—	3	10	2	—
600-609, 611-637	39	Hyperplasia of prostate	34	25	—	—	—	—	—	—	—	2	7	—	—
640, 641, 651, 681-682, 684	40.0	Other diseases of genito-urinary system	18	14	—	—	—	—	—	—	—	—	4	—	—
642-650, 652-680, 683, 685-689	40.1	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—
683, 685-689	40.1	Other puerperal causes	2	1	—	—	—	—	—	—	—	—	—	—	—
680-749	46.8	Diseases of skin and organs of locomotion	15	13	1	—	—	—	—	—	—	—	—	—	—
750-759	41	Congenital malformations	40	26	4	2	—	—	—	—	—	—	4	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	44	31	4	—	—	—	—	—	—	4	6	—	—
763	43.1	Pneumonia of newborn	5	4	—	—	—	—	—	—	—	1	4	—	—
764	43.2	Diarrhoea of newborn	3	2	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	25	15	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	1	1	2	1	—	—	—	—	—	6	10	—	—
794	45.0	Scellity	50	11	5	1	—	—	—	—	—	12	22	—	—
780-793, 795	45.1	Cause ill-defined and unknown	3	1	—	—	—	—	—	—	—	8	15	—	—
E963, E970-E979	49	Suicide	40	30	1	1	—	—	—	—	—	3	13	—	—
E810-E835	47	Motor vehicle accidents	31	18	1	1	—	—	—	—	—	8	13	—	—
E840-E845	48.0	Other road transport accidents	121	89	5	—	—	—	—	—	—	1	1	—	—
E800-E802, E850-E962	48.1	Other violence (E950)	3,378	2,198	234	113	75	125	56	45	175	357	913	82	181
E964, E965, E980-E999	48.1	ALL CAUSES	3,378	2,198	234	113	75	125	56	45	175	357	913	82	181
Under 1	...	AGES AT DEATH
1-4	154	111	11	3	3	5	—	—	5	15	26	1	3
5-9	16	12	—	—	—	2	—	—	—	1	2	—	—
10-14	12	7	1	—	—	1	—	—	—	3	6	—	—
15-24	6	5	—	—	—	—	—	—	—	—	—	—	—
25-34	28	20	1	1	—	—	—	—	—	5	8	2	—
35-44	42	27	1	1	—	—	—	—	—	9	16	2	—
45-54	84	58	6	1	4	2	1	—	4	10	23	5	—
55-64	265	184	16	8	10	9	6	3	2	27	54	3	—
65-74	519	365	29	13	10	20	3	6	28	47	142	11	—
75-84	842	531	59	40	22	34	15	10	45	86	216	28	—
85 and over	1,062	682	85	28	23	35	18	15	61	115	312	20	—
Not stated	348	196	25	18	9	16	13	10	22	39	105	9	—
ALL AGES	3,378	2,198	234	113	75	125	56	45	175	357	913	82	181

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(c)	(b)	(e)	(d)	(a)	(j)	(z)	(h)	(i)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	2	39	6	2	1	..	1	2	3
450-468	46.3	Other circulatory disease	13	99	13	1	2	1	17
480-483	30	Influenza	3	..	2	29	11	2	2	5	9
490-493	31	Pneumonia (except of newborn)	12	69	3	1	..	1	1	1	11
500-502	32	Bronchitis	8	101	19	2	3	2	3	3	14
470-475, 510-527	46.4	Other respiratory diseases	1	..	2	53	4	1	2	3	2	3	17
540, 541	33	Ulcer of stomach and duodenum	1	..	5	39	3	7
550-553	34	Appendicitis	1	..	1	3
560, 561, 570	35	Intestinal obstruction and hernia	1	..	4	28	4	1	1	5
571, 572	36.1	Gastritis and duodenitis	1	..	2	21	1	1	2	1	2
580, 582-586	37	Diarrhea (except of newborn)	2	15	1	1	2	2
545, 573-578, 587	46.5	Cirrhosis of liver	2	15	2	1	1	1
580, 582-586	46.6	Other digestive diseases	2	5	1	1
610	38	Nephritis and nephrosis	8	39	3	..	2	4	6
600-609, 611-637	39	Hyperplasia of prostate	3	18	1	2
640, 641, 651, 681-682, 684	46.7	Other diseases of genito-urinary system	1	..	3	17	3	1	..	1	3
642-650, 652-680, 683, 685-689	40.1	Puerperal sepsis including post-abortive sepsis	1
690-749	46.8	Other puerperal causes
750-759	41	Diseases of skin and organs of locomotion	4	17	3	1	2
760-762	42	Congenital malformations	5	34	6	3	2
763	43.1	Birth injuries, postnatal asphyxia and atelectasis	3	47	7	1	5
764	43.2	Pneumonia of newborn	3
765-768	43.3	Diarrhea of newborn
769-776	44	Other infections of the newborn	1	6
780-793, 795	45.0	Other diseases peculiar to early infancy	5	11
E810-E835	45.1	Senility	3	..	5	37	5	2	2	3
E840-E845	49	Cause ill-defined and unknown	1	..	15	48	12	..	2	1	1	1	6
E800-E802, E850-E962, E964, E965, E980-E989	48.0	Suicide	1	..	7	30	3
	48.1	Motor vehicle accidents	1	..	3	15	2	1	4
		Other road transport accidents	11	38	8
		Other violence (BE50)	27	115	21	1	2	1	3	5	12
		ALL CAUSES	11	18	536	3,850	548	61	63	57	73	166	522
		AGES AT DEATH
Under 1	15	164	20	2	..	6	3	4	22
1-4	1	6	..	2	23	4	1	1	..	4
5-9	2	3	14	1	1	1	3	1
10-14	1	11	3	1
15-24	4	41	3	1
25-34	1	..	12	69	5	1	1	2	7
35-44	2	..	17	128	18	3	3	..	1	5	6
45-54	1	73	299	3	3	3	7	20
55-64	5	15	..	49	5	4	2	2	5	12	15	47
65-74	10	30	1	107	1,026	80	10	13	11	17	26	81
75-84	17	47	1	183	1,121	137	20	27	12	22	45	142
85 and over	2	4	4	70	544	46	2	7	5	4	8	43
Not stated
		ALL AGES	..	11	18	73	536	3,850	548	61	63	57	73	166	522

Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	...	1	3	47	153	147	100	46	128	1,376	600	13	10	47
450-468	46.3	Other circulatory disease	...	5	4	2	4	10	5	—	1	75	21	1	2	1
480-483	30	Influenza	...	1	—	—	2	4	2	—	—	7	4	—	—	1
480-503	31	Pneumonia (except of newborn)	...	1	—	1	—	—	—	—	1	4	3	—	—	1
500-503	32	Bronchitis	...	—	—	—	—	—	—	—	—	6	3	—	—	—
470-475, 510-527	36.4	Other respiratory diseases	...	5	—	—	—	—	—	—	—	20	8	—	—	—
520-530	33	Ulcer of stomach and duodenum	...	—	5	—	—	—	—	—	—	37	10	—	—	—
540-551	33	Appendicitis	...	—	—	—	—	—	—	—	—	3	3	—	—	—
550-558	34	Intestinal obstruction and hernia	...	—	—	—	—	—	—	—	—	49	15	—	—	—
560, 581, 570	36.2	Gastritis and duodenitis	...	1	1	—	—	—	3	1	3	37	10	—	—	—
543	38.1	Diarrhoea (except of newborn)	...	1	1	—	—	—	4	2	3	111	32	—	—	5
571, 572	36.2	Cirrhosis of liver	...	1	1	—	—	—	6	5	15	236	93	3	1	7
580, 582, 586	46.5	Other diseases of liver	...	—	—	—	—	—	—	—	—	38	138	5	2	12
530-539, 542, 544	46.8	Other digestive diseases	...	—	—	—	—	—	—	—	—	368	193	3	3	12
545, 573, 578, 587	—	Other diseases of liver	...	—	—	—	—	—	—	—	—	120	80	1	2	8
590, 594	—	Other digestive diseases	...	—	—	—	—	—	—	—	—	—	—	—	—	—
600, 609, 611, 637	38	Nephritis and nephrosis	...	—	—	—	—	—	—	—	—	—	—	—	—	—
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	...	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685, 689	46.7	Other diseases of genito-urinary system	...	1	—	—	—	—	—	—	—	—	—	—	—	—
—	40.0	Puerperal sepsis including post-abortive sepsis	...	—	—	—	—	—	—	—	—	—	—	—	—	—
—	40.1	Other puerperal causes	...	—	—	—	—	—	—	—	—	—	—	—	—	—
46.8	46.8	Diseases of skin and organs of locomotion	...	1	—	—	—	—	—	—	—	—	—	—	—	—
690-749	41	Congenital malformations	...	—	—	—	—	—	—	—	—	—	—	—	—	—
750-759	42	Birth injuries, postnatal asphyxia and atelectasis	...	—	—	—	—	—	—	—	—	—	—	—	—	—
760-762	43.1	Pneumonia of newborn	...	1	—	—	—	—	—	—	—	—	—	—	—	—
763	43.2	Diarrhoea of newborn	...	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.3	Other infections of the newborn	...	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	44.0	Other diseases peculiar to early infancy	...	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	45.0	Senility	...	—	—	—	—	—	—	—	—	—	—	—	—	—
780-793, 795	45.1	Cause ill-defined and unknown	...	—	—	—	—	—	—	—	—	—	—	—	—	—
E963, E970, E979	47	Suicide	...	—	—	—	—	—	—	—	—	—	—	—	—	—
E810, E825	48.0	Motor vehicle accidents	...	—	—	—	—	—	—	—	—	—	—	—	—	—
E840-E845	48.1	Other road transport accidents	...	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E862, E864, E965, E980-E999	—	Other violence (BE50)	...	—	—	—	—	—	—	—	—	—	—	—	—	—
ALL CAUSES			...	65	144	67	47	153	147	100	46	128	1,376	600	13	47
AGES AT DEATH			...	1	3	2	2	4	10	5	—	1	21	1	2	1
Under 1	—	—	—	—	—	—	—	—	—	7	—	—	—
1-4	—	—	—	—	—	—	—	—	—	4	—	—	—
5-9	—	—	—	—	—	—	—	—	—	3	—	—	—
10-14	—	—	—	—	—	—	—	—	—	6	—	—	—
15-24	—	—	—	—	—	—	—	—	—	20	—	—	—
25-34	—	—	—	—	—	—	—	—	—	37	—	—	—
35-44	—	—	—	—	—	—	—	—	—	49	—	—	—
45-54	—	—	—	—	—	—	—	—	—	15	—	—	—
55-64	—	—	—	—	—	—	—	—	—	32	—	—	—
65-74	—	—	—	—	—	—	—	—	—	93	—	—	—
75-84	—	—	—	—	—	—	—	—	—	138	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	368	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	120	—	—	—
ALL AGES			...	65	144	67	47	153	147	100	46	128	1,376	600	13	47

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	1	1	1	1	1	1	1	1	1	4	1	1	1	1	6
450-468	46.3	Other circulatory disease	1	1	2	1	1	1	1	1	1	4	1	1	1	1	3
480-483	30	Influenza	2	1	1	1	1	1	1	1	1	4	1	2	1	1	5
490-493	31	Pneumonia (except of newborn)	1	1	1	1	1	1	1	1	1	4	1	1	1	1	3
500-502	32	Bronchitis	1	1	1	1	1	1	1	1	1	4	1	1	1	1	3
470-475, 510-527	48.4	Other respiratory diseases	1	1	1	1	1	1	1	1	1	4	1	1	1	1	3
540, 541	33	Ulcer of stomach and duodenum	3	1	1	1	1	1	1	1	1	5	1	1	1	1	1
550-553	34	Appendicitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
560, 561, 570	35.1	Intestinal obstruction and hernia	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
571, 581	36.2	Gastritis and duodenitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
580, 582, 586	36.5	Diarrhea (except of newborn)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
590-593, 542, 544	46.5	Cirrhosis of liver	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
545, 573, 575, 587	38	Other diseases of liver	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
590-594	39	Other digestive diseases	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
600-609, 611-637	46.7	Nephritis and nephrosis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
640, 641, 651, 681, 682, 684	40.0	Hyperplasia of prostate	4	1	1	1	1	1	1	1	1	2	1	1	1	1	6
642-650, 652-680, 683, 685-689	40.1	Other diseases of genito-urinary system	1	1	1	1	1	1	1	1	1	2	1	1	1	1	4
683, 685-689	46.8	puerperal sepsis including post-abortive sepsis	1	1	1	1	1	1	1	1	1	2	1	1	1	1	2
690-749	41	Other puerperal causes	1	1	1	1	1	1	1	1	1	3	1	1	1	1	3
750-759	42	Diseases of skin and organs of locomotion	1	1	1	1	1	1	1	1	1	4	1	1	1	1	4
760-762	43.1	Concussion	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
763	43.2	Birth injuries, postnatal asphyxia and atelectasis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
764	43.3	Pneumonia of newborn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
765-768	44	Diarrhea of newborn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
769-775	45.0	Other infections of the newborn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
780-793, 795	45.1	Other diseases peculiar to early infancy	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E963, E970-E979	49	Senility	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E810-E835	47	Cause ill-defined and unknown	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E840-E845	48.0	Suicide	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Motor vehicle accidents	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Other road transport accidents	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Other violence (BE50)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		ALL CAUSES ...	101	24	22	23	56	42	22	30	27	310	16	27	31	13	223
		AGES AT DEATH															
Under 1	2	1	2	3	3	1	1	1	1	10	1	1	1	1	9
1-4	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
5-9	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
10-14	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
15-24	3	1	1	1	1	1	1	1	1	4	1	1	1	1	1
25-34	3	1	1	1	1	1	1	1	1	4	1	1	1	1	1
35-44	2	1	1	1	1	1	1	1	1	4	1	1	1	1	1
45-54	2	1	1	1	1	1	1	1	1	4	1	1	1	1	1
55-64	2	1	1	1	1	1	1	1	1	4	1	1	1	1	1
65-74	26	3	5	3	10	9	2	2	3	16	1	3	2	2	11
75-84	23	8	5	3	11	9	2	2	3	10	1	4	4	30	30
85 and over	29	10	7	6	19	14	4	16	10	47	5	5	10	4	69
Not stated	11	2	5	6	9	5	3	4	3	32	1	3	2	2	23
		ALL AGES	101	24	22	23	56	42	22	30	27	310	16	27	31	13	223

* Including paratyphoid fever, erysipelas, septicemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	1	—	2	3	9	3	1	5	14	8	1	1	—	1
450-468	46.3	Other circulatory disease	5	—	—	—	3	—	—	—	—	—	—	—	—	4
480-483	30	Influenza	1	—	3	1	5	—	—	—	19	7	2	—	2	8
490-493	31	Pneumonia (except of newborn)	4	—	—	6	5	—	—	—	14	6	1	—	1	3
500-502	32	Bronchitis	13	—	7	1	3	—	—	—	6	1	—	—	2	3
470-475, 510-527	46.4	Other respiratory diseases	1	—	3	1	2	2	—	—	4	2	1	—	—	1
540, 541	33	Ulcer of stomach and duodenum	4	—	1	—	—	—	—	—	—	—	—	—	—	—
550-553	34	Appendicitis	1	—	3	1	2	—	—	—	—	—	—	—	—	—
580, 561, 570	35	Intestinal obstruction and hernia	1	—	1	—	—	—	—	—	2	—	—	—	—	2
571, 572	36.1	Gastritis and duodenitis	2	—	1	—	2	—	—	—	—	—	—	—	—	1
580, 582-586	36.2	Diarrhoea (except of newborn)	—	—	—	—	2	1	—	—	1	2	1	—	—	1
530-538, 542, 544	37	Curculosis of liver	—	—	—	—	1	—	—	—	3	—	—	1	—	1
545, 573-578, 587	46.6	Other diseases of liver	—	—	—	—	2	—	—	—	—	—	—	—	—	—
590-594	46.6	Other digestive diseases	2	—	2	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	38	Nephritis and nephrosis	6	—	1	5	3	1	—	—	7	4	1	—	1	1
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	1	—	1	—	6	—	—	—	3	1	1	—	1	1
642-650, 652-680, 683, 685-689	40.0	Other diseases of genito-urinary system	2	—	1	1	3	2	1	—	2	—	—	—	—	—
690-749	40.1	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
750-759	46.8	Other puerperal causes	4	—	—	—	—	—	—	—	—	—	—	—	—	—
760-762	41	Diseases of skin and organs of locomotion	1	—	1	3	4	1	1	—	2	1	1	—	3	2
763	42	Congenital malformations	1	—	—	1	2	—	2	—	5	2	—	—	6	2
764	43.1	Birth injuries, postnatal asphyxia and atelectasis	1	—	—	1	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	43.3	Diarrhoea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
780-793, 795	44	Other infections of the newborn	11	—	3	8	5	1	—	—	4	1	3	1	1	2
E883, E890-E979	45.0	Other diseases peculiar to early infancy	17	—	8	7	19	3	14	—	5	7	1	1	4	3
E810-E835	45.1	Senility	2	—	2	—	4	—	—	—	3	—	1	—	—	1
E840-E845	47	Cause ill-defined and unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E880-E962, E984, E985, E980-E999	48.0	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	48.1	Motor vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	48.1	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	48.1	Other violence (BE50)	12	—	7	3	14	2	6	—	—	6	1	1	1	5
		ALL CAUSES ...	286	29	147	110	348	48	102	198	447	146	49	31	61	160
		AGES AT DEATH														
Under 1	3	—	—	3	8	1	4	3	24	8	—	—	4	12
1-4	—	—	—	—	3	—	2	1	4	1	—	—	—	3
5-9	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10-14	1	—	1	1	2	—	1	1	1	1	2	—	1	—
15-24	1	—	1	1	2	—	1	1	1	2	1	—	1	—
25-34	1	—	1	1	6	1	1	5	14	7	1	—	1	—
35-44	11	2	6	3	15	3	7	10	30	15	3	1	1	4
45-54	8	—	6	1	28	3	15	10	30	15	3	4	2	9
55-64	41	2	25	14	45	8	10	27	71	37	16	9	7	31
65-74	78	12	38	30	82	18	15	45	114	46	37	15	15	37
75-84	103	10	55	38	105	7	23	70	135	40	15	13	19	48
85 and over	39	2	18	19	52	7	14	31	37	11	5	3	10	8
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	286	29	147	110	348	48	102	198	447	146	49	31	61	160

* Including paratyphoid fever, erysipelas, septicaemia and ischaemic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	13	1	5	—	—	—	1	—	—	6	36	—	10
450-468	48.3	Other circulatory disease	49	4	18	2	—	—	1	—	—	33	3	—	9
480-483	30	Influenza	1	—	—	—	—	—	1	—	—	8	3	—	11
490-493	31	Pneumonia (except of newborn)	44	3	16	—	—	—	2	—	—	48	12	—	11
500-502	32	Bronchitis	30	—	14	1	—	—	1	—	—	42	12	—	3
470-475, 510-527	46.4	Other respiratory diseases	5	—	—	—	—	—	1	—	—	14	3	—	3
540, 541	33	Ulcer of stomach and duodenum	7	—	3	1	—	—	—	—	—	20	4	—	1
550-553	34	Appendicitis	3	—	—	—	—	—	—	—	—	8	5	—	1
560, 561, 570	35	Intestinal obstruction and hernia	5	1	—	—	—	—	—	—	—	4	—	—	2
571, 572	36.1	Gastritis and duodenitis	1	—	3	—	—	—	1	—	—	12	4	—	2
580, 582-586	36.2	Diarrhoea (except of newborn)	4	—	2	—	—	—	—	—	—	3	1	—	2
530-539, 542, 544	37	Cirrhosis of liver	4	—	2	—	—	—	1	—	—	6	2	—	2
545, 573-578, 587	46.6	Other diseases of liver	4	—	—	—	—	—	—	—	—	6	—	—	—
590-594	—	Other digestive diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	38	Nephritis and nephrosis	13	—	3	—	—	—	—	—	—	18	4	—	5
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	7	1	3	—	—	—	—	—	—	8	4	—	2
642-650, 652-680, 683, 685-689	46.7	Other diseases of genito-urinary system	6	3	—	—	—	—	1	—	—	6	1	—	—
690-699	40.1	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	—	—	1	—	—	3
700-709	46.8	Other puerperal causes	3	—	—	—	—	—	1	—	—	4	2	—	2
710-719	41	Diseases of skin and organs of locomotion	9	1	5	—	—	—	—	—	—	22	9	—	5
720-729	42	Congenital malformations	7	2	2	—	—	—	—	—	—	27	13	—	4
730-739	43.1	Birth injuries; post-natal asphyxia and atelectasis	1	—	—	—	—	—	—	—	—	3	—	—	1
740-749	43.2	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
750-759	43.3	Diarrhoea of newborn	1	—	—	—	—	—	—	—	—	1	—	—	7
760-769	44.3	Other infections of the newborn	7	—	2	—	—	—	2	—	—	26	6	—	13
770-779	44.4	Other diseases peculiar to early infancy	9	2	1	—	—	—	1	—	—	29	1	—	1
780-789	45.0	Other diseases of early infancy	1	—	—	—	—	—	—	—	—	4	—	—	4
790-799	45.1	Senility	9	—	1	—	—	—	—	—	—	9	6	—	1
800-809	45.2	Cause ill-defined and unknown	4	—	—	—	—	—	—	—	—	3	—	—	1
810-819	47	Suicide	14	—	2	—	—	—	—	—	—	17	2	—	1
820-829	48.0	Motor vehicle accidents	1	—	—	—	—	—	—	—	—	12	—	—	1
830-839	48.1	Other road transport accidents	20	—	3	—	—	—	—	—	—	60	17	—	10
840-849	—	Other violence (BE50)	—	—	—	—	—	—	—	—	—	—	—	—	—
850-859	—	ALL CAUSES ...	1,065	66	330	33	17	37	46	26	510	1,922	462	22	309
860-869	—	AGES AT DEATH	—	—	—	—	—	—	—	—	—	—	—	—	—
870-879	—	Under 1	36	2	12	—	—	—	2	4	16	102	34	—	24
880-889	—	1-4	6	1	1	—	—	—	1	—	8	15	4	—	2
890-899	—	5-9	4	1	1	—	—	—	—	—	2	6	2	—	1
900-909	—	10-14	6	2	1	—	—	—	—	—	5	5	7	—	4
910-919	—	15-24	7	—	1	—	—	—	—	—	10	23	10	—	10
920-929	—	25-34	20	—	8	—	—	—	—	—	42	42	15	—	16
930-939	—	35-44	25	1	3	—	—	—	—	—	10	77	39	—	34
940-949	—	45-54	83	4	53	—	—	—	—	—	17	177	77	3	46
950-959	—	55-64	144	7	7	—	—	—	—	—	61	379	123	1	79
960-969	—	65-74	292	18	93	13	6	8	7	8	131	492	122	11	74
970-979	—	75-84	316	22	93	10	9	9	12	3	185	568	25	4	19
980-989	—	85 and over	126	8	39	2	1	7	7	3	59	137	25	—	—
990-999	—	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
1000-1009	—	ALL AGES	1,065	66	330	33	17	37	46	26	510	1,922	462	22	309

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	2	10	7	3	1	1	2	4
450-468	46.3	Other circulatory disease	4	13	25	13	3	—	—	12
480-483	30	Influenza	—	13	12	13	—	—	—	1
490-493	31	Pneumonia (except of newborn)	10	13	16	13	2	—	1	3
500-502	32	Bronchitis	2	7	7	7	2	—	2	5
470-475, 510-527	46.4	Other respiratory diseases	2	9	11	9	2	2	2	5
540, 541	33	Ulcer of stomach and duodenum	1	7	11	7	—	—	—	2
550-553	34	Appendicitis	2	2	5	2	—	—	—	2
560, 561, 570	35	Intestinal obstruction and hernia	—	2	—	2	—	—	—	—
543	36.1	Gastritis and duodenitis	—	5	3	5	—	—	—	—
571, 572	37	Diarrhoea (except of newborn)	—	2	3	2	—	2	—	—
580, 582-586	46.5	Cirrhosis of liver	1	4	3	4	—	—	—	1
530-539, 542, 544 } 545, 573-578, 587 }	37	Other diseases of liver	1	2	1	1	—	—	—	—
590-594	46.6	Other digestive diseases	—	—	—	—	—	—	—	—
600-609, 611-637	38	Nephritis and nephrosis	3	6	1	6	—	—	—	1
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	—	3	2	3	—	—	—	1
642-650, 652-680, 683, 685-689	46.7	Other diseases of genito-urinary system	—	3	4	3	1	—	—	2
690-749	40.1	Puerperal sepsis including post-abortive sepsis	1	—	—	—	—	—	—	—
750-759	46.8	Other puerperal causes	1	—	—	—	—	—	—	—
760-762	41	Diseases of skin and organs of locomotion	1	5	4	5	—	—	—	4
763	42	Congenital malformations	2	8	6	8	1	1	—	3
764	43.1	Birth injuries, post-natal asphyxia and atelectasis	1	2	2	2	1	1	1	2
765-768	43.2	Pneumonia of newborn	—	—	—	—	—	—	—	—
769-776	44	Diarrhoea of newborn	—	—	—	—	—	—	—	—
780-793, 795	45.0	Other infections of the newborn	3	5	7	5	2	—	—	2
E963, E970-E979	45.1	Other diseases peculiar to early infancy	3	7	1	7	2	—	—	1
E810-E835	49	Senility	—	6	2	6	1	—	—	2
E840-E845	47	Cause ill-defined and unknown	—	9	3	9	1	—	—	7
E800-E802, E850-E962, E964, E965, E980-E999	48.0	Suicide	1	1	1	1	1	1	—	1
	48.1	Motor vehicle accidents	—	1	1	1	—	—	—	—
		Other road transport accidents	—	9	1	9	—	—	—	—
		Other violence (BE50)	8	20	13	20	2	5	4	—
		ALL CAUSES	157	739	574	49	55	43	44	254
		AGES AT DEATH										
		Under 1	6	29	20	2	2	3	1	7
		1-4	1	7	4	—	1	2	—	1
		5-9	1	2	2	—	—	—	—	2
		10-14	1	—	—	—	—	—	—	—
		15-24	1	11	5	—	—	—	—	8
		25-34	4	17	18	9	—	—	—	9
		35-44	11	24	47	4	1	8	3	21
		45-54	5	65	91	6	6	5	5	50
		55-64	18	117	153	11	15	14	14	61
		65-74	37	229	185	20	23	15	15	78
		75-84	57	52	40	3	5	3	—	15
		85 and over	24	—	—	1	—	—	—	—
		Not stated	—	—	—	—	—	—	—	—
		ALL AGES	157	739	574	55	55	43	44	254

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	34	2	3	1	1	1	1	1	1	1	2	—	—	1
450-468	46.3	Other circulatory disease	108	5	5	3	3	3	3	3	3	3	—	—	3	—
480-483	30	Influenza	8	1	1	1	1	1	1	1	1	1	—	—	—	—
490-493	31	Pneumonia (except of newborn)	51	2	2	2	2	2	2	2	2	2	—	—	—	—
500-502	32	Bronchitis	90	3	3	3	3	3	3	3	3	3	—	—	—	—
470-475, 510-527	46.4	Other respiratory diseases	38	7	7	7	7	7	7	7	7	7	2	—	—	—
540, 541	33	Ulcer of stomach and duodenum	41	4	4	4	4	4	4	4	4	4	—	—	—	—
550-553	34	Appendicitis	6	1	1	1	1	1	1	1	1	1	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	25	1	1	1	1	1	1	1	1	1	—	—	—	—
571, 572	36.1	Gastritis and duodenitis	17	3	3	3	3	3	3	3	3	3	—	—	—	—
580, 582-586	36.2	Diarrhea (except of newborn)	10	1	1	1	1	1	1	1	1	1	—	—	—	—
530-539, 542, 544	37	Cirrhosis of liver	13	—	—	—	—	—	—	—	—	—	—	—	—	—
545, 573-578, 587	46.5	Other diseases of liver	8	2	2	2	2	2	2	2	2	2	—	—	—	—
590-594	46.6	Other digestive diseases	27	4	4	4	4	4	4	4	4	4	—	—	—	—
600-609, 611-637	38	Nephritis and nephrosis	24	1	1	1	1	1	1	1	1	1	—	—	—	—
640, 641, 681, 682, 684	46.7	Hyperplasia of prostate	26	2	2	2	2	2	2	2	2	2	—	—	—	—
642-650, 682-680, 683, 685-689	40.0	Other diseases of genito-urinary system	1	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	40.1	Puerperal sepsis including post-abortive sepsis	27	1	1	1	1	1	1	1	1	1	—	—	—	—
750-759	46.8	Other puerperal causes	34	3	3	3	3	3	3	3	3	3	—	—	—	—
760-762	41	Diseases of skin and organs of locomotion	34	1	1	1	1	1	1	1	1	1	—	—	—	—
763	42	Congenital malformations	9	1	1	1	1	1	1	1	1	1	—	—	—	—
764	43.1	Birth injuries, post-natal asphyxia and atelectasis	3	1	1	1	1	1	1	1	1	1	—	—	—	—
765-768	43.2	Pneumonia of newborn	3	1	1	1	1	1	1	1	1	1	—	—	—	—
769-776	43.3	Other infections of the newborn	41	2	2	2	2	2	2	2	2	2	—	—	—	—
784	44	Other diseases peculiar to early infancy	25	1	1	1	1	1	1	1	1	1	—	—	—	—
780-793, 795	45.0	Senility	15	2	2	2	2	2	2	2	2	2	—	—	—	—
E963, E970-E979	45.1	Cause ill-defined and unknown	29	7	7	7	7	7	7	7	7	7	—	—	—	—
E810-E835	49	Suicide	31	1	1	1	1	1	1	1	1	1	—	—	—	—
E840-E845	47	Motor vehicle accidents	3	2	2	2	2	2	2	2	2	2	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.0	Other road transport accidents	115	—	—	—	—	—	—	—	—	—	—	—	—	—
	48.1	Other violence (BE50)	3,519	25	245	72	150	18	8	68	496	22	15	36	41	25
		ALL CAUSES	3,519	25	245	72	150	18	8	68						
		AGES AT DEATH														
		Under 1	167	—	12	5	6	1	—	—	22	1	—	2	2	—
		1-4	28	—	2	—	—	—	—	—	4	—	—	—	—	—
		5-9	18	—	—	—	—	—	—	—	2	—	—	—	—	—
		10-14	13	—	—	—	—	—	—	—	2	—	—	—	—	—
		15-24	27	—	—	—	—	—	—	—	2	—	—	—	—	—
		25-34	59	—	—	—	5	—	—	—	2	—	—	—	—	—
		35-44	101	—	—	—	7	—	—	—	13	—	—	—	—	—
		45-54	274	2	21	6	26	—	—	—	35	—	—	—	—	—
		55-64	525	1	38	15	33	2	—	—	90	—	—	—	—	—
		65-74	910	6	64	15	33	3	—	—	122	—	—	—	—	—
		75-84	1,076	10	76	28	40	10	—	—	154	—	—	—	—	—
		85 and over	321	6	18	5	9	2	—	—	45	—	—	—	—	—
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	3,519	25	245	72	150	18	8	68	496	22	15	36	41	25

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	46.3	Hypertension without heart disease	5	31	42	111	98	31	18	61	24	133	18	52	1,126
450-468	48.3	Other circulatory disease	2	2	—	5	5	—	—	—	—	3	—	3	71
480-483	31	Influenza	—	—	1	—	1	—	—	—	—	—	—	1	11
490-493	31	Pneumonia (except of newborn)	—	—	—	—	1	—	—	—	—	—	—	2	10
500-502	32	Other respiratory diseases	11	—	—	—	1	—	1	—	—	4	1	—	6
470-475, 510-527	46.4	Ulcer of stomach and duodenum	6	—	—	—	2	—	2	—	2	2	—	—	20
540, 541	33	Appendicitis	1	1	1	9	10	3	2	2	3	3	1	3	30
550-553	34	Intestinal obstruction and hernia	2	—	—	11	14	4	3	4	3	12	5	2	100
560, 561, 570	35	Dysentery and duodenitis	1	—	—	37	27	5	4	16	8	43	2	12	173
571, 581	36.1	Diarrhoea (except of newborn)	—	—	—	180	30	26	4	27	7	45	8	19	297
580, 582-586	36.2	Cholera	—	—	—	45	—	7	—	12	4	17	1	7	308
530-539, 542, 544	37	Other diseases of liver	1	—	—	—	—	—	—	—	—	—	—	—	94
545, 573-578, 587	37	Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	—	—
580-594	46.6	Other digestive diseases	1	1	—	—	—	1	1	—	—	1	1	—	8
600-609, 611-637	38	Nephritis and nephrosis	1	—	—	—	2	2	—	—	—	2	—	—	4
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	3	—	—	—	—	—	—	1	—	1	1	—	3
642-650, 652-680, 683, 685-689	40.0	Other diseases of genito-urinary system	1	—	2	—	—	—	—	—	—	1	1	—	12
690-749	40.1	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—
750-759	46.8	Other puerperal causes	1	1	1	1	1	1	1	—	—	1	—	2	12
760-762	41	Diseases of skin and organs of locomotion	1	—	—	—	—	—	—	—	—	—	—	—	17
763	42	Congenital malformations	2	—	—	—	—	—	—	—	—	—	—	—	17
765-768	43.1	Birth injuries, post-natal asphyxia and atelectasis	1	—	—	—	—	—	—	—	—	—	—	—	5
769-776	43.2	Pneumonia of newborn	3	—	—	—	—	—	—	—	—	—	—	—	3
780-783, 795	43.3	Diarrhoea of newborn	6	1	—	—	3	1	—	1	—	1	—	—	15
780-793, 795	44.0	Other infections of the newborn	4	—	—	—	—	—	—	—	—	—	—	—	19
E963, E970-E979	45.0	Other diseases peculiar to early infancy	4	—	—	—	—	—	—	—	—	—	—	—	4
E810-E835	45.1	Semity	7	—	—	—	—	—	—	—	—	—	—	—	8
E840-E845	47	Cause ill-defined and unknown	1	1	1	—	2	2	2	—	—	3	1	3	100
E800-E802, E850-E862	48.0	Suicide	3	—	7	15	11	4	3	4	3	12	5	2	173
E964, E965, E980-E999	48.1	Other vehicle accidents	—	—	—	180	30	26	4	27	7	45	8	19	297
		Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other violence (BE50)	16	—	—	—	—	—	—	—	—	—	—	2	47
		ALL CAUSES ...	553	31	42	111	98	31	18	61	24	133	18	52	1,126
		AGES AT DEATH													
		Under 1	27	2	—	5	5	—	—	—	—	3	—	3	71
		1-4	6	—	—	—	1	—	—	—	—	—	—	1	11
		5-9	4	—	—	—	1	—	—	—	—	—	—	2	10
		10-14	1	—	—	—	—	—	—	—	—	—	—	—	6
		15-24	1	—	—	—	—	—	—	—	—	—	—	—	5
		25-34	4	—	—	—	—	—	—	—	—	—	—	—	20
		35-44	11	1	1	5	2	—	2	—	2	4	—	—	30
		45-54	16	1	1	9	3	—	2	—	2	4	—	—	30
		55-64	40	2	—	11	10	3	3	2	3	12	5	2	100
		65-74	81	4	7	37	27	5	4	16	8	43	2	12	173
		75-84	138	7	15	180	30	26	4	27	7	45	8	19	297
		85 and over	45	5	4	—	—	—	—	12	4	17	1	7	94
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	553	31	42	111	98	31	18	61	24	133	18	52	1,126

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	18	...	8	9
450-463	46.3	Other circulatory disease	27	1	9	1	17	11	3	1	2	...	8	3	2	1
480-483	30	Influenza	27	...	9
490-493	31	Pneumonia (except of newborn)	26	...	1	2	13	8	2	8	2	...	2
500-502	32	Bronchitis	15	...	6	...	9	5	3	2	...	1
470-475, 510-527	46.4	Other respiratory diseases	10	...	10	2	1	1	...	1
540, 541	33	Ulcer of stomach and duodenum	16	...	6	...	2	2	2
550-553	34	Appendicitis	6	...	2	...	4	1
560, 561, 570	35	Intestinal obstruction and hernia	1	1
571, 572	36.1	Gastritis and duodenitis	3	3	2	2	...	2	1
580, 582-586	36.2	Diarrhoea (except of newborn)	3	...	2	...	1	3	1	...	1	1
530-539, 542, 544	37	Cirrhosis of liver	3	...	2	...	2	3	2
545, 573-578, 587	46.5	Other diseases of liver	3	...	1	...	2	1	1
590-594	46.6	Other digestive diseases	3	...	1	...	2	1	1
600-609, 611-637	38	Nephritis and nephrosis	10	...	4	...	5	3	3	4	1	3
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	9	...	4	...	6	5	3	1	1	2
642-650, 652-680, 683, 685-689	40.0	Other diseases of genito-urinary system	3	...	1	...	2	2	3	3
690-749	40.1	Puerperal sepsis including post-abortive sepsis
750-759	46.8	Other puerperal causes	5
760-762	41	Diseases of skin and organs of locomotion	6	...	1	...	4	1	1	1
763	42	Congenital malformations	9	...	5	...	4	2	2	2
764	43.1	Birth injuries, post-natal asphyxia and atelectasis	1	...	1	1	1
765-768	43.2	Pneumonia of newborn
769-776	43.3	Diarrhoea of newborn	15	...	13	...	11	2	2	4	2	2
780-793, 795	44	Other infections of the newborn	59	...	3	...	38	2	2	1	...	1
E963, E970-E979	45.0	Other diseases peculiar to early infancy	17	...	1	...	13	2	2	4
E810-E835	45.1	Senility	11	4	4
E840-E845	49	Cause ill-defined and unknown
E800-E802, E850-E862, E964, E965, E980-E999	48.0	Suicide	34	...	7	...	4	4	7
	48.1	Motor vehicle accidents
		Other road transport accidents
		Other violence (BE50)
		ALL CAUSES ...	1,087	37	350	17	683	345	29	18	27	64	207	104	42	62
		AGES AT DEATH														
		Under 1	41	1	17	1	24	8	1	8	4	1	3
		1-4	4	2	1
		5-9	3	1
		10-14	5	1
		15-24	9	1
		25-34	1	1
		35-44	7	2
		45-54	4	3
		55-64	16	10
		65-74	30	12
		75-84	76	19
		85 and over	211	49
		Not stated	95	23
			127	40
			14	77
			156	24
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		</						

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	Hypertension without heart disease	...	8	2	1	1	1	1	6	1	1	2	135	1	3
450-468	Other circulatory disease	...	10	1	1	1	1	1	8	1	1	5	212	11	8
480-483	Influenza	...	6	1	1	1	1	1	4	1	1	10	292	20	10
490-493	Pneumonia (except of newborn)	...	14	2	1	1	2	1	7	2	1	10	539	20	10
500-502	Bronchitis	...	3	1	1	1	1	1	1	1	1	16	721	20	13
470-475 510-527	Other respiratory diseases	...	1	1	1	1	1	1	1	1	1	5	91	7	6
540-541	Ulcer of stomach and duodenum	...	2	1	1	1	1	1	2	1	1	2	183	5	2
550-553	Appendicitis	...	1	1	1	1	1	1	1	1	1	2	17	1	2
560, 561, 570	Intestinal obstruction and hernia	...	1	1	1	1	1	1	1	1	1	2	73	1	4
543	Gastritis and duodenitis	...	1	1	1	1	1	1	1	1	1	2	88	1	9
571-572	Diarrhoea (except of newborn)	...	1	1	1	1	1	1	1	1	1	2	33	1	1
580-582-586	Cirrhosis of liver	...	1	1	1	1	1	1	1	1	1	2	40	1	3
530-539 542-544	Other diseases of liver	...	1	1	1	1	1	1	1	1	1	1	35	3	1
545, 573-578, 587	Other digestive diseases	...	1	1	1	1	1	1	1	1	1	1	107	2	2
580-594	Nephritis and nephrosis	...	4	1	1	1	1	1	3	1	1	1	67	1	3
600-609 611-637	Hyperplasia of prostate	...	4	1	1	1	1	1	2	1	1	1	76	2	2
640, 641, 651, 681, 682, 684	Other diseases of genito-urinary system	...	2	1	1	1	1	1	1	1	1	1	67	3	7
642-650, 652-680, 683, 685-689	Other diseases including post-abortion sepsis	...	1	1	1	1	1	1	1	1	1	1	1	4	4
690-749	Other puerperal causes	...	1	1	1	1	1	1	1	1	1	1	1	1	1
750-759	Diseases of skin and organs of locomotion	...	1	1	1	1	1	1	1	1	1	1	1	1	1
760-762	Congenital malformations	...	1	1	1	1	1	1	1	1	1	1	1	1	1
763	Birth injuries, post-natal asphyxia and atelectasis	...	1	1	1	1	1	1	1	1	1	1	1	1	1
764	Pneumonia of newborn	...	1	1	1	1	1	1	1	1	1	1	1	1	1
765-768	Diarrhoea of newborn	...	1	1	1	1	1	1	1	1	1	1	1	1	1
769-778	Other infections of the newborn	...	1	1	1	1	1	1	1	1	1	1	1	1	1
780-793, 795	Other diseases peculiar to early infancy	...	1	1	1	1	1	1	1	1	1	1	1	1	1
E963, E970-E979	Sanitary	...	1	1	1	1	1	1	1	1	1	1	1	1	1
E810-E835	Cause ill-defined and unknown	...	1	1	1	1	1	1	1	1	1	1	1	1	1
E840-E845	Suicide	...	1	1	1	1	1	1	1	1	1	1	1	1	1
E800-E802, E850-E962, E964, E965, E980-E999	Motor vehicle accidents	...	1	1	1	1	1	1	1	1	1	1	1	1	1
	Other road transport accidents	...	1	1	1	1	1	1	1	1	1	1	1	1	1
	Other violence (B550)	...	1	1	1	1	1	1	1	1	1	1	1	1	1
	ALL CAUSES	415	60	37	17	41	8	252	15	327	523	444		
	AGES AT DEATH	...	13	1	1	1	1	1	10	2	22	48	29		
Under 1	2	1	1	1	1	1	2	1	1	6	3		
1-4	4	1	1	1	1	1	2	1	1	4	2		
5-9	3	1	1	1	1	1	3	1	3	3	8		
10-14	3	1	1	1	1	1	2	1	3	2	12		
15-24	2	1	1	1	1	1	2	1	4	15	20		
25-34	2	1	1	1	1	1	2	1	14	12	46		
35-44	2	1	1	1	1	1	2	1	29	47	75		
45-54	2	1	1	1	1	1	2	1	58	99	112		
55-64	2	1	1	1	1	1	2	1	95	125	137		
65-74	2	1	1	1	1	1	2	1	75	137	114		
75-84	2	1	1	1	1	1	2	1	25	25	23		
85 and over	2	1	1	1	1	1	2	1	2	2	2		
Not stated	2	1	1	1	1	1	2	1	2	2	2		
	ALL AGES	...	415	60	37	17	41	8	252	15	327	523	444		

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1955—continued

International Classification	Detailed List	Abbreviated List "B"	LANARK COUNTY—continued				MIDLOTHIAN COUNTY						
			Lanark Burgh	Motherwell and Wishaw Burgh	Rutherglen Burgh	Landward	Midlothian County	Edinburgh County of City	Bonnyrigg and Lasswade B.	Dalkeith Burgh	Loanhead Burgh	Musselburgh Burgh	Pentlicuk Burgh
001-008 010-019 020-029 040 045-048 050, 051 055 057 080 085 030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138 210-239 260 290-293 330-334 240-254, 270-289, 294-299 300-326, 341-398 400-402 410-416 420-422 430-434 440-443	Population (Estimated), 30th June, 1955 Total Live Births Registered (including Illegitimate) Corr. for Mother's Resid. ("") " " " " Male " " " " Female " " " " Illegitimate Stillbirths Registered (including Illegitimate) " " Corrected for Mother's Residence Marriages Registered Deaths Registered " " Corrected for Residence " " Male " " Female " " " " CAUSES OF DEATH Tuberculosis of respiratory system Tuberculosis, other forms Syphilis and its sequelæ Typhoid fever Dysentery, all forms Scarlet fever and streptococcal sore throat Diphtheria Whooping cough Meningococcal infections Acute poliomyelitis Measles Other infectious and parasitic diseases (B5, 11, 13, 15, 16) Malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affecting central nervous system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arteriosclerotic and degenerative heart disease Other diseases of heart Hypertension with heart disease	8,074 778 1,293 151 79 72 72 3 12 2 90 77 85 35 50 1 —<											

(b)	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
29	444-447	Hypertension without heart disease	5	54	81	73	2	1	2	2	3	6
46.3	450-468	Other circulatory disease	14	63	238	209	1	2	1	2	3	19
30	480-483	Influenza	1	11	14	13	1	5	1	5	2	22
31	490-493	Pneumonia (except of newborn)	17	73	240	204	1	5	1	5	2	17
32	500-502	Bronchitis	43	107	259	228	3	4	4	7	4	5
46.4	510-527	Other respiratory diseases	13	120	37	37	3	3	2	3	4	11
33	540, 541	Ulcer of stomach and duodenum	6	4	87	71	—	—	—	—	1	2
34	550-553	Appendicitis	6	2	18	39	—	—	—	—	—	1
35	560, 561, 570	Intestinal obstruction and hernia	6	2	41	1	—	—	—	—	—	1
36.2	571, 572	Gastritis and duodenitis	4	3	39	32	—	2	—	2	—	3
46.5	580, 582-586	Diarrhoea (except of newborn)	4	3	22	19	—	—	—	1	—	3
37	587	Cirrhosis of liver	2	5	22	30	—	1	1	1	1	3
46.6	590-594	Other diseases of liver	5	9	36	17	—	—	1	1	1	4
46.6	545, 573-578, 587	Other digestive diseases	3	—	24	—	—	—	—	—	—	—
38	600-609, 611-637	Nephritis and nephrosis	9	3	59	52	1	1	1	2	4	4
39	640, 641, 651, 681, 682, 684	Hyperplasia of prostate	9	7	29	25	—	—	—	1	1	6
46.7	642-650, 652-680, 683, 685-689	Other diseases of genito-urinary system	9	2	15	39	—	—	—	1	1	5
40.0	690-749	Puerperal sepsis including post-abortive sepsis	1	—	2	—	—	—	—	2	1	2
46.8	750-759	Other puerperal causes	2	—	2	—	—	—	—	—	1	5
41	760-762	Diseases of skin and organs	1	13	34	27	—	1	—	—	1	7
42	763	Congenital malformations	8	4	56	39	—	1	—	—	1	1
43.1	764	Birth injuries, post-natal asphyxia and atelectasis	9	4	35	37	—	1	2	3	—	—
43.2	765-768	Pneumonia of newborn	1	—	13	5	—	—	—	—	—	1
43.3	769-776	Diarrhoea of newborn	2	—	2	—	—	—	—	—	—	—
44	779	Other infections of the newborn	3	2	63	50	—	—	—	—	2	9
45.0	780-793, 795	Other diseases peculiar to early infancy	13	7	39	33	—	1	1	1	1	3
45.1	E810-E835	Senility	4	1	72	6	—	—	—	—	—	—
49	E840-E845	Cause ill-defined and unknown	7	20	55	52	—	—	—	—	—	3
47	E800-802, E850-E962, E964, E965, E980-E999	Suicide	6	45	59	43	—	1	1	3	2	9
48.0		Motor vehicle accidents	2	2	5	4	—	—	—	—	—	1
48.1		Other road transport accidents	4	12	215	178	—	—	—	6	3	25
		Other violence (BE50)	19	—	—	—	2	1	—	—	—	—
		ALL CAUSES	779	342	7,165	6,049	52	85	65	201	72	641
		AGES AT DEATH	35	16	3,381	—	—	—	—	—	—	—
		Under 1	4	3	188	179	1	4	3	5	6	30
		1-4	4	3	29	26	—	2	2	2	—	7
		5-9	1	2	16	18	—	—	—	—	—	4
		10-14	1	—	13	12	—	—	—	—	—	1
		15-24	2	2	45	60	—	1	—	1	1	9
		25-34	3	6	82	68	2	—	—	7	1	15
		35-44	9	7	147	153	—	—	4	9	9	30
		45-54	20	39	318	633	9	10	6	9	7	56
		55-64	6	49	566	932	9	14	10	36	7	99
		65-74	10	143	1,107	1,891	13	25	22	48	18	173
		75-84	17	204	863	1,592	16	20	22	60	24	163
		85 and over	29	224	871	1,878	2	9	6	24	8	54
		Not stated	15	17	243	607	—	—	—	—	—	—
		ALL AGES	779	342	7,165	6,049	52	85	65	201	72	641

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	4	1	5	3	6	3	3	3	5	6	3	9	1	1	2
450-468	46.3	Other circulatory disease	17	1	6	1	3	1	1	5	2	1	1	6	1	1	2
480-483	30	Influenza	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
490-493	31	Pneumonia (except of newborn)	14	—	6	—	3	—	—	6	3	2	1	3	1	—	—
500-502	32	Bronchitis	14	—	2	—	3	—	—	4	2	2	—	—	—	—	—
470-475, 510-527	46.4	Other respiratory diseases	3	—	2	—	—	—	—	3	2	1	1	2	1	—	—
540, 541	33	Ulcer of stomach and duodenum	5	1	—	—	1	—	—	—	—	—	—	1	1	—	—
550-553	34	Appendicitis	2	—	—	—	—	—	—	1	—	—	—	3	1	—	—
580, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
571, 572	36.1	Gastritis and duodenitis	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—
580, 582-586	36.2	Diarrhoea (except of newborn)	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—
530-539, 542, 544	37	Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—
545, 573-578, 587	46.5	Other diseases of liver	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—
590-594	46.6	Other digestive diseases	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—
600-609, 611-637	38	Nephritis and nephrosis	8	—	4	—	1	—	—	3	1	1	—	10	4	1	5
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	3	—	—	—	1	—	—	2	2	1	—	2	1	—	2
642-650, 652-680, 683, 685-689	40.0	Other diseases of genito-urinary system	4	—	1	—	—	—	—	1	1	1	—	2	1	—	2
690-749	40.1	Puerperal sepsis including post-abortive sepsis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
750-759	46.8	Other puerperal causes	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
760-762	41	Diseases of skin and organs of locomotion	2	—	2	—	—	—	—	3	2	1	—	1	2	—	2
763	42	Congenital malformations	8	—	3	—	—	—	—	2	2	—	—	3	1	—	2
764	43.1	Birth injuries, post natal asphyxia and atelectasis	5	—	3	—	—	—	—	2	—	—	—	3	1	—	2
765-768	43.2	Pneumonia of newborn	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
769-776	43.3	Diarrhoea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
780-783, 795	44	Other infections of the newborn	10	—	1	—	1	—	—	6	2	1	—	4	2	—	4
E810-E835	45.0	Other diseases peculiar to early infancy	8	—	1	—	2	—	—	3	—	—	—	13	2	—	11
E840-E845	45.1	Cause ill-defined and unknown	2	—	1	—	1	—	—	—	—	—	—	2	2	—	2
E800-E802, E850-E902, E984, E985, E980-E999	47	Senility	2	—	1	—	—	—	—	—	—	—	—	2	2	—	—
	48.0	Suicide	7	—	1	—	—	—	—	3	2	1	—	2	2	—	—
	48.1	Motor vehicle accidents	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
		Other road transport accidents	35	—	4	—	2	—	—	22	11	2	9	6	2	—	4
		Other violence (BE50)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL CAUSES ...	556	19	139	58	19	67	24	230	121	77	44	283	53	20	210
		AGES AT DEATH															
		Under 1	29	1	7	2	—	6	—	13	5	4	1	9	1	—	8
		1-4	3	1	—	—	—	1	—	3	4	1	3	3	1	—	—
		5-9	5	1	—	—	—	—	—	1	3	1	1	1	1	—	—
		10-14	2	—	—	—	—	—	—	10	1	—	—	3	1	—	—
		15-24	14	—	—	—	—	—	—	10	2	—	2	2	2	—	—
		25-34	13	—	3	—	—	—	—	10	3	2	1	7	2	—	—
		35-44	13	—	2	—	—	—	—	10	3	2	2	7	2	—	—
		45-54	31	2	5	—	—	1	3	2	9	3	3	14	4	—	12
		55-64	59	1	2	4	—	2	2	23	17	14	3	41	4	—	35
		65-74	131	2	15	6	15	9	4	46	19	10	9	58	18	2	32
		75-84	175	6	41	17	7	10	6	65	39	29	10	119	19	6	94
		85 and over	81	3	16	11	2	7	25	38	15	8	7	29	4	3	22
		Not stated	—	2	—	—	—	2	10	—	—	—	—	—	—	—	—
		ALL AGES	556	19	139	58	19	67	24	230	121	77	44	283	53	20	210

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	3	—	1	2	7	—	—	—	4	1	1	—	1	—	1
450-458	36.3	Other circulatory disease ...	3	—	—	3	41	—	—	—	1	1	1	—	—	—	2
480-483	30	Influenza ...	1	1	—	—	7	1	1	—	1	—	—	—	2	—	2
490-493	31	Pneumonia (except of newborn)	4	—	3	—	45	1	—	—	1	—	3	2	—	—	2
500-502	32	Brucellosis ...	1	—	—	—	31	1	—	—	1	—	—	—	—	—	—
470-475, 510-527	36.4	Other respiratory diseases ...	1	—	1	—	16	1	1	1	1	1	—	1	2	—	1
540, 541	33	Ulcer of stomach and duodenum	—	—	—	—	19	—	—	—	—	—	—	—	—	—	—
550-553	34	Appendicitis ...	—	—	—	—	5	—	—	—	1	—	—	—	2	—	—
560, 561, 570	35.1	Intestinal obstruction ... and hernia	1	—	—	1	13	—	—	—	1	—	—	—	—	—	—
545, 545	36.1	Gastritis and duodenitis ...	—	—	—	—	7	—	—	—	—	1	1	—	—	—	—
571, 572	36.2	Diarrhoea (except of newborn)	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—
581	37	Cirrhosis of liver ...	2	1	—	1	4	—	—	—	—	—	—	—	—	—	1
580, 582-586	36.5	Other diseases of liver ...	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
530-539, 542, 544	46.5	Other digestive diseases	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis ...	1	—	—	1	14	—	—	1	—	1	—	—	—	—	1
600-609, 611-637	38.7	Hyperplasia of prostate	—	—	—	—	23	2	—	—	—	3	1	—	2	—	1
610, 641, 651, 681, 682, 684	40.0	Other diseases of genito-urinary system	—	—	—	—	17	—	—	—	—	—	—	—	—	—	1
642-650, 652-650, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.1	Other puerperal causes ...	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—
730-739	46.8	Diseases of skin and organs of locomotion ...	—	—	—	—	23	—	—	1	1	—	—	—	2	—	—
760-762	42	Congenital malformations	1	—	—	1	15	1	1	—	—	2	1	—	—	—	—
763	43.1	Birth injuries, postnatal asphyxia and atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	12	—	—	—	1	1	2	1	—	—	1
769-776	45.0	Other diseases peculiar to early infancy	5	—	—	5	33	2	—	—	—	—	—	—	—	—	—
780-793, 795	45.1	Senility ...	1	—	—	1	9	—	—	—	—	—	—	—	—	—	—
E963, E970, E979	49	Causes ill-defined and unknown	1	—	—	1	12	1	—	—	—	—	—	—	—	—	—
E810, E835	47	Suicide vehicle accidents ...	1	—	—	1	20	1	—	1	—	—	—	1	—	—	—
E800-E802, E850-E962	48.0	Motor road transport accidents	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E964, E965, E980-E999	48.1	Other violence (BE50)	2	—	2	—	57	—	—	1	—	1	2	3	2	—	—
		ALL CAUSES ...	178	26	70	82	1,698	22	16	32	38	96	32	24	87	13	47
		AGES AT DEATH															
Under 1	2	1	—	1	58	—	1	2	2	4	1	1	2	—	2
1-4	—	—	—	—	15	—	—	—	—	—	—	—	—	—	—
5-9	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
10-14	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
15-24	1	1	—	—	12	—	—	—	—	1	1	1	2	—	1
25-34	3	—	1	3	24	—	—	—	—	1	1	—	2	—	—
35-44	3	—	—	4	41	—	—	—	1	1	—	—	2	—	—
45-54	5	—	—	8	109	—	—	—	—	5	3	1	3	—	2
55-64	25	5	8	12	235	7	2	2	5	9	5	2	6	2	7
65-74	44	3	25	16	414	6	6	6	12	26	9	5	20	7	13
75-84	63	11	21	31	552	6	6	17	15	33	8	8	32	1	13
85 and over	34	5	14	15	231	2	1	1	9	16	5	6	20	3	9
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES ...	178	26	70	82	1,698	22	16	32	38	96	32	24	87	13	47

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	...	3	4	37	3	1	7	10	8	3	1	12
450-468	46.3	Other circulatory disease	...	5	28	99	39	7	19	3	27	6	2	23
480-483	30	Influenza	...	2	4	2	4	2	2	5	26	1	3	1
490-493	31	Pneumonia (except of newborn)	...	15	22	99	2	2	25	9	45	14	11	22
500-502	32	Bronchitis	...	11	10	169	3	7	54	9	45	9	11	31
470-475, 510-527	46.4	Other respiratory diseases	...	4	8	27	4	6	10	2	12	1	2	6
540, 541	33	Ulcer of stomach and duodenum	...	8	6	41	4	2	5	1	18	1	1	14
550-553	34	Appendicitis	...	4	6	27	4	2	9	1	8	1	1	3
560, 561, 570	35	Intestinal obstruction and hernia	...	3	1	1	1	1	4	1	9	6	1	5
571, 572	36.1	Gastritis and duodenitis	...	2	2	24	8	1	1	2	9	2	1	4
580, 582-586	37	Diarrhoea (except of newborn)	...	2	4	10	8	1	1	3	9	3	1	5
530-539, 542, 544	46.5	Other diseases of liver	...	12	2	12	12	1	3	3	3	1	1	5
545, 573-578, 587	46.6	Other digestive diseases	...	6	5	32	32	3	8	2	8	2	2	5
590-594	38	Nephritis and nephrosis	...	5	10	27	20	2	15	1	4	1	1	4
600-609, 611-637	46.7	Hyperplasia of prostate	...	7	8	1	1	1	2	1	5	1	1	10
640, 641, 651, 681, 682, 684	40.0	Other diseases of genito-urinary system	...	1	6	22	22	2	16	1	8	1	1	4
642-650, 652-680, 683, 685-689	40.1	Puerperal sepsis including post-abortive sepsis	...	1	6	42	42	1	15	1	13	6	5	7
690-749	46.8	Other puerperal causes	...	8	11	50	7	3	2	2	13	1	3	7
750-759	41	Diseases of skin and organs of locomotion	...	3	7	7	7	1	11	7	18	5	2	1
760-762	42	Congenital malformations	...	3	7	7	7	1	11	7	18	5	2	8
763	43.1	Birth injuries, post-natal asphyxia and atelectasis	...	3	7	7	7	1	11	7	18	5	2	1
764	43.2	Pneumonia of newborn	...	3	7	7	7	1	11	7	18	5	2	1
765-768	43.3	Diarrhoea of newborn	...	3	7	7	7	1	11	7	18	5	2	1
769-776	44	Other infections of the newborn	...	3	7	7	7	1	11	7	18	5	2	1
780-793, 795	45.0	Other diseases peculiar to early infancy	...	3	7	7	7	1	11	7	18	5	2	1
E963, E970-E979	45.1	Semility	...	3	7	7	7	1	11	7	18	5	2	1
E810-E835	49	Cause ill-defined and unknown	...	3	7	7	7	1	11	7	18	5	2	1
E840-E845	47	Suicide	...	3	7	7	7	1	11	7	18	5	2	1
E800-E802, E850-E962,	48.0	Motor vehicle accidents	...	3	7	7	7	1	11	7	18	5	2	1
E964, E965, E980-E999	48.1	Other road transport accidents	...	3	7	7	7	1	11	7	18	5	2	1
		Other violence (BE50)	...	18	29	138	138	6	44	5	43	9	5	24
		ALL CAUSES	498	767	3,963	3,963	148	969	193	1,090	243	205	993
		AGES AT DEATH	...	21	22	213	213	9	58	12	67	26	12	26
		Under 1	...	6	9	24	24	2	5	1	4	2	1	7
		1-4	...	1	8	29	29	2	9	1	5	4	1	7
		5-9	...	4	2	11	11	3	3	1	3	1	1	3
		10-14	...	4	6	38	38	3	15	1	12	1	1	6
		15-24	...	16	12	74	74	8	19	4	17	6	5	13
		25-34	...	16	21	151	151	4	45	6	39	11	10	32
		35-44	...	45	2	46	46	8	74	15	92	23	25	79
		45-54	...	90	2	94	94	30	161	36	176	35	39	170
		55-64	...	112	8	183	183	41	262	57	316	66	51	255
		65-74	...	141	8	264	264	35	240	41	269	66	39	292
		75-84	...	55	5	105	105	6	78	19	90	18	21	101
		85 and over	...	5	5	105	105	7	78	19	90	18	21	101
		Not stated
		ALL AGES	...	498	767	3,963	3,963	148	969	193	1,090	243	205	993

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	28	Hypertension without heart disease	18	—	—	—	—	—	—	—	—	4	1	—	—	20
450-463	46.3	Other circulatory disease	39	—	2	—	1	2	5	1	30	5	3	2	—	2
460-463	30	Influenza	2	—	—	—	—	—	—	—	3	2	—	—	—	1
500-502	31	Pneumonia (except of newborn)	16	—	1	—	1	—	1	—	7	3	—	—	—	3
505-509	32	Bronchitis	13	—	—	—	—	—	—	—	9	7	—	—	—	1
470-475, 510-527	36.4	Other respiratory diseases	8	—	—	—	—	3	—	—	2	3	—	2	—	1
530-541	33	Ulcer of stomach and duodenum	14	—	—	—	—	—	—	—	2	1	—	—	—	1
550-553	34	Appendicitis	2	—	—	—	1	—	—	—	5	1	—	2	—	1
560, 561, 570	35	Intestinal obstruction and hernia	5	—	—	—	—	—	—	—	4	1	—	—	—	3
580, 582-586	36.1	Gastritis and duodenitis	2	—	—	—	—	—	—	—	2	2	—	—	—	—
530-539, 542, 544	36.2	Diarrhoea (except of newborn)	—	—	—	—	—	—	—	—	1	1	—	—	—	—
545, 573-578, 587	37	Cirrhosis of liver	2	—	—	—	—	—	—	—	2	2	—	—	—	—
571, 572	37.5	Other diseases of liver	3	—	—	—	1	—	—	—	3	1	—	—	—	1
580-594	38	Other digestive diseases	2	—	—	—	—	—	—	—	—	—	—	—	—	—
600-609	39	Nephritis and nephrosis	7	—	—	—	—	—	—	—	4	2	—	—	—	1
611-637	46.7	Hyperplasia of prostate	5	—	—	—	—	—	—	—	9	4	—	—	—	3
640, 641, 651, 681, 682, 684	40.0	Other diseases of genito-urinary system	4	—	—	—	—	—	—	—	1	1	—	—	—	1
642-650, 652-680, 683, 685-689	40.1	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Other puerperal causes	1	—	—	—	—	—	—	—	—	—	—	—	—	—
750-759	41	Diseases of skin and organs of locomotion	2	—	—	—	—	—	—	—	3	1	—	—	—	1
760-762	42	Congenital malformations	6	—	—	—	—	—	—	—	2	4	—	—	—	3
763	43.1	Birth injuries, post-natal asphyxia and atelectasis	1	—	—	—	—	—	—	—	1	1	—	—	—	1
764	43.2	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Diarrhoea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44.0	Other infections of the newborn	5	—	—	—	—	—	—	—	4	4	—	—	—	—
780-793, 795	45.0	Other diseases peculiar to early infancy	31	—	—	—	—	—	—	—	7	2	—	—	—	1
E963, E970-E979	45.1	Cause ill-defined and unknown	3	—	—	—	—	—	—	—	3	2	—	—	—	1
E810-E835	47	Senility	7	—	—	—	—	—	—	—	2	1	—	—	—	—
E840-E845	48.0	Suicide	2	—	—	—	—	—	—	—	3	2	—	—	—	—
E800-E802, E850-E862	48.1	Motor vehicle accidents	7	—	—	—	—	—	—	—	1	5	—	—	—	4
E964, E965, E980-E989	48.1	Other road transport accidents	1	—	—	—	—	—	—	—	1	1	—	—	—	—
		Other violence (BES0)	24	—	2	—	—	—	—	—	21	7	—	—	—	10
		ALL CAUSES ...	835	18	37	14	31	56	27	—	630	226	45	73	36	250
		AGES AT DEATH														
Under 1		...	17	—	—	—	2	1	—	—	13	4	1	1	1	6
1-4		...	4	—	—	—	—	—	1	—	5	4	—	—	—	1
5-9		...	3	—	1	—	—	—	—	—	2	2	—	—	—	1
10-14		...	2	—	—	—	—	—	—	—	2	2	—	—	—	1
15-24		...	4	—	—	—	1	—	—	—	3	—	1	—	—	2
25-34		...	11	—	—	—	—	—	—	—	10	5	1	—	—	4
35-44		...	20	—	—	—	1	2	1	—	16	6	—	3	—	4
45-54		...	11	—	—	—	3	6	—	—	38	11	3	3	2	19
55-64		...	54	3	3	3	3	6	2	—	86	39	2	5	9	31
65-74		...	93	6	5	5	7	18	3	—	164	65	10	23	9	57
75-84		...	190	11	13	10	10	12	11	—	227	74	19	26	10	98
85 and over		...	264	5	6	5	4	11	6	—	67	15	8	12	5	27
Not stated		...	173	4	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	835	18	37	14	31	56	27	—	630	226	45	73	36	250

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1955—continued

International Classification	Detailed List	Abbreviated List "B"	SELKIRK COUNTY				STIRLING COUNTY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
			Selkirk County	Galashiels Burgh	Selkirk Burgh	Landward	Selkirk County	Bridge of Allan Burgh	Denny and Dunipace Burgh	Falkirk Burgh	Grangemouth Burgh	Kilsyth Burgh	Stirling Burgh	Landward																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			21,256	12,251	5,837	3,168	189,718	3,235	7,221	37,021	16,237	10,264	26,777	88,963																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			398	305	89	4	5,448	130	38	1,101	81	50	1,152	2,896																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			304	193	75	36	3,329	49	151	566	310	192	1,459	1,602																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			145	87	39	19	1,728	30	86	275	165	90	242	840																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			159	106	36	17	1,601	19	65	291	145	102	217	762																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			11	7	1	3	109	1	5	8	3	3	25	64																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			6	4	2	2	136	1	1	35	1	1	42	57																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			5	2	3	3	89	2	3	14	9	5	14	42																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			151	90	46	15	1,439	33	53	351	128	73	252	599																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			434	178	54	202	2,268	38	45	604	106	81	513	881																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			301	183	70	48	2,059	41	63	454	162	100	305	934																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			134	87	26	21	1,086	14	33	245	92	52	163	487																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			167	96	44	27	973	27	30	209	70	48	142	447																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			1	1	—	—	35	—	1	8	1	3	2	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			1	1	—	—	5	—	1	1	1	1	1	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			1	—	—	—	1	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			6	—	—	—	1	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			7	—	—	—	1	—	1	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			8	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			9	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			10	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			12	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			14	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			17	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			18	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			19	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			20	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			21	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			22	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			23	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			24	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			25	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			26	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			27	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			28	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			30	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			31	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			32	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			33	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			34	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			300-326, 341-398	46.1	2	2	1	10	6	327	6	7	87	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
29	444, 47	...	Hypertension without heart disease	3	1	1	7	1	1	4	1	7	11
46.3	450-468	...	Other circulatory disease	10	2	1	10	2	12	4	1	10	11
30	480-483	...	Influenza	9	1	1	9	1	1	1	3	1	5
31	490-493	...	Pneumonia (except of newborn)	7	4	3	61	4	16	2	3	13	22
32	500-502	...	Bronchitis	7	4	3	62	4	18	2	2	32	32
46.4	470-475, 510-527	...	Other respiratory diseases	5	1	1	25	1	6	1	1	3	14
33	540, 541	...	Ulcer of stomach and duodenum	7	5	1	22	1	3	1	1	1	16
34	550-553	...	Appendicitis	4	1	2	19	3	3	2	2	1	1
35	560, 561, 570	...	Intestinal obstruction and hernia	2	1	1	1	1	5	1	1	1	1
36.1	571, 572	...	Gastritis and duodenitis	3	1	1	5	1	1	1	1	1	1
36.2	581, 582	...	Diarrhoea (except of newborn)	3	1	1	10	1	1	1	1	1	1
46.5	530-539, 542, 544	...	Other diseases of liver	1	1	1	9	1	2	2	2	4	4
46.6	545, 573-576, 587	...	Cirrhosis of liver	1	1	1	10	1	1	1	1	1	1
37	580-589	...	Other digestive diseases	2	2	2	15	1	5	1	1	1	5
38	600-609, 611-637	...	Nephritis and nephrosis	6	2	2	8	1	2	1	1	1	5
39	640, 641, 651, 681, 682, 684	...	Hyperplasia of prostate	2	1	1	10	1	1	1	1	1	5
40.0	642-650, 652-680, 683, 685-689	...	Other diseases of genito-urinary system	2	2	2	10	1	1	1	1	1	5
40.1	Puerperal sepsis including post-abortive sepsis
46.8	Other puerperal causes
41	750-759	...	Diseases of skin and organs of locomotion	2	1	1	7	1	1	2	1	4	4
42	760-762	...	Congenital malformations	1	1	1	23	1	1	3	1	4	17
43.1	763	...	Birth injuries; post-natal asphyxia and atelectasis	2	1	1	19	1	2	2	1	3	12
43.2	764	...	Pneumonia of newborn	1	1	1	8	1	1	1	1	1	4
43.3	765-768	...	Diarrhoea of newborn
44	769-776	...	Other infections of the newborn
48.0	780-793, 795	...	Other diseases peculiar to early infancy	3	2	1	29	1	8	3	1	2	15
48.1	E963, E970-E979	...	Senility	5	4	1	35	3	4	4	3	10	15
48.2	E810-E835	...	Cause ill-defined and unknown
48.3	E840-E845	...	Suicide
47	Motor vehicle accidents
48.0	E800-E802, E850-E862	...	Other road transport accidents
48.1	E964, E965, E980-E999	...	Other violence (BE50)
ALL CAUSES ...													
AGES AT DEATH													
Under 1	9	6	1	108	1	15	9	3	14	62
1-4	2	1	1	18	...	3	1	1	3	10
5-9	1	4	...	2	1	1
10-14	1	5	...	2	1	1
15-24	17	...	4	3	2	2	5
25-34	2	2	...	39	1	4	3	4	6	22
35-44	5	4	...	81	1	16	7	4	11	41
45-54	21	10	6	179	2	38	21	10	16	87
55-64	40	20	5	356	6	86	32	17	60	148
65-74	91	55	22	515	10	117	32	34	78	224
75-84	103	66	23	583	13	137	40	24	99	253
85 and over	26	14	9	154	7	31	12	5	14	80
Not stated
ALL AGES													
301	183	70	48	2,059	63	162	305	934	454	162	100	305	934

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
444-447	29	Hypertension without heart disease	3	11	195	883	67	124	114	49	31	41	457
450-463	46.3	Other circulatory disease	10	—	10	55	2	11	8	—	2	6	26
480-483	30	Influenza	4	—	1	6	—	1	—	—	—	—	5
490-493	31	Pneumonia (except of newborn)	1	—	1	2	—	—	—	—	—	—	1
500-502	32	Bronchitis	1	—	—	2	—	—	1	—	3	—	6
470-475, 510-527	46.4	Other respiratory diseases	1	—	—	11	—	—	2	—	—	2	15
540, 541	33	Ulcer of stomach and duodenum	3	1	3	13	3	6	3	2	1	2	16
550-553	34	Appendicitis	1	—	13	67	5	7	17	6	8	8	39
560, 561, 570	35	Intestinal obstruction and hernia	4	1	20	157	11	23	30	9	10	10	127
571, 572	36.2	Gastritis and duodenitis	2	—	48	238	26	34	37	16	7	1	124
580, 582-586	37	Cirrhosis of liver	—	—	57	242	14	9	59	—	—	—	27
530-539, 542, 544	46.5	Other diseases of liver	—	—	41	—	—	—	—	—	—	—	—
545, 573-578, 587	46.6	Other digestive diseases	1	—	—	—	—	—	—	—	—	—	—
560-594	38	Nephritis and nephrosis	3	11	195	883	67	124	114	49	31	41	457
600-609, 611-637	46.7	Hyperplasia of prostate	3	—	10	55	2	11	8	—	2	6	26
640, 641, 651, 681, 682, 684	40.0	Other diseases of genito-urinary system	1	—	1	6	—	1	—	—	—	—	5
642-650, 652-680, 683, 685-689	40.1	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—
750-759	41	Diseases of skin and organs of locomotion	1	—	1	4	2	1	1	—	—	—	—
760-762	42	Congenital malformations	5	—	5	13	—	2	4	—	—	—	—
763	43.1	Birth injuries, post-natal asphyxia and atelectasis	—	—	—	7	—	—	—	—	—	—	—
764	43.2	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Diarrhoea of newborn	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—
780-793, 795	45.0	Other diseases peculiar to early infancy	1	—	1	10	—	3	1	—	—	—	—
E963, E970-E979	45.1	Sanitary	14	—	14	6	—	1	2	—	—	—	—
E810-E835	49	Cases ill-defined and unknown	2	1	1	5	—	1	8	—	—	—	—
E840-E845	47	Suicide	1	—	1	1	—	—	—	—	—	—	—
E800-802, E850E-982	48.0	Motor vehicle accidents	2	—	2	9	1	2	2	—	—	—	—
E984, E985, E980E-E999	48.1	Other road transport accidents	7	—	7	17	2	—	3	—	—	—	—
		Other violence (BE50)	—	—	—	—	—	—	—	—	—	—	—
		Under 1	206	11	195	883	67	124	114	49	31	41	457
		1-4	10	—	10	55	2	11	8	—	2	6	26
		5-9	1	—	1	6	—	1	—	—	—	—	5
		10-14	1	—	—	2	—	—	—	—	—	—	1
		15-24	—	—	—	11	—	—	1	—	3	—	6
		25-34	3	1	3	13	3	6	3	2	1	2	15
		35-44	2	—	13	67	5	7	17	6	8	8	39
		45-54	13	1	20	157	11	23	30	9	10	10	127
		55-64	52	4	48	238	26	34	37	16	7	1	124
		65-74	62	5	57	242	14	9	59	—	—	—	—
		75-84	41	—	41	—	—	—	—	—	—	—	—
		85 and over	—	—	—	—	—	—	—	—	—	—	—
		Not stated	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	206	11	195	883	67	124	114	49	31	41	457

Including paratyphoid fever, erysipelas, septicaemia and lethal encephalitis

TABLE 48.—Death-rates per Million in Scotland standardised to the Sex and Age Distribution of the Population of Great Britain in the Year of Experience with Rates for England and Wales for Comparison

Inter- national List No.	CAUSES OF DEATH	1951		1952		1953		1954		1955
		Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland
	ALL CAUSES ...	M. 15,872	15,030	15,225	13,748	14,800	13,858	15,621	13,937	15,651
	F. 12,086	10,485	11,085	9,342	10,470	9,430	11,037	9,248	11,206	11,206
	P. 13,763	12,454	12,868	11,235	12,335	11,326	12,991	11,234	13,117	13,117
001-008	Tuberculosis of res- piratory system	M. 487 F. 294 P. 379	390 180 273	375 212 282	317 126 211	326 163 235	270 106 178	276 149 205	245 91 159	253 116 175
010-019	Tuberculosis, other forms	M. 59 F. 53 P. 55	44 38 41	37 41 39	33 24 28	37 35 35	25 21 22	29 16 19	21 16 19	28 20 24
020-029	Syphilis and its sequelæ	M. 48 F. 19 P. 30	66 20 40	35 13 22	57 21 37	35 7 20	52 17 32	35 13 21	50 18 32	34 9 20
057	Meningococcal infections	M. 8 F. 8 P. 8	7 7 7	7 8 8	7 6 7	7 6 6	8 6 7	10 4 7	6 6 6	5 3 4
140-205	Malignant neo- plasms, including neoplasms of lym- phatic and hæma- topoietic tissues	M. 2,357 F. 1,841 P. 2,065	2,353 1,658 1,951	2,496 1,853 2,126	2,394 1,680 1,979	2,592 1,805 2,139	2,417 1,662 1,977	2,700 1,887 2,224	2,496 1,678 2,017	2,699 1,921 2,247
260	Diabetes mellitus...	M. 84 F. 145 P. 118	65 97 84	67 126 103	59 87 75	64 115 95	57 82 72	64 116 94	57 76 68	72 118 100
330-334	Vascular lesions af- fecting the central nervous system	M. 1,939 F. 1,942 P. 1,940	1,598 1,514 1,549	1,964 1,921 1,936	1,607 1,536 1,564	1,939 1,875 1,896	1,588 1,488 1,528	2,066 2,067 2,066	1,693 1,556 1,612	2,131 2,063 2,088
400-402	Rheumatic fever	M. 9 F. 10 P. 10	8 10 9	10 10 10	7 8 7	9 8 8	7 7 7	8 10 9	7 6 7	12 10 11
410-434	Heart diseases	M. 5,198 F. 3,778 P. 4,410	4,395 3,064 3,638	5,047 3,409 4,104	4,184 2,756 3,366	4,829 3,211 3,906	4,111 2,729 3,319	5,196 3,387 4,160	4,277 2,705 3,370	5,198 3,546 4,254
440-447	Hypertensive disease	M. 342 F. 294 P. 314	547 421 474	385 352 367	492 381 428	391 355 369	504 386 436	419 399 407	520 402 451	466 413 437
480-483	Influenza	M. 214 F. 193 P. 205	399 325 358	69 63 65	47 34 40	66 48 56	157 135 145	38 37 38	47 36 41	50 43 47
490-493, 763	Pneumonia (all forms)	M. 560 F. 448 P. 499	639 449 532	488 337 402	543 365 442	433 311 363	596 407 488	468 316 377	519 352 423	461 357 401
590-594	Nephritis and nephrosis	M. 140 F. 130 P. 138	169 132 148	126 110 117	155 116 133	129 115 119	145 105 122	132 109 120	141 101 118	126 100 108

TABLE 49.—Method of Celebration, etc. of Marriages in Scotland—1855-1954

YEAR	Total MARRIAGES		MARRIAGE according to Forms of the							CIVIL MARRIAGES†	IRREGULAR MARRIAGES
	Number	Proportion per 1,000 of Population	Church of Scotland	Free Church	United Presbyterian Church	Roman Cath. Church	Scottish Episcopal Church	Other Forms	Form not stated		
DECENNIAL AVERAGES											
1855-1860	20,645	6·840	9,586	4,747	2,872	1,846	383	1,058	135	—	19
1860-1870	22,422	7·004	9,929	5,278	3,214	2,071	464	1,324	101	—	41
1871-1880	25,355	7·172	11,549	5,649	3,305	2,286	646	1,633	25	—	263
1881-1890	25,939	6·700	11,971	5,277	3,011	2,558	732	1,728	12	—	650
1891-1900	29,866	7·054	13,497	5,638	3,292	2,934	899	2,179	0	—	1,428
Un. Free Ch.*											
1901-1910	31,825	6·907	14,414	8,477		3,331	936	2,634	0	—	2,034
1911-1920	35,647	7·451	14,231	8,340		3,964	1,131	2,669	0	—	5,312
1921-1930	33,663	6·923	14,993	6,910		3,911	971	2,591	0	—	4,287
1931-1940	38,963	7·869	24,459			5,051	1,076	3,427	0	4,950	
1941-1950	43,489	8·472	26,364			5,685	1,383	3,487	0	6,558	12
ANNUAL NUMBERS											
1941	47,620	9·284	30,017			6,282	1,705	4,214	0	5,394	8
1942	47,402	9·215	29,827			6,103	1,671	4,073	0	5,712	16
1943	38,177	7·402	23,377			4,891	1,489	3,230	0	5,176	14
1944	37,017	7·134	22,554			4,831	1,334	3,163	0	5,117	18
1945	48,642	9·432	30,107			6,025	1,745	3,913	0	6,840	12
1946	45,785	8·917	27,599			5,770	1,390	3,490	0	7,522	14
1947	44,360	8·725	26,189			5,714	1,176	3,337	0	7,930	14
1948	43,718	8·577	25,798			5,879	1,243	3,313	0	7,474	11
1949	41,708	8·161	24,590			5,694	1,065	3,177	0	7,176	6
1950	40,459	7·892	23,579			5,660	1,009	2,960	0	7,243	8
1951	41,361	8·087	24,259			6,062	1,122	2,986	0	6,928	4
1952	41,154	8·046	23,671			6,033	1,022	2,961	0	7,459	8
1953	40,902	7·992	23,597			6,284	935	2,899	0	7,180	7
1954	41,974	8·193	23,802			6,425	988	2,912	0	7,842	5
RATE PER HUNDRED MARRIAGES—DECENNIAL											
1855-1860	100·00	—	46·42	23·01	13·92	8·94	1·85	5·12	0·65	—	0·09
1861-1870	100·00	—	44·30	23·54	14·33	9·22	2·07	5·89	0·47	—	0·18
1871-1880	100·00	—	45·56	22·28	13·02	9·02	2·55	6·42	0·11	—	1·04
1881-1890	100·00	—	46·17	20·34	11·61	9·85	2·82	6·66	0·05	—	2·51
1891-1900	100·00	—	45·20	18·91	11·04	9·81	3·00	7·29	—	—	4·78
Un. Free Ch.*											
1901-1910	100·00	—	45·29	26·63		10·46	2·94	8·28	—	—	6·39
1911-1920	100·00	—	39·92	23·40		11·12	3·17	7·49	—	—	14·90
1921-1930	100·00	—	44·54	20·53		11·62	2·88	7·70	—	—	12·74
1931-1940	100·00	—	62·77			12·96	2·76	8·80	—	—	12·70
1941-1950	100·00	—	60·56			13·09	3·18	8·01	—	15·13	0·03
RATE PER HUNDRED MARRIAGES—ANNUAL											
1941	100·00	—	63·03			13·19	3·58	8·85	—	11·33	0·02
1942	100·00	—	62·92			12·88	3·53	8·59	—	12·05	0·03
1943	100·00	—	61·23			12·81	3·90	8·46	—	13·56	0·04
1944	100·00	—	60·93			13·05	3·60	8·54	—	13·82	0·05
1945	100·00	—	61·90			12·39	3·59	8·04	—	14·06	0·02
1946	100·00	—	60·28			12·60	3·04	7·62	—	16·43	0·03
1947	100·00	—	59·04			12·88	2·65	7·52	—	17·88	0·03
1948	100·00	—	59·01			13·45	2·84	7·58	—	17·10	0·03
1949	100·00	—	58·96			13·65	2·55	7·62	—	17·21	0·01
1950	100·00	—	58·28			13·99	2·49	7·32	—	17·90	0·02
1951	100·00	—	58·65			14·66	2·71	7·22	—	16·75	0·01
1952	100·00	—	57·52			14·66	2·48	7·19	—	18·12	0·02
1953	100·00	—	57·69			15·36	2·29	7·09	—	17·55	0·02
1954	100·00	—	56·71			15·31	2·35	6·94	—	18·68	0·01

* The Free Church and the United Presbyterian Church were united on 31st October, 1900, under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October, 1929, under the designation of "The Church of Scotland."

† By the Marriage (Scotland) Act, 1939, which came into operation on 1st July, 1940, Irregular Marriages by declaration were abolished and Civil Marriages were substituted. The Irregular Marriages shown in the last column for 1941 onwards were registered by Decree of Declarator of the Court of Session.

TABLE 50.—Ecclesiastical, Civil and Irregular Marriages in Scotland—1954

	Total Marriages	NUMBERS						*IRREGULAR MARRIAGES	PERCENTAGE OF TOTAL MARRIAGES						
		ECCLESIASTICAL MARRIAGES				CIVIL MARRIAGES			ECCLESIASTICAL MARRIAGES				CIVIL MARRIAGES		IRREGULAR MARRIAGES
		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence	
SCOTLAND ...	41,974	24,380	8,047	1,093	107	7,502	340	5	59.3	19.2	2.6	0.3	17.9	0.8	0.0
Counties of Cities	18,316	8,718	4,311	411	65	4,565	243	3	47.6	23.5	2.2	0.4	24.9	1.3	0.0
Large Burghs ...	7,989	4,533	1,696	218	19	1,466	57	—	56.7	21.2	2.7	0.2	18.4	0.7	—
Counties (Ex Counties of Cities and Large Burghs)	15,669	11,629	2,040	464	23	1,471	40	2	74.2	13.0	3.0	0.1	9.4	0.3	0.0
Counties (Ex Counties of Cities & Large Burghs)															
Aberdeen ...	935	786	42	19	—	88	—	—	84.1	4.5	2.0	—	9.4	—	—
Angus ...	499	406	13	11	2	65	2	—	81.4	2.6	2.2	0.4	13.0	0.4	—
Argyll ...	338	276	24	9	3	21	5	—	81.7	7.1	2.7	0.9	6.2	1.5	—
Ayr ...	1,794	1,426	192	57	—	118	1	—	79.5	10.7	3.2	—	6.6	0.1	—
Banff ...	294	249	12	12	—	21	—	—	84.7	4.1	4.1	—	7.1	—	—
Berwick ...	151	129	6	4	—	11	1	—	85.4	4.0	2.6	—	7.3	0.7	—
Bute ...	96	66	8	10	—	11	1	—	68.8	8.3	10.4	—	11.5	1.0	—
Caithness ...	161	144	2	1	—	13	1	—	89.4	1.2	0.6	—	8.1	0.6	—
Clackmannan ...	264	198	29	6	—	31	—	—	75.0	11.0	2.3	—	11.7	—	—
Dumfries ...	428	331	7	9	1	79	—	1	77.3	1.6	2.1	0.2	18.5	—	0.2
Dunbarton ...	666	404	185	26	1	47	3	—	60.7	27.8	3.9	0.2	7.1	0.5	—
East Lothian ...	385	290	38	14	1	41	1	—	75.3	9.9	3.6	0.3	10.6	0.3	—
Fife ...	1,582	1,172	135	56	2	214	3	—	74.1	8.5	3.5	0.1	13.5	0.2	—
Inverness ...	174	131	30	5	—	8	—	—	75.3	17.2	2.9	—	4.6	—	—
Kincardine ...	155	137	6	3	—	9	—	—	88.4	3.9	1.9	—	5.8	—	—
Kinross ...	46	35	—	3	—	8	—	—	76.1	—	6.5	—	17.4	—	—
Kirkcudbright ...	170	152	2	2	—	13	1	—	89.4	1.2	1.2	—	7.6	0.6	—
Lanark ...	2,209	1,364	624	56	3	159	3	—	61.7	28.2	2.5	0.1	7.2	0.1	—
Midlothian ...	775	534	92	34	1	113	1	—	68.9	11.9	4.4	0.1	14.6	0.1	—
Moray ...	354	277	16	5	1	51	4	—	78.2	4.5	1.4	0.3	14.4	0.1	—
Nairn ...	60	57	1	—	—	2	—	—	95.0	1.7	—	—	3.3	—	—
Orkney ...	108	104	1	—	—	3	—	—	96.3	0.9	—	—	2.8	—	—
Peebles ...	95	75	7	2	—	11	—	—	78.9	7.4	2.1	—	11.6	—	—
Perth ...	443	376	22	17	3	25	—	—	84.9	5.0	3.8	0.7	5.6	—	—
Renfrew ...	850	551	211	33	—	54	1	—	64.8	24.8	3.9	—	6.4	—	—
Ross & Cromarty ...	243	155	60	2	1	21	4	—	53.8	24.7	0.8	0.4	8.6	0.1	—
Roxburgh ...	330	231	29	10	—	56	4	—	70.0	8.8	3.0	—	17.0	1.2	—
Selkirk ...	139	102	10	3	—	22	2	—	73.4	7.2	2.2	—	15.8	1.4	—
Stirling ...	855	672	126	22	—	35	—	—	78.6	14.7	2.6	—	4.1	—	—
Sutherland ...	55	48	2	1	—	4	—	—	87.9	3.6	1.8	—	7.3	—	—
West Lothian ...	705	502	96	24	3	79	1	—	71.2	13.6	3.4	0.4	11.2	0.1	—
Wigtown ...	204	157	11	8	—	27	—	1	77.0	5.4	3.9	—	13.2	—	0.5
Zetland ...	106	92	1	—	1	11	1	—	86.8	0.9	—	0.9	10.4	0.9	—
Counties of Cities															
Glasgow ...	10,465	4,745	3,096	199	40	2,256	127	2	45.3	29.6	1.9	0.4	21.6	1.2	0.0
Edinburgh ...	4,345	1,998	689	153	18	1,407	79	1	46.0	15.9	3.5	0.4	32.4	1.8	0.0
Aberdeen ...	1,893	1,180	156	35	1	514	7	—	62.3	8.2	1.8	0.1	27.2	0.4	—
Dundee ...	1,613	795	370	24	6	388	30	—	49.3	22.9	1.5	—	24.1	1.9	—
Large Burghs															
Paisley ...	870	488	230	32	1	115	4	—	56.1	26.4	3.7	0.1	13.2	0.5	—
Greenock ...	647	351	190	11	—	87	8	—	54.3	29.4	1.7	—	13.4	1.2	—
Motherwell & Wishaw ...	565	311	164	11	—	78	1	—	55.0	29.0	1.9	—	13.8	0.2	—
Kirkcaldy ...	467	261	56	3	1	141	5	—	55.9	12.0	0.6	0.2	30.2	1.1	—
Coatbridge ...	394	184	169	8	3	28	2	—	46.7	42.9	2.0	0.8	7.1	0.5	—
Dunfermline ...	423	205	55	8	—	154	1	—	48.5	13.0	1.9	—	36.4	0.2	—
Clydebank ...	335	148	137	12	1	37	—	—	44.2	40.9	3.6	0.3	11.0	—	—
Ayr ...	469	321	41	10	2	88	7	—	68.4	8.7	2.1	0.4	18.8	1.5	—
Kilmarnock ...	406	277	44	14	—	70	1	—	68.2	10.8	3.4	—	17.2	0.2	—
Perth ...	401	223	34	5	—	137	2	—	55.6	8.5	1.2	—	34.2	0.5	—
Hamilton ...	402	211	114	14	1	61	1	—	52.5	28.4	3.5	0.2	15.2	0.2	—
Falkirk ...	386	252	38	7	1	86	2	—	65.3	9.8	1.8	0.3	22.3	0.5	—
Airdrie ...	327	194	103	4	—	24	2	—	59.3	31.5	1.2	—	7.3	0.6	—
Inverness ...	468	266	68	18	1	107	8	—	56.8	14.5	3.8	0.2	22.9	1.7	—
Stirling ...	292	164	52	21	2	52	1	—	56.2	17.8	7.2	0.7	17.8	0.3	—
Dumfries ...	362	226	8	18	1	103	6	—	62.4	2.2	5.0	0.3	28.5	1.7	—
Rutherglen ...	231	150	51	7	—	22	1	—	64.9	22.1	3.0	—	9.5	0.4	—
Dumbarton ...	201	87	81	9	2	18	4	—	43.3	40.3	4.5	1.0	9.0	2.0	—
Port Glasgow ...	158	87	48	6	1	15	1	—	55.1	30.4	3.8	0.6	9.5	0.6	—
Arbroath ...	185	127	13	—	2	43	—	—	68.6	7.0	—	1.1	23.2	—	—

* Registered by Decree of Declarator,

TABLE 51.—Marriages in Scotland according to Church of Celebration—1954

	Total Marriages	ACCORDING TO FORMS OF						CIVIL AND IRREGULAR	PERCENTAGE OF TOTAL MARRIAGES						
		Church of Scotland	United Free Church	Free Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms		Church of Scotland	United Free Church	Free Church	Roman Catholic Ch.	Scott's Episc- opal Church	Other Forms	Civil and Irregular
SCOTLAND ...	41,974	23,802	406	252	6,425	988	2,254	7,847	56.7	1.0	0.6	15.3	2.4	5.4	18.7
Counties of Cities ...	18,316	8,661	127	62	3,206	425	1,024	4,811	47.3	0.7	0.3	17.5	2.3	5.6	26.3
Large Burghs ...	7,989	4,064	80	62	1,457	218	585	1,523	50.9	1.0	0.8	18.2	2.7	7.3	19.1
Counties (Ex Counties of Cities and Large Burghs) ...	15,669	11,077	199	128	1,762	345	645	1,513	70.7	1.3	0.8	11.2	2.2	4.1	9.7
Counties (Ex Counties of Cities and Large Burghs)															
Aberdeen ...	935	755	1	—	16	33	42	88	80.7	0.1	—	1.7	3.5	4.5	9.4
Angus ...	499	398	3	—	6	17	8	67	79.8	0.6	—	1.2	3.4	1.6	13.4
Argyll ...	338	254	2	10	33	9	4	26	75.1	0.6	3.0	9.8	2.7	1.2	7.7
Ayr ...	1,794	1,325	58	3	188	19	82	119	73.9	3.2	0.2	10.5	1.1	4.6	6.6
Banff ...	294	225	1	—	18	5	24	21	76.5	0.3	—	6.1	1.7	8.2	7.1
Berwick ...	151	129	—	—	3	2	5	12	85.4	—	—	2.0	1.3	3.3	7.9
Bute ...	96	66	4	3	9	—	—	12	68.8	4.2	3.1	9.4	2.1	—	12.5
Caithness ...	161	133	1	8	2	—	—	14	82.6	0.6	5.0	1.2	—	1.9	8.7
Clackmannan ...	264	172	18	—	22	8	13	31	65.2	6.8	—	3.3	3.0	4.9	11.7
Dumfries ...	428	301	3	1	9	15	19	80	70.3	0.7	0.2	2.1	3.5	4.4	18.7
Dunbarton ...	666	414	8	1	157	21	15	50	62.2	1.2	0.2	23.6	3.2	2.3	7.5
East Lothian ...	385	297	—	—	35	8	3	42	77.1	—	—	6.1	2.1	0.8	10.9
Fife ...	1,582	1,183	22	1	96	25	38	217	74.8	1.4	0.1	6.1	1.6	2.4	13.7
Inverness ...	174	114	3	9	31	4	5	8	65.5	1.7	5.2	17.8	2.3	2.9	4.6
Kincardine ...	155	140	—	—	2	4	—	9	90.3	—	—	1.3	2.6	—	5.8
Kinross ...	46	37	—	—	—	—	—	8	83.4	—	—	—	2.2	—	17.4
Kirkcudbright ...	170	142	—	—	7	7	—	14	89.5	—	—	4.1	4.1	—	8.2
Lanark ...	2,209	1,303	25	—	573	13	133	162	59.0	1.1	—	25.9	0.6	6.0	7.3
Midlothian ...	775	533	6	—	79	24	19	114	68.8	0.8	—	10.2	3.1	2.5	14.7
Moray ...	354	248	3	5	13	16	14	55	70.1	0.8	1.4	3.7	4.5	4.0	15.5
Nairn ...	60	52	—	—	—	1	5	2	86.7	—	—	—	1.7	8.3	3.3
Orkney ...	108	94	1	—	—	—	10	3	87.0	0.9	—	—	6.3	2.1	6.3
Peebles ...	95	70	—	—	6	2	6	11	73.7	—	—	—	4.1	5.0	0.5
Perth ...	443	372	3	1	18	22	2	25	84.0	0.7	0.2	—	2.1	1.2	6.5
Renfrew ...	850	533	7	—	170	25	60	55	62.7	0.8	—	20.0	2.1	5.8	10.3
Ross & Cromarty ...	243	121	—	75	5	3	14	25	49.8	—	30.9	—	5.8	4.2	18.2
Roxburgh ...	330	209	—	—	19	28	14	60	63.3	—	—	—	10.8	3.6	7.9
Selkirk ...	139	84	—	—	15	5	11	34	60.4	—	—	—	13.1	0.9	6.0
Stirling ...	855	631	18	—	112	8	51	25	73.8	2.1	—	—	—	1.8	7.3
Southland ...	55	39	—	11	—	—	1	4	70.9	—	20.0	—	—	—	—
West Lothian ...	705	494	7	—	99	9	16	80	70.1	1.0	—	14.0	1.3	2.3	11.3
Wigtown ...	204	144	1	—	17	8	6	28	70.6	0.5	—	8.3	3.9	2.9	13.7
Zetland ...	106	65	4	—	2	1	22	12	61.3	3.8	—	1.9	0.9	20.8	11.3
Counties of Cities—															
Glasgow ...	10,465	4,774	78	52	2,416	116	644	2,385	45.6	0.7	0.5	23.1	1.1	6.2	22.8
Edinburgh ...	4,345	2,089	26	7	391	148	197	1,487	48.1	0.6	0.2	9.0	3.4	4.5	34.2
Aberdeen ...	1,893	1,124	11	3	75	79	80	521	59.4	0.6	0.2	4.0	4.2	4.2	27.5
Dundee ...	1,613	674	12	—	324	82	103	418	41.8	0.7	—	20.1	5.1	6.4	25.9
Large Burghs—															
Paisley ...	870	482	2	—	192	7	68	119	55.4	0.2	—	22.1	0.8	7.8	13.7
Greenock ...	647	279	4	—	207	17	45	95	43.1	0.6	—	32.0	2.6	7.0	14.7
Motherwell & Wishaw ...	565	284	7	—	130	9	56	79	50.3	1.2	—	23.0	1.6	9.9	14.0
Kirkcaldy ...	467	241	4	1	25	9	41	146	51.6	0.9	9.2	5.4	1.9	8.8	31.3
Coatbridge ...	394	163	10	4	160	1	28	30	41.4	2.5	1.0	40.6	0.3	6.6	7.6
Dunfermline ...	423	198	4	—	19	20	27	155	46.8	0.9	—	4.5	4.7	6.4	36.6
Clydebank ...	335	127	3	—	126	4	38	37	37.9	0.9	—	37.6	1.2	11.3	11.0
Ayr ...	469	279	6	2	35	22	30	95	59.5	1.3	0.4	7.5	4.7	6.4	20.3
Kilmarnock ...	406	269	8	—	35	11	12	71	66.3	2.0	—	8.6	2.2	3.0	17.5
Perth ...	401	205	2	—	33	13	9	139	51.1	0.5	—	8.2	3.2	2.2	34.7
Hamilton ...	402	198	3	—	112	2	25	62	49.3	0.7	—	27.9	0.5	6.2	15.4
Falkirk ...	386	236	4	—	32	6	20	88	61.1	1.0	—	8.3	1.6	5.2	22.8
Airdrie ...	327	131	3	—	86	6	75	26	40.1	0.9	—	26.3	1.8	22.9	8.0
Inverness ...	468	220	—	53	18	19	43	115	47.0	—	11.3	3.8	4.1	9.2	24.6
Stirling ...	292	166	10	—	43	13	7	53	56.8	3.4	—	14.7	4.5	2.4	18.2
Dumfries ...	362	190	5	1	27	23	7	109	52.5	1.4	0.3	7.5	6.4	1.9	30.1
Rutherglen ...	231	153	—	—	42	2	11	23	66.2	—	—	18.2	0.9	4.8	10.0
Dumbarton ...	201	69	—	1	71	12	26	22	34.3	—	0.5	35.3	6.0	12.9	10.9
Port Glasgow ...	158	56	—	—	54	18	14	16	35.4	—	—	34.2	11.4	8.9	10.1
Arbroath ...	185	118	5	—	10	4	5	43	63.8	2.7	—	5.4	2.2	2.7	23.2

TABLE 52.—Conjugal Condition of Persons Marrying in Scotland—1954

	Total Marriages	CONJUGAL CONDITION						PERCENTAGE OF TOTAL MARRIAGES					
		Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	* Divorced (Either Party)	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Divorced		
SCOTLAND	41,974	36,931	685	1,023	648	2,687	88.0	1.6	2.4	1.5	6.4		
Counties of Cities	18,316	15,556	328	479	344	1,609	84.9	1.8	2.6	1.9	8.8		
Large Burghs	7,989	7,021	156	199	128	485	87.9	2.0	2.5	1.6	6.1		
Counties (Ex Counties of Cities and Large Burghs)	15,669	14,354	201	345	176	593	91.6	1.3	2.2	1.1	3.8		
Counties (Ex Counties of Cities and Large Burghs)—													
Aberdeen	935	872	8	17	8	30	93.3	0.9	1.8	0.9	3.2		
Angus	499	453	3	16	6	19	90.8	1.0	3.2	1.2	3.8		
Argyll	338	301	3	15	3	16	89.1	0.9	4.4	0.9	4.7		
Ayr	1,794	1,626	29	48	18	73	90.6	1.6	2.7	1.0	4.1		
Banff	294	275	2	5	2	10	93.5	0.7	1.7	0.7	3.4		
Berwick	151	142	3	3	—	3	94.0	2.0	2.0	—	2.0		
Bute	96	89	1	3	1	2	92.7	1.0	3.1	1.0	2.1		
Caithness	161	143	3	2	1	12	88.8	1.9	1.2	0.6	7.5		
Clackmannan	264	248	—	3	1	12	93.9	—	1.1	0.4	4.5		
Dumfries	428	398	5	6	2	17	93.0	1.2	1.4	0.5	4.0		
Dunbarton	666	599	9	14	13	31	89.9	1.4	2.1	2.0	4.7		
East Lothian	385	351	8	5	4	17	91.2	2.1	1.3	1.0	4.4		
Fife	1,582	1,450	17	29	20	66	91.7	1.1	1.8	1.3	4.2		
Inverness	174	165	3	4	2	—	94.8	1.7	2.3	1.1	—		
Kincardine	155	143	1	3	3	5	92.3	0.6	1.9	1.9	3.2		
Kinross	46	41	—	—	—	4	89.1	—	2.2	—	8.7		
Kirkcubright	170	157	1	3	1	8	92.4	0.6	1.8	0.6	4.7		
Lanark	2,209	2,056	23	47	26	57	89.2	2.2	2.1	1.2	2.6		
Midlothian	775	691	17	16	9	42	89.2	2.2	2.1	1.2	5.4		
Moray	354	324	5	8	3	14	91.5	1.4	2.3	0.8	4.0		
Nairn	60	56	1	3	—	—	93.3	1.7	5.0	—	—		
Orkney	108	103	2	1	1	2	95.4	1.9	0.9	—	1.9		
Peebles	95	85	2	2	—	1	89.5	2.1	2.1	1.1	5.3		
Perth	443	402	5	17	1	18	90.7	1.1	3.8	0.2	4.1		
Renfrew	850	769	8	24	16	33	90.5	0.9	2.8	1.9	3.9		
Ross & Cromarty	243	226	—	3	2	12	93.0	—	1.2	0.8	4.9		
Roxburgh	330	294	5	13	5	13	89.1	1.5	3.9	1.5	3.9		
Selkirk	139	122	5	—	3	9	87.8	3.6	—	2.2	6.5		
Stirling	855	795	9	14	3	28	93.0	1.1	1.1	1.6	3.3		
Sutherland	55	51	—	1	1	2	92.7	—	1.8	1.8	3.6		
West Lothian	705	646	16	12	6	25	91.6	2.3	1.7	0.9	3.5		
Wigtown	204	187	2	7	3	8	91.7	1.0	3.4	1.5	2.5		
Zetland	106	94	3	5	1	3	88.7	2.8	4.7	0.9	2.8		
Counties of Cities—													
Glasgow	10,465	8,937	199	274	180	865	85.4	1.9	2.6	1.8	8.3		
Edinburgh	4,345	3,612	73	109	80	461	83.1	1.7	2.5	2.1	10.6		
Aberdeen	1,893	1,643	31	50	36	133	86.8	1.6	2.6	1.9	7.0		
Dundee	1,613	1,364	25	46	28	150	84.6	1.5	2.9	1.7	9.3		
Large Burghs—													
Faisley	870	746	23	25	17	59	85.7	2.6	2.9	2.0	6.8		
Greenock	647	581	10	13	4	39	89.8	1.5	2.0	0.6	6.0		
Motherwell & Wishaw	565	502	10	17	11	25	88.8	1.8	3.0	1.9	4.4		
Kirkcaldy	467	398	11	12	7	39	85.2	2.4	2.6	1.5	8.4		
Coatbridge	394	362	10	10	2	10	91.9	2.5	2.5	0.5	2.5		
Dunfermline	423	359	8	8	9	39	84.9	1.9	1.9	2.1	9.2		
Clydebank	335	294	6	8	8	19	87.8	1.8	2.4	2.4	5.7		
Ayr	469	390	7	19	10	43	83.2	1.5	4.1	2.1	9.2		
Kilmarnock	406	362	7	13	7	17	89.2	1.7	3.2	1.7	4.2		
Perth	401	339	6	8	8	40	84.5	1.5	2.0	2.0	10.0		
Hamilton	402	356	10	4	6	26	88.6	2.5	1.0	1.5	6.5		
Falkirk	386	341	8	11	8	18	88.3	2.1	2.8	2.1	4.7		
Airdrie	327	300	5	8	4	10	91.7	1.5	2.4	1.2	3.1		
Inverness	468	425	4	9	6	24	90.8	0.9	1.9	1.3	5.1		
Stirling	292	261	6	6	4	15	89.4	2.1	2.1	1.4	5.1		
Dumfries	362	309	10	11	5	27	85.4	2.8	3.0	1.4	7.5		
Rutherglen	231	211	4	7	4	5	91.3	1.7	3.0	1.7	2.2		
Dunbarton	201	181	5	5	3	7	90.0	2.5	2.5	1.5	3.5		
Port Glasgow	153	143	3	3	4	5	90.5	1.9	1.9	2.5	3.2		
Arbroath	185	161	3	2	1	18	87.0	1.6	1.1	0.5	9.7		

* See Tables 54A and B.

TABLE 53

Ages of Men at Marriage in Scotland—1954

TABLE 53.—Ages of Men at Marriage in Scotland—1954

	All Ages	Aver- age Age	16	17	18	19	20	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and over
SCOTLAND	41974	28.3	13	144	500	878	1988	15207	12536	4906	2046	1254	898	606	417	255	165	116	39	5	1
Counties of Cities...	18316	28.6	10	80	238	413	960	6404	5298	2152	880	596	457	303	213	141	81	67	20	2	1
Large Burghs	7989	28.2	1	29	103	176	367	3014	2294	888	423	254	165	105	94	42	33	24	6	1	—
Counties (Ex Counties of Cities and Large Burghs)	15669	27.9	2	35	159	289	661	5789	4944	1896	743	404	276	198	110	72	51	25	13	2	—
Counties (Ex Counties of Cities and Large Burghs)—																					
Aberdeen	935	27.7	—	1	7	21	29	361	300	123	29	20	19	12	7	1	5	—	—	—	—
Angus	499	28.4	—	—	4	5	15	183	160	69	22	20	12	7	8	3	1	1	—	—	—
Argyll	338	30.0	—	—	1	5	7	89	123	52	20	13	12	5	1	6	1	2	—	—	—
Ayr	1794	27.5	—	6	18	37	85	720	526	202	85	37	28	18	15	7	5	3	2	—	—
Banff	294	28.0	—	—	—	5	10	101	107	38	14	8	5	2	2	1	—	—	—	—	—
Berwick	151	28.5	—	—	—	2	2	41	67	21	9	3	2	2	2	—	—	—	—	—	—
Bute	96	27.9	—	—	—	1	4	35	24	12	7	2	1	—	—	—	1	1	—	—	—
Cathness	161	28.2	1	1	3	3	6	56	41	27	10	6	3	3	—	—	1	—	—	—	—
Clackmannan	264	26.5	—	1	3	6	21	101	88	18	12	4	8	1	1	—	—	—	—	—	—
Dumfries	428	27.2	—	—	4	4	5	158	131	49	25	11	8	2	2	1	—	—	—	—	—
Dunbarton	666	28.3	—	1	4	12	23	237	114	85	34	19	14	6	4	4	6	1	1	—	—
East Lothian	385	27.6	—	3	3	8	18	160	213	40	12	13	4	7	—	1	2	1	—	—	—
Fife	1582	27.1	—	4	25	33	95	646	473	160	57	23	16	18	11	10	6	4	1	—	—
Inverness	174	30.5	—	—	—	—	3	40	58	40	16	6	7	2	—	1	1	—	—	—	—
Kincardine	155	28.5	—	—	—	2	9	54	51	20	7	4	3	1	—	—	2	—	—	—	—
Kinross	46	29.0	—	—	—	—	2	15	17	5	4	—	1	1	—	—	1	—	—	—	—
Kirkcudbright	170	27.9	—	—	2	4	4	68	54	16	6	7	4	3	—	—	—	—	—	—	—
Lanark	2209	27.5	—	5	27	41	89	856	683	259	109	47	37	28	10	1	5	5	—	—	—
Midlothian	775	27.8	—	3	12	15	36	288	241	83	36	21	15	14	9	8	1	—	—	—	—
Moray	354	27.2	—	—	12	10	16	145	98	32	15	10	4	5	2	4	1	—	—	—	—
Nairn...	60	28.3	—	—	2	1	3	22	13	12	2	3	—	1	1	—	—	—	—	—	—
Orkney	108	27.0	—	—	1	1	6	42	34	14	4	1	—	—	—	—	—	—	—	—	—
Peebles	95	28.8	—	—	—	2	1	25	36	19	3	5	3	1	—	—	—	—	—	—	—
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth ...	443	29.4	—	—	7	6	10	133	164	52	34	16	8	8	9	3	3	—	—	—	—
Renfrew ...	850	28.2	—	2	7	7	31	330	269	93	40	23	14	17	4	6	3	1	1	—	—
Ross & Cromarty ...	243	30.2	—	—	1	—	3	58	92	45	20	12	3	3	3	4	1	1	1	—	—
Roxburgh ...	330	29.6	—	—	4	4	10	88	115	54	18	14	5	5	3	4	1	1	—	—	—
Selkirk ...	139	28.2	—	—	—	—	8	41	48	23	3	6	3	2	—	—	1	—	—	—	—
Stirling ...	855	27.9	—	—	7	17	30	317	281	98	40	23	17	9	11	1	3	1	—	—	—
Sutherland ...	55	31.6	—	—	—	1	2	12	19	7	2	5	4	2	3	—	—	—	—	—	—
West Lothian ...	705	27.4	—	3	6	16	43	272	204	84	34	17	8	7	3	4	3	1	—	—	—
Wigtown ...	204	28.1	—	—	4	5	10	65	70	28	6	6	4	3	2	—	—	—	—	—	—
Zetland ...	106	31.2	—	—	—	2	2	30	30	16	8	7	4	3	2	—	—	—	—	—	—
Counties of Cities—																					
Glasgow ...	10465	28.5	8	46	143	213	524	3723	3016	1232	498	349	279	161	113	69	44	36	10	—	1
Edinburgh ...	4345	29.1	1	16	58	103	233	1429	1240	547	226	149	109	90	55	44	18	19	7	1	—
Aberdeen ...	1893	28.4	1	9	19	45	99	659	582	211	81	57	39	31	27	16	9	6	2	—	—
Dundee ...	1613	28.0	—	9	18	52	104	593	460	162	75	41	30	21	18	12	10	6	1	1	—
Large Burghs—																					
Paisley ...	870	28.4	—	4	11	14	36	364	218	81	53	35	16	14	11	3	3	6	1	—	—
Greenock ...	647	27.2	—	4	9	23	38	262	166	63	32	26	9	5	5	2	2	2	—	—	—
Motherwell & Wishaw ...	565	28.0	—	1	4	10	23	221	165	74	27	10	10	4	4	4	4	1	—	—	—
Kirkcaldy ...	467	28.0	—	1	13	14	21	175	136	45	21	14	8	4	4	2	4	2	3	—	—
Coatbridge ...	394	27.5	—	—	3	6	19	168	112	41	18	9	5	7	3	2	4	2	—	—	—
Dunfermline ...	423	28.4	—	1	7	14	26	153	115	40	24	11	10	9	6	3	2	1	1	—	—
Clydebank ...	335	28.4	—	—	3	5	13	134	96	29	16	16	10	7	2	3	2	—	—	—	—
Ayr ...	469	28.9	1	3	7	10	25	170	118	54	23	19	13	8	5	10	2	1	—	—	—
Kilmarnock ...	406	27.4	—	3	7	7	21	161	122	35	21	7	8	8	4	2	—	—	—	—	—
Perth ...	401	29.5	—	—	—	8	20	124	130	46	25	15	13	9	3	3	4	1	—	—	—
Hamilton ...	402	27.4	—	—	7	8	14	174	116	39	18	8	6	3	4	2	1	2	—	—	—
Falkirk ...	386	28.8	—	—	3	8	11	131	124	53	17	15	7	3	10	2	1	—	—	1	—
Airdrie ...	327	27.1	—	2	4	4	17	150	93	24	5	8	10	1	7	2	1	—	—	—	—
Inverness ...	468	30.3	—	—	3	8	13	108	158	80	52	17	10	5	6	2	1	2	—	—	—
Stirling ...	292	28.9	—	—	—	7	11	99	96	27	15	14	8	3	6	2	1	—	—	—	—
Dumfries ...	362	27.9	—	4	9	18	19	122	92	45	24	8	12	2	3	1	1	2	—	—	—
Rutherglen ...	231	28.4	—	1	5	4	11	87	69	27	9	7	3	3	4	4	1	—	—	—	—
Dumbarton ...	201	27.7	—	1	5	1	13	70	66	23	6	6	3	3	2	1	—	—	—	—	—
Port Glasgow ...	158	26.8	—	4	4	3	6	72	40	16	8	6	3	1	5	—	—	1	—	—	—
Arbroath ...	185	27.6	—	—	—	—	10	69	62	16	9	3	4	1	—	—	1	—	—	—	—

TABLE 54.—Ages of Women at Marriage in Scotland—1954

	All Ages	Aver- age Age	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
SCOTLAND	41974	25.4	276	938	2361	3587	4432	15698	7721	2998	1395	960	721	435	219	130	60	29	12	2	-
Counties of Cities...	18316	25.8	108	434	1067	1565	1857	6537	3394	1391	641	451	400	218	125	65	37	17	7	2	-
Large Burghs	7989	25.4	73	189	442	679	876	2965	1430	557	276	211	130	78	35	28	10	7	3	-	-
Counties (Ex Counties of Cities and Large Burghs)	15669	25.0	95	315	852	1343	1699	6196	2897	1050	478	298	191	139	59	37	13	5	2	-	-
Counties (Ex Counties of Cities and Large Burghs)—																					
Aberdeen	935	24.5	6	20	63	82	113	360	173	61	16	17	12	5	3	4	1	-	-	-	-
Angus	499	25.2	2	15	23	30	55	206	94	36	14	7	4	7	2	2	2	1	-	-	-
Argyll	338	26.4	2	7	21	23	26	101	80	41	16	9	6	3	2	1	-	-	-	-	-
Ayr	1794	24.9	10	32	96	153	202	711	324	125	65	33	16	13	8	3	1	1	1	-	-
Banff	294	25.0	-	5	17	25	23	118	63	22	8	7	3	1	2	-	-	-	-	-	-
Berwick	151	25.4	1	3	5	14	12	58	34	9	7	5	1	2	1	-	-	-	-	-	-
Bute	96	24.7	2	5	8	8	12	32	18	2	3	2	1	1	1	1	-	-	-	-	-
Caitness	161	24.8	1	6	15	16	17	49	34	9	6	1	3	4	-	-	-	-	-	-	-
Clackmannan	264	24.3	1	10	15	25	23	116	41	14	10	7	2	1	-	-	-	-	-	-	-
Dumfries	428	24.1	9	16	29	52	48	153	73	20	13	6	4	5	-	-	-	-	-	-	-
Dunbarton	666	25.9	4	9	42	57	56	222	153	51	33	16	12	3	1	4	2	1	-	-	-
East Lothian	385	24.5	2	7	30	39	45	156	58	21	10	6	5	1	3	2	2	-	-	-	-
East ...	1582	24.4	10	27	104	152	186	671	236	97	37	19	16	14	4	4	4	1	-	-	-
Inverness	174	26.3	-	5	5	11	11	59	47	16	13	5	1	1	1	1	-	-	-	-	-
Kincardine	155	25.3	-	1	3	16	13	67	32	16	1	1	1	2	-	1	-	-	-	-	-
Kinross	46	25.0	1	1	1	2	7	15	9	5	3	-	-	-	-	-	-	-	-	-	-
Kirkcudbright	170	24.7	-	3	4	20	23	70	28	7	5	4	2	-	-	-	-	-	-	-	-
Lanark	2209	24.7	6	38	114	191	246	931	406	136	51	31	26	20	7	4	2	-	-	-	-
Midlothian	775	25.0	11	9	35	73	100	283	145	52	26	21	10	7	2	1	-	-	-	-	-
Moray	354	24.5	3	17	24	25	39	144	54	17	12	6	6	6	1	-	-	-	-	-	-
Nairn...	60	24.6	1	-	4	5	6	24	15	1	1	1	2	-	-	-	-	-	-	-	-
Orkney	108	23.3	6	8	6	10	13	40	14	5	2	4	1	-	-	-	-	-	-	-	-
Peebles	95	25.5	-	1	3	9	8	36	22	10	2	1	3	-	-	-	-	-	-	-	-
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

(u)	(v)	(w)	(x)	(y)	(z)	(aa)	(ab)	(ac)	(ad)	(ae)	(af)	(ag)	(ah)	(ai)	(aj)	(ak)	(al)	(am)	(an)	(ao)	(ap)	(aq)	(ar)	(as)	(at)	(au)	(av)
Perth...	...	443	25-9	3	6	10	35	40	178	89	38	16	9	11	3	4	3	11	3	4	1	1	1	1	1	1	
Renfrew	...	850	25-4	5	11	35	65	89	348	169	53	24	24	9	10	2	1	4	5	10	3	4	1	1	1	1	
Ross & Cromarty	...	243	26-1	2	6	18	16	20	83	61	23	10	6	5	2	1	2	5	2	1	2	1	1	1	1	1	
Roxburgh	...	330	26-2	2	6	18	22	27	141	55	21	9	11	4	8	3	2	4	8	3	2	1	1	1	1	1	
Selkirk	...	139	26-3	1	13	35	59	113	49	32	15	5	4	3	9	2	2	10	7	9	5	2	1	1	1	1	
Stirling	...	855	24-8	1	1	2	4	5	373	141	60	27	10	7	9	4	5	2	7	9	5	2	1	1	1	1	
Sutherland	...	55	27-5	5	19	47	65	77	280	122	44	2	4	2	4	2	2	12	7	4	2	1	1	1	1	1	
West Lothian	...	705	24-5	1	9	13	24	22	71	38	8	8	4	4	4	2	1	12	7	4	2	1	1	1	1	1	
Wigtown	...	204	24-6	1	9	13	24	22	71	38	8	8	4	4	4	2	1	12	7	4	2	1	1	1	1	1	
Zetland	...	106	26-9	1	2	3	9	8	34	24	11	5	5	2	2	1	1	5	2	1	1	1	1	1	1	1	
Counties of Cities—																											
Glasgow	...	10465	25-8	57	230	591	891	1086	3747	1948	829	363	248	226	119	63	33	18	12	12	33	18	12	3	1	1	
Edinburgh	...	4345	26-2	28	125	259	358	405	1492	799	343	172	124	111	56	35	22	11	4	1	4	1	4	1	1	1	
Aberdeen	...	1893	25-5	6	38	116	166	192	719	360	117	55	44	29	21	17	7	5	5	21	7	5	5	1	1	1	
Dundee	...	1613	25-4	17	41	101	150	174	579	287	102	51	35	34	22	10	3	3	3	22	3	3	3	1	2	1	
Large Burghs—																											
Paisley	...	870	25-5	11	14	42	77	94	339	147	53	32	24	16	10	6	2	1	1	10	6	1	1	1	1	1	
Greenock	...	647	24-5	9	13	44	67	94	219	110	44	18	12	9	6	1	1	1	13	6	1	1	1	1	1	1	
Motherwell & Wishaw	...	565	25-2	1	15	24	54	46	232	114	35	16	7	13	5	2	2	7	13	5	2	2	1	1	1	1	
Kirkcaldy	...	467	25-8	7	14	34	39	44	165	80	34	8	20	7	5	1	1	2	13	5	3	3	4	1	1	1	
Coatbridge	...	394	24-9	1	10	20	30	45	162	67	23	18	10	6	1	1	1	6	6	1	1	1	1	1	1	1	
Dunfermline	...	423	25-8	3	11	23	51	52	136	66	33	11	13	12	7	1	1	1	12	7	1	1	1	1	1	1	
Clydebank	...	335	26-0	4	11	16	21	26	126	65	24	20	11	8	1	1	1	1	1	1	1	1	1	1	1	1	
Ayr	...	469	26-0	3	15	29	34	51	170	78	29	23	15	7	8	3	1	3	6	3	1	1	1	1	1	1	
Kilmarnock	...	406	24-8	4	10	16	33	49	164	77	24	13	6	6	3	1	1	3	6	3	1	1	1	1	1	1	
Perth	...	401	26-4	4	7	21	35	39	126	84	38	15	13	5	3	1	1	3	6	3	1	1	1	1	1	1	
Hamilton	...	402	25-2	1	10	21	23	52	165	65	30	14	9	5	4	4	3	5	5	4	3	3	1	1	1	1	
Falkirk	...	386	25-7	1	6	18	32	46	144	71	30	10	10	6	6	2	2	4	6	6	2	4	1	1	1	1	
Airdrie	...	327	24-4	1	9	19	28	46	132	52	17	8	7	3	2	1	1	2	6	3	1	1	1	1	1	1	
Inverness	...	468	26-8	6	10	22	34	26	147	115	48	24	18	6	6	3	1	1	6	6	2	1	1	1	1	1	
Stirling	...	292	25-5	4	12	13	26	36	99	49	18	12	5	5	5	1	1	1	5	5	1	1	1	1	1	1	
Dumfries	...	362	24-7	8	10	36	26	36	131	60	26	9	10	6	3	2	2	6	6	3	1	1	1	1	1	1	
Rutherglen	...	231	25-8	1	2	13	21	25	85	49	12	9	4	3	3	1	1	1	4	3	1	1	1	1	1	1	
Dumbarton	...	201	24-5	4	8	13	15	16	84	36	10	5	4	3	1	1	1	1	4	3	1	1	1	1	1	1	
Port Glasgow	...	153	24-2	1	2	8	13	23	75	17	10	5	4	3	1	1	1	1	4	3	1	1	1	1	1	1	
Arbroath	...	185	24-8	1	1	10	20	30	64	28	19	6	2	3	1	1	1	2	4	1	1	1	1	1	1	1	

TABLE 54A.—Ages and Conditions of Persons Married in the year 1954—Scotland
Men

Age Last Birthday	Total Men	Total Bachelors	Total Widowers	Total Divorced Men	Bachelors who Married			Widowers who Married			Divorced Men who Married		
					Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women
All Ages	41,974	38,631	1,965	1,378	36,931	685	1,015	1,023	648	294	919	182	277
16	13	13	—	—	13	—	—	—	—	—	—	—	—
17	144	144	—	—	144	—	—	—	—	—	—	—	—
18	500	500	—	—	500	—	—	—	—	—	—	—	—
19	878	878	—	—	877	1	6	1	—	—	1	—	—
20	1,988	1,988	1	1	1,978	3	6	1	—	—	—	—	—
Under 21	3,523	3,521	1	1	3,512	3	6	1	—	—	—	—	—
21	3,105	3,101	1	3	3,087	9	11	1	—	—	3	—	—
22	3,821	3,813	3	5	3,793	7	13	2	—	—	5	—	—
23	4,090	4,081	3	6	4,088	13	30	3	—	—	6	—	—
24	4,191	4,183	5	18	4,109	16	43	5	—	—	16	—	2
21-24	15,207	15,163	12	32	15,027	39	97	11	—	1	30	—	2
25	3,561	3,530	6	25	3,466	17	47	5	1	—	22	1	2
26	2,918	2,887	10	21	2,819	23	45	8	1	—	17	1	3
27	2,397	2,349	6	42	2,270	17	62	6	—	—	38	1	1
28	2,036	1,971	13	52	1,887	24	59	11	—	2	45	2	3
29	1,624	1,549	18	57	1,486	27	76	16	—	2	50	2	5
25-29	12,536	12,286	53	197	11,888	109	289	46	3	4	172	7	18
30	1,316	1,231	28	57	1,160	17	54	23	2	3	49	2	6
31	1,036	963	19	54	871	30	62	15	1	3	43	5	6
32	971	864	29	78	768	35	61	28	—	3	55	5	18
33	853	741	37	75	689	31	52	25	3	9	52	4	19
34	730	620	34	76	557	21	42	27	2	5	49	8	18
30-34	4,906	4,419	147	340	4,014	134	271	118	8	21	248	24	68
35	476	403	25	48	344	19	40	17	3	5	33	6	9
36	439	385	28	56	288	17	43	20	2	6	34	6	16
37	385	323	22	40	268	21	34	17	2	2	29	2	9
38	369	274	33	62	235	19	30	23	7	3	37	11	14
39	377	262	50	65	239	28	34	29	8	13	46	5	14
35-39	2,046	1,617	158	271	1,331	105	181	106	23	29	179	30	62
40	287	212	35	40	167	23	22	20	7	8	24	10	6
41	264	172	47	45	141	27	17	24	11	12	29	8	8
42	281	165	58	58	122	27	16	28	16	14	34	13	11
43	220	132	52	36	93	20	19	27	9	16	21	7	8
44	202	130	39	33	81	18	21	22	12	5	20	4	9
40-44	1,254	811	231	212	614	102	95	121	55	55	128	42	42
45	179	109	40	30	84	17	8	21	11	8	24	—	6
46	182	94	49	39	62	22	10	28	10	11	17	8	14
47	203	104	60	39	73	19	12	34	15	11	17	9	13
48	180	80	66	34	60	12	8	38	18	10	14	10	10
												6	5

51	172	52	24	36	11	5	31	19	12	10	10	19	6
52	121	16	24	28	9	4	32	14	8	9	14	1	6
53	127	17	17	23	14	3	21	31	12	8	8	1	6
54	109	32	15	26	9	4	36	19	12	7	12	6	8
50-54	606	62	93	139	47	2	38	15	9	7	7	3	8
55	85	52	17	10	6	18	158	98	53	41	25	27	27
56	95	52	17	10	6	—	23	22	7	7	6	4	4
57	84	53	7	16	10	2	25	26	8	5	3	—	—
58	85	54	7	10	11	2	21	28	5	3	3	1	1
59	68	67	8	6	2	—	25	31	11	3	2	3	3
55-59	417	51	48	49	32	5	17	28	6	6	1	1	1
60	71	283	14	23	11	4	111	135	37	24	15	9	9
61	13	51	7	6	7	—	22	20	9	3	3	1	1
62	44	36	2	2	3	1	12	21	3	2	2	—	—
63	41	34	2	8	1	1	18	18	4	1	1	—	—
64	44	33	2	5	—	2	15	17	2	1	1	—	—
60-64	255	38	14	23	11	4	19	16	3	1	1	—	—
65	39	6	—	3	2	1	90	92	21	8	5	1	1
66	32	33	—	—	2	—	14	15	4	—	—	—	—
67	38	29	1	—	2	—	15	11	3	—	—	—	—
68	30	32	1	1	4	—	14	16	3	1	—	—	—
69	28	27	1	2	1	—	5	20	2	1	—	—	—
65-69	165	23	3	8	9	1	13	9	1	—	—	—	—
70	39	141	3	—	—	—	61	71	12	2	1	—	—
71	17	97	—	—	2	—	14	18	5	—	—	—	—
72	23	16	—	1	—	—	4	11	1	—	—	—	—
73	18	22	—	2	1	—	7	14	1	—	—	—	—
74	19	18	—	—	1	—	5	8	2	—	—	—	—
70-74	116	19	—	3	4	—	6	13	9	—	—	—	—
75	14	109	—	—	—	—	36	64	—	—	—	—	—
76	10	14	—	—	—	—	3	10	1	—	—	—	—
77	6	10	—	—	1	—	6	4	—	—	—	—	—
78	7	5	—	—	1	—	2	3	—	—	—	—	—
79	2	7	—	—	—	—	1	6	—	—	—	—	—
75-79	39	2	—	—	1	—	1	—	1	2	—	—	—
80	2	38	—	—	—	—	13	23	—	—	—	—	—
81	1	2	—	—	—	—	1	1	—	—	—	—	—
82	2	1	—	—	—	—	1	1	—	—	—	—	—
83	—	—	—	—	—	—	—	—	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—	—	—	—	—
85	—	—	—	—	—	—	—	—	—	—	—	—	—
86	—	—	—	—	—	—	—	—	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
80-89	6	6	—	—	—	—	—	—	—	—	—	—	—
90 and over	—	—	—	—	—	—	3	3	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—

50	110	55	46	15	22	28	5	18	24	9	7	(m)	(n)
51	93	46	34	18	20	20	4	19	24	6	7	7	1
52	84	41	37	6	21	16	4	10	20	1	4	3	2
53	74	39	26	9	14	23	2	4	21	1	3	3	2
54	68	24	34	53	86	13	2	7	25	2	2	6	1
50-54	435	205	177	10	15	102	17	43	115	19	17	28	8
55	52	16	32	4	6	10	—	7	24	1	2	1	1
56	49	10	33	6	2	7	1	7	21	5	2	2	2
57	41	11	28	2	5	5	1	11	16	1	1	1	—
58	37	15	22	—	2	11	2	2	18	2	—	—	—
59	40	5	29	6	—	5	—	2	28	1	—	—	—
55-59	219	57	144	18	15	38	4	31	103	10	5	9	1
60	42	11	29	2	3	7	1	4	23	2	—	—	4
61	19	12	14	3	—	2	—	3	11	—	—	—	—
62	17	6	9	2	1	5	—	—	9	—	—	—	—
63	26	7	18	1	1	6	—	—	17	—	—	—	—
64	26	6	19	1	—	6	—	3	15	1	—	—	—
60-64	130	32	89	9	5	26	1	11	75	3	—	—	—
65	18	4	14	—	—	4	—	3	11	—	—	—	—
66	14	—	13	1	—	—	—	2	11	—	—	—	—
67	9	2	7	—	—	2	—	—	7	—	—	—	—
68	5	—	4	1	—	—	—	—	4	—	—	—	—
69	14	6	8	—	1	4	1	—	8	—	—	—	—
65-69	60	12	46	2	1	10	1	5	41	—	—	2	—
70	12	—	12	—	—	—	—	3	9	—	—	—	—
71	3	1	2	—	—	1	—	—	2	—	—	—	—
72	9	2	7	—	—	2	—	2	5	—	—	—	—
73	2	—	2	—	—	—	—	—	2	—	—	—	—
74	3	—	3	—	—	—	—	1	2	—	—	—	—
70-74	29	3	26	—	—	3	—	6	20	—	—	—	—
75	3	—	3	—	—	—	—	—	3	—	—	—	—
76	4	—	3	1	—	—	—	—	3	—	—	—	—
77	1	—	1	—	—	—	—	—	1	—	—	—	—
78	1	—	1	—	—	—	—	—	1	—	—	—	—
79	3	1	2	—	—	—	—	—	2	—	—	—	—
75-79	12	1	10	1	—	1	—	—	10	—	—	1	—
80	1	—	1	—	—	—	—	—	1	—	—	—	—
81	1	—	1	—	—	—	—	—	1	—	—	—	—
82	—	—	—	—	—	—	—	—	—	—	—	—	—
83	—	—	—	—	—	—	—	—	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—	—	—	—	—
85	—	—	—	—	—	—	—	—	—	—	—	—	—
86	—	—	—	—	—	—	—	—	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
80-89	2	—	2	—	—	—	—	—	2	—	—	—	—
90 and over	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 55.—Ages in Combination of MEN and WOMEN at Marriage in Scotland—1954

Ages of WIVES													Total Husbands	AGES OF HUSBANDS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
													85 and over	80	75	70	65	60	55	50	45	40	35	30	25	21	20	19	18	17	16	13	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	and over	Not stated	Ttl. Husbands and Wives																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 28.3; Wives 25.4

The Table read vertically shows the number of Wives at each age, with the ages of their Husbands at Marriage. Thus, of 3,587 Wives aged 19, 3 Married a Husband aged 16, 19 married Husbands aged 17, etc.

TABLE 56.—Ages in Combination of BACHELORS and SPINSTERS at Marriage in Scotland—1954

AGES OF SPINSTERS													Total Bachelors	AGES OF BACHELORS											Total Bachelors and Spinsters
16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-		60-	65-	70-	75-	80-	85 and over	Not stated					
1	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	13						
20	44	44	19	6	8	3	-	-	-	-	-	-	-	-	-	-	-	17	144						
39	115	140	95	62	45	3	1	-	-	-	-	-	-	-	-	-	-	18	500						
35	98	214	217	156	142	15	-	-	-	-	-	-	-	-	-	-	-	19	877						
30	130	382	481	417	488	47	3	-	-	-	-	-	-	-	-	-	-	20	1,978						
110	428	1,203	2,031	2,573	7,447	1,153	74	7	1	-	-	-	-	-	-	-	-	21-	15,027						
33	85	286	603	997	5,745	3,563	505	59	10	2	-	-	-	-	-	-	-	25-	11,888						
5	19	52	89	136	1,151	1,592	767	154	41	7	1	-	-	-	-	-	-	30-	4,014						
1	2	9	10	26	210	385	426	186	57	14	4	1	-	-	-	-	-	35-	1,331						
-	2	1	1	5	47	121	151	135	109	28	12	2	-	-	-	-	-	40-	614						
1	-	-	2	4	9	20	65	82	68	49	22	1	-	-	-	-	-	45-	323						
-	-	-	-	-	-	5	12	22	29	41	26	3	1	-	-	-	-	50-	139						
-	-	-	-	-	-	-	1	7	7	18	10	4	2	-	-	-	-	55-	49						
-	-	-	-	-	-	-	1	1	4	6	7	3	1	-	-	-	-	60-	23						
-	-	-	-	-	-	-	-	-	-	4	3	1	1	-	-	-	-	65-	8						
-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	70-	3						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	and over	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Not stated	-						
275	927	2,336	3,551	4,382	15,292	6,907	2,006	653	326	169	86	15	5	1	-	-	-	Ttd. Bachelors and Spinsters	36,931						

Average age—Husbands, 28·3; Wives, 23·7

TABLE 59.—Ages in Combination of WIDOWERS and WIDOWS at Marriage in Scotland—1954

AGES OF WIDOWS														Total Widowers	Ages of Widowers					
16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-	85 and over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						

TABLE 59A.—Ages in Combination of **DIVORCED MEN** and of **WOMEN** (all conjugal conditions) at Marriage in Scotland, 1954

AGES OF WOMEN													Total Husbands							
16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-		60-	65-	70-	75-	80-	85 and over	Not stated
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21-	1	1	3	4	3	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	5	9	9	16	71	66	5	1	-	-	-	-	-	-	-	-	-	-	-
30-	-	1	3	3	10	66	103	28	12	-	2	-	-	-	-	-	-	-	-	-
35-	-	-	-	-	4	22	76	60	25	5	2	-	-	-	-	-	-	-	-	-
40-	-	-	2	-	-	8	58	51	35	23	6	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	1	3	37	39	34	30	8	-	-	-	-	-	-	-	-	-
50-	-	-	-	-	-	-	17	14	15	22	12	-	-	-	-	-	-	-	-	-
55-	-	-	-	-	-	4	2	6	15	7	10	-	-	-	-	-	-	-	-	-
60-	-	-	-	-	-	1	2	-	2	1	3	-	-	-	-	-	-	-	-	-
65-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
70-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total Wives	1	7	17	21	34	184	303	313	203	139	89	44	18	4	1	-	-	-	-	1,378

Average age—Husbands 38.6 ; Wives, 33.1

TABLE 59B.—Ages in Combination of MEN (all conjugal conditions) and of DIVORCED WOMEN at Marriage in Scotland, 1954

AGES OF DIVORCED WOMEN													AGES OF MEN													Total Husbands																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85 and over	Not stated	16	17	18	19	20	21		25	30	35	40	45	50	55	60	65	70	75	80	85 and over	Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 37.5; Wives 35.4

NOTE.—The summation of the totals in Tables 56 to 59B exceeds by 277 the total shown in Table 55. This difference represents the number of marriages between Divorced Men and Divorced Women. The former, with their wives, are included in Table 59A, and the latter, with their husbands, in Table 59B, each marriage thus appearing twice.

TABLE 60.—Parliamentary Electors—Scotland
Parliamentary Electors on the February 1955 Register

Parliamentary Constituencies	Parliamentary Electors					Votes Cast at Bye-election
	Total	Ordinary Residence Qualification		Service Voters' Qualification		
		Total	Names marked "Y" (included in col. 3)*	Total	Names marked "Y" (included in col. 5)*	
1	2	3	4*	5	6*	7
SCOTLAND	3,414,592	3,382,731	24,850	31,861	2,204	36,702
County Constituencies ...	1,790,779	1,774,404	13,942	16,375	1,097	—
Burgh Constituencies ...	1,623,813	1,608,327	10,908	15,486	1,107	36,702
ABERDEENSHIRE:						
County Constituencies ...	93,197	92,173	573	1,024	76	—
East Aberdeenshire ...	45,779	45,323	321	456	35	—
West Aberdeenshire ...	47,418	46,850	252	568	41	—
Burgh Constituencies ...	125,528	124,174	1,130	1,354	92	—
Aberdeen North	67,037	66,279	595	758	57	—
Aberdeen South	58,491	57,895	535	596	35	—
ANGUS AND KINCARDINE:						
County Constituencies ...	82,616	81,675	623	941	51	—
North Angus and Mearns	37,427	36,975	256	452	25	—
South Angus	45,189	44,700	367	489	26	—
Burgh Constituencies ...	121,189	119,702	1,272	1,487	99	—
Dundee East	57,993	57,303	550	690	40	—
Dundee West	63,196	62,399	722	797	59	—
ARGYLL:						
County Constituency Argyll	42,433	42,108	227	325	24	—
AYRSHIRE AND BUTE:						
County Constituencies ...	230,320	228,552	1,841	1,768	108	—
Ayr	44,255	43,849	297	406	27	—
Bute and North Ayrshire	44,349	43,977	258	372	26	—
Central Ayrshire	47,505	47,116	375	389	18	—
Kilmarnock	47,722	47,440	449	282	17	—
South Ayrshire	46,489	46,170	462	319	20	—
BANFFSHIRE:						
County Constituency Banff	38,620	38,238	200	382	42	—
BERWICKSHIRE AND EAST LoTHIAN:						
County Constituency Berwick and East Lothian	51,141	50,619	324	522	53	—
CAITHNESS AND SUTHERLAND:						
County Constituency Caithness and Sutherland	26,762	26,540	143	222	—	—
DUMFRIESSHIRE:						
County Constituency Dumfries	54,869	54,276	535	593	49	—

* "Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 16th June, and who is entitled to vote only at elections held after 1st October.

TABLE 60.—Parliamentary Electors—Scotland—continued

1	2	3	4*	5	6*	7
DUNBARTONSHIRE:						
County Constituencies ...	110,956	110,154	692	802	44	—
East Dunbartonshire ...	61,436	61,031	411	405	22	—
West Dunbartonshire ...	49,520	49,123	281	397	22	—
FIFE:						
County Constituencies ...	104,736	103,571	723	1,165	74	—
East Fife ...	50,844	50,222	282	622	40	—
West Fife ...	53,892	53,349	441	543	34	—
Burgh Constituencies ...	101,311	100,068	865	1,243	66	—
Dunfermline Burghs ...	47,251	46,592	399	659	25	—
Kirkcaldy Burghs ...	54,060	53,476	466	584	41	—
INVERNESS-SHIRE AND ROSS AND CROMARTY:						
County Constituencies ...	102,376	101,446	505	930	70	—
Inverness ...	51,512	50,965	272	547	41	—
Ross and Cromarty ...	25,894	25,600	129	294	19	—
Western Isles ...	24,970	24,881	104	89	10	—
KIRKCUDBRIGHTSHIRE AND WIGTOWNSHIRE:						
County Constituency						
Galloway ...	34,729	34,208	296	521	37	—
LANARKSHIRE:						
County Constituencies ...	293,756	291,627	3,237	2,129	158	—
Bothwell ...	55,324	54,950	663	374	33	—
Hamilton ...	51,754	51,351	658	403	30	—
Lanark ...	50,295	49,901	536	394	33	—
Motherwell ...	49,298	48,903	398	395	25	—
North Lanarkshire ...	43,617	43,354	546	263	21	—
Rutherglen ...	43,468	43,168	436	300	16	—
Burgh Constituencies ...	768,143	762,333	4,409	5,310	438	—
Coatbridge and Airdrie ...	50,867	50,525	614	342	33	—
Glasgow, Bridgeton ...	54,040	53,709	265	331	42	—
Cathcart ...	46,235	45,977	251	258	15	—
Central ...	42,343	42,026	255	317	20	—
Craigton ...	48,451	47,990	356	461	28	—
Gorbals ...	56,873	56,499	212	374	34	—
Govan ...	56,054	55,708	292	346	19	—
Hillhead ...	40,999	40,734	187	265	10	—
Kelvingrove ...	39,870	39,581	176	289	22	—
Maryhill ...	48,504	47,958	272	546	35	—
Pollok ...	52,125	51,722	293	403	32	—
Provan ...	41,598	41,303	243	295	29	—
Scotstoun ...	46,698	46,301	301	397	27	—
Shettleston ...	53,826	53,414	252	412	41	—
Springburn ...	40,787	40,379	221	408	29	—
Woodside ...	48,873	48,507	219	366	22	—
MIDLOTHIAN:						
County Constituency						
Midlothian ...	55,811	55,255	474	556	30	—
Burgh Constituencies ...	341,704	337,476	2,011	4,228	303	—
Edinburgh, Central ...	47,496	46,946	213	550	32	—
East ...	54,042	53,277	305	765	82	—
Leith ...	42,792	42,309	231	483	30	—
North ...	46,233	45,680	250	553	31	—
Pentlands ...	51,523	50,794	365	729	39	—
South ...	47,927	47,433	269	494	32	—
West ...	51,691	51,037	378	654	57	—

* "Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 16th June, and who is entitled to vote only at elections held after 1st October.

TABLE 60.—Parliamentary Electors—Scotland—*continued*

1	2	3	4 *	5	6 *	7
MORAY AND NAIRNSHIRE: County Constituency Moray and Nairn ...	35,907	35,258	213	649	31	—
ORKNEY AND ZETLAND: County Constituency Orkney and Zetland ...	28,092	27,946	215	146	9	—
PERTHSHIRE AND KINROSS-SHIRE: County Constituencies ... Kinross and West Perth- shire Perth and East Perthshire	90,003 34,476 55,527	88,881 34,069 54,812	670 235 435	1,122 407 715	60 22 38	— — —
RENFREWSHIRE: County Constituencies ... East Renfrewshire ... West Renfrewshire ... Burgh Constituencies ... Greenock Paisley	105,375 58,561 46,814 111,657 48,760 62,897	104,666 58,226 46,440 110,825 48,395 62,430	904 519 385 812 332 480	709 335 374 832 365 467	40 18 22 69 28 41	— — — — 36,702 —
OXBURGHSHIRE SELKIRKSHIRE AND PEEBLESHIRE: County Constituency Roxburgh Selkirk and Peebles	57,211	56,718	266	493	38	—
STIRLINGSHIRE AND CLACKMANNAN- SHIRE: County Constituencies ... Clackmannan and East Stirlingshire West Stirlingshire ... Burgh Constituency Stirling and Falkirk Burghs	94,325 50,803 43,522 54,281	93,551 50,415 43,136 53,749	815 433 382 409	774 388 386 532	70 28 42 40	— — — —
WEST LOTHIAN: County Constituency West Lothian	57,544	56,942	466	602	33	—

* "Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 16th June, and who is entitled to vote only at elections held after 1st October.

TABLE 61.—Local Government Electors and Analysis of Local Elections on the February, 1955 Register

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
SCOTLAND	3,431,989	1,111	792	2,278,740	994,935	43·7
Counties of Cities	1,299,490	12	74	1,153,499	419,646	46·4
Large Burghs	556,076	36	121	452,474	207,918	36·0
Small Burghs	584,006	349	355	316,462	158,893	50·2
Landward Areas	992,417	714	242	356,305	208,478	58·5
Districts	986,898	1,115	175	221,894	127,436	57·4
ABERDEEN COUNTY:						
County of City:						
Aberdeen	125,362	4	8	81,975	20,895	25·5
Small Burghs	28,340	31	3	821	484	59·0
Ballater	958	3	—	—	—	—
Ellon	1,091	2	—	—	—	—
Fraserburgh	6,878	5	—	—	—	—
Huntly	2,913	4	—	—	—	—
Inverurie	3,660	3	—	—	—	—
Kintore	610	3	—	—	—	—
Oldmeldrum	821	—	3	821	484	59·0
Peterhead	8,548	3	—	—	—	—
Rosehearty	819	5	—	—	—	—
Turriff	2,042	3	—	—	—	—
Landward	65,871	52	5	7,182	3,673	51·1
Districts	65,871	101	2	1,056	667	63·2
Aberdeen	17,416	21	—	—	—	—
Alford	6,332	14	2	1,056	667	63·2
Deer	14,374	13	—	—	—	—
Deeside	6,056	11	—	—	—	—
Ellon	7,018	12	—	—	—	—
Garioch	5,631	12	—	—	—	—
Huntly	3,671	9	—	—	—	—
Turriff	5,373	9	—	—	—	—
ANGUS COUNTY:						
County of City:						
Dundee	121,377	2	10	93,866	45,080	48·0
Other Large Burgh						
Arbroath	13,066	—	6	13,066	7,293	55·8
Small Burghs	30,015	8	16	20,066	6,921	34·5
Brechin	5,292	—	5	5,292	1,541	29·1
Carnoustie	4,333	—	3	4,333	2,264	52·3
Forfar	7,232	5	—	—	—	—
Kirriemuir	2,668	—	4	2,668	1,327	49·7
Monifieth	2,717	3	—	—	—	—
Montrose	7,773	—	4	7,773	1,789	23·0
Landward	21,894	27	3	2,890	1,459	50·5
Districts	21,894	51	1	940	564	60·0
Brechin	3,239	9	—	—	—	—
Carnoustie	3,172	6	—	—	—	—
Forfar	4,854	11	—	—	—	—
Kirriemuir	3,102	9	—	—	—	—
Monifieth	4,418	10	—	—	—	—
Montrose	3,109	6	1	940	564	60·0
ARGYLL COUNTY:						
Small Burghs	17,567	18	6	6,541	2,779	42·5
Campbeltown	4,658	—	5	4,658	2,081	44·7

TABLE 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electora ^{te} Voting ^{te}
Argyll County—continued						
Dunoon	6,826	4	—	—	—	—
Inveraray	411	5	—	—	—	—
Lochgilphead	897	2	—	—	—	—
Oban	4,241	4	1	1,883	698	37·1
Tobermory	534	3	—	—	—	—
Landward	25,377	24	10	6,624	3,725	56·2
Districts	25,377	39	10	3,016	1,800	59·7
Ardnamurchan	1,177	3	—	—	—	—
Cowal	5,641	6	—	—	—	—
Islay	2,725	2	1	730	520	71·2
Jura and Colonsay	332	4	4	332	141	42·5
Kintyre	3,752	5	1	1,078	667	61·9
Lorn, North	2,742	5	—	—	—	—
South	2,907	3	—	—	—	—
Mid-Argyll	3,775	5	—	—	—	—
Mull	1,306	3	—	—	—	—
Tiree and Coll	1,020	3	4	876	472	53·9
AYR COUNTY:						
Large Burghs	59,443	2	13	52,229	24,762	47·4
Ayr	29,914	2	4	22,700	9,809	43·2
Kilmarnock	29,529	—	9	29,529	14,953	50·6
Small Burghs	78,956	17	42	57,344	31,715	55·3
Ardrossan	5,974	—	4	5,974	3,526	59·0
Cumnock and Holmhead	3,293	—	3	3,293	1,351	41·0
Darvel	2,499	—	5	2,499	1,065	42·6
Galston	3,085	3	—	—	—	—
Girvan	4,076	—	5	4,076	2,413	59·2
Irvine	10,399	3	3	5,140	2,753	53·6
Kilwinning	4,527	—	4	4,527	2,884	63·7
Largs	6,354	3	—	—	—	—
Maybole	3,264	—	4	3,264	1,546	47·4
Newmilns and Greenholm	2,949	—	3	2,949	1,093	37·1
Prestwick	8,281	1	3	6,157	3,115	50·6
Saltcoats	8,774	—	3	8,774	6,064	69·1
Stevenston	6,165	—	3	6,165	3,571	57·9
Stewarton	2,261	5	—	—	—	—
Troon	7,055	2	2	4,526	2,334	51·6
Landward	80,152	22	19	36,378	20,796	57·2
Districts	80,152	58	19	20,055	10,104	50·4
Ayr	7,973	4	4	4,123	1,856	45·0
Cumnock	20,986	14	2	2,372	817	34·4
Dalmellington	7,587	8	—	—	—	—
Girvan	3,475	6	—	—	—	—
Irvine	5,884	3	2	2,185	1,386	63·4
Kilbirnie	14,433	4	8	9,091	4,888	53·8
Kilmarnock	9,951	7	1	935	533	57·0
Maybole	3,801	4	2	1,349	624	46·3
Newmilns	1,116	3	—	—	—	—
Saltcoats	4,946	5	—	—	—	—
BANFF COUNTY:						
Small Burghs	21,271	22	27	13,838	6,184	44·7
Aberchirder	598	4	—	—	—	—
Aberlour	626	3	—	—	—	—
Banff	2,458	—	5	2,458	893	36·3

TABLE 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Banff County—continued						
Buckie	5,815	—	5	5,815	2,508	43·1
Cullen	1,256	—	7	1,256	537	42·8
Dufftown	1,192	4	—	—	—	—
Findochty	1,266	4	—	—	—	—
Keith... ..	3,098	—	6	3,098	1,640	52·9
Macduff	2,536	3	—	—	—	—
Portknockie... ..	1,215	4	—	—	—	—
Portsoy	1,211	—	4	1,211	606	50·0
Landward	17,532	21	1	1,005	490	48·8
Districts	17,532	22	—	—	—	—
Aberchirder	2,122	4	—	—	—	—
Banff	4,315	5	—	—	—	—
Buckie	2,330	2	—	—	—	—
Cullen	1,780	2	—	—	—	—
Dufftown	3,586	5	—	—	—	—
Keith... ..	3,399	4	—	—	—	—
BERWICK COUNTY:						
Small Burghs	4,539	8	7	1,439	687	47·7
Coldstream	961	—	4	961	433	45·1
Duns	1,477	5	—	—	—	—
Eyemouth	1,623	3	—	—	—	—
Lauder	478	—	3	478	254	53·1
Landward	12,893	25	3	1,415	875	61·8
Districts	12,893	23	—	—	—	—
East	5,020	8	—	—	—	—
Middle	4,320	11	—	—	—	—
West	3,553	4	—	—	—	—
BUTE COUNTY:						
Small Burghs	7,854	9	1	1,274	526	41·3
Millport	1,575	4	—	—	—	—
Rothsay	6,279	5	1	1,274	526	41·3
Landward	4,600	11	—	—	—	—
Districts	4,600	11	—	—	—	—
Arran	2,903	6	—	—	—	—
Bute	1,662	4	—	—	—	—
Cumbræ	35	1	—	—	—	—
CAITHNESS COUNTY:						
Small Burghs	7,126	11	—	—	—	—
Thurso	2,313	3	—	—	—	—
Wick	4,813	8	—	—	—	—
Landward	9,470	18	3	1,085	707	65·2
Districts	9,470	24	—	—	—	—
Central	1,312	4	—	—	—	—
Eastern	2,562	5	—	—	—	—
Northern	1,554	4	—	—	—	—
Southern	2,284	5	—	—	—	—
Western	1,758	6	—	—	—	—
CLACKMANNAN COUNTY:						
Small Burghs	14,849	5	11	9,276	6,010	64·8
Alloa	8,511	2	2	4,010	2,526	63·0
Alva	2,748	—	6	2,748	1,943	70·7

TABLE 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Clackmannan County—cont.						
Dollar	1,072	3	—	—	—	—
Tillicoultry	2,518	—	3	2,518	1,541	61·2
Landward	10,414	5	6	7,042	4,919	69·9
Districts	10,414	8	1	1,388	1,005	72·4
Alloa	8,326	7	1	1,388	1,005	72·4
Hillfoots	2,088	1	—	—	—	—
DUMFRIES COUNTY:						
Large Burgh						
Dumfries	16,060	7	2	3,625	1,557	43·0
Small Burghs						
Annan	3,466	—	4	3,466	1,296	37·4
Langholm	1,792	3	—	—	—	—
Lochmaben	842	—	3	842	568	67·5
Lockerbie	1,999	—	3	1,999	1,104	55·2
Moffat	1,535	3	—	—	—	—
Sanquhar	1,584	4	—	—	—	—
Landward	28,119	31	4	2,795	1,605	57·4
Districts	28,119	30	—	—	—	—
Annan	3,174	3	—	—	—	—
Dumfries	7,162	5	—	—	—	—
Gretna	3,735	4	—	—	—	—
Langholm	1,703	2	—	—	—	—
Lockerbie	2,851	4	—	—	—	—
Moffat	1,092	2	—	—	—	—
Sanquhar	3,592	4	—	—	—	—
Thornhill	4,810	6	—	—	—	—
DUNBARTON COUNTY:						
Large Burghs						
Clydebank	47,148	1	8	43,224	19,983	46·2
Dumbarton	30,857	—	5	30,857	13,470	43·7
Dumbarton	16,291	1	3	12,367	6,513	52·7
Small Burghs						
Cove and Kilcreggan	22,695	5	9	13,308	7,971	59·9
Helensburgh... ..	770	—	3	770	413	53·6
Helensburgh... ..	6,475	4	—	—	—	—
Kirkintilloch	9,724	1	3	6,812	4,489	65·9
Milngavie	5,726	—	3	5,726	3,069	53·6
Landward	41,134	19	15	20,367	13,732	67·4
Districts	41,134	32	11	12,816	8,758	68·3
Cumbarnauld	3,378	3	3	1,551	1,150	74·1
Helensburgh... ..	4,405	8	—	—	—	—
Kirkintilloch	2,459	4	—	—	—	—
New Kilpatrick	9,344	6	—	—	—	—
Old Kilpatrick	5,936	6	1	1,044	750	71·8
Vale of Leven	15,612	5	7	10,221	6,858	67·1
EAST LOTHIAN COUNTY:						
Small Burghs						
Cockenzie and Port Seton	17,723	13	10	7,896	4,129	52·3
Dunbar	2,377	3	—	—	—	—
Dunbar	3,013	—	4	3,013	1,530	50·8
East Linton	755	2	—	—	—	—
Haddington	3,105	5	—	—	—	—
North Berwick	2,929	—	3	2,929	1,690	57·7
Prestonpans	1,954	—	3	1,954	909	46·5
Tranent	3,590	3	—	—	—	—

TABLE 61—continued

		Local Government Electors	Analysis of Local Elections				
			Number of Councillors returned unopposed	Contested Elections			
				Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
East Lothian County—contd.							
Landward	...	16,834	26	—	—	—	—
Districts	...	16,834	26	—	—	—	—
Dunbar	...	2,367	5	—	—	—	—
Haddington	...	2,933	6	—	—	—	—
North Berwick	...	3,487	5	—	—	—	—
Prestonpans	...	3,688	4	—	—	—	—
Tranent	...	4,359	6	—	—	—	—
FIFE COUNTY:							
Large Burghs	...	63,634	6	26	49,695	24,183	48·7
Dunfermline	...	29,350	3	18	25,879	13,884	53·6
Kirkcaldy	...	34,284	3	8	23,816	10,299	43·2
Small Burghs	...	74,046	53	34	29,675	15,525	52·3
Auchtermuchty	...	991	—	4	991	380	38·3
Buckhaven and Methil	...	13,800	5	—	—	—	—
Burntisland	...	4,286	—	4	4,286	2,972	69·3
Cowdenbeath	...	9,029	2	2	5,121	2,043	39·9
Crail	...	915	3	—	—	—	—
Culross	...	403	3	—	—	—	—
Cupar	...	4,009	4	—	—	—	—
Elie and Earlsferry	...	860	3	—	—	—	—
Falkland	...	796	5	—	—	—	—
Inverkeithing	...	2,606	—	6	2,606	1,761	67·6
Kilrenny, Anstruther Easter and Anstruther Wester	...	2,244	5	—	—	—	—
Kinghorn	...	1,640	—	3	1,640	1,014	61·8
Ladybank	...	947	2	—	—	—	—
Leslie...	...	2,031	3	—	—	—	—
Leven	...	6,149	1	2	3,732	2,490	66·7
Lochgelly	...	6,272	—	4	6,272	2,262	36·1
Markinch	...	1,749	3	—	—	—	—
Newburgh	...	1,734	4	—	—	—	—
Newport-on-Tay	...	2,560	3	—	—	—	—
Pittenweem	...	1,195	4	—	—	—	—
St. Andrews	...	6,353	3	1	1,550	668	43·1
St. Monance...	...	1,105	—	4	1,105	564	51·0
Tayport	...	2,372	—	4	2,372	1,371	57·8
Landward	...	69,566	33	13	28,494	14,750	51·8
Districts	...	69,566	62	11	17,408	9,206	52·9
Anstruther	...	3,807	8	—	—	—	—
Cupar	...	8,849	17	—	—	—	—
Dunfermline	...	15,345	10	3	3,822	1,983	51·9
Kirkcaldy	...	8,868	6	1	3,201	1,307	40·8
Lochgelly	...	20,656	8	5	7,564	4,848	64·1
St. Andrews	...	3,867	7	—	—	—	—
Wemyss	...	8,174	6	2	2,821	1,068	37·9
INVERNESS COUNTY:							
Large Burgh	...						
Inverness	...	19,502	3	4	12,047	5,507	45·7
Small Burghs	...	2,855	6	—	—	—	—
Fort William	...	2,084	3	—	—	—	—
Kingussie	...	771	3	—	—	—	—
Landward	...	38,144	45	14	8,699	5,123	58·9
Districts	...	38,144	50	4	3,050	1,699	55·7

TABLE 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Inverness County—continued						
Aird	5,571	8	1	752	389	51·7
Badenoch	4,153	9	—	—	—	—
Barra... ..	1,460	2	—	—	—	—
Harris	3,096	—	1	899	438	48·7
Inverness	5,441	10	—	—	—	—
Lochaber	7,474	11	1	786	545	69·3
North Uist	1,445	2	—	—	—	—
Skye	6,914	6	—	—	—	—
South Uist	2,590	2	1	613	327	53·3
KINCARDINE COUNTY:						
Small Burghs	6,666	9	5	3,327	1,677	50·4
Banchory	1,497	3	—	—	—	—
Inverbervie	733	3	—	—	—	—
Laurencekirk	1,109	3	—	—	—	—
Stonehaven	3,327	—	5	3,327	1,677	50·4
Landward	11,871	20	1	493	381	77·3
Districts	11,871	19	—	—	—	—
Laurencekirk	2,779	5	—	—	—	—
Lower Deeside	2,074	3	—	—	—	—
St. Cyrus	2,458	2	—	—	—	—
Stonehaven	2,603	5	—	—	—	—
Upper Deeside	1,957	4	—	—	—	—
KINROSS COUNTY:						
Small Burgh:						
Kinross	1,723	—	3	1,723	536	31·1
Landward	3,014	15	—	—	—	—
Districts—None	—	—	—	—	—	—
KIRKCUDBRIGHT COUNTY:						
Small Burghs	6,312	9	9	3,624	1,656	45·7
Castle Douglas	2,083	—	3	2,083	974	46·8
Dalbeattie	1,857	4	—	—	—	—
Gatehouse	587	3	—	—	—	—
Kirkcudbright	1,541	—	6	1,541	682	44·3
New Galloway	244	2	—	—	—	—
Landward	11,826	19	3	2,303	1,644	71·4
Districts	11,826	25	—	—	—	—
Castle Douglas	1,844	4	—	—	—	—
Creetown	1,894	4	—	—	—	—
Dalbeattie	2,290	3	—	—	—	—
Eastern	1,947	5	—	—	—	—
Glenkens	1,581	5	—	—	—	—
Kirkcudbright	2,270	4	—	—	—	—
LANARK COUNTY:						
County of City						
Glasgow	721,023	2	35	684,767	242,290	35·4
Other Large Burghs	140,306	6	30	113,146	53,013	46·9
Airdrie	19,835	—	6	19,835	9,422	47·5
Coatbridge	30,767	—	8	30,767	17,583	57·1
Hamilton	26,048	2	3	16,170	6,850	42·4
Motherwell and Wishaw	46,179	3	7	31,409	11,695	37·2
Rutherglen	17,477	1	6	14,965	7,463	49·9

TABLE 61—continued

		Local Government Electors	Analysis of Local Elections				
			Number of Councillors returned unopposed	Contested Elections			
				Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Lanark County—continued							
Small Burghs	...	6,587	10	—	—	—	—
Biggar	...	1,117	3	—	—	—	—
Lanark	...	5,470	7	—	—	—	—
Landward	...	197,959	20	36	129,962	76,090	58.5
Districts	...	197,959	42	40	113,909	65,986	57.9
No. 1	...	5,084	10	1	1,486	978	65.8
No. 2	...	9,657	3	6	6,393	4,179	65.4
No. 3	...	14,138	4	6	10,056	6,682	66.4
No. 4	...	22,565	6	1	4,470	1,787	40.0
No. 5	...	18,328	6	4	7,548	4,067	53.9
No. 6	...	38,884	5	5	20,061	10,544	52.6
No. 7	...	22,738	1	6	19,249	11,042	57.4
No. 8	...	26,182	2	5	21,729	11,918	54.8
No. 9	...	40,383	5	6	22,917	14,789	64.5
MIDLOTHIAN COUNTY:							
County of City							
Edinburgh	...	331,728	4	21	292,891	111,381	38.0
Small Burghs	...	29,994	12	12	13,415	8,179	61.0
Bonnyrigg and Lasswade	...	3,904	3	—	—	—	—
Dalkeith	...	5,987	3	—	—	—	—
Loanhead	...	3,316	3	—	—	—	—
Musselburgh	...	12,697	3	9	9,325	6,374	68.4
Penicuik	...	4,090	—	3	4,090	1,805	44.1
Landward	...	38,768	23	16	15,616	8,420	53.9
Districts	...	38,768	34	5	4,905	2,748	56.0
Currie	...	4,279	3	1	846	570	67.4
East Calder	...	4,179	4	—	—	—	—
Gala Water	...	7,878	8	—	—	—	—
Lasswade	...	3,601	3	1	1,030	506	49.1
Musselburgh	...	4,491	4	—	—	—	—
Newbattle	...	5,751	6	—	—	—	—
Penicuik	...	3,738	2	2	1,858	1,071	57.6
West Calder	...	4,851	4	1	1,171	601	51.3
MORAY COUNTY:							
Small Burghs	...	16,887	8	16	8,550	3,508	41.0
Burghead	...	893	3	—	—	—	—
Elgin	...	7,444	5	—	—	—	—
Forres	...	3,271	—	6	3,271	1,177	36.0
Grantown-on-Spey	...	1,072	—	3	1,072	696	64.9
Lossiemouth & Branderburgh	...	3,352	—	3	3,352	1,292	38.5
Rothies	...	855	—	4	855	343	40.1
Landward	...	13,526	21	1	313	216	69.0
Districts	...	13,526	31	1	313	216	69.0
Cromdale	...	721	3	—	—	—	—
Duffus and Drainie	...	1,984	5	—	—	—	—
Elgin	...	3,884	8	—	—	—	—
Fochabers	...	2,616	5	—	—	—	—
Forres	...	3,183	7	1	313	216	69.0
Rothies and Knockando	...	1,138	3	—	—	—	—

TABLE 61—continued

		Analysis of Local Elections					
		Local Government Electors	Number of Councillors returned unopposed	Contested Elections			
				Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
NAIRN COUNTY:							
Small Burgh							
Nairn...	...	3,328	—	9	3,328	1,330	40·0
Landward	...	2,505	7	2	522	244	46·7
Districts—None		—	—	—	—	—	—
ORKNEY COUNTY:							
Small Burghs		4,093	6	—	—	—	—
Kirkwall	...	2,937	3	—	—	—	—
Stromness	...	1,156	3	—	—	—	—
Landward	...	10,454	17	4	2 737	943	34·5
Districts	...	10,454	45	23	2,694	868	32·2
Eday	...	175	4	—	—	—	—
Hoy and Walls	...	889	10	—	—	—	—
Mainland	...	5,789	9	1	414	49	11·8
North Ronaldsay	...	150	4	—	—	—	—
Rousay	...	295	7	—	—	—	—
Sanday	...	592	—	8	592	135	22·8
Shapinsay	...	335	4	—	—	—	—
South Ronaldsay	...	997	4	3	562	251	44·7
Stronsay	...	397	—	6	397	167	42·1
Westray	...	835	3	5	729	266	36·5
PEEBLES COUNTY:							
Small Burghs		5,957	3	4	4,236	2,044	48·3
Innerleithen	...	1,721	3	—	—	—	—
Peebles	...	4,236	—	4	4,236	2,044	48·3
Landward	...	4,406	14	1	329	253	76·9
Districts	...	4,406	13	2	528	399	75·6
Broughton	...	844	4	—	—	—	—
Innerleithen	...	1,230	3	—	—	—	—
Linton	...	1,379	4	—	—	—	—
Peebles	...	953	2	2	528	399	75·6
PERTH COUNTY:							
Large Burgh							
Perth...	...	27,754	4	4	14,386	5,906	41·1
Small Burghs		19,429	21	20	10,456	4,533	43·4
Aberfeldy	...	1,127	—	4	1,127	797	70·7
Abernethy	...	490	—	4	490	307	62·7
Alyth...	...	1,405	3	—	—	—	—
Auchterarder	...	1,730	3	—	—	—	—
Blairstown and Rattray	...	3,751	—	4	3,751	1,234	32·9
Callander	...	1,217	—	4	1,217	755	62·0
Coupar Angus	...	1,571	5	—	—	—	—
Crieff	...	3,871	—	4	3,871	1,440	37·2
Doune	...	619	4	—	—	—	—
Dunblane	...	2,065	4	—	—	—	—
Pitlochry	...	1,583	2	—	—	—	—
Landward	...	38,725	42	4	3,486	2,125	61·0
Districts	...	38,725	46	—	—	—	—
Central	...	6,288	9	—	—	—	—
Eastern	...	6,141	7	—	—	—	—
Highland	...	5,907	9	—	—	—	—
Perth	...	14,658	14	—	—	—	—
Western	...	5,731	7	—	—	—	—

TABLE 61—continued

			Analysis of Local Elections					
			Local Government Electors	Number of Councillors returned unopposed	Contested Elections			
					Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
RENFREW COUNTY:								
Large Burghs			125,522	1	21	122,236	52,359	42·8
Greenock			49,049	—	10	49,049	21,323	43·5
Paisley			63,289	—	8	63,289	25,283	39·9
Port Glasgow			13,184	1	3	9,898	5,753	58·1
Small Burghs			37,970	1	16	34,940	20,065	57·4
Barrhead			9,049	—	5	9,049	5,204	57·5
Gourock			7,070	1	2	4,040	2,532	62·7
Johnstone			9,929	—	4	9,929	4,455	44·9
Renfrew			11,922	—	5	11,922	7,874	66·0
Landward			54,675	23	4	7,527	4,343	57·7
Districts			54,675	58	5	7,099	3,828	53·9
No. 1			28,669	20	2	2,949	1,481	50·2
No. 2			9,121	7	—	—	—	—
No. 3			3,530	11	—	—	—	—
No. 4			9,813	12	3	4,150	2,347	56·6
No. 5			3,542	8	—	—	—	—
ROSS AND CROMARTY COUNTY:								
Small Burghs			8,909	12	15	4,955	2,481	50·1
Cromarty			537	5	—	—	—	—
Dingwall			2,330	5	—	—	—	—
Fortrose			657	—	5	657	367	55·9
Invergordon			1,087	2	—	—	—	—
Stornoway			3,157	—	3	3,157	1,519	48·1
Tain			1,141	—	7	1,141	595	52·1
Landward			33,464	22	14	13,447	7,066	52·5
Districts			33,464	49	12	5,490	2,424	44·2
Avoch			2,018	5	—	—	—	—
Dingwall			2,534	4	—	—	—	—
Fearn			1,870	4	—	—	—	—
Fortrose			726	—	1	428	277	64·7
Gairloch			1,378	3	3	607	184	30·3
Invergordon			2,390	4	—	—	—	—
Lewis... ..			13,154	9	1	1,663	843	50·7
Lochbroom			1,163	6	—	—	—	—
Lochcarron			1,150	2	3	606	147	24·3
Muir-of-Ord			4,145	5	1	1,080	235	21·8
South-West			1,591	3	3	1,106	738	66·7
Tain			1,345	4	—	—	—	—
ROXBURGH COUNTY:								
Small Burghs			19,704	16	17	12,631	4,195	33·2
Hawick			12,353	3	12	9,754	3,549	36·4
Jedburgh			2,877	5	5	2,877	646	22·5
Kelso			3,087	4	—	—	—	—
Melrose			1,387	4	—	—	—	—
Landward			12,795	27	1	644	357	55·4
Districts			12,795	23	—	—	—	—
Hawick			3,052	5	—	—	—	—
Jedburgh			2,625	5	—	—	—	—
Kelso			3,217	6	—	—	—	—
Melrose			3,901	7	—	—	—	—

TABLE 61—continued

		Analysis of Local Elections					
		Local Government Electors	Number of Councillors returned unopposed	Contested Elections			
				Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
ELKIRK COUNTY:							
Small Burghs		13,433	6	6	4,336	1,228	28·3
Calashiels		9,097	6	—	—	—	—
Selkirk		4,336	—	6	4,336	1,228	28·3
Landward		2,153	7	—	—	—	—
Districts		2,153	9	—	—	—	—
North		1,289	3	—	—	—	—
South		864	6	—	—	—	—
TIRLING COUNTY:							
Large Burghs		43,641	6	7	28,820	13,355	46·3
Falkirk		25,734	1	4	22,601	10,989	48·6
Stirling		17,907	5	3	6,219	2,366	38·0
Small Burghs		24,659	8	5	9,752	5,040	51·7
Bridge of Allan		2,412	3	—	—	—	—
Denny and Dunipace		4,711	—	3	4,711	2,795	59·3
Grangemouth		10,963	3	1	2,361	902	38·2
Kilsyth		6,573	2	1	2,680	1,343	50·1
Landward		55,732	22	21	28,718	18,601	62·7
Districts		55,732	33	10	14,952	9,909	66·3
Central No. 1		10,408	5	2	3,478	2,376	68·3
No. 2		8,906	4	3	4,044	2,699	66·7
Eastern No. 1		11,836	6	2	2,895	1,780	61·5
No. 2		8,722	5	1	1,195	802	67·1
No. 3		5,056	4	—	—	—	—
Western No. 1		1,156	2	—	—	—	—
No. 2		4,644	5	—	—	—	—
No. 3		5,004	2	2	3 340	2,252	67·4
UTHERLAND COUNTY:							
Small Burgh		575	—	5	575	392	68·2
Dornoch		575	—	5	575	392	68·2
Landward		9,516	6	13	6,544	4,341	66·3
Districts		9,516	24	2	818	440	53·8
Assynt		665	4	—	—	—	—
Dornoch and Creich		1,736	3	—	—	—	—
Edrachillis and Durness		898	3	—	—	—	—
Golspie, Rogart and Lairg		2,163	4	2	818	440	53·8
Kildonan, Loth and Clyne		2,357	5	—	—	—	—
Tongue and Farr		1,697	5	—	—	—	—
EAST LOTHIAN COUNTY:							
Small Burghs		27,082	6	22	23,312	11,875	50·9
Armadale		3,945	4	4	3,945	2,879	73·0
Bathgate		7,913	—	4	7,913	4,214	53·3
Bo'ness		6,989	2	2	3,219	1,730	53·7
Linlithgow		3,049	—	6	3,049	828	27·2
Queensferry		1,883	—	3	1,883	751	39·9
Whitburn		3,303	—	3	3,303	1,473	44·6
Landward		30,536	15	18	16,633	10,716	64·4
Districts		30,536	21	11	10,780	6,662	61·8
Bo'ness		2,414	2	—	—	—	—

TABLE 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electoralat Voting
West Lothian Co.—continued						
Linlithgow	1,921	2	—	—	—	—
Kirkliston and Winchburgh	3,932	3	2	1,665	1,296	77·8
Torphichen and Bathgate ...	4,058	5	1	657	372	56·6
Uphall	7,827	4	3	3,591	1,833	51·1
Whitburn and Livingstone...	10,384	5	5	4,867	3,158	64·9
WIGTOWN COUNTY:						
Small Burghs	7,750	6	11	5,623	2,860	50·9
Newton-Stewart	1,446	4	—	—	—	—
Stranraer	4,853	—	7	4,853	2,450	50·5
Whithorn	681	2	—	—	—	—
Wigtown	770	—	4	770	410	53·2
Landward	8,859	21	—	—	—	—
Districts	8,859	21	—	—	—	—
Machars	3,708	9	—	—	—	—
Rhins	5,151	12	—	—	—	—
ZETLAND COUNTY:						
Small Burgh:	3,894	—	4	3,894	1,395	35·8
Lerwick	3,894	—	4	3,894	1,395	35·8
Landward	9,633	14	7	3,055	1,484	48·6
Districts	9,633	85	5	677	153	22·6
Bressay	259	5	—	—	—	—
Delting	613	9	—	—	—	—
Dunrossness	1,697	9	—	—	—	—
Fetlar	115	4	—	—	—	—
Lerwick (Landward) ...	770	4	—	—	—	—
Nesting	404	7	—	—	—	—
Northmaven... ..	691	8	—	—	—	—
Sandsting & Aithsting ...	863	9	—	—	—	—
Tingwall	1,168	4	5	677	153	22·6
Unst	700	7	—	—	—	—
Walls	634	9	—	—	—	—
Whalsay	661	3	—	—	—	—
Yell	1,058	7	—	—	—	—

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1951 to 1955

	1939	1951	1952	1953	1954	1955
SCOTLAND	1,294,872	1,438,390	1,458,101	1,481,266	1,507,986	1,531,751
Counties of Cities	507,110	549,350	553,806	560,199	568,502	577,350
Large Burghs	199,651	229,486	233,116	237,975	244,300	248,902
Small Burghs	213,511	244,940	252,812	257,967	263,399	267,710
Landward Areas	374,600	414,614	418,367	425,125	431,785	437,789
ABERDEEN COUNTY	83,224	90,893	92,043	93,256	94,416	95,613
Aberdeen County of City	46,516	51,685	52,268	53,218	54,057	54,914
Small Burghs	10,386	11,533	11,711	11,898	12,085	12,308
Ballater... ..	394	409	436	441	447	469
Ellon	389	451	463	472	476	476
Fraserburgh	2,410	2,679	2,733	2,793	2,836	2,907
Huntly	1,106	1,172	1,192	1,208	1,212	1,233
Inverurie	1,306	1,485	1,509	1,539	1,585	1,629
Kintore	231	264	265	266	263	262
Oldmeldrum	293	345	343	355	355	362
Peterhead	3,177	3,466	3,493	3,526	3,608	3,670
Rosehearty	308	359	367	378	384	376
Turriff	772	903	910	920	919	924
Landward	26,322	27,675	28,064	28,140	28,274	28,391
ANGUS COUNTY	78,121	85,439	86,335	87,670	88,871	90,243
Dundee County of City	49,416	54,459	55,043	55,979	56,768	57,977
Large Burgh	5,806	6,499	6,600	6,685	6,836	6,882
Arbroath	5,806	6,499	6,600	6,685	6,836	6,882
Small Burghs	12,612	14,053	14,232	14,463	14,650	14,798
Brecht	2,161	2,547	2,572	2,585	2,637	2,644
Carnoustie	1,603	1,845	1,906	1,963	2,001	1,994
Forfar	3,156	3,424	3,494	3,527	3,518	3,588
Kirriemuir	1,187	1,295	1,312	1,329	1,352	1,376
Monifieth	1,038	1,191	1,209	1,235	1,287	1,285
Montrose	3,467	3,751	3,739	3,824	3,855	3,911
Landward	10,287	10,428	10,460	10,543	10,617	10,586
ARGYLL COUNTY	18,889	20,017	20,193	20,262	20,425	20,478
Small Burghs	7,487	8,154	8,195	8,270	8,384	8,412
Campbeltown	1,745	2,052	2,057	2,117	2,186	2,163
Dunoon	3,501	3,630	3,636	3,638	3,663	3,693
Inveraray	153	150	147	149	146	153
Lochgilphead	370	407	414	414	416	419
Oban	1,472	1,652	1,679	1,690	1,707	1,719
Tobermory	246	263	262	262	266	265
Landward	11,402	11,863	11,998	11,992	12,041	12,066
AYR COUNTY	75,984	87,725	89,358	91,705	93,647	96,172
Large Burghs	20,424	23,251	23,787	24,454	25,233	26,021
Ayr	9,981	11,221	11,511	11,883	12,234	12,540
Kilmarnock	10,443	12,030	12,276	12,571	12,999	13,481
Small Burghs	25,787	30,207	33,203	33,948	34,536	35,500
Ardrossan	1,951	2,297	2,359	2,466	2,527	2,601
Cumnock and Holmhead	1,089	1,256	1,280	1,366	1,434	1,488
Darvel	1,003	1,093	1,099	1,141	1,154	1,177
Galston	1,247	1,415	1,413	1,417	1,424	1,443
Girvan	1,634	1,769	1,772	1,795	1,804	1,829
Irvine	3,074	3,960	4,177	4,201	4,272	4,539
Kilwinning	1,320	1,744	1,827	1,917	1,912	1,962
Largs	2,882	3,090	3,119	3,137	3,231	3,257

te—The figures in the above table are not strictly comparable between one year and another, because the boundaries of cities and burghs have, in a number of instances, been altered since 1939.

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1951 to 1955—*cont.*

	1939	1951	1952	1953	1954	1955
Ayr County—continued						
Maybole	1,202	1,363	1,391	1,393	1,425	1,504
Newmilns & Greenholm	1,237	1,399	1,393	1,398	1,400	1,398
Prestwick	2,934	3,358	3,394	3,516	3,596	3,623
Saltcoats	2,980	3,587	3,665	3,748	3,817	3,899
*Stevenston	—	—	2,428	2,509	2,542	2,657
Stewarton	795	982	982	991	1,004	1,048
Troon	2,439	2,894	2,904	2,953	2,994	3,075
Landward	29,773	34,267	32,368	33,303	33,878	34,651
BANFF COUNTY	13,217	13,773	13,947	14,226	14,471	14,781
Small Burghs	7,545	7,820	7,980	8,223	8,410	8,685
Aberchirder	259	268	268	268	268	268
Aberlour	229	244	249	251	259	270
Banff	932	1,003	1,040	1,082	1,121	1,148
Buckie	1,912	1,819	1,867	1,967	2,038	2,175
Cullen	479	501	512	512	529	531
Dufftown	425	438	447	456	461	462
Findochty	371	407	407	427	427	435
Keith	1,144	1,215	1,219	1,245	1,273	1,284
Macduff	896	964	1,007	1,035	1,035	1,113
Portknockie	407	423	423	437	445	445
Portsoy	491	538	541	543	554	554
Landward	5,672	5,953	5,967	6,093	6,661	6,096
BERWICK COUNTY	7,856	7,663	7,731	7,992	7,992	7,891
Small Burghs	1,862	2,059	2,064	2,092	2,094	2,135
Coldstream	417	450	453	465	468	465
Duns	606	672	671	679	683	690
Eyemouth	624	708	715	720	717	743
Lauder	215	220	225	228	226	237
Landward	5,994	5,613	5,667	5,900	5,898	5,756
BUTE COUNTY	7,338	7,680	7,716	7,756	7,844	7,848
Small Burghs	4,470	4,770	4,777	4,817	4,877	4,878
Millport	1,207	1,224	1,215	1,219	1,261	1,261
Rothsay	3,263	3,546	3,562	3,598	3,616	3,617
Landward	2,868	2,910	2,939	2,939	2,967	2,970
CAITHNESS COUNTY	7,211	7,851	7,927	8,068	8,258	8,342
Small Burghs	2,846	3,330	3,382	3,463	3,564	3,623
Thurso	852	1,004	1,038	1,073	1,134	1,167
Wick	1,994	2,326	2,344	2,390	2,430	2,456
Landward	4,365	4,521	4,545	4,605	4,694	4,719
CLACKMANNAN CO.	9,025	10,968	11,132	11,400	11,813	11,939
Small Burghs	6,094	6,917	7,032	7,013	7,266	7,433
Alloa	3,423	3,832	3,937	3,911	4,167	4,248
Alva	1,198	1,358	1,345	1,341	1,330	1,321
Dollar	456	490	492	507	522	558
Tillicoultry	1,017	1,237	1,258	1,254	1,247	1,306
Landward	2,931	4,051	4,160	4,387	4,547	4,506
DUMFRIES COUNTY	21,490	24,126	24,735	25,301	25,644	26,477
Large Burgh	6,381	7,512	7,657	7,880	8,009	8,241
Dumfries	6,381	7,512	7,657	7,880	8,009	8,241
Small Burghs	4,002	4,814	4,962	5,054	5,214	5,221
Annan	1,057	1,363	1,443	1,492	1,518	1,555
Langholm	784	887	903	901	905	900
Lochmaben	292	336	352	370	375	371
Lockerbie	760	842	863	867	942	900
Moffat	611	681	689	696	718	721
Sanquhar	498	705	712	728	756	774
Landward	11,107	11,809	12,116	12,367	12,421	13,015

* Formation of new burgh, 1952.

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1951 to 1955—*cont.*

	1939	1951	1952	1953	1954	1955
DUNBARTON COUNTY	39,258	45,366	46,058	47,091	48,430	49,987
Large Burghs	16,977	18,804	19,174	19,793	20,575	21,275
Clydebank	11,572	12,336	12,563	12,780	13,232	13,631
Dumbarton	5,405	6,468	6,611	7,013	7,343	7,644
Small Burghs	7,732	9,408	9,551	9,724	9,813	10,152
Cove and Kilcreggan ...	351	348	384	380	375	374
Helensburgh	2,405	2,725	2,750	2,762	2,792	2,833
Kirkintilloch	3,242	3,877	3,883	4,060	4,119	4,360
Mingavie	1,734	2,458	2,534	2,522	2,527	2,585
Landward	14,549	17,154	17,333	17,574	18,042	18,560
EAST LOTHIAN CO....	12,767	14,293	14,778	15,145	15,374	15,529
Small Burghs	6,301	7,162	7,545	7,741	7,911	8,078
Cockenzie & Port Seton ...	738	938	1,019	1,025	1,049	1,083
Dunbar	1,163	1,248	1,313	1,356	1,401	1,376
East Linton	284	343	364	363	357	357
Haddington	1,168	1,242	1,281	1,345	1,390	1,431
North Berwick... ..	1,005	1,175	1,289	1,327	1,343	1,373
Prestonpans	672	765	812	807	844	855
Tranent... ..	1,271	1,451	1,467	1,518	1,527	1,603
Landward	6,466	7,131	7,233	7,404	7,463	7,451
FIFE COUNTY...	75,928	88,434	90,044	91,849	94,023	95,218
Large Burghs	22,997	27,391	27,682	28,554	29,510	29,996
Dunfermline	10,309	12,674	12,822	13,074	13,272	13,671
Kirkcaldy	12,688	14,717	14,860	15,480	16,238	16,325
Small Burghs	27,768	32,052	32,675	33,112	33,796	34,137
Auchtermuchty	414	454	463	452	465	478
Buckhaven and Methil ...	4,516	5,539	5,796	5,900	6,121	6,163
Burntisland	1,621	1,763	1,774	1,778	1,875	1,970
Cowdenbeath	3,108	3,857	3,930	4,003	3,997	4,008
Crail	397	449	451	446	467	466
Culross	134	179	167	167	167	168
Cupar	1,558	1,747	1,792	1,804	1,816	1,875
Elie and Earlsferry	485	500	518	518	517	521
Falkland	294	356	359	361	368	389
Inverkeithing	881	1,087	1,080	1,110	1,116	1,138
Kilrenny, Anstruther Easter & Anstruther Wester	1,119	1,134	1,128	1,141	1,145	1,135
Kinghorn	698	761	778	782	814	811
Ladybank	391	414	424	440	454	467
Leslie	782	864	873	910	943	954
Leven	2,345	2,741	2,769	2,802	2,826	2,844
Lochgelly	2,118	2,564	2,594	2,628	2,652	2,649
Markinch	652	736	750	752	792	823
Newburgh	770	798	810	822	829	831
Newport-on-Tay	1,009	1,118	1,158	1,197	1,199	1,218
Pittenweem	534	570	575	588	593	591
St. Andrews	2,379	2,750	2,787	2,809	2,882	2,891
St. Monance	561	583	594	601	606	599
Tayport	1,002	1,088	1,105	1,101	1,152	1,148
Landward	25,163	28,991	29,687	30,183	30,717	31,085
INVERNESS COUNTY	20,773	23,221	23,627	24,002	24,215	24,505
Large Burgh	6,089	7,453	7,702	7,894	7,946	8,083
Inverness	6,089	7,453	7,702	7,894	7,946	8,083
Small Burghs	944	1,037	1,065	1,065	1,091	1,093
Fort William	636	689	720	720	743	745
Kingussie	308	348	345	345	348	348
Landward	13,740	14,731	14,860	15,043	15,178	15,329

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1951 to 1955—cont.

	1939	1951	1952	1953	1954	1955
KINCARDINE COUNTY	7,119	7,661	7,797	7,924	8,039	8,123
Small Burghs	2,553	2,761	2,851	2,954	3,029	3,061
Banchory	514	587	591	612	616	612
Inverbervie	268	267	280	289	294	307
Laurencekirk	468	506	505	526	535	533
Stonehaven	1,303	1,401	1,475	1,527	1,584	1,609
Landward	4,566	4,900	4,946	4,970	5,010	5,062
KINROSS COUNTY ...	2,057	2,211	2,219	2,250	2,271	2,272
Small Burgh	716	764	778	787	806	809
Kinross	716	764	778	787	806	809
Landward	1,341	1,447	1,441	1,463	1,465	1,463
KIRKCUDBRIGHT CO.	8,315	8,717	8,785	9,029	9,231	9,257
Small Burghs	2,801	3,005	3,043	3,134	3,153	3,225
Castle Douglas	876	974	986	1,032	1,013	1,061
Dalbeattie	868	889	904	939	954	946
Gatehouse	252	296	299	309	308	315
Kirkcudbright	663	726	728	730	742	766
New Galloway	142	120	126	124	136	137
Landward	5,514	5,712	5,742	5,895	6,078	6,032
LANARK COUNTY ...	400,057	439,471	443,640	449,987	458,456	466,770
Glasgow County of City	283,011	301,991	304,352	307,783	312,323	317,894
Large Burghs	47,604	56,508	57,178	58,545	60,358	61,337
Airdrie	6,276	7,973	8,080	8,300	8,380	8,544
Coatbridge	10,082	12,135	12,477	12,766	13,282	13,459
Hamilton	8,639	10,280	10,371	10,554	10,890	11,031
Motherwell & Wishaw	15,925	18,785	18,849	19,448	20,112	20,528
Rutherglen	6,682	7,335	7,401	7,477	7,694	7,775
Small Burghs	1,988	2,576	2,757	2,830	2,898	2,942
Biggar	415	489	509	523	523	524
Lanark	1,573	2,087	2,248	2,307	2,375	2,418
Landward	67,454	78,396	79,353	80,829	82,877	84,597
MIDLOTHIAN COUNTY	150,274	168,084	169,990	171,684	175,282	177,577
Edinburgh County of						
City	128,167	141,215	142,143	143,219	145,354	146,565
Small Burghs	9,949	11,860	11,954	12,302	13,096	13,388
Bonnyrigg and Lasswade	1,453	1,613	1,617	1,639	1,719	1,764
Dalkeith	1,901	2,459	2,521	2,499	2,542	2,600
Loanhead	959	1,325	1,293	1,336	1,398	1,480
Musselburgh	4,399	4,928	4,951	5,062	5,507	5,622
Penicuik	1,237	1,535	1,572	1,766	1,930	1,922
Landward	12,158	15,009	15,893	16,163	16,832	17,624
MORAY COUNTY ...	11,031	12,412	12,755	13,048	13,352	13,406
Small Burghs	5,787	6,754	6,990	7,194	7,398	7,487
Burghead	378	391	390	394	379	394
Elgin	2,474	3,031	3,197	3,193	3,291	3,354
Forres	1,148	1,279	1,317	1,356	1,417	1,428
Grantown-on-Spey ...	418	456	458	474	496	504
Lossiemouth and						
Brandenburg	1,033	1,253	1,286	1,398	1,437	1,431
Rothies	336	344	342	379	378	376
Landward	5,244	5,658	5,765	5,854	5,954	5,919
NAIRN COUNTY ..	2,281	2,468	2,518	2,597	2,563	2,582
Small Burgh	1,239	1,392	1,437	1,493	1,493	1,518
Nairn	1,239	1,392	1,437	1,493	1,493	1,518
Landward	1,042	1,076	1,081	1,104	1,070	1,064

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1951 to 1955—*cont.*

	1939	1951	1952	1953	1954	1955
ORKNEY COUNTY ...	6,087	6,362	6,333	6,346	6,306	6,271
Small Burghs ...	1,487	1,690	1,734	1,766	1,748	1,753
Kirkwall ...	1,044	1,210	1,245	1,251	1,228	1,235
Stromness ...	443	480	489	515	520	518
Landward ...	4,600	4,672	4,599	4,580	4,558	4,518
PEEBLES COUNTY ...	4,318	4,763	4,840	4,880	4,885	4,892
Small Burghs ...	2,475	2,758	2,824	2,846	2,838	2,869
Innerleithen ...	697	804	811	830	821	836
Peebles ...	1,778	1,954	2,013	2,016	2,017	2,033
Landward ...	1,843	2,005	2,016	2,034	2,047	2,023
PERTH COUNTY ...	34,217	38,046	38,737	39,375	39,546	39,860
Large Burgh ...	10,286	12,127	12,405	12,603	12,784	12,825
Perth ...	10,286	12,127	12,405	12,603	12,784	12,825
Small Burghs ...	7,128	8,593	8,628	8,761	8,836	9,000
Aberfeldy ...	437	491	494	496	504	538
Abernethy ...	199	228	238	237	239	236
Alyth ...	601	654	649	659	655	656
Auchterarder ...	680	770	782	827	831	833
Blairgowrie and Rattray	1,519	1,679	1,704	1,710	1,733	1,774
Callander ...	447	545	554	556	580	582
Coupar Angus ...	601	688	700	710	700	699
Crieff ...	1,559	1,671	1,704	1,760	1,755	1,758
Doune ...	253	257	269	266	275	274
Dunblane ...	832	891	891	886	888	939
Pitlochry ...	Burgh consti- tuted 1947	629	643	654	676	711
Landward ...	16,803	17,416	17,704	18,011	17,926	18,035
RENFREW COUNTY ...	81,383	90,668	92,194	93,426	95,339	97,349
Large Burghs ...	46,882	52,440	53,183	53,613	54,698	55,606
Greenock ...	18,239	19,740	19,961	20,198	20,478	20,739
Paisley ...	24,284	27,161	27,435	27,743	28,355	28,971
Port Glasgow ...	4,359	5,539	5,787	5,672	5,775	5,896
Small Burghs ...	13,408	15,404	15,816	16,203	16,552	16,913
Barrhead ...	3,014	3,576	3,738	3,916	4,077	4,216
Gourock ...	2,693	2,964	3,055	3,154	3,198	3,191
Johnstone ...	3,373	3,965	4,077	4,098	4,126	4,230
Renfrew ...	4,328	4,899	4,946	5,035	5,151	5,276
Landward ...	21,093	22,824	23,195	23,610	24,179	24,830
ROSS AND CROMARTY						
COUNTY ...	15,993	16,745	16,973	17,212	17,460	17,630
Small Burghs ...	3,197	3,746	3,819	3,888	3,908	4,011
Cromarty ...	268	277	279	269	267	267
Dingwall ...	714	891	914	930	942	952
Fortrose ...	285	313	329	333	332	338
Invergordon ...	424	471	477	498	497	535
Stornoway ...	1,084	1,270	1,298	1,340	1,338	1,379
Tain ...	422	524	522	518	532	540
Landward ...	12,796	12,999	13,154	13,324	13,552	13,619
ROXBURGH COUNTY ...	12,972	14,125	14,385	14,671	14,847	14,917
Small Burghs ...	7,612	8,551	8,742	8,899	9,115	9,216
Hawick ...	4,978	5,468	5,562	5,666	5,781	5,801
Jedburgh ...	1,041	1,273	1,359	1,383	1,386	1,383
Kelso ...	1,120	1,278	1,288	1,312	1,389	1,472
Melrose ...	473	532	533	538	559	560
Landward ...	5,360	5,574	5,643	5,772	5,732	5,701

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1951 to 1955—cont.

	1939	1951	1952	1953	1954	1955
SELKIRK COUNTY ...	6,666	7,144	7,166	7,211	7,223	7,304
Small Burghs ...	5,697	6,217	6,258	6,330	6,387	6,438
Galashiels ...	3,985	4,232	4,237	4,263	4,327	4,375
Selkirk ...	1,712	1,985	2,021	2,067	2,060	2,063
Landward ...	969	927	908	881	836	866
STIRLING COUNTY ...	43,522	49,467	50,518	51,456	52,769	53,470
Large Burghs ...	16,205	17,501	17,748	17,954	18,441	18,636
Falkirk ...	9,490	10,201	10,449	10,611	10,923	10,975
Stirling ...	6,715	7,300	7,299	7,343	7,518	7,661
Small Burghs ...	8,112	9,501	10,002	10,330	10,616	10,828
Bridge of Allan ...	787	900	929	960	1,002	1,016
Denny and Dunipace ...	1,443	1,766	1,846	1,979	2,031	2,038
Grangemouth ...	3,690	4,142	4,433	4,594	4,736	4,901
Kilsyth ...	2,192	2,693	2,794	2,797	2,847	2,873
Landward ...	19,205	22,465	22,768	23,172	23,712	24,006
SUTHERLAND COUNTY	4,725	4,934	4,858	4,790	4,620	4,697
Small Burgh ...	225	248	268	265	261	267
Dornoch ...	225	248	268	265	261	267
Landward ...	4,500	4,686	4,590	4,525	4,359	4,430
WEST LOTHIAN CO.	19,476	23,274	24,121	24,900	25,422	25,635
Small Burghs ...	8,867	10,758	11,223	11,750	12,123	12,000
Armadale ...	1,281	1,614	1,701	1,728	1,798	1,712
Bathgate ...	2,569	3,228	3,235	3,442	3,591	3,470
Bo'ness ...	2,538	2,685	2,923	2,985	3,011	2,978
Linlithgow ...	959	1,192	1,240	1,370	1,368	1,445
Queensferry ...	542	678	730	787	842	870
Whitburn ...	978	1,361	1,394	1,438	1,513	1,525
Landward ...	10,609	12,516	12,898	13,150	13,299	13,635
WIGTOWN COUNTY	7,599	8,469	8,671	8,720	8,890	9,003
Small Burghs ...	2,973	3,591	3,690	3,705	3,766	3,854
Newton-Stewart ...	561	630	662	666	668	666
Stranraer ...	1,769	2,250	2,333	2,344	2,388	2,475
Whithorn ...	291	342	306	310	319	322
Wigtown ...	352	369	389	385	391	391
Landward ...	4,626	4,878	4,981	5,015	5,124	5,149
ZETLAND COUNTY ...	5,699	5,920	5,977	6,037	6,062	5,713
Small Burgh ...	1,461	1,554	1,624	1,647	1,685	1,678
Lerwick... ..	1,461	1,554	1,624	1,647	1,685	1,678
Landward ...	4,238	4,366	4,353	4,390	4,377	4,035

TABLE 63.—Meteorology of Scotland for 1955; also the Number of Births, Stillbirths, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1955

	YEAR	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean of Maximum Temperature	54.1°	40.3°	38.5°	44.4°	56.1°	56.1°	62.0°	70.8°	69.6°	63.1°	53.7°	50.0°	44.3°
Mean of Minimum Temperature	41.0°	31.5°	28.2°	31.7°	40.5°	40.5°	47.6°	52.5°	53.5°	49.4°	40.6°	40.3°	35.2°
Mean Temperature	47.5°	35.9°	33.4°	38.1°	48.3°	48.3°	54.8°	61.7°	61.5°	56.2°	47.1°	45.1°	39.8°
Absolute Maximum	86°	53°	49°	55°	71°	74°	74°	86°	85°	77°	68°	59°	56°
Absolute Minimum	4°	10°	4°	21°	28°	30°	31°	40°	40°	37°	25°	24°	16°
Rainfall (Normal 100)	81	75	87	50	76	112	87	37	30	115	108	48	146
Births (Living Children only)	92,539	7,849	7,007	8,255	8,152	8,029	7,761	7,783	7,718	7,233	7,900	7,119	7,733
Stillbirths	2,330	204	195	199	192	196	178	208	214	175	193	197	179
Deaths	61,645	6,822	5,777	6,479	5,351	5,027	4,621	4,366	4,178	4,188	4,519	4,758	5,559
Deaths under 1	2,811	308	231	290	259	239	194	190	197	201	205	220	277
Marriages	43,212	2,345	3,111	6,968	3,747	1,354	3,564	4,600	4,001	4,369	3,092	2,451	3,610
Rates per 1,000 of Estimated Population													
Births	18.0	18.0	17.8	18.9	19.3	18.4	18.4	17.9	17.7	17.1	18.1	16.9	17.7
Stillbirths†	25	25	27	24	23	24	22	26	27	24	24	27	23
Deaths	12.0	15.6	14.7	14.9	12.7	11.5	11.0	10.0	9.6	9.9	10.4	11.3	12.8
Infant Mortality*	30	39	33	35	32	30	25	24	26	28	26	31	36
Marriages	8.4	5.4	7.9	16.0	8.9	3.1	8.4	10.6	9.2	10.4	7.1	5.8	8.3

* Rate per 1,000 live births. † Rate per 1,000 births (including stillbirths).

TABLE 64.—Deaths, Temperature and Rainfall in Seventeen Large Burghs of Scotland during each Week of 1955

No. of Week	Week ended	Deaths (cor- rected for Transfers)	Death-rate (cor- rected per 1,000 of Population)	TEMPERATURE			Rain in inches	No. of Week	Week ended	Deaths (cor- rected for Transfers)	Death-rate (cor- rected per 1,000 of Population)	TEMPERATURE			Rain in inches
				Max. °	Min. °	Mean °						Max. °	Min. °	Mean °	
1	January 8	711	14.3	41	23	35.8	0.26	27	July 9	532	10.7	81	41	60.8	0.50
2	15	735	14.8	43	10	29.0	1.03	28	16	533	10.7	83	44	64.5	0.01
3	22	876	17.7	44	14	31.4	0.39	29	23	553	11.1	83	48	62.4	0.01
4	29	904	18.2	53	22	42.3	0.59	30	30	459	9.2	86	36	61.7	—
5	February 5	724	14.6	50	28	40.7	0.34	31	6 August	453	9.1	84	45	62.9	0.02
6	12	713	14.4	54	25	35.7	0.64	32	13	459	9.2	74	40	58.2	0.25
7	19	788	15.9	42	15	32.4	0.30	33	20	445	9.0	78	42	52.1	0.51
8	26	710	14.3	38	4	23.9	0.40	34	27	511	10.3	85	46	65.1	0.07
9	March 5	879	17.7	50	8	34.9	0.98	35	3 September	446	9.0	72	41	58.9	0.64
10	12	716	14.4	51	26	38.3	0.07	36	10	471	9.5	79	42	59.5	0.96
11	19	717	14.4	54	25	39.8	0.13	37	17	471	9.5	66	37	52.8	0.59
12	26	760	15.3	50	21	35.7	1.06	38	24	490	9.9	69	44	57.0	0.46
13	April 2	703	14.2	57	25	39.7	0.10	39	1 October	512	10.3	74	40	54.6	0.37
14	9	701	14.1	60	33	48.9	0.63	40	8	488	9.8	64	32	48.8	0.80
15	16	616	12.4	64	31	48.6	0.02	41	15	546	11.0	68	34	49.0	0.30
16	23	651	13.1	71	30	48.4	0.08	42	22	500	10.1	56	25	42.3	0.96
17	30	613	12.4	62	32	49.4	0.65	43	29	533	10.7	58	26	42.8	0.62
18	May 7	563	11.3	62	37	49.5	1.47	44	5 November	598	12.0	59	28	44.1	0.49
19	14	563	11.3	62	32	47.3	1.02	45	12	583	11.7	58	34	48.5	1.35
20	21	572	11.5	56	30	42.2	0.41	46	19	546	11.0	52	24	40.3	0.01
21	28	548	11.0	69	32	51.0	0.13	47	26	557	11.2	56	28	44.4	0.06
22	June 4	575	11.6	77	34	54.7	0.16	48	3 December	593	11.9	52	36	45.2	0.55
23	11	537	10.8	71	31	51.6	0.14	49	10	597	12.0	56	29	42.3	1.77
24	18	494	10.0	74	35	55.0	0.44	50	17	647	13.0	49	16	37.1	1.38
25	25	541	10.9	72	41	56.1	0.19	51	24	696	14.0	50	16	33.1	0.97
26	July 2	512	10.3	71	44	56.5	1.46	52	31	699	14.1	55	27	43.1	1.52

METEOROLOGICAL TABLES, 1955

TABLE 1.—District Values of Air Temperature, Rainfall and Sunshine

DISTRICT	1955	AIR TEMPERATURE			RAINFALL		SUN-SHINE	NORMAL VALUES			
		Highest	Lowest	Deviation from Average Daily Mean	Percentage of Normal	Number of Days Deviation from Normal	Percentage of Average Duration	Daily Mean Temperature	Total Rainfall	Number of Days	Daily Sunshine
North Scotland	Jan.	°F. 54	°F. — 5	°F. —3·7	% 85	— 3	% 127	°F. 39·1	Ins. 5·79	23	Hours 0·90
	Feb.	51	— 7	—6·4	100	— 2	165	39·2	4·57	21	1·89
	Mar.	54	9	—2·3	45	— 5	100	41·0	4·41	23	3·16
	April	70	21	+2·2	87	— 2	123	43·7	3·23	19	4·39
	May	76	21	—2·4	108	+ 2	120	47·9	2·80	19	5·49
	June	76	22	—0·1	71	— 4	120	52·3	2·72	16	5·37
	July	85	33	+2·4	25	—11	167	55·8	3·35	19	4·22
	Aug.	87	32	+3·1	23	—11	113	55·6	4·18	21	4·06
	Sept.	78	36	+2·1	123	+ 4	102	52·4	3·78	19	3·36
	Oct.	68	20	—1·4	135	+ 3	92	47·5	5·00	22	2·33
	Nov.	61	19	+2·6	46	— 3	95	42·8	5·63	23	1·31
	Dec.	56	5	—2·2	145	+ 2	116	40·4	6·18	24	0·59
	Year	87	— 7	—0·5	83	—29	121	46·5	51·64	249	3·09
East Scotland	Jan.	58	— 2	—3·0	78	— 2	101	37·7	2·57	17	1·58
	Feb.	51	—13	—6·1	108	+ 3	114	38·3	2·24	16	2·54
	Mar.	57	9	—3·2	66	— 3	109	41·0	2·48	19	3·54
	April	72	20	+3·4	43	— 5	130	44·2	1·85	16	4·61
	May	74	22	—1·6	104	+ 4	129	48·7	2·24	16	5·49
	June	76	24	—0·3	66	— 2	103	54·4	2·13	14	6·15
	July	87	29	+2·7	44	—11	170	58·0	2·87	17	4·94
	Aug.	89	32	+3·6	19	— 9	121	57·1	3·15	18	4·60
	Sept.	78	34	+2·4	70	— 1	128	53·5	2·24	15	5·06
	Oct.	71	20	—0·8	97	— 3	107	47·7	3·27	19	3·02
	Nov.	62	20	+2·6	54	— 5	100	42·1	3·11	19	1·96
	Dec.	58	— 4	—0·2	186	+ 2	117	39·1	3·11	19	1·28
	Year	89	—13	0·0	77	—32	122	46·8	31·26	205	3·65
West Scotland	Jan.	55	4	—2·7	90	— 3	117	38·8	4·57	20	1·15
	Feb.	55	4	—5·3	76	— 2	148	39·1	3·94	18	2·12
	Mar.	56	14	—3·5	54	— 8	139	41·4	3·58	19	3·28
	April	74	23	+2·9	96	— 1	118	44·7	2·76	16	4·77
	May	77	23	—1·7	107	0	126	49·5	2·91	16	6·06
	June	76	30	—0·5	108	+ 1	87	54·5	2·87	15	6·24
	July	87	33	+3·9	41	—13	178	57·5	3·46	17	4·84
	Aug.	86	32	+3·8	31	—10	134	57·0	4·41	18	4·51
	Sept.	79	34	+1·9	129	+ 4	112	53·4	3·66	16	3·72
	Oct.	69	18	—1·5	93	0	105	48·2	4·69	19	2·58
	Nov.	59	20	+3·1	51	— 6	91	42·6	5·16	19	1·70
	Dec.	57	8	0·0	130	+ 3	127	40·1	5·63	22	1·02
	Year	87	4	+0·1	83	—34	124	47·2	47·64	215	3·51

TABLE II.—Summary Table of Mean Values of Air Temperature at the Principal Stations (Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Prestwick and Dunfermline), together with extremes of Temperature for Scotland as a whole, and generalised figures for the United Kingdom

1955	AIR TEMPERATURES								RAINFALL		
	Means of		Mean of A and B	Difference of Mean from Normal	Daily Range		Absolute Extremes		Percentage of Normal		
	Maximum A	Minimum B			Mean A-B	Difference from Normal	Highest	Lowest	Scotland	England and Wales	Northern Ireland
January ...	40.3	31.5	35.9	—2.5	8.8	—0.4	53	10	75	114	125
February ...	38.5	28.2	33.4	—5.8	10.3	+0.6	49	4	87	103	122
March ...	44.4	31.7	38.1	—3.6	12.7	+0.7	55	21	50	83	36
April ...	56.1	40.5	48.3	+3.4	15.6	+2.0	71	28	76	65	103
May ...	56.1	40.5	48.3	—1.8	15.6	+0.4	74	30	112	179	117
June ...	62.0	47.6	54.8	—0.7	14.4	—1.3	74	31	87	143	154
July ...	70.8	52.5	61.7	+3.0	18.3	+4.1	86	40	37	37	51
August ...	69.6	53.5	61.5	+3.6	16.1	+2.3	85	40	30	34	24
September	63.1	49.4	56.2	+2.0	13.7	+0.4	77	37	115	80	140
October ...	53.7	40.6	47.1	—1.3	13.1	+1.7	68	25	108	77	86
November...	50.0	40.3	45.1	+2.6	9.7	—0.5	59	24	48	71	64
December ...	44.3	35.2	39.8	±0.0	9.1	+0.2	56	16	146	109	117
Means and Extremes	54.1	41.0	47.5	—0.1	13.1	+0.9	86	4	81	89	92

TABLE III.—Number of Hours Bright Sunshine

1955	No. of Hours												YEAR TOTAL HOURS
	January	February	March	April	May	June	July	August	September	October	November	December	
NORTH SCOTLAND													
Lerwick ...	18	89	91	163	219	239	193	99	115	85	16	15	1347
Grimsetter ...	28	79	100	193	215	249	201	139	120	72	30	26	1452
Wick ...	30	85	113	177	207	220	201	128	134	72	47	31	1445
Stornoway ...	45	96	102	161	226	185	215	146	100	58	51	23	1408
Skye, Duntulm ...	48	88	116	162	222	207	213	156	82	55	44	41	1434
Strathly ...	23	78	98	163	174	210	232	149	105	51	38	26	1347
Fortrose ...	59	80	106	169	189	188	241	161	127	73	62	34	1489
Dalwhinnie ...	32	54	96	158	161	160	237	155	91	54	32	17	1247
Fort William ...	22	73	106	158	196	158	227	163	77	56	26	8	1275
Inverness ...	48	82	90	162	176	191	226	155	123	62	63	35	1413
Onich ...	46	98	111	162	213	152	222	155	70	63	42	30	1364
EAST SCOTLAND													
Nairn ...	61	87	101	172	197	209	216	152	140	79	61	38	1523
Gordon Castle ...	39	82	100	168	212	207	243	164	144	72	60	27	1518
Forres ...	66	86	114	186	207	236	257	151	155	70	66	42	1636
Elgin ...	56	86	100	177	208	216	255	163	155	63	64	38	1581
Kinloss ...	58	85	105	167	203	223	248	147	137	68	61	37	1539
Banff ...	41	79	106	167	210	210	237	153	142	77	64	25	1511
Glenlivet ...	45	68	95	166	174	199	254	165	139	64	55	19	1443
Dyce ...	44	74	119	190	223	198	263	160	163	105	74	54	1667
Braemar ...	21	44	96	161	164	148	257	142	115	61	37	17	1263
Craibstone ...	41	78	118	184	225	196	260	165	162	104	73	59	1665
Stonehaven ...	42	73	132	176	191	175	221	157	145	109	66	51	1538
Arbroath ...	49	93	152	211	240	184	259	181	175	132	75	59	1810
Dundee ...	52	91	128	190	224	171	268	180	155	103	55	47	1664
Carnoustie ...	48	92	143	191	227	179	244	165	170	129	63	57	1708
Perth ...	41	76	134	185	228	181	287	175	139	109	53	39	1647
Dunfermline ...	32	77	136	166	221	188	284	176	131	91	49	44	1595
Lundin Links...	44	83	139	189	239	200	264	192	150	127	60	47	1734
Leuchars ...	49	75	138	196	232	182	262	189	167	119	67	54	1730
St. Andrews ...	45	73	138	189	216	194	261	194	169	123	65	50	1717
Balerno ...	32	82	127	175	227	188	282	193	149	94	47	19	1615
Penicuik ...	25	68	116	179	213	173	273	178	140	90	37	19	1511
Edinburgh (R.O.)	54	75	132	192	248	183	291	184	163	114	55	47	1738
Edinburgh (B.G.)	49	61	127	179	241	178	280	180	147	98	47	35	1622
North Berwick ...	42	75	139	184	241	198	266	191	159	106	53	44	1698
Peebles ...	19	48	105	162	213	159	306	199	117	47	11	2	1333
Marchmont ...	39	71	120	163	210	179	260	175	161	98	49	43	1568
WEST SCOTLAND													
Oban ...	48	113	134	163	242	182	254	199	111	82	41	43	1612
Tiree ...	48	101	170	187	259	197	217	171	127	78	34	41	1630
Rothsay ...	39	87	143	175	245	143	287	196	119	87	45	36	1602
Helensburgh ...	40	86	135	170	239	143	268	168	113	67	44	23	1501
Thorntonhall ...	37	73	121	166	227	145	285	183	126	67	47	15	1492
Greenock ...	29	64	136	179	242	153	285	181	126	80	38	17	1530
Paisley ...	31	58	111	163	225	153	282	169	136	78	43	28	1477
Renfrew ...	43	69	120	165	245	159	291	177	132	78	42	30	1551
Glasgow ...	36	91	120	160	238	163	292	177	124	79	48	35	1563
Auchincruive ...	37	93	138	164	240	130	275	185	128	79	61	31	1561
Kilmarnock ...	37	99	136	175	253	161	291	189	127	83	62	39	1652
Prestwick ...	46	103	152	187	267	171	301	216	130	89	63	33	1758
Dumfries ...	37	89	136	164	226	152	275	193	127	95	56	49	1604
Eskdalemuir ...	39	96	138	152	205	163	257	185	115	83	56	44	1533
Ruthwell ...	33	101	144	161	220	165	287	199	130	93	59	46	1638
West Freugh ...	34	106	160	196	263	148	323	210	152	121	51	53	1817

TABLE IV.—Monthly and Annual Amounts of Rainfall and Number of Days of Rain at Selected Stations

1955	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	04" or more
NORTH SCOTLAND—															
Lerwick ...	3.38	3.02	1.56	2.58	2.00	1.85	.83	.89	3.71	4.78	2.26	4.86	32.12	225	162
Grimsetter ...	3.82	3.73	2.19	1.48	2.02	.80	.24	1.31	4.95	5.07	1.91	7.77	35.29	236	168
Benbecula ...	4.28	3.15	1.69	1.80	2.58	4.01	.66	1.48	5.20	7.06	3.95	6.85	42.71	228	178
Stornoway ...	3.59	2.38	1.79	2.00	2.51	2.28	.56	1.41	4.12	4.04	2.40	7.42	34.50	227	166
Duntulm ...	4.61	3.88	1.80	2.95	3.28	5.82	1.32	1.31	8.32	7.64	3.39	7.38	51.70	238	190
Cape Wrath ...	4.29	2.46	2.65	2.30	2.13	2.50	1.02	.86	5.60	6.63	3.12	6.18	40.34	240	188
Wick ...	3.71	3.13	1.64	1.32	2.55	.57	.35	.57	3.25	4.08	2.31	4.86	28.34	212	148
Strathly ...	4.03	4.03	2.10	1.72	3.91	1.24	.87	.53	3.93	6.10	2.10	5.68	36.24	234	176
Achnashellach ...	5.26	5.17	2.31	5.17	5.97	4.78	1.71	2.89	10.72	12.81	3.52	13.22	73.53	239	205
Fortrose98	1.73	.75	.88	2.15	1.02	.42	.46	1.59	3.61	.64	5.11	19.34	162	103
Dalwhinnie ...	2.86	4.03	1.37	1.47	3.58	1.61	.58	1.07	4.35	4.83	2.02	8.93	36.70	201	142
Fort William ...	4.93	4.24	1.00	4.42	3.42	4.00	1.50	1.71	9.10	8.80	2.62	11.99	57.73	215	168
Inverness ...	1.48	2.47	.98	.93	2.31	.65	.55	.36	2.23	3.85	.61	5.56	21.98	185	112
Onich ...	5.25	4.03	1.07	6.11	3.97	5.13	1.89	2.15	10.30	8.24	3.21	12.04	63.39	203	180
EAST SCOTLAND—															
Nairn ...	1.36	1.85	.67	.95	1.95	1.00	.56	.37	1.47	3.28	.53	4.48	18.47	166	92
Forres ...	1.27	1.73	1.55	.78	2.60	.75	.33	.68	1.13	3.78	.57	4.45	19.62	152	98
Kinloss ...	1.83	1.89	1.29	.84	2.56	.65	.66	.87	1.59	3.24	.52	4.10	20.04	158	104
Gordon Castle ...	1.25	2.00	1.44	1.34	3.36	1.53	.95	2.28	1.57	5.07	.85	5.35	26.99	178	135
Banff ...	1.76	2.14	1.46	1.05	3.07	.94	.40	.60	1.87	4.75	1.06	4.66	23.76	187	129
Glenlivet ...	1.80	5.30	1.77	1.05	4.21	1.56	.70	2.31	2.22	5.37	1.54	6.17	34.00	191	141
Balmoral... ..	1.36	3.67	1.07	.46	2.53	.62	.77	.60	1.47	3.38	1.79	5.90	23.62	191	124
Braemar ...	1.45	3.65	2.03	.82	2.05	1.04	.88	1.55	2.11	5.08	1.54	5.79	24.79	182	129
Craibstone ...	1.17	2.82	1.78	.77	3.07	1.96	.83	.35	2.11	5.05	2.36	5.69	28.21	175	122
Dyce ...	1.05	3.35	1.99	.73	2.97	1.73	.97	.33	1.88	5.05	2.36	5.79	28.20	180	118
Stonehaven ...	1.58	3.46	1.78	.63	2.41	.63	.68	.48	2.04	3.65	2.71	4.47	24.52	179	136
Arbroath... ..	1.47	1.59	1.24	.71	1.32	1.13	.96	.29	1.02	1.60	1.75	4.41	17.89	141	99
Buddonness ...	1.14	1.82	1.73	.66	1.69	.78	1.22	.24	.91	1.85	1.60	5.33	18.97	150	104
Dundee ...	1.42	1.52	1.58	.74	2.09	1.22	.93	.49	1.20	1.95	1.86	5.53	20.53	143	106
Montrose... ..	1.03	2.57	1.56	.64	1.58	.77	.66	.53	2.06	2.33	2.20	5.01	20.94	164	111
Perth ...	1.75	1.95	1.33	.85	2.10	1.74	1.00	.84	1.49	2.17	1.89	5.82	22.93	162	107
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
Kirkcaldy	1.45	1.60	1.24	.97	2.14	1.15	1.14	.74	2.06	1.98	1.16	4.72	20.35	156	109
Dunfermline	1.56	1.77	1.47	.60	2.84	.94	.93	.94	1.76	1.86	1.14	4.84	20.65	159	107
Leuchars	1.17	1.80	1.58	.64	2.02	.92	1.22	.27	.96	1.69	1.27	4.35	17.89	145	93
St. Andrews	1.30	1.99	1.76	.90	1.86	.83	1.27	.34	.84	1.74	1.27	4.06	18.16	146	104
Balerno ...	1.81	2.03	1.98	.60	2.84	.75	2.21	1.25	1.71	1.67	1.24	4.59	22.68	173	124
Penicuik	2.22	2.16	2.06	.84	2.61	.81	2.07	1.05	2.20	1.81	.82	5.65	24.54	185	126
Edinburgh	1.82	1.43	1.51	.44	2.11	.74	1.56	1.05	1.21	1.44	.75	4.02	18.08	173	101
Midcalder	2.13	1.76	1.83	.72	2.78	1.20	1.69	1.25	2.04	1.70	1.22	4.82	23.14	178	122
North Berwick	1.59	1.45	1.24	.85	1.91	.93	1.87	.57	1.41	1.39	.85	3.55	17.61	157	98
Marchmont	1.88	2.60	1.62	.64	1.92	1.34	2.42	.57	1.72	2.15	1.63	3.95	22.44	178	116
Peebles ...	1.73	2.13	1.23	.59	2.39	1.19	3.29	1.02	1.93	2.31	1.64	4.68	24.13	161	111
Kelso ...	2.35	2.09	1.28	.63	1.87	1.19	1.87	.43	2.07	1.96	1.23	4.43	21.45	154	115
Bush House	1.91	1.70	1.94	.72	2.45	.69	2.14	1.15	1.80	1.72	.78	5.53	22.53	182	119
WEST SCOTLAND—															
Colonsay	4.17	3.24	1.32	3.75	2.78	3.61	.38	1.18	4.52	5.89	2.47	5.97	39.28	197	157
Dunoon ...	5.23	4.07	2.72	6.40	5.95	6.10	1.84	1.80	8.39	6.87	3.73	12.74	65.84	196	173
Dunoon (Benmore)	5.81	6.47	2.78	6.05	6.11	6.81	1.70	1.73	8.89	6.96	5.21	13.51	72.03	192	177
Glenbranter	5.85	8.09	2.36	6.18	6.16	6.04	1.04	2.37	10.31	9.66	5.62	14.84	78.02	170	156
Oban ...	3.70	3.27	1.23	4.90	3.03	4.32	1.15	1.89	8.83	6.63	2.15	8.54	49.64	192	153
Rothsay	3.29	3.03	1.47	4.87	3.72	3.91	1.11	1.48	5.16	4.37	3.00	8.11	43.52	179	153
Largs ...	2.47	2.80	1.39	4.24	3.74	4.01	1.15	1.28	4.60	4.96	2.46	7.31	40.41	178	141
Tiree ...	3.37	3.02	.88	2.87	1.97	3.39	.39	1.31	6.43	6.52	1.78	6.29	38.22	205	148
Helensburgh	3.23	3.35	2.11	3.66	3.48	3.76	1.44	1.15	5.02	5.01	2.74	8.38	43.33	186	154
Stirling ...	2.10	2.27	1.76	1.30	3.51	1.37	.94	1.16	2.36	2.80	1.90	7.29	28.05	179	116
Falkirk ...	2.82	3.10	1.69	1.10	3.51	1.08	1.24	1.08	2.35	2.14	1.64	6.13	27.87	163	118
Greenock	4.52	3.92	2.11	3.76	4.56	3.25	1.04	1.24	5.18	5.04	3.01	9.19	46.82	201	149
Paisley ...	3.23	3.44	2.02	1.98	3.44	1.92	1.27	.96	3.88	2.93	1.93	6.84	33.84	171	119
Renfrew ...	2.72	2.78	1.82	1.50	2.70	1.76	1.20	.83	3.45	2.60	1.97	6.28	29.61	170	126
Auchincruive	2.31	1.49	1.42	2.60	2.96	2.43	1.59	2.04	3.46	1.99	1.83	4.49	28.61	171	133
Colmonell	3.06	3.37	1.36	2.78	2.65	2.86	1.07	1.47	3.62	3.28	3.00	4.38	32.90	175	143
Kilmarnock	2.07	1.32	1.32	2.75	3.38	2.55	1.10	1.66	4.92	2.78	1.88	6.44	32.17	168	133
Prestwick	2.49	1.31	1.05	2.34	2.65	2.81	1.27	1.62	2.88	1.72	1.81	4.34	26.29	158	116
Dumfries...	3.54	2.00	2.10	1.41	2.57	2.57	1.96	1.71	2.32	3.47	2.71	5.56	31.92	164	122
Eskdalemuir	5.73	3.48	3.42	2.50	4.11	3.07	2.56	1.52	4.67	3.11	1.90	7.81	43.88	201	152
Ruthwell...	3.31	2.34	2.58	1.72	2.70	3.11	2.39	1.99	2.91	2.30	1.73	4.97	32.05	178	123
Glenloch Barrage	4.55	1.74	2.70	2.56	3.80	3.28	2.36	1.89	3.23	2.84	2.92	7.31	39.18	157	131
Glenlee ...	5.46	2.57	3.03	2.72	4.59	3.44	2.71	1.59	3.59	4.71	4.00	10.08	48.49	170	144
West Freugh	3.42	3.13	1.47	2.21	2.79	4.07	1.36	1.31	2.52	2.15	2.97	4.60	32.00	169	124

Printed in Great Britain under the authority of Her Majesty's Stationery Office
by the Herald Printing Works, York. Wt.70683. K4

